Yahoo Group Archive: agwpe_pro

Yahoo Group summary: AGW Packet Engine PRO

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2017. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2003-05-29 through 2017-04-18

Source WARC: agwpe_pro.oqwYxD2.warc.gz

Source item: https://archive.org/details/yahoo-groups-2017-05-03T06-58-30Z-a78d39

Messages included in this PDF: 1982

Message records with no body available in the source archive: 2

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. Packet Engine Pro, Welcome

Yahoo group: agwpe_pro
Date: 2003-05-29 08:10:46 UTC
From: sv2agw
Topic: 1 Message: 1

Hi

Welcome to Packet Engine Pro email list. The list purpose is to help users of Packet Engine Pro to get answers about the program.

73
SV2AGW

2. Re: [agwpe_pro] Packet Engine Pro, Welcome

Yahoo group: agwpe_pro
Date: 2003-05-29 15:34:07 UTC
From: Patrick V.
Topic: 1 Message: 2

Hi,

I am a happy user of the AGWPE program since a few
years now, so I wanted to give the Pro version a try.
Installation was no probs, I can make connections to
my digi using WinPack...still working fine...
The only prob that occurs here with me, is when I want
to see the properties of the RadioPort, the program
crashes and says it made an illegal operation in the
module KRNL386.EXE.
Have restarted AGW Pro several times but still the
same thing happens and I need to reboot the PC. Maybe
that's a bug that George needs to clear, or could it
be something at my end ?

73 de ON4CDJ Patrick in Ghent

--- sv2agw <sv2agw@...> wrote:
> Hi
>
> Welcome to Packet Engine Pro email list. The list
> purpose is to help
> users of Packet Engine Pro to get answers about the
> program.
>
> 73
> SV2AGW
>
>
>

Do you Yahoo!?
Yahoo! Calendar - Free online calendar with sync to Outlook(TM).
http://calendar.yahoo.com

3. Re: [agwpe_pro] Packet Engine Pro, Welcome

Yahoo group: agwpe_pro
Date: 2003-05-30 08:01:48 UTC
From: H.F.P. Pit [PD5DP]
Topic: 1 Message: 3

Hello Patrick,

> Hi,
>
> I am a happy user of the AGWPE program since a few
> years now, so I wanted to give the Pro version a try.

Me too. Almost from the beginning.

> Installation was no probs, I can make connections to
> my digi using WinPack...still working fine...

No problem working everything like before.

> The only prob that occurs here with me, is when I want
> to see the properties of the RadioPort, the program
> crashes and says it made an illegal operation in the
> module KRNL386.EXE.
> Have restarted AGW Pro several times but still the
> same thing happens and I need to reboot the PC. Maybe
> that's a bug that George needs to clear, or could it
> be something at my end ?

I do not really know, but I do not have those problems at all. Agw
runs stable. I have never seen a error at all. I work running Windows XP.

Please tell us what kind of modem you work with?

> 73 de ON4CDJ Patrick in Ghent

73. Henk [PD5DP]

4. Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2003-05-31 08:01:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1 Message: 4

Hi

Version 2003.530 has been release.
Check www.elcom.gr/sv2agw or www.raag.org/sv2agw

If you already have previous version or you have WINXP download the update, otherwise the full installation.

73
(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

5. Re: [agwpe_pro] Packet Engine Pro, Welcome

Yahoo group: agwpe_pro
Date: 2003-05-31 08:15:53 UTC
From: Patrick V.
Topic: 1 Message: 5

Hi Henk,

Oops yeah I forgot to mention that....Working with
Windows 98 and soundcard.

Patrick ON4CDJ

--- "H.F.P. Pit [PD5DP]" <henk@...>
wrote:
> Hello Patrick,
>
> > Hi,
> >
> > I am a happy user of the AGWPE program since a few
> > years now, so I wanted to give the Pro version a
> try.
>
> Me too. Almost from the beginning.
>
> > Installation was no probs, I can make connections
> to
> > my digi using WinPack...still working fine...
>
> No problem working everything like before.
>
> > The only prob that occurs here with me, is when I
> want
> > to see the properties of the RadioPort, the
> program
> > crashes and says it made an illegal operation in
> the
> > module KRNL386.EXE.
> > Have restarted AGW Pro several times but still the
> > same thing happens and I need to reboot the PC.
> Maybe
> > that's a bug that George needs to clear, or could
> it
> > be something at my end ?
>
> I do not really know, but I do not have those
> problems at all. Agw
> runs stable. I have never seen a error at all. I
> work running Windows XP.
>
> Please tell us what kind of modem you work with?
>

> > 73 de ON4CDJ Patrick in Ghent
>
> 73. Henk [PD5DP]
>
>
>

Do you Yahoo!?
Yahoo! Calendar - Free online calendar with sync to Outlook(TM).
http://calendar.yahoo.com

6. Re: [agwpe_pro] Packet Engine Pro, Welcome

Yahoo group: agwpe_pro
Date: 2003-06-01 09:29:36 UTC
From: H.F.P. Pit [PD5DP]
Topic: 1 Message: 6

Hello Patrick,

> Hi Henk,
>
> Oops yeah I forgot to mention that....Working with
> Windows 98 and soundcard.
>
> Patrick ON4CDJ
>
>
Ok.

Maybe WIndows causes it, but on the other hand it could be a
problem of AGWpe PRO. Are there more members who work
with AGWpe PRO and SOUNDCARD under WINDOWS 98?

73, Henk [PD5DP]

7. Re: KRNL386.EXE crash

Yahoo group: agwpe_pro
Date: 2003-06-02 18:52:36 UTC
From: Ralph Milnes
Topic: 1 Message: 7

I don't work with Win98, but I use WinME and get the same KRNL386.EXE crash
with AGW Pro 2003.530

Ralph KC2RLM

At 05:29 AM 6/1/2003, you wrote:
>Hello Patrick,
>
> > Hi Henk,
> >
> > Oops yeah I forgot to mention that....Working with
> > Windows 98 and soundcard.
> >
> > Patrick ON4CDJ
> >
> >
>Ok.
>
>Maybe WIndows causes it, but on the other hand it could be a
>problem of AGWpe PRO. Are there more members who work
>with AGWpe PRO and SOUNDCARD under WINDOWS 98?
>
>73, Henk [PD5DP]
>
>>The only prob that occurs here with me, is when I
>> > want
>> > > to see the properties of the RadioPort, the
>> > program
>> > > crashes and says it made an illegal operation in
>> > the
>> > > module KRNL386.EXE.
>> > > Have restarted AGW Pro several times but still the
>> > > same thing happens and I need to reboot the PC.
>> > Maybe
>> > > that's a bug that George needs to clear, or could
>> > it
>> > > be something at my end ?

8. RE: [agwpe_pro] Re: KRNL386.EXE crash

Yahoo group: agwpe_pro
Date: 2003-06-02 19:40:29 UTC
From: Gerhard - F5VAG
Topic: 1 Message: 8

I test PRO.530 under Win98SE in the same configuration as 308.
PRO.530 screws up the system after a couple of hours with different error messages. 308 is stable.
May be a memory leak. I do not use any soundcard modems or the like.

--
73 de Gerhard, F5VAG / DL7MW

> -----Original Message-----
> From: Ralph Milnes [mailto:ralph.milnes@...]
> Sent: Monday, June 02, 2003 8:53 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: KRNL386.EXE crash
>
>
> I don't work with Win98, but I use WinME and get the same
> KRNL386.EXE crash
> with AGW Pro 2003.530
>
> Ralph KC2RLM
>
>
> At 05:29 AM 6/1/2003, you wrote:
> >Hello Patrick,
> >
> > > Hi Henk,
> > >
> > > Oops yeah I forgot to mention that....Working with
> > > Windows 98 and soundcard.
> > >
> > > Patrick ON4CDJ
> > >
> > >
> >Ok.
> >
> >Maybe WIndows causes it, but on the other hand it could be a
> >problem of AGWpe PRO. Are there more members who work
> >with AGWpe PRO and SOUNDCARD under WINDOWS 98?
> >
> >73, Henk [PD5DP]
> >
> >>The only prob that occurs here with me, is when I
> >> > want
> >> > > to see the properties of the RadioPort, the
> >> > program

> >> > > crashes and says it made an illegal operation in
> >> > the
> >> > > module KRNL386.EXE.
> >> > > Have restarted AGW Pro several times but still the
> >> > > same thing happens and I need to reboot the PC.
> >> > Maybe
> >> > > that's a bug that George needs to clear, or could
> >> > it
> >> > > be something at my end ?
>
>
>
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

9. Re: [agwpe_pro] Packet Engine Pro, Welcome

Yahoo group: agwpe_pro
Date: 2003-06-02 22:09:38 UTC
From: Michael K. Moreau
Topic: 1 Message: 9

I am attempting to, but no luck yet. Can't get it past the setup process.

Michael - VE3LKI

----- Original Message -----
From: "H.F.P. Pit [PD5DP]" <henk@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Sunday, June 01, 2003 5:29 AM
Subject: Re: [agwpe_pro] Packet Engine Pro, Welcome

: Hello Patrick,
:
:
: > Hi Henk,
: >
: > Oops yeah I forgot to mention that....Working with
: > Windows 98 and soundcard.
: >
: > Patrick ON4CDJ
: >
: >
: Ok.
:
: Maybe WIndows causes it, but on the other hand it could be a
: problem of AGWpe PRO. Are there more members who work
: with AGWpe PRO and SOUNDCARD under WINDOWS 98?
:
: 73, Henk [PD5DP]
:
:
:
:
: To unsubscribe from this group, send an email to:
: agwpe_pro-unsubscribe@yahoogroups.com
:
:
:
: Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
:
:
:

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.483 / Virus Database: 279 - Release Date: 05/19/2003

10. RE: [agwpe_pro] Re: KRNL386.EXE crash

Yahoo group: agwpe_pro
Date: 2003-06-03 10:11:57 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1 Message: 10

Hi

There are no memory Leaks neither window resources leak. I double check it.
But I am using a lot of win2000/XP specific functions, which although are hidden from WIN98 may introduce some errors.
Can you pse tell me your Packet Engine Pro configuration (TNCs etc) and what Packet programs you are using and if possible what operations you are doing. For instance connect to BBS connect with others ,sending YAPP files etc.

This will help me.
The problem is that I changed the internal structure and I introduced bugs. I found my self a dozen of them.
The changes made Packet Engine Pro lighter and more flexible for new adds.

Anyway I will upload a new version later today. I will inform you when, to use the Live Update .

73 and sorry for the inconvenience

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: Gerhard - F5VAG [mailto:f5vag@...]
> Sent: Monday, June 02, 2003 10:40 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Re: KRNL386.EXE crash
>
>
> I test PRO.530 under Win98SE in the same configuration as
> 308. PRO.530 screws up the system after a couple of hours
> with different error messages. 308 is stable. May be a memory
> leak. I do not use any soundcard modems or the like.
>
> --
> 73 de Gerhard, F5VAG / DL7MW
>
>
> > -----Original Message-----
> > From: Ralph Milnes [mailto:ralph.milnes@...]
> > Sent: Monday, June 02, 2003 8:53 PM

> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: KRNL386.EXE crash
> >
> >
> > I don't work with Win98, but I use WinME and get the same
> KRNL386.EXE
> > crash with AGW Pro 2003.530
> >
> > Ralph KC2RLM
> >
> >
> > At 05:29 AM 6/1/2003, you wrote:
> > >Hello Patrick,
> > >
> > > > Hi Henk,
> > > >
> > > > Oops yeah I forgot to mention that....Working with
> Windows 98 and
> > > > soundcard.
> > > >
> > > > Patrick ON4CDJ
> > > >
> > > >
> > >Ok.
> > >
> > >Maybe WIndows causes it, but on the other hand it could be
> a problem
> > >of AGWpe PRO. Are there more members who work with AGWpe PRO and
> > >SOUNDCARD under WINDOWS 98?
> > >
> > >73, Henk [PD5DP]
> > >
> > >>The only prob that occurs here with me, is when I
> > >> > want
> > >> > > to see the properties of the RadioPort, the
> > >> > program
> > >> > > crashes and says it made an illegal operation in
> > >> > the
> > >> > > module KRNL386.EXE.
> > >> > > Have restarted AGW Pro several times but still the
> same thing
> > >> > > happens and I need to reboot the PC.
> > >> > Maybe
> > >> > > that's a bug that George needs to clear, or could
> > >> > it
> > >> > > be something at my end ?
> >
> >
> >
> >

> > To unsubscribe from this group, send an email to:
> > agwpe_pro-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Get A Free Psychic Reading! Your
> Online Answer To Life's Important Questions.
> http://us.click.yahoo.com/Lj3uPC/Me7FAA/ySSFAA/ELTolB/TM
>
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

11. AGWPE PRO - Parallel port not working

Yahoo group: agwpe_pro
Date: 2003-06-03 11:32:29 UTC
From: du1qku
Topic: 11 Message: 11

Hi,

I have successfully installed the Pro version and had a good Rx and
Tx using COM1. But with the LPT1 (printer Port), it didn't work.
I thought AGWPE Pro version will correct this problem in the
previous version?

I use an IBM Thinkpad Laptop running on WIN2K and a soundcard.

Rgds,
Nomer/DU1QKU

12. RE: [agwpe_pro] AGWPE PRO - Parallel port not working

Yahoo group: agwpe_pro
Date: 2003-06-03 12:28:46 UTC
From: (SV2AGW) George Rossopoulos
Topic: 11 Message: 12

Hi

Pse do the follow to help me diagnose the problem and correct it.
1.Select from left menu the "Other Settings"
2.In the midle group (Debug Log Information) check "Log to File").
3.Close Packet Engine Pro and restart it.
4.When ready go again to the same dialog and Check "No Denug Output";
4.Send me the agwpe.log file to see what happens.

73
(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: du1qku [mailto:du1qku@...]
> Sent: Tuesday, June 03, 2003 2:32 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE PRO - Parallel port not working
>
>
>
> Hi,
>
> I have successfully installed the Pro version and had a good Rx and
> Tx using COM1. But with the LPT1 (printer Port), it didn't
> work. I thought AGWPE Pro version will correct this problem in the
> previous version?
>
> I use an IBM Thinkpad Laptop running on WIN2K and a soundcard.
>
> Rgds,
> Nomer/DU1QKU
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~--> Get A Free Psychic Reading! Your
> Online Answer To Life's Important Questions.
> http://us.click.yahoo.com/Lj3uPC/Me7FAA/ySSFAA/ELTolB/TM
>
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com

>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

13. RE: [agwpe_pro] Re: KRNL386.EXE crash

Yahoo group: agwpe_pro
Date: 2003-06-03 15:43:09 UTC
From: Gerhard - F5VAG
Topic: 1 Message: 13

> -----Original Message-----
> From: (SV2AGW) George Rossopoulos [mailto:sv2agw@...]
> Sent: Tuesday, June 03, 2003 12:12 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Re: KRNL386.EXE crash
>
>
> Hi
>
> There are no memory Leaks neither window resources leak. I double check
> it.
> But I am using a lot of win2000/XP specific functions, which although
> are hidden from WIN98 may introduce some errors.
> Can you pse tell me your Packet Engine Pro configuration (TNCs etc) and
> what Packet programs you are using and if possible what operations you
> are doing. For instance connect to BBS connect with others ,sending YAPP
> files etc.

Hi George,

I'm typically running the following on the Win98SE PC with AGWPE:
- TNC3S, two radio ports, 1200 and 9600 bd RF, 115200 bd on COM2
- AGWMonitor
- UI-View32 V1.93 connected to INET server and to UI-View32 on portable PC
via WiFi LAN
- WinPack 6.80, standard bulletin collection, no YAPP or the like
- WPP 3.0 connected to DXCluster (RF), remotely connected/controlled via
WiFi LAN,
no other TCP/IP or APRS functions used currently, occasional AX25 connects
- Occasionally HamServ to collect NNTP news on RF and INET (I know the
problem and I do not run
it long enough to screw-up the Win98SE PC)

All this runs very stable for long times with 2003.308. With the current PRO
version I had a problem twice after a couple of hours (>6). For the time
being I switched back to 308.

In addition to the above I run the NTP server for the LAN on this PC, but
not much more.

--
73 de Gerhard, F5VAG / DL7MW

14. Thanks for the hard work

Yahoo group: agwpe_pro
Date: 2003-06-05 02:00:49 UTC
From: tcpipham
Topic: 14 Message: 14

Hi George,
Just wanted to post a note thanking you for the work on AGW Packet Engine Pro. Sent you some info and screen dumps earlier today with respect to tcp/ip operation.

Summary: ARP packet info not reflected in either machine ARP tables - TCP/IP connectivity does not work.

- though my gateway node MHEARD shows ARP frames from the AGW machine, the AGW machine does not appear in the gateway machine ARP table.

Regards
N1XTB
Phil Mc

15. A note,,,,,

Yahoo group: agwpe_pro
Date: 2003-06-05 16:55:07 UTC
From: (SV2AGW) George Rossopoulos
Topic: 14 Message: 15

Hi

I feel that I must apologize for the bugs in Packet Engine Pro.
Packet Engine Pro has a totally different internal structure from AGW Packet Engine. Although they appear to do the same tasks they are totally different.
Unfortunately the price for these changes are BUGs.....

Anyway I am correcting them and hope very soon to eliminate them to an acceptable level.
Meanwhile I am planning the follow.
1.Support for Q15AX25 HF modem for Soundcard.
2.I will add a virtual Serial Port which will be used as a virtual TNC2 to allow Packet Programs that have no Packet Engine Interface to use it instead of a real TNC.
3.I added also a new 300b HF modem KAM Compatible. Now Soundcard supports both PK232 and KAM tone Pairs.

For the moment I am trying to solve some problems, during the weekend I will have a new version ready that way we will test also the "Live update ".

73
(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

16. RE: [agwpe_pro] A note,,,,,

Yahoo group: agwpe_pro
Date: 2003-06-20 12:05:11 UTC
From: (SV2AGW) George Rossopoulos
Topic: 14 Message: 16

Hi

I have just uploaded version 2003.618. PSE try the Live update and report here if there was any problem.

In this version I tried to eliminate most of the bugs.
In addition the YAM driver now works correctly.

I decided to upload it because I have started to add new features and it may take some time. So this version is not the final release but rather somewhere in the middle.

73
(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

17. RE: [agwpe_pro] A note,,,,,

Yahoo group: agwpe_pro
Date: 2003-06-20 15:21:09 UTC
From: tcpipham
Topic: 14 Message: 17

```
>Hi
>
>I have just uploaded version 2003.618. PSE try the Live update and
>report here if there was any problem.
>
>In this version I tried to eliminate most of the bugs.
>In addition the YAM driver now works correctly.
>
>I decided to upload it because I have started to add new features and it
>may take some time. So this version is not the final release but rather
>somewhere in the middle.
>
>73
>(SV2AGW) George Rossopoulos
```

```
Hi George,
Tried the live update from v611.
Live update found the update, but the dialog box to quit PEPro comes up
almost immediately. The download starts (got about 207 bytes or so) but
does not complete. Windows installer doesn't recognize the package
(probably the incomplete download boinks it)

I'll send you a screen dump separately.
73
Phil Mc
```

18. Re: [agwpe_pro] A note,,,,,

Yahoo group: agwpe_pro
Date: 2003-06-20 20:23:18 UTC
From: G0EWH
Topic: 14 Message: 18

Hi

Have been away for a few weeks and just tried PE Pro, but it hangs at the Splash screen and I have to close it and Windows says its not responding. Just installed it again in another folder and that strats ok. Where is the live update, can't see it in the PE?

Regards
Richard

----- Original Message -----
From: "(SV2AGW) George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Friday, June 20, 2003 1:05 PM
Subject: RE: [agwpe_pro] A note,,,,,

> Hi
>
> I have just uploaded version 2003.618. PSE try the Live update and
> report here if there was any problem.
>
> In this version I tried to eliminate most of the bugs.
> In addition the YAM driver now works correctly.
>
> I decided to upload it because I have started to add new features and it
> may take some time. So this version is not the final release but rather
> somewhere in the middle.
>
> 73
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@...
> +306932 465 216

19. 1200 BPS TONES PARS IN SB

Yahoo group: agwpe_pro
Date: 2003-06-30 15:03:53 UTC
From: Raul Romero
Topic: 19 Message: 19

HI My name is Raul in Santiago Chile iam have one Problem for access in my node city
no copy my tx from agwpe and agwpro and now test for other software mixw change my tones par
to 1100 (normal 1200) and 2200 and work fine :-D

George if possibility from you insert 1200 bps sound card modem un new config in to menu for
personal tones pair ??

tnx

pd

agwpe and agwpro rx copy 100 % my tx 5 %

for my new tone 1100 2200 in mixw work 100 % rx 100 % in tx

in mixw 1200 and 2200 mixw 100 in rx and 5% in tx

Pse Help !!!!!!!

agw is Better Better
73

Raul
CE3SOC

20. PEpro fails on both Win2K and Win98 Systems

Yahoo group: agwpe_pro
Date: 2003-07-03 19:45:47 UTC
From: edacs450
Topic: 20 Message: 20

I tried the original release of Packet Engine Pro (the May release)the day it came out. The installer seemed to run perfectly but the program is completely non-functional.

When it is started, the splash screen message and status screen appears but none of the links on the left-hand column menu do anything at all. I wrote it off as a first-release bug problem and left it at that since I was about to depart on a longish vacation trip.

I returned two days ago and discovered that a newer version has been released. I downloaded 2003-618 and tried it on TWO different systems:

#1 is a 1GHz Celeron running
Win2000 SP2 5.00.2195
IE 5.5 SP2
AVG AntiVirus 6.0

#2 is a 500 MHz Celeron (Soyo 6BA+ Motherboard) running
Win98 SE 4.10.2222A
IE 5.5 SP2
Norton AntiVirus 2002

Both of these are "clean" systems with a minimum of resident crap running in the systray. (I am constantly removing and disabling resident garbage placed by other program installers and device drivers such as printer drivers that cause the tray to fill up with unneccessary junk.

The program SEEMED to install properly on both machines but the same total failure to do anything occurs.

The status screen appears but none of the links work EXCEPT for "Radio Port Status" and "Heard Stations List" which (naturally) produce blank gridded screens since I can't install any TNCs.

I brought up the task manager in both systems and shutdown everything possible (firewalls, antivirus software, the Logitech Ehanced Mouse Executive [em_exec.dll -- notorious for causing wierd problems with other programs], Acrobat Acrotray.dll [resident stub of Acrobat Distiller], etc). Still no response.

The user interface looks suspiciously like Internet Explorer reskinned. The browser-like back-arrow on the tool bar

looks just like the one in other apps such as MS Bookshelf, Encarta and recent versions of Norton Utilities that use components of Internet Explorer for presenting their screens and user interface. I have IE screwed down to fairly high levels of security and have disabled various functions.

Which leads to the question:

Is PEpro dependent on settings (especially security settings) in Internet Explorer?

Stephen H. Smith wa8lmf @ aol.com
Home Page:
http://wa8lmf.com
Ham Radio/Mobile SSTV page:
http://members.aol.com/wa8lmf/ham
APRS Stuff
http://members.aol.com/wa8lmf/aprs

Radio Communications Systems Personal Computers
Consulting and Systems Integration
GPS Custom Mapping & Radio Coverage Surveys
File Conversions MS-Windows Setups Networking

21. RE: [agwpe_pro] PEpro fails on both Win2K and Win98 Systems

Yahoo group: agwpe_pro
Date: 2003-07-03 21:49:53 UTC
From: Gerhard - F5VAG
Topic: 20 Message: 21

Hi Stephen,

I just downloaded the last version from the web and gave it a try on a
Win98SE and a XP PRO system.
Same behaviour as you describe in both cases.

The TCPIP over radio link leads to an abnormal shut down, if I check for a
live update, an error box appears.

Completely non-functional.

--
73 de Gerhard, F5VAG / DL7MW

> -----Original Message-----
> From: edacs450 [mailto:edacs450@...]
> Sent: Thursday, July 03, 2003 9:46 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PEpro fails on both Win2K and Win98 Systems
>
>
> I tried the original release of Packet Engine Pro (the May
> release)the day it came out. The installer seemed to run
> perfectly but the program is completely non-functional.
>
> When it is started, the splash screen message and status
> screen appears but none of the links on the left-hand column
> menu do anything at all. I wrote it off as a first-
> release bug problem and left it at that since I was about to
> depart on a longish vacation trip.
>
> I returned two days ago and discovered that a newer version
> has been released. I downloaded 2003-618 and tried it on
> TWO different systems:
>
> #1 is a 1GHz Celeron running
> Win2000 SP2 5.00.2195
> IE 5.5 SP2
> AVG AntiVirus 6.0
>
> #2 is a 500 MHz Celeron (Soyo 6BA+ Motherboard) running
> Win98 SE 4.10.2222A
> IE 5.5 SP2
> Norton AntiVirus 2002
>
> Both of these are "clean" systems with a minimum of resident

> crap running in the systray. (I am constantly removing and
> disabling resident garbage placed by other program
> installers and device drivers such as printer drivers that
> cause the tray to fill up with unneccessary junk.
>
> The program SEEMED to install properly on both machines but
> the same total failure to do anything occurs.
>
> The status screen appears but none of the links work EXCEPT
> for "Radio Port Status" and "Heard Stations List" which
> (naturally) produce blank gridded screens since I can't
> install any TNCs.
>
> I brought up the task manager in both systems and shutdown
> everything possible (firewalls, antivirus software, the
> Logitech Ehanced Mouse Executive [em_exec.dll -- notorious
> for causing wierd problems with other programs], Acrobat
> Acrotray.dll [resident stub of Acrobat Distiller], etc).
> Still no response.
>
> The user interface looks suspiciously like Internet Explorer
> reskinned. The browser-like back-arrow on the tool bar
> looks just like the one in other apps such as MS Bookshelf,
> Encarta and recent versions of Norton Utilities that use
> components of Internet Explorer for presenting their screens
> and user interface. I have IE screwed down to fairly high
> levels of security and have disabled various functions.
>
> Which leads to the question:
>
> Is PEpro dependent on settings (especially security
> settings) in Internet Explorer?
>
>
>
>
> Stephen H. Smith wa8lmf @ aol.com
> Home Page:
> http://wa8lmf.com
> Ham Radio/Mobile SSTV page:
> http://members.aol.com/wa8lmf/ham
> APRS Stuff
> http://members.aol.com/wa8lmf/aprs
>
> Radio Communications Systems Personal Computers
> Consulting and Systems Integration
> GPS Custom Mapping & Radio Coverage Surveys
> File Conversions MS-Windows Setups Networking
>
>

>
>
>
>
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

22. Is this group totally dead?

Yahoo group: agwpe_pro
Date: 2003-07-28 22:55:09 UTC
From: edacs450
Topic: 22 Message: 22

I posted over three weeks ago reporting fatal problems with AGWpe.
There have been no responses since then except for one other person
confirming the same problem.

Has this group died or been abandoned?

23. Re: [agwpe_pro] Is this group totally dead?

Yahoo group: agwpe_pro
Date: 2003-07-29 00:43:04 UTC
From: tcpipham
Topic: 23 Message: 23

```
>I posted over three weeks ago reporting fatal problems with AGWpe.
>There have been no responses since then except for one other person
>confirming the same problem.
>
>Has this group died or been abandoned?
```

```
Hi, Hmm, I don't recall seeing your posting myself. Haven't had any
significant problems under Win 98 of George's last beta of AGWPE Pro.

73
Phil McNamara
N1XTB
```

24. Re: [agwpe_pro] Is this group totally dead?

Yahoo group: agwpe_pro
Date: 2003-07-29 13:30:03 UTC
From: Ralph Milnes
Topic: 22 Message: 24

At 06:55 PM 7/28/2003, you wrote:
>I posted over three weeks ago reporting fatal problems with AGWpe.
>There have been no responses since then except for one other person
>confirming the same problem.
>
>Has this group died or been abandoned?

No. Things are just quiet.

George SV2AGW has encountered some medical problems with this eyes that make it hard to deal with the computer. He's recovering while on vacation.

Hang in there. I predict you'll see some activity on PE Pro in August or September.

Ralph KC2RLM

25. Re: [agwpe_pro] Is this group totally dead?

Yahoo group: agwpe_pro
Date: 2003-07-31 07:07:09 UTC
From: H.F.P. Pit [PD5DP]
Topic: 23 Message: 25

Hello Group,

No, the GROUP has not died, but sometimes no other person knows the answer except maybe the one who wrote the software. It could well be that George is on vacation without notice. Why should he notice us? ;-)

So maybe please be patient. George could answering after a while.

73, Henk [PD5DP]

> I posted over three weeks ago reporting fatal problems with AGWpe.
> There have been no responses since then except for one other person
> confirming the same problem.
>
> Has this group died or been abandoned?

26. LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-05 15:18:08 UTC
From: montimax1
Topic: 26 Message: 26

```
I have a laptop Dell2650 PC with WinXP.
I selected a sound card modem port with PTT on LPT but PTT does not
work, it remains High all the time.
Could anyone help me ?
```

27. Re: [agwpe_pro] LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-06 14:37:23 UTC
From: Ralph Milnes
Topic: 26 Message: 27

At 11:18 AM 8/5/2003, you wrote:
>I have a laptop Dell2650 PC with WinXP.
>I selected a sound card modem port with PTT on LPT but PTT does not
>work, it remains High all the time.
>Could anyone help me ?

I think there's a bug in the program -- you can't use the LPT port running
AGWPE or PE PRo on XP. I believe it's on SV2AGW's list of things to fix.

In the meantime, alternatives for XP users are:
* serial port
* serial-to-USB adapter fed into a USB port
* VOX circuit
* receive only; don't transmit

By the way, has anyone ever cobbled together a COM-to-LPT port adapter?
Seems like it wouldn't be too hard to do and it would let you pick which
port -- COM or LPT -- you wanted to use for AGWPE?

Ralph KC2RLM

28. LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-06 16:27:18 UTC
From: Ralph Milnes
Topic: 26 Message: 28

For those of you trying to get the LPT port to work in WinXP ...

At one time SV2AGW suggested this might be a fix for some operating systems:

>there may be a bug in the handling of the LPT name and its actual physical
>address. Don't assume you can use the printer port name, e.g. LPT1. Check
>your BIOS to see which printer port address is really being used:
>
>0x37 = LPT1
>0x278=LPT2
>0x3bc=LPT3
>
>If the BIOS reports your printer port address as 0x3bc, which is LPT3 for
>example, then select LPT3 in AGWPE -- even if you don't think you have a
>LPT3 on your computer and Windows is calling the printer port something
>else, such as LPT1.

Anyone willing to try this and report back if it works?

Ralph KC2RLM

29. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-11 15:38:48 UTC
From: montimax1
Topic: 26 Message: 29

--- In agwpe_pro@yahoogroups.com, Ralph Milnes <ralph.milnes@v...>
wrote:
> >Check
> >your BIOS to see which printer port address is really being used:
> >
> >0x37 = LPT1
> >0x278=LPT2
> >0x3bc=LPT3
> >
> >If the BIOS reports your printer port address as 0x3bc, which is
LPT3 for
> >example, then select LPT3 in AGWPE -- even if you don't think you
have a
> >LPT3 on your computer and Windows is calling the printer port
something
> >else, such as LPT1.
>
> Ralph KC2RLM

Thank You Ralph for reply, even if it does not solve my problem.
Frankly speaking i bought agwpe pro only for the LPT-PTT port
feature...
My LPT port address on the BIOS is 0x378 wich corresponds to LPT1:
Anyway i made several tests setting LPT1, LPT2 and LPT3 on agwpe
pro, but as expected it does not work. With my DC tester all the
data output D0..D7 pins on the parallel port are not changing level,
but to be shure i have another question:

checking the pin layout of the DB-25 LPT connector i have seen that
there are several ground pins: can i use any of them for PTT wiring ?

'73 de IK3SVW Max

30. Re: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-11 16:48:08 UTC
From: Ralph Milnes
Topic: 26 Message: 30

Max wrote:

>checking the pin layout of the DB-25 LPT connector i have seen that
>there are several ground pins: can i use any of them for PTT wiring ?

Yes, as far as I know... pins 18 through 25 will act as grounds. That is the standard DB-25 LPT pin assignment (IEEE?) and hopefully your computer/port manufacturer followed that standard. The ground pin isn't software (AGWPE/Pro) controlled, so if a pin designated as ground is not acting as a ground, it would be local hardware problem.

Ralph KC2RLM

31. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-12 05:56:07 UTC
From: montimax1
Topic: 26 Message: 31

> Yes, as far as I know... pins 18 through 25 will act as grounds.
> Ralph KC2RLM

Ok, i was right: i have connected ground to pin 18.

Anyway i have experienced that the PTT circuit connected to parallel port of my laptop running WinXP sets the PTT always high, even if agwpe pro is not loaded.
This means that the rig wired to the PTT circuit is continuosly transmitting, and this is not safe.
Should this condition occour in some other computer running WinXP, i suggest to add an option in agwpe pro to invert PTT output and change the LPT->PTT circuit accordingly, so that the PTT circuit could be connected to the pc all the time.

'73 de IK3SVW Max

32. Re: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-12 14:01:56 UTC
From: Ralph Milnes
Topic: 26 Message: 32

At 01:56 AM 8/12/2003, you wrote:
>Anyway i have experienced that the PTT circuit connected to parallel
>port of my laptop running WinXP sets the PTT always high, even if
>agwpe pro is not loaded.
>This means that the rig wired to the PTT circuit is continuosly
>transmitting, and this is not safe.
>Should this condition occour in some other computer running WinXP, i
>suggest to add an option in agwpe pro to invert PTT output and
>change the LPT->PTT circuit accordingly, so that the PTT circuit
>could be connected to the pc all the time.

George SV2AGW, the program author, will probably see your message/suggestion.

In the meantime, can you use the serial port or a USB port (with a
USB-to-serial adapter plug) for PTT?

Ralph KC2RLM

33. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-08-13 07:48:37 UTC
From: montimax1
Topic: 26 Message: 33

> In the meantime, can you use the serial port or a USB port (with a
> USB-to-serial adapter plug) for PTT?
>
> Ralph KC2RLM

Yes, i am currently using agwpe pro with an usb-to serial port, and i experienced that with TNC there are no problems, also with sound card at 1200baud, but up to now i prefer to work with the free agwpe for sound card and 300baud modem, it seems to decode better (pheraps i have to trim the sound card clock better).

'73 de IK3SVW Max

34. Version 2003.827

Yahoo group: agwpe_pro
Date: 2003-08-27 14:33:13 UTC
From: sv2agw
Topic: 34 Message: 34

Hi

i have just uploaded version 2003.827.
It has a new monitor view and updated Heard list view.
Added Baycom support for WIN2000/XP. For the moment the driver supports only 1200b. Later when back i will add support for 300 and 2400b.
Added the SignalLink by Tigertronics PTT interface support for SoundCards.
New AFSK 300/1200/2400b SoundCard modems. Now all modems need very few processor resources. In a Pentium III(3) 350Mhz under win2000 consumes up to 18% processor resources. This is a big improvement...

Also i made some changes to LPT interface under win2000/XP. There was a problem finding the right LPT port Physical address in some computers under WINXP. Hope that now works ok.

73

SV2AGW (George Rossopoulos)

PS I am still on my 2 month Vacations, i will be back next week.....

35. Pentium model error

Yahoo group: agwpe_pro
Date: 2003-08-27 15:04:02 UTC
From: sv2agw
Topic: 35 Message: 35

Hi

i made a mistake the model is Pentium II (2) not Pentium III.
The AFSK modems consumes at peeks 18% of processor power.

73

SV2AGW

36. Re: Version 2003.827

Yahoo group: agwpe_pro
Date: 2003-09-02 17:38:29 UTC
From: G0EWH
Topic: 34 Message: 36

Hi group

Tried to do a Live update from Version 2003.618 running XP, but it say that
the program has to close, which it did, but then nothing.
Downloaded the "update file", but when I run it, it says that another
version exists and I should remove it from the Add/Remove program option in
Control Panel, but will this not remove ALL of the program and files?
Anyone else has problems or suggstions?
Glad to hear George is imporving.

Thanks
Richard G0EWH
Email: g0ewh@...

> Date: Wed, 27 Aug 2003 14:33:13 -0000
> From: "sv2agw" <sv2agw@...>
> Subject: Version 2003.827
>
> Hi
>
> i have just uploaded version 2003.827.
> 73
>
> SV2AGW (George Rossopoulos)
>

37. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-11 21:33:55 UTC
From: montegrande11
Topic: 26 Message: 37

hello
i have the same proble :all lpt pin are high alwais!I have a notebook
p4 with w2k!I tried change lpt settin in bios: lpt in bi-directional
= pin low, but ptt control don't work!
this is the log of install new tnc port with test ptt:

```
@21:15:48:508> WizTncKissAutodetect3
@21:15:50:842> WizGenTNCtype::onSetActive
@21:15:54:557> WizGenTNCtype::onSetActive
@21:16:6:835> PARALLELPORT = LPT1 nt=1
@21:16:6:835> 1
@21:16:7:35> Porta stampante (LPT1)
@21:16:7:45> ACPI\PNP0400\3
@21:16:7:45> 2
@21:16:7:55> DeviceId=ACPI\PNP0400\3\LogConf
@21:16:7:55> 3
@21:16:7:55> ~DeviceControl
@21:16:7:65> PARALLELPORT = LPT1=378
@21:16:7:235> Porta stampante (LPT1)
@21:16:7:235> ACPI\PNP0400\3
@21:16:7:235> ACPI\PNP0400\3
@21:16:7:796> C:\Programmi\george\Packet Engine Pro\agwsclpt.sys
@21:16:7:806> AGWDEVICEDRIVER LASTERROR=183
@21:16:7:806> AGWDEVICEDRIVER LASTERROR=183
@21:16:7:816> AGWDEVICEDRIVER LASTERROR=997
@21:16:7:816> Unload device Driver1 LASTERROR=183
@21:16:7:826> Unload device Driver2 LASTERROR=1060
@21:16:7:826> Unload device Driver3 LASTERROR=1060
@21:16:7:836> InstallDriver ok1
@21:16:7:836> InstallDriver ok2
@21:16:8:277> LASTERROR=997
@21:16:8:277> InstallDriver ok3
@21:16:8:277> Write registry
@21:16:8:297> start driver
@21:16:8:297> STARTDRIVER 1
@21:16:8:307> STARTDRIVER 2
@21:16:8:337> STARTDRIVER 3
@21:16:8:337> \\.\agwsclpt
@21:16:8:347> OpenDevice error=0
@21:16:8:347> ~AGWDEVICEDRIVER
@21:16:8:357> ~DeviceControl
@21:16:23:949> Enable again lpt device=LPT1
@21:16:23:959> AGWDEVICEDRIVER LASTERROR=183
@21:16:23:959> AGWDEVICEDRIVER LASTERROR=183
@21:16:23:959> AGWDEVICEDRIVER LASTERROR=997
```

```
@21:16:23:969> Unload device Driver1 LASTERROR=183
@21:16:23:979> SERVICE STOPED=1
@21:16:23:979> Unload device Driver2 LASTERROR=997
@21:16:23:979> Unload device Driver3 LASTERROR=997
@21:16:23:989> Enable again lpt device=LPT1
@21:16:23:989> Device control enable port=LPT1
@21:16:24:150> Porta stampante (LPT1)
@21:16:24:150> ACPI\PNP0400\3
@21:16:24:160> ACPI\PNP0400\3
@21:16:24:220> ~DeviceControl
@21:16:24:220> ~AGWDEVICEDRIVER
@21:16:24:230> ~SCPTT
@21:16:27:995> connections=8
@21:16:27:995> Mono Mix=1
@21:16:28:5> Stereo Mix=10001
@21:16:28:5> Aux=20001
@21:16:28:15> TV Tuner Audio=30001
@21:16:28:25> CD Player=40001
@21:16:28:25> Line In=50001
@21:16:28:35> Microphone=60001
@21:16:28:35> Phone Line=70001
@21:16:28:45> New OSC 2048=2048
@21:16:28:45> 2048=0=22050
@21:16:28:55> 2048=0=22050
@21:16:28:75> New OSC 3
@21:16:34:374> ~COScopeCtrl
@21:16:44:799> INISOUNDCARD
@21:16:44:809> SOUNDCARD.HowMany=1
@21:16:44:809> SOUNDCARD NEW
@21:16:44:819> SAMPLERATE=22050
@21:16:44:849> SoundCard:FULLDUPLEX=YES
@21:16:44:859> PARALLELPORT = LPT1 nt=1
@21:16:44:859> 1
@21:16:45:20> Porta stampante (LPT1)
@21:16:45:20> ACPI\PNP0400\3
@21:16:45:30> 2
@21:16:45:30> DeviceId=ACPI\PNP0400\3\LogConf
@21:16:45:40> 3
@21:16:45:40> ~DeviceControl
@21:16:45:50> PARALLELPORT = LPT1=378
@21:16:45:210> Porta stampante (LPT1)
@21:16:45:220> ACPI\PNP0400\3
@21:16:45:220> ACPI\PNP0400\3
@21:16:45:270> C:\Programmi\george\Packet Engine Pro\agwsclpt.sys
@21:16:45:280> AGWDEVICEDRIVER LASTERROR=183
@21:16:45:280> AGWDEVICEDRIVER LASTERROR=183
@21:16:45:290> AGWDEVICEDRIVER LASTERROR=997
@21:16:45:300> Unload device Driver1 LASTERROR=183
@21:16:45:300> Unload device Driver2 LASTERROR=1060
@21:16:45:310> Unload device Driver3 LASTERROR=1060
```

```
@21:16:45:310> InstallDriver ok1
@21:16:45:320> InstallDriver ok2
@21:16:45:781> LASTERROR=997
@21:16:45:781> InstallDriver ok3
@21:16:45:791> Write registry
@21:16:45:791> start driver
@21:16:45:801> STARTDRIVER 1
@21:16:45:811> STARTDRIVER 2
@21:16:45:821> STARTDRIVER 3
@21:16:45:831> \\.\agwsclpt
@21:16:45:831> OpenDevice error=0
@21:16:45:871> ~AGWDEVICEDRIVER
@21:16:45:881> ~DeviceControl
@21:16:45:931> ~SCPTT
@21:16:45:941> Sound:StartReading
@21:16:46:101> HDLCRX::RxFoundFlag 1
@21:16:46:181> HDLCRX::RxFoundFlag 1
@21:16:46:271> HDLCRX::RxFoundFlag 1
@21:16:46:271> HDLCRX::RxFoundFlag 1
@21:16:46:281> HDLCRX::RxFoundFlag 1
@21:16:46:372> HDLCRX::RxFoundFlag 1
@21:16:46:372> HDLCRX::RxFoundFlag 1
@21:16:46:382> HDLCRX::RxFoundFlag 1
@21:16:46:462> HDLCRX::RxFoundFlag 1
@21:16:46:472> HDLCRX::RxFoundFlag 1
@21:16:46:472> HDLCRX::RxFoundFlag 1
@21:16:46:482> HDLCRX::RxFoundFlag 1
@21:16:46:552> HDLCRX::RxFoundFlag 1
@21:16:46:652> HDLCRX::RxFoundFlag 1
@21:16:46:742> HDLCRX::RxFoundFlag 1
@21:16:47:213> HDLCRX::RxFoundFlag 1
@21:16:47:213> HDLCRX::RxFoundFlag 1
@21:16:47:293> HDLCRX::RxFoundFlag 1
@21:16:47:303> HDLCRX::RxFoundFlag 1
@21:16:47:383> HDLCRX::RxFoundFlag 1
@21:16:47:393> HDLCRX::RxFoundFlag 1
@21:16:47:473> HDLCRX::RxFoundFlag 1
@21:16:47:573> HDLCRX::RxFoundFlag 1
@21:16:47:583> HDLCRX::RxFoundFlag 1
@21:16:47:653> AGWDSKTP::ONCLOSE
@21:16:47:663> DELETE KISS
@21:16:47:673> Serial kill
@21:16:47:683> KILL Httpserver

@21:16:47:694> sockserver flushthread
@21:16:47:704> Exit loop sockserver
@21:16:47:714> KILL sockserver

@21:16:47:714> SOUNDCARD EXITKISS
@21:16:47:724> WAVEINCLOSE RETURNED 0=0
@21:16:47:734> SOUNDCARD EXITKISS END
```

```
@21:16:47:754> EXIT LOOP SERIALWRITER
@21:16:47:754> deleted tcpip

@21:16:47:764> ~SOCKSERVER
@21:16:47:774> deleted sockserver

@21:16:47:774> deleted Httpserver

@21:16:47:794> destroyed DDEML
@21:16:47:804> ~SbTncAFSK
@21:16:47:814> ~SOUNDTNC
@21:16:47:824> ~SOUNDCARD
@21:16:47:834> Enable again lpt device=LPT1
@21:16:47:834> AGWDEVICEDRIVER LASTERROR=183
@21:16:47:844> AGWDEVICEDRIVER LASTERROR=183
@21:16:47:854> AGWDEVICEDRIVER LASTERROR=997
@21:16:47:864> Unload device Driver1 LASTERROR=183
@21:16:47:874> SERVICE STOPED=1
@21:16:47:884> Unload device Driver2 LASTERROR=997
@21:16:47:894> Unload device Driver3 LASTERROR=997
@21:16:47:904> Enable again lpt device=LPT1
@21:16:47:914> Device control enable port=LPT1
@21:16:48:84> Porta stampante (LPT1)
@21:16:48:94> ACPI\PNP0400\3
@21:16:48:104> ACPI\PNP0400\3
@21:16:48:174> ~DeviceControl
@21:16:48:174> ~AGWDEVICEDRIVER
@21:16:48:184> ~SCPTT
@21:16:48:194> ~SERIALPORTWRITER
@21:16:48:194> ~SerialPort
@21:16:48:204> ~RADIOPORT
@21:16:48:364> deleted serialports

@21:16:48:385> Destroyed Icons
@21:16:48:395> WSA CLEANUP
@21:16:48:395> ~DDEML
@21:16:48:555> ~CONVMANAGER
@21:16:48:565> ~CONVMANAGER end
@21:16:48:575> ~AX25MANAGER
@21:16:48:585> ~AX25MANAGER END
@21:16:48:815> ~dsktp
@21:16:48:825> WINMAIN::exit error=183
```

please AGW help us!!

Thanks

'73 de IW1RIC Max

38. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-12 09:51:02 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 38

Hi

Thanks for the Log.
I am studing it.
Tell me something else what is the address of the LPT port you have??
Check this pse from control panel/system/hardware/device manager
ports/lpt1/resources.
Also tell me what is the displayed name for this port.

The problem is that windows save the LPT port base address in different
locations.....

73
(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

39. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-12 11:48:17 UTC
From: montegrande11
Topic: 26 Message: 39

HI AGW

thanks for your replay!
My LPT configuration is

windows 2000 SP4

intervallo 0378-037f
irq 07

drivers:
parallel.sys and parport.sys

not use interrupt
name lpt1

bios
ltp ecp
(lpt in ecp or epp pins alwais high; lpt in bi-directional pins
alwais low)

I thinks that is important the lpt bios setting also!Please tell me
any new news or update!! I won't check your software but now I can't
(ppt don't work) and I have only 28 day to test!!!

'73 de IW1RIC max

40. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-13 09:30:17 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 40

Hi

Each new version will give another month of free evaluation, starting
from next version.
Meanwhile, is there anyone else who is using LPT port for PTT or has an
interface to participate in the test?

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: montegrande11 [mailto:montegrande11@...]
> Sent: Friday, September 12, 2003 2:48 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> HI AGW
>
> thanks for your replay!
> My LPT configuration is
>
> windows 2000 SP4
>
> intervallo 0378-037f
> irq 07
>
> drivers:
> parallel.sys and parport.sys
>
> not use interrupt
> name lpt1
>
> bios
> ltp ecp
> (lpt in ecp or epp pins alwais high; lpt in bi-directional pins
> alwais low)
>
>
> I thinks that is important the lpt bios setting also!Please tell me
> any new news or update!! I won't check your software but now I can't
> (ppt don't work) and I have only 28 day to test!!!

>
> '73 de IW1RIC max
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for Your HP, Epson, Canon or Lexmark Printer at Myinks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/l.m7sD/LIdGAA/qnsNAA/ELTolB/TM
---~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

41. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-13 14:31:33 UTC
From: Marcelo Puhl
Topic: 26 Message: 41

On 13 Sep 2003 at 12:30, (SV2AGW) George Rossopoulos wrote:

> Meanwhile, is there anyone else who is using LPT port for PTT or has an
> interface to participate in the test?

I'm using LPT port for PTT.
Running AGWPE 2003.308 and W98 on a XP2600+.
Two radios, 1200/9600.
How could I help?

Mark, PY3SS

42. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-14 17:07:28 UTC
From: montegrande11
Topic: 26 Message: 42

Hello!
I have make new test... If I start a packet program (truetty) and set lpt and after (truetty is running) run agw, ptt control work fine!!
But if i close agw and restart it (truetty is running) ptt don't work (pins=high)!For new session, I restart win2k!

Bye

'73 de IW1RIC max

43. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-17 11:10:56 UTC
From: montegrande11
Topic: 26 Message: 43

hello!

No news, good news??
Have you found a solutions? can you integrate agwpe-pro with
userport.sys? People tell me that work fine for os win2k but i thinks
that the is important that the program is configurated fo use
userport.sys. I have test userport, but in this version of agwpe-pro
don't work.....

bye

'73 de IW1RIC

44. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-17 13:39:48 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 44

Hi

I made some tests and everything works fine.....here!!!

From the Log you sent me seems that it finds ok the LPT port and uses
it.
Are you sure that the PTT circuit is working OK??
If yes then run another test.
From control panel/system/device manager/ports disable LPT1.
After that run Pepro and test the ptt again.

Userport.sys inserts a lot of overhead switching processor modes and I
am not using it.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: montegrande11 [mailto:montegrande11@...]
> Sent: Wednesday, September 17, 2003 2:11 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> hello!
>
> No news, good news??
> Have you found a solutions? can you integrate agwpe-pro with
> userport.sys? People tell me that work fine for os win2k but i thinks
> that the is important that the program is configurated fo use
> userport.sys. I have test userport, but in this version of agwpe-pro
> don't work.....
>
>
> bye
>
> '73 de IW1RIC
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~--> Buy Ink Cartridges or Refill Kits

> for Your HP, Epson, Canon or Lexmark Printer at Myinks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/l.m7sD/LIdGAA/qnsNAA/ELTolB/TM
---~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

45. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-17 18:08:43 UTC
From: montegrande11
Topic: 26 Message: 45

hi

I have disable lpt1 from control panel... and pins are high (and ptt on), after start agwpe-pro, install new tnc... "test ptt" control and lpt automatly switch active, in control panel, lpt1 but ptt is alwais on.... :-(((

Have new idea??

are you in chat?? At what times???

bye

IW1RIC

46. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-17 20:24:19 UTC
From: montegrande11
Topic: 26 Message: 46

Sorry..
i view that your agwsclpt.sys get the address 378-37f and disable my
lpt1! you call lpt by name or by address?? may be this the problem???

Your lpt setting is ecp or epp or bi-directional?? and use irq or
not or all irq??

bye

IW1RIC

47. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-18 09:31:46 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 47

Hi

Is the 378 adress the right one???

Is the PTT circuit OK?

The LPT Must be set to ECP from BIOS.

73
(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: montegrande11 [mailto:montegrande11@...]
> Sent: Wednesday, September 17, 2003 11:24 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> Sorry..
> i view that your agwsclpt.sys get the address 378-37f and disable my
> lpt1! you call lpt by name or by address?? may be this the problem???
>
> Your lpt setting is ecp or epp or bi-directional?? and use irq or
> not or all irq??
>
> bye
>
> IW1RIC
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy quality ink cartridges & refill
> kit. Remanufactured & Refills for: HP $8-20, Epson $3-9,
> Canon $5-15. FREE shipping over $50 (US & Canada).
> http://www.c1tracking.com/l.asp?cid=6347
>
http://us.click.yahoo.com/lB7L3D/k5uGAA/qnsNAA/ELTolB/TM
---~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

48. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-18 10:44:24 UTC
From: montegrande11
Topic: 26 Message: 48

Hi

> Is the 378 adress the right one???
yes, in bios is 378, but in windows, control panel , when i start
agwpe the address is 278 because 378 is in use of agwsclpt.sys.

> Is the PTT circuit OK?

Yes , i have tested with a utility that write on lpt: write 256 and
ptt is on, write 0 and ptt is off

>
> The LPT Must be set to ECP from BIOS.

Ok but in windows, control panel is set :use IRQ, not use IRQ, use
any IRQ??

sorry for my long query.. ;-)

IW1RIC

49. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-18 18:36:06 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 49

Hi

Well the lpt port address is 278.Plug 'Play means that the OS (Windows) can change the addresses of the hardware.
So try LPT2 instead of LPT1.

When PEpro starts with LPT port PTT it disables the Windows LPT port(actually the driver) then loads agwsclpt.sys which takes control of LPT port.
On exit Pepro stops and unloads agwsclpt.sys and enables the windows driver.

In that case it is possible that windows change the lpt address again and next time Pepro will try to get LPT port will not!!
So go to control panel/system/hardware/device manager open the properties sheet of lpt port go to resources tab and uncheck the automatic settings.

Pepro always tries to get the right LPT port address from registry, unfortunately these settings are stored in different places.So far I found 4 different places.
Your sytem uses another place to store that info so I cannot get it.

Now what you must do. Disable the automatic settings from lpt port resources. Restart your computer go again to resources page and check the address.If it is 378 use in Pepro LPT1 if it is 278 set Pepro to lpt2.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: montegrande11 [mailto:montegrande11@...]
> Sent: Thursday, September 18, 2003 1:44 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> Hi
>
> > Is the 378 adress the right one???
> yes, in bios is 378, but in windows, control panel , when i start
> agwpe the address is 278 because 378 is in use of agwsclpt.sys.

>
>
> > Is the PTT circuit OK?
>
> Yes , i have tested with a utility that write on lpt: write 256 and
> ptt is on, write 0 and ptt is off
>
> >
> > The LPT Must be set to ECP from BIOS.
>
> Ok but in windows, control panel is set :use IRQ, not use IRQ, use
> any IRQ??
>
> sorry for my long query.. ;-)
>
> IW1RIC
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Remanufactured Ink Cartridges &
> Refill Kits at MyInks.com for: HP $8-20. Epson $3-9, Canon
> $5-15, Lexmark $4-17. Free s/h over $50 (US & Canada).
> http://www.c1tracking.com/l.asp?cid=6351
>
http://us.click.yahoo.com/0zJuRD/6CvGAA/qnsNAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

50. Packet Engine Pro news

Yahoo group: agwpe_pro
Date: 2003-09-18 18:39:22 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 50

Hi again

I have ready the new version.
I fixed the Live update problem, now it works ok and needs no uninstall
for the previous version.
Also From now on, every new version will give another 30days trial
period for unregistered users.

Thanks again all of you who help me improve the program.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

51. Re: [agwpe_pro] Packet Engine Pro news

Yahoo group: agwpe_pro
Date: 2003-09-18 19:07:54 UTC
From: tcpipham
Topic: 26 Message: 51

```
>Hi again
>
>I have ready the new version.
>I fixed the Live update problem, now it works ok and needs no uninstall
>for the previous version.
>Also From now on, every new version will give another 30days trial
>period for unregistered users.
>
>Thanks again all of you who help me improve the program.
>
>73
>
>(SV2AGW) George Rossopoulos
```

```
Hi George,
So do we need to manually download and install the new version to put the
fix in place?
Link?
Phil Mc
N1XTB
```

52. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-09-19 12:03:47 UTC
From: montegrande11
Topic: 26 Message: 52

HI george

The lpt configuration now is 378 in ecp mode, no plug&play and when agwpe start disable it and when exit agwpe active ltp. The address is alwais 378!!It is ok.

but,

don't work!!
I use a ptt control on pin 2 (+) and pin 18(-), is it ok?
Pins are alwais high.When send c xxxxx with winpacket pins state do not change! Can you send a log of... for help you??I have a service pack4 on win2k, may be this the problem??

Sorry, bye

Max IW1RIC

53. RE: [agwpe_pro] Packet Engine Pro news

Yahoo group: agwpe_pro
Date: 2003-09-21 12:40:22 UTC
From: Angel Alferez
Topic: 26 Message: 53

Hello George,

Yesterday I download the new versión in order to check the program with the baycom modem : My configuration is : AMD 1800+ with 256 MB and 120 GB of hard disk.
The downloaded version of pe_pro is 2003.827

The program says that the trial time has expired.

Could you help me?

Thanks in advance

Ángel
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@...]
Enviado el: jueves, 18 de septiembre de 2003 20:39
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro news

Hi again

I have ready the new version.
I fixed the Live update problem, now it works ok and needs no uninstall for the previous version.
Also From now on, every new version will give another 30days trial period for unregistered users.

Thanks again all of you who help me improve the program.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=194081.3897168.5135684.1261774/D=egroupweb/S=1705063108:HM/A=1706996/R=0/SIG=11p5b9ris/*http:/www.ediets.com/start.cfm?code=30509&media=atkins> click here

<http://us.adserver.yahoo.com/l?M=194081.3897168.5135684.1261774/D=egroupmail/S=:HM/A=1706996/rand=748073176>

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

54. Packet Engine Pro version 2003.922

Yahoo group: agwpe_pro
Date: 2003-09-22 08:46:21 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 54

Hi

just have uploaded the new version(2003.922).
1.Fixed the Live update problem
2.from this version unregistered users will get another trial period of
30 days

Since the version you have cannot do live update proceed as follow
1.Download the update http://www.elcom.gr/sv2agw/pepro_update.zip
2.Unzip it and get the "Packet Engine Pro.msi" file.
3.Go to control panel "add/remove programs" remove "Packet Engine Pro"
4.double click the "Packet Engine Pro.msi" file

You are ready.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216
-----Original Message-----
From: Angel Alferez [mailto:Angel_Alferez@...]
Sent: Sunday, September 21, 2003 3:40 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro news

Hello George,

Yesterday I download the new versión in order to check the program with
the baycom modem : My configuration is : AMD 1800+ with 256 MB and 120
GB of hard disk.
The downloaded version of pe_pro is 2003.827

The program says that the trial time has expired.

Could you help me?

Thanks in advance

Ángel
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@....gr]
Enviado el: jueves, 18 de septiembre de 2003 20:39
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro news

Hi again

I have ready the new version.
I fixed the Live update problem, now it works ok and needs no uninstall for the previous version.
Also From now on, every new version will give another 30days trial period for unregistered users.

Thanks again all of you who help me improve the program.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=194081.3897168.5135684.1261774/D=egroupweb/S=1705063108:HM/A=1732163/R=0/SIG=11n0nglqg/*http://www.ediets.com/start.cfm?code=30510&media=zone> click here

<http://us.adserver.yahoo.com/l?M=194081.3897168.5135684.1261774/D=egroupmail/S=:HM/A=1732163/rand=987525891>

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

55. Bug Report - PE Pro 2003.922

Yahoo group: agwpe_pro
Date: 2003-09-22 13:27:12 UTC
From: Ralph Milnes
Topic: 26 Message: 55
Attachments: 2 described; binary payloads are missing from this source WARC

Hi George,

Nice to see you active again and thanks for the new beta.

A quick check produced one bug on my Windows XP system:

* If pick 'Live Update' from the menu, there's no way to exit and no other
menu selections are possible. You need to use the Windows Task Manager to
stop PE Pro.

Ralph KC2RLM

At 04:46 AM 9/22/2003, you wrote:
>"urn:schemas-microsoft-com:vml" xmlns:o =
>"urn:schemas-microsoft-com:office:office" xmlns:w =
>"urn:schemas-microsoft-com:office:word">
>Hi
>
>just have uploaded the new version(2003.922).
>1.Fixed the Live update problem
>2.from this version unregistered users will get another trial period of 30
>days
>
>Since the version you have cannot do live update proceed as follow
>1.Download the update
><http://www.elcom.gr/sv2agw/pepro_update.zip>http://www.elcom.gr/sv2agw/pepro_update.zip
>2.Unzip it and get the "Packet Engine Pro.msi" file.
>3.Go to control panel "add/remove programs" remove "Packet Engine Pro"
>4.double click the "Packet Engine Pro.msi" file
>
>You are ready.
>
>73
>
>
>(SV2AGW) George Rossopoulos
>www.elcom.gr/sv2agw
>sv2agw@...
>+306932 465 216
>-----Original Message-----
>From: Angel Alferez [mailto:Angel_Alferez@terra.es]
>Sent: Sunday, September 21, 2003 3:40 PM
>To: agwpe_pro@yahoogroups.com
>Subject: RE: [agwpe_pro] Packet Engine Pro news
>

>Hello George,
>
>Yesterday I download the new versión in order to check the program with
>the baycom modem : My configuration is : AMD 1800+ with 256 MB and 120 GB
>of hard disk.
>The downloaded version of pe_pro is 2003.827
>
>The program says that the trial time has expired.
>
>Could you help me?
>
>Thanks in advance
>
>Ángel
>EB4GCS
>
>-----Mensaje original-----
>De: (SV2AGW) George Rossopoulos [mailto:sv2agw@...]
>Enviado el: jueves, 18 de septiembre de 2003 20:39
>Para: agwpe_pro@yahoogroups.com
>Asunto: [agwpe_pro] Packet Engine Pro news
>
>Hi again
>
>I have ready the new version.
>I fixed the Live update problem, now it works ok and needs no uninstall
>for the previous version.
>Also From now on, every new version will give another 30days trial
>period for unregistered users.
>
>Thanks again all of you who help me improve the program.
>
>73
>
>(SV2AGW) George Rossopoulos
>www.elcom.gr/sv2agw
>sv2agw@...
>+306932 465 216
>
>
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>
>

>
>
>
>
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>
>
>Yahoo! Groups Sponsor
>ADVERTISEMENT
><http://rd.yahoo.com/M=256694.3867555.5111023.1261774/D=egroupweb/S=1705063108:HM/A=17506
39/R=2/id=noscript/SIG=11fl5bu29/*http://webevents.yahoo.com/universal/rundown/>156f61.jpg
>15705c.jpg
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

56. RE: [agwpe_pro] Bug Report - PE Pro 2003.922

Yahoo group: agwpe_pro
Date: 2003-09-23 14:02:44 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 56

Hi

I have just uploaded ver 2003.923.
Ralph it wasn't only the [Cancel] button, but other things I discovered
while searching the [Cancel].
Anyway now is.

Those of you who already have 2003.922 you can use the live update
In the installation wizard select "Repair"

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

57. BayCom PAR96

Yahoo group: agwpe_pro
Date: 2003-09-23 17:20:59 UTC
From: Marek Svoboda
Topic: 57 Message: 57

Hi,

Please, know anybody if AGWpe_pro support modem BayCom PAR96. This is LPT port (G3RUH 9k6) type of BayCom modem.

Thanks, Marek OK2ACM.

_____
FREE online games with MSN Messenger 6.0 - FREE download
http://messenger.msn.cz

58. RE: [agwpe_pro] Packet Engine Pro version 2003.922

Yahoo group: agwpe_pro
Date: 2003-09-23 21:07:16 UTC
From: Angel Alferez
Topic: 26 Message: 58

Just right now, I download new version (2003.923) but the program still say that “the trial period is expired”.

The operating system is Windows XP – Professional edition.

Thanks in advance

Angel Alferez
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@pigeon.ee.auth.gr]
Enviado el: lunes, 22 de septiembre de 2003 10:46
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro version 2003.922

Hi

just have uploaded the new version(2003.922).
1.Fixed the Live update problem
2.from this version unregistered users will get another trial period of 30 days

Since the version you have cannot do live update proceed as follow
1.Download the update http://www.elcom.gr/sv2agw/pepro_update.zip
2.Unzip it and get the "Packet Engine Pro.msi" file.
3.Go to control panel "add/remove programs" remove "Packet Engine Pro"
4.double click the "Packet Engine Pro.msi" file

You are ready.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216
-----Original Message-----
From: Angel Alferez [mailto:Angel_Alferez@...]
Sent: Sunday, September 21, 2003 3:40 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro news
Hello George,

Yesterday I download the new versión in order to check the program with the baycom modem : My configuration is : AMD 1800+ with 256 MB and 120 GB of hard disk.
The downloaded version of pe_pro is 2003.827

The program says that the trial time has expired.

Could you help me?

Thanks in advance

Ángel
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@pigeon.ee.auth.gr]
Enviado el: jueves, 18 de septiembre de 2003 20:39
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro news

Hi again

I have ready the new version.
I fixed the Live update problem, now it works ok and needs no uninstall
for the previous version.
Also From now on, every new version will give another 30days trial
period for unregistered users.

Thanks again all of you who help me improve the program.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=256694.3867555.5111023.1261774/D=egroupweb/S=1705
063108:HM/A=1750639/R=2/id=noscript/SIG=11fl5bu29/*http:/webevents.yahoo
.com/universal/rundown/>

<http://us.a1.yimg.com/us.yimg.com/a/un/universal/rundown_300x250.jpg>

<http://us.adserver.yahoo.com/l?M=256694.3867555.5111023.1261774/D=egroupmail/S=:HM/A=1750639/rand=106353183>

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

59. RV: [agwpe_pro] Packet Engine Pro version 2003.922

Yahoo group: agwpe_pro
Date: 2003-09-23 21:19:57 UTC
From: Angel Alferez
Topic: 59 Message: 59

-----Mensaje original-----
De: Angel Alferez [mailto:Angel_Alferez@terra.es]
Enviado el: martes, 23 de septiembre de 2003 23:07
Para:
Asunto: RE: [agwpe_pro] Packet Engine Pro version 2003.922

Just right now, I download new version (2003.923) but the program still say that “the trial period is expired”.

The operating system is Windows XP – Professional edition.

Thanks in advance

Angel Alferez
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@...]
Enviado el: lunes, 22 de septiembre de 2003 10:46
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro version 2003.922

Hi

just have uploaded the new version(2003.922).
1.Fixed the Live update problem
2.from this version unregistered users will get another trial period of 30 days

Since the version you have cannot do live update proceed as follow
1.Download the update http://www.elcom.gr/sv2agw/pepro_update.zip
2.Unzip it and get the "Packet Engine Pro.msi" file.
3.Go to control panel "add/remove programs" remove "Packet Engine Pro"
4.double click the "Packet Engine Pro.msi" file

You are ready.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216
-----Original Message-----
From: Angel Alferez [mailto:Angel_Alferez@...]
Sent: Sunday, September 21, 2003 3:40 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro news

Hello George,

Yesterday I download the new versión in order to check the program with the baycom modem : My configuration is : AMD 1800+ with 256 MB and 120 GB of hard disk.
The downloaded version of pe_pro is 2003.827

The program says that the trial time has expired.

Could you help me?

Thanks in advance

Ángel
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@...]
Enviado el: jueves, 18 de septiembre de 2003 20:39
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro news

Hi again

I have ready the new version.
I fixed the Live update problem, now it works ok and needs no uninstall for the previous version.
Also From now on, every new version will give another 30days trial period for unregistered users.

Thanks again all of you who help me improve the program.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=194081.3897168.5135684.1261774/D=egroupweb/S=1705
063108:HM/A=1754016/R=0/SIG=11pv1u2ju/*http:/www.ediets.com/start.cfm?co
de=30529&media=atkins> click here

<http://us.adserver.yahoo.com/l?M=194081.3897168.5135684.1261774/D=egrou
pmail/S=:HM/A=1754016/rand=761671007>

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

60. Bug Report - PE Pro 2003.923 Update

Yahoo group: agwpe_pro
Date: 2003-09-24 01:37:34 UTC
From: Ralph Milnes
Topic: 26 Message: 60

At 10:02 AM 9/23/2003, you wrote:

>I have just uploaded ver 2003.923.
><snip>
>Those of you who already have 2003.922 you can use the live update
>In the installation wizard select "Repair"

George, I'm having trouble installing the update file on a Windows XP Home machine.

I have version 2003.922.

I can download the update file, pepro_update.zip, and unzip it to get Packet Engine Pro.msi (1284 KB).

When I click on the msi program, I get this message: "Another version of this product is already installed. Installation of this version can not continue. To configure or remove the existing version of this product, use Add/Remove Programs on the Control Panel."

I get the same thing if instead I use the Live Update to download the .msi file.

I had to remove PE Pro from the the Control panel and then download and install the full install .msi program

Perhaps it was because I have assorted Packet Engine Pro.msi files on my hard drive in different folders?

73

Ralph

61. wmm3 baycom +xp

Yahoo group: agwpe_pro
Date: 2003-09-24 07:12:54 UTC
From: m0cpb
Topic: 61 Message: 61

hi i've just installed 2003.923 and the programme refuses to talk to the wmm3 baycom until you close the packet pro programme ,when several tx's can be seen on the radio.I ve tried changing the port resoursces in contol pannel and checked the settings on the packet pro but to no avail.
Any Ideas?
73's
David
M0cpb

62. Losing comms between apgwpro and ui-view32 1.97

Yahoo group: agwpe_pro
Date: 2003-09-24 22:43:50 UTC
From: n0anhasan50212
Topic: 62 Message: 62

Since upgrading to the pro version about two weeks ago, I have been losing communication between ui-view32 and agwpro. Setup has not changed, and all looks good and then after several hours, ui-view32 stops seeing any stations. Also, I can no longer transmit.

I've tried to download the latest update, but every time I go to the page, it is not available. Either the update has been pulled or the site is so busy that I can't get to it.

any ideas?

73,

hasan, N0AN

63. SV: [agwpe_pro] Losing comms between apgwpro and ui-view32 1.97

Yahoo group: agwpe_pro
Date: 2003-09-25 14:34:38 UTC
From: Egil Stålesen
Topic: 62 Message: 63

Hi i have the same problem , and it would not work with UISS and
AGWTERM eighter

La9raa
Egil

-----Opprinnelig melding-----
Fra: n0anhasan50212 [mailto:schiers@...]
Sendt: 25. september 2003 00:44
Til: agwpe_pro@yahoogroups.com
Emne: [agwpe_pro] Losing comms between apgwpro and ui-view32 1.97

Since upgrading to the pro version about two weeks ago, I have been
losing communication between ui-view32 and agwpro. Setup has not
changed, and all looks good and then after several hours, ui-view32
stops seeing any stations. Also, I can no longer transmit.

I've tried to download the latest update, but every time I go to the
page, it is not available. Either the update has been pulled or the
site is so busy that I can't get to it.

any ideas?

73,

hasan, N0AN

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

64. RE: [agwpe_pro] wmm3 baycom +xp

Yahoo group: agwpe_pro
Date: 2003-09-26 06:16:01 UTC
From: (SV2AGW) George Rossopoulos
Topic: 61 Message: 64

Hi

Baycom driver is working OK.I am using it here under win2000.
Think that it is a configuration problem. So do the follow to see what
happens
1.Download and install version 2003.925
2.From left menu pane select "Other settings" and check the "Log to
file(AGWPE.LOG)" option.
3.Close Packet Engine Pro and restart it.
4.send me by email the agwpe.log file.
5.Also close Pepro and go to control panel/system/hardware info/device
manager ports. Open the properties for the com port where your baycom is
installed go to resources and get the address and IRQ. Send them also
with email.

The baycom driver is under development and I will improve it .
For the moment I have tested here in 3 different computers with success.
I am using the Tigertronics Baypack BP-2M.
What I havent tell you yet is that the Baycom driver needs OPEN SQUELCH.
With the squelch closed (no FM hiss noise) it will not TX.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: m0cpb [mailto:drtucker@...]
> Sent: Wednesday, September 24, 2003 10:13 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] wmm3 baycom +xp
>
>
> hi i've just installed 2003.923 and the programme refuses to
> talk to the wmm3 baycom until you close the packet pro
> programme ,when
> several tx's can be seen on the radio.I ve tried changing the port
> resoursces in contol pannel and checked the settings on the packet
> pro but to no avail.
> Any Ideas?
> 73's
> David
> M0cpb
>

>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

65. Pepro update 2003.925

Yahoo group: agwpe_pro
Date: 2003-09-26 06:16:01 UTC
From: (SV2AGW) George Rossopoulos
Topic: 62 Message: 65

Hi

Versions 922 and 923 were a disaster.....
While trying to give new trial period for every new version instead of updating the trial period I destroyed the registration codes due to a typo error.
Sorry for this but.....

So if you have installed 922 or 923 install 925 and check your registration status from "Program status" view.
If you are a registered user and now the program status is unregistered , send me again the "Key to Send" from the registration dialog and your callsign to send you new registration codes.

Version 925 will inform you for this problem in the first run.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

66. Re: [agwpe_pro] Pepro update 2003.925

Yahoo group: agwpe_pro
Date: 2003-09-27 03:12:20 UTC
From: Charles H. Rahe, II
Topic: 62 Message: 66

I have downloaded version 2003.925 & I still get the "trial period has expired" message on two different computers. I did uninstall the old version before installing the new one.
Charlie, AI3L

(SV2AGW) George Rossopoulos wrote:
> Hi
>
> Versions 922 and 923 were a disaster.....
> While trying to give new trial period for every new version instead of
> updating the trial period I destroyed the registration codes due to a
> typo error.
> Sorry for this but.....
>
> So if you have installed 922 or 923 install 925 and check your
> registration status from "Program status" view.
> If you are a registered user and now the program status is unregistered
> , send me again the "Key to Send" from the registration dialog and your
> callsign to send you new registration codes.
>
> Version 925 will inform you for this problem in the first run.
>
> 73
>
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@...
> +306932 465 216
>
>
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

67. RE: [agwpe_pro] Pepro update 2003.925

Yahoo group: agwpe_pro
Date: 2003-09-27 17:25:03 UTC
From: Gerhard F5VAG
Topic: 62 Message: 67

```
> -----Original Message-----
> From: Charles H. Rahe, II [mailto:crahe@...]
> Sent: Saturday, September 27, 2003 5:12 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Pepro update 2003.925
>
>
> I have downloaded version 2003.925 & I still get the "trial period has
> expired" message on two different computers. I did uninstall the old
> version before installing the new one.
> Charlie, AI3L

The same here.

--
73 de Gerhard, F5VAG / DL7MW
```

68. Shut Down Bug?

Yahoo group: agwpe_pro
Date: 2003-09-29 13:36:43 UTC
From: Ralph Milnes
Topic: 68 Message: 68

I'm running PE Pro 2003.295 on Windows XP Home.

Whenever I close PE Pro (either by menu 'exit' or upper right X icon), I get an error message that PE Pro is shutting down abnormally and that I should restart my computer.

But even after a restart and no other changes to PE Pro, I get the same error message.

Ralph KC2RLM

69. RE: [agwpe_pro] Shut Down Bug?

Yahoo group: agwpe_pro
Date: 2003-09-30 03:31:53 UTC
From: (SV2AGW) George Rossopoulos
Topic: 68 Message: 69

Hi Ralph

Yes you are right.....
I have found it (it's a new bug..)
I fixed it, I am writing something else and during this week I will
upload an update, to test also the live update.

Menawhile .anyone has used the Baycom 1200b modem with success??

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: Ralph Milnes [mailto:ralph.milnes@...]
> Sent: Monday, September 29, 2003 4:37 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Shut Down Bug?
>
>
> I'm running PE Pro 2003.295 on Windows XP Home.
>
> Whenever I close PE Pro (either by menu 'exit' or upper right
> X icon), I
> get an error message that PE Pro is shutting down abnormally
> and that I
> should restart my computer.
>
> But even after a restart and no other changes to PE Pro, I
> get the same
> error message.
>
> Ralph KC2RLM
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM

----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

70. RE: [agwpe_pro] Shut Down Bug?

Yahoo group: agwpe_pro
Date: 2003-09-30 03:31:53 UTC
From: (SV2AGW) George Rossopoulos
Topic: 68 Message: 70

Hi all

Have just returned from a visit (weekend) to my friend SV2RM and his son SV2DCD. They had packet Engine and UIView for APRS with a FT-209 handheld and the soundcard. I found there, very interesting things. First of all the computer is an old 486 with 64MB RAM and Win98. It has a SoundBlaster SB16. I found that no matter where the audio is fitted in the soundcard (Left or Right Channel) it delivers the data to Packet Engine always in the right channel. This may happens with other cards too..... The computer was reacting very slow but it was working quite good..... If other programs where running and the UIVIEW needed to send something the PTT stayed ON for ever, but since they use it only for APRS this was not a problem.

I install Packet Engine Pro, we switched to the mic input, which is monophonic and configure Pepro for only one channel.

Now the TRICK in the Port0.ini file there is an entry like this

QUALITY=2

I changed it to QUALITY=1

Now the system works with no problem, quite fast in comparison with the old configuration. NO PTT hangs and the most amazing the UIVIEW from 12 stations that was logging, now logs more than 35. This means that now Pepro decodes about 100% better. Their QTH is in a very difficult area surrounded by mountains. They can hear very well S9 their own Digipeater and S4 another one.Now they can decode even this S4 signal.

The quality parameter has to do with the software modem inside Pepro. If we set quality to 1 Pepro uses a lower Sampling Rate which consumes about 50% lower processor resources. The difference in decoding ability was not tested very well but in general the difference is small. Have in mind that they hear only two stations and the area is quite clean from Broadcasting Radio/TV stations interference.

I am very satisfied from the performance of the new Pepro Soundcard modems.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

71. www.elcom.gr site problem

Yahoo group: agwpe_pro
Date: 2003-10-05 18:46:45 UTC
From: (SV2AGW) George Rossopoulos
Topic: 68 Message: 71

Hi all

We are changing the server where www.elcom.gr is hosted. The site may be unavailable, including the downloads.
Hope by Tuesday everything to be ok.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

72. New Version (2003.1006)

Yahoo group: agwpe_pro
Date: 2003-10-10 02:36:02 UTC
From: (SV2AGW) George Rossopoulos
Topic: 68 Message: 72

Hi all

I have uploaded version 2003.1006.
In the new version solved the "Crash on Exit "Problem and some other bugs. Use the live update for updates, now it should work ok.

The www.elcom.gr site now must be a lot faster. If you have any problems pse notify me.

For the next two weeks I have a lot of work to do, so I will not touch Pepro, meanwhile I am planning the new update. I will add new modems. If you have any suggestions PSE send it here to add it to the wish list for the new version. Suggestions are new features or changes that may make Pepro more user friendly. So far the program, despites the small bugs (are really small!!!) it is quite stable and faster/smoother than ever. I am trying to run my tests in slow and heavy systems like an old Pentium 2 I have here with win2000. I received a request for a small upgrade to AGWCluster, it is used for DX spot broadcast on APRS network and they need to control the path. I will do this upgrade but I must say that Both AGWCluster and AGWTerminal are written around 1995-1996 using a third part windows library which is now obsolete and I cannot do many things. This was a lesson to me and since then I am not using any windows library at all just windows api calls, that way all new programs will be easily maintained for .....ever.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

73. Re: [agwpe_pro] New Version (2003.1006)

Yahoo group: agwpe_pro
Date: 2003-10-11 12:31:11 UTC
From: hasan schiers
Topic: 68 Message: 73

I have a bad problem trying to upgrade agwpe pro.

I have registered a version from August. I downloaded the update and tried to run it (direct download, not the internal update). It said another version was installed.

I then restarted the August version of pro and told it to get the update. It found it and then said it wasn't a valid Windows install.

I then looked for an uninstall file for agwpe pro, so I could start all over. Guess what? No uninstall utility.

I then went to Add/Remove programs....guess what? No listing for agw-pe pro. Nothing!

I then deleted everything from the "george" directory and below.

I then tried to do a fresh install of agwpro full, not an update> Guess what? It says another version is present and refuses to install.

THIS IS RIDICULOUS!!!

Could someone help me out of this mess? There is NO EXUSE for installing or upgrading a software package being this difficult or messy. I am VERY DISAPPOINTED. I have used agwpe for a long time (the free version). I had not had any significant problems. Out of loyalty to George and wanting to support his efforts, I moved up to agwpe_pro and paid the registration fee. I have had NOTHING BUT TROUBLE ever since. Program going deaf to UI-View32 after a few days running, impossible upgrades, upgrades issued with others saying they don't work.

I'm right on the edge of becoming pretty ticked off.

...hasan, N0AN
----- Original Message -----
From: (SV2AGW) George Rossopoulos
To: agwpe_pro@yahoogroups.com
Sent: Thursday, October 09, 2003 9:36 PM
Subject: [agwpe_pro] New Version (2003.1006)

Hi all

I have uploaded version 2003.1006.
In the new version solved the "Crash on Exit "Problem and some other bugs. Use the live update for updates, now it should work ok.

The www.elcom.gr site now must be a lot faster. If you have any problems pse notify me.

For the next two weeks I have a lot of work to do, so I will not touch Pepro, meanwhile I am planning the new update. I will add new modems. If

you have any suggestions PSE send it here to add it to the wish list for the new version. Suggestions are new features or changes that may make Pepro more user friendly. So far the program, despites the small bugs (are really small!!!) it is quite stable and faster/smoother than ever. I am trying to run my tests in slow and heavy systems like an old Pentium 2 I have here with win2000. I received a request for a small upgrade to AGWCluster, it is used for DX spot broadcast on APRS network and they need to control the path. I will do this upgrade but I must say that Both AGWCluster and AGWTerminal are written around 1995-1996 using a third part windows library which is now obsolete and I cannot do many things. This was a lesson to me and since then I am not using any windows library at all just windows api calls, that way all new programs will be easily maintained for .....ever.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

74. Re: [agwpe_pro] New Version (2003.1006)

Yahoo group: agwpe_pro
Date: 2003-10-11 21:44:40 UTC
From: Ralph Milnes
Topic: 68 Message: 74
Attachments: 2 described; binary payloads are missing from this source WARC

Hasan wrote:

>I have a bad problem trying to upgrade agwpe pro.

If I remember correctly, when you run the old *.msi file, it gives you a choice of "remove" or "repair" if it detects an existing version of the program. So -- can you recover the old version of the .msi file from your recycle bin? Run it and 'remove' the old version.

(but not that I just tried it with ver 2003.1006 and this method doesn't appear to work... so maybe my memory is faulty.)

If that doesn't work, perhaps some 'registry' surgery may be needed...

or someone else may have an idea.

To give you some encouragement, ver 2003.1006 seems to work very smoothly.

73

Ralph KC2RLM

>
>I have registered a version from August. I downloaded the update and tried
>to run it (direct download, not the internal update). It said another
>version was installed.
>
>I then restarted the August version of pro and told it to get the update.
>It found it and then said it wasn't a valid Windows install.
>
>I then looked for an uninstall file for agwpe pro, so I could start all
>over. Guess what? No uninstall utility.
>
>I then went to Add/Remove programs....guess what? No listing for agw-pe
>pro. Nothing!
>
>I then deleted everything from the "george" directory and below.
>
>I then tried to do a fresh install of agwpro full, not an update> Guess
>what? It says another version is present and refuses to install.
>
>THIS IS RIDICULOUS!!!
>
>Could someone help me out of this mess? There is NO EXUSE for installing
>or upgrading a software package being this difficult or messy. I am VERY
>DISAPPOINTED. I have used agwpe for a long time (the free version). I had

>not had any significant problems. Out of loyalty to George and wanting to
>support his efforts, I moved up to agwpe_pro and paid the registration
>fee. I have had NOTHING BUT TROUBLE ever since. Program going deaf to
>UI-View32 after a few days running, impossible upgrades, upgrades issued
>with others saying they don't work.
>
>I'm right on the edge of becoming pretty ticked off.
>
>...hasan, N0AN
>----- Original Message -----
>From: <mailto:sv2agw@...>(SV2AGW) George Rossopoulos
>To: <mailto:agwpe_pro@yahoogroups.com>agwpe_pro@yahoogroups.com
>Sent: Thursday, October 09, 2003 9:36 PM
>Subject: [agwpe_pro] New Version (2003.1006)
>
>Hi all
>
>I have uploaded version 2003.1006.
>In the new version solved the "Crash on Exit "Problem and some other
>bugs. Use the live update for updates, now it should work ok.
>
>The <http://www.elcom.gr>www.elcom.gr site now must be a lot faster. If
>you have any problems
>pse notify me.
>
>For the next two weeks I have a lot of work to do, so I will not touch
>Pepro, meanwhile I am planning the new update. I will add new modems. If
>you have any suggestions PSE send it here to add it to the wish list for
>the new version. Suggestions are new features or changes that may make
>Pepro more user friendly. So far the program, despites the small bugs
>(are really small!!!) it is quite stable and faster/smoother than ever.
>I am trying to run my tests in slow and heavy systems like an old
>Pentium 2 I have here with win2000. I received a request for a small
>upgrade to AGWCluster, it is used for DX spot broadcast on APRS network
>and they need to control the path. I will do this upgrade but I must say
>that Both AGWCluster and AGWTerminal are written around 1995-1996 using
>a third part windows library which is now obsolete and I cannot do many
>things. This was a lesson to me and since then I am not using any
>windows library at all just windows api calls, that way all new programs
>will be easily maintained for .....ever.
>
>73
>
>(SV2AGW) George Rossopoulos
>www.elcom.gr/sv2agw
>sv2agw@...
>+306932 465 216
>
>
>

>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>
>
>Yahoo! Groups Sponsor
>ADVERTISEMENT
><http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=1705063108:HM/A=1595054/R=0/SIG=124ukap9t/*http://ashnin.com/clk/muryutaitakenattogyo?YH=3707890&yhad=1595054>134f15.jpg
>134fa1.jpg
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

75. Re: [agwpe_pro] New Version (2003.1006)

Yahoo group: agwpe_pro
Date: 2003-10-11 23:08:31 UTC
From: hasan schiers
Topic: 68 Message: 75

Thanks Ralph.

I don't have an "earlier" *.msi....and besides, it was buggy anyway (the August version). That was my initial install of agwpe pro. I downloaded the latest yesterday and tried to upgrade and failed miserably, as noted in my other message.

I have since gone back to the non-pro version and will run it until George or someone tells me how to get out of this mess.

73,

hasan, N0AN
----- Original Message -----
From: Ralph Milnes
To: agwpe_pro@yahoogroups.com
Sent: Saturday, October 11, 2003 4:44 PM
Subject: Re: [agwpe_pro] New Version (2003.1006)

Hasan wrote:

>I have a bad problem trying to upgrade agwpe pro.

If I remember correctly, when you run the old *.msi file, it gives you a choice of "remove" or "repair" if it detects an existing version of the program. So -- can you recover the old version of the .msi file from your recycle bin? Run it and 'remove' the old version.

(but not that I just tried it with ver 2003.1006 and this method doesn't appear to work... so maybe my memory is faulty.)

If that doesn't work, perhaps some 'registry' surgery may be needed...

or someone else may have an idea.

To give you some encouragement, ver 2003.1006 seems to work very smoothly.

73

Ralph KC2RLM

>
>I have registered a version from August. I downloaded the update and tried
>to run it (direct download, not the internal update). It said another
>version was installed.
>
>I then restarted the August version of pro and told it to get the update.
>It found it and then said it wasn't a valid Windows install.
>

>I then looked for an uninstall file for agwpe pro, so I could start all
>over. Guess what? No uninstall utility.
>
>I then went to Add/Remove programs....guess what? No listing for agw-pe
>pro. Nothing!
>
>I then deleted everything from the "george" directory and below.
>
>I then tried to do a fresh install of agwpro full, not an update> Guess
>what? It says another version is present and refuses to install.
>
>THIS IS RIDICULOUS!!!
>
>Could someone help me out of this mess? There is NO EXUSE for installing
>or upgrading a software package being this difficult or messy. I am VERY
>DISAPPOINTED. I have used agwpe for a long time (the free version). I had
>not had any significant problems. Out of loyalty to George and wanting to
>support his efforts, I moved up to agwpe_pro and paid the registration
>fee. I have had NOTHING BUT TROUBLE ever since. Program going deaf to
>UI-View32 after a few days running, impossible upgrades, upgrades issued
>with others saying they don't work.
>
>I'm right on the edge of becoming pretty ticked off.
>
>...hasan, N0AN
>----- Original Message -----
>From: <mailto:sv2agw@...>(SV2AGW) George Rossopoulos
>To: <mailto:agwpe_pro@yahoogroups.com>agwpe_pro@yahoogroups.com
>Sent: Thursday, October 09, 2003 9:36 PM
>Subject: [agwpe_pro] New Version (2003.1006)
>
>Hi all
>
>I have uploaded version 2003.1006.
>In the new version solved the "Crash on Exit "Problem and some other
>bugs. Use the live update for updates, now it should work ok.
>
>The <http://www.elcom.gr>www.elcom.gr site now must be a lot faster. If
>you have any problems
>pse notify me.
>
>For the next two weeks I have a lot of work to do, so I will not touch
>Pepro, meanwhile I am planning the new update. I will add new modems. If
>you have any suggestions PSE send it here to add it to the wish list for
>the new version. Suggestions are new features or changes that may make
>Pepro more user friendly. So far the program, despites the small bugs
>(are really small!!!) it is quite stable and faster/smoother than ever.
>I am trying to run my tests in slow and heavy systems like an old
>Pentium 2 I have here with win2000. I received a request for a small
>upgrade to AGWCluster, it is used for DX spot broadcast on APRS network

>and they need to control the path. I will do this upgrade but I must say
>that Both AGWCluster and AGWTerminal are written around 1995-1996 using
>a third part windows library which is now obsolete and I cannot do many
>things. This was a lesson to me and since then I am not using any
>windows library at all just windows api calls, that way all new programs
>will be easily maintained for .....ever.
>
>73
>
>(SV2AGW) George Rossopoulos
>www.elcom.gr/sv2agw
>sv2agw@...
>+306932 465 216
>
>
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>
>
>Yahoo! Groups Sponsor
>ADVERTISEMENT
><http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=1705063108:HM/A=1595054/R=0/SIG=124ukap9t/*http://ashnin.com/clk/muryutaitakenattogyo?YH=3707890&yhad=1595054>134f15.jpg
>134fa1.jpg
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

76. LPT Port Problems with 2003.1006

Yahoo group: agwpe_pro
Date: 2003-10-14 11:28:56 UTC
From: ve3rsd
Topic: 76 Message: 76

Hi folks:

I have a Toshiba Satellite Pro 4200 Series Notebook with WIN XP and AGWE Pro v2003.1006 installed. Since the notebook only has 1 serial port (that I want to use for the GPS), I can not get the LPT port to switch for the PTT. In the Bios, I have tried both ECP and Std bi-directional - no difference.

Within the system settings / device driver, I have disabled use default settings under the port parameters. The base address for LPT1 is 378. In the AGWE Pro, port manager, I have tried all 3 of the LPT port variations (1 thru 3) and this makes no difference.

Oddly enough, I went into the debug mode from the command prompt and tried to read and write to the LPT1 port using the " o 378 ff " and " i 378 " prompts, well in this case, I can not seem to be able to write to the port, I do not get any error message, but when I try and read back from the port, I get "00" - but when I probe all of the data lines on the DB25 (pins 2 thru 9), they are all high!

My parallel port works fine with a printer, so I'm fairly confident that the hardware is OK.

Can any one help me with this? I have been pulling my hair out all week end!!!!

Thanks, and 73,

Ramesh.
VE3RSD.

77. Re: LPT Port Problems with 2003.1006

Yahoo group: agwpe_pro
Date: 2003-10-15 14:20:13 UTC
From: IK3SVW
Topic: 76 Message: 77

Hi Ramesh,
i am in the exact situation as yours, except that i have a Dell 2650 notebook instead of Toshiba.
It seems that the LPT problem is common to several users, the only thing i noticed is that in msg#42 iw1ric was able to work with LPT starting a packet program (truetty) and set lpt and after run agw, but i think that we are still waiting for the definitive solution.
'73 de IK3SVW Max

--- In agwpe_pro@yahoogroups.com, "ve3rsd" <rdhami@s...> wrote:
> Hi folks:
>
> I have a Toshiba Satellite Pro 4200 Series Notebook with WIN XP and
> AGWE Pro v2003.1006 installed. Since the notebook only has 1 serial
> port (that I want to use for the GPS), I can not get the LPT port to
> switch for the PTT. In the Bios, I have tried both ECP and Std bi-
> directional - no difference.
> ......

78. DSP-2232 and UI-View/AGW KISS?

Yahoo group: agwpe_pro
Date: 2003-10-15 18:36:05 UTC
From: hasan schiers
Topic: 78 Message: 78

I have a very elaborate and (at one time) expensive tnc from AEA called the DSP-2232. It is capable of simultaneous dual port operation, but I'm not really interested in doing that with it. I'm interested in running it as a single port tnc in kiss mode for ui-view32 with agwpe_pro as the host mode.

This is NOT the DSP-232....it is the older and more powerful 2232.

The kiss on command is very unusual...as I recall it is "kiss3 on". The problem I'm worried about, is I believe that this tnc prefixes every packet coming out of it with something like ">p1" for port 1 or ">p2" for port 2. This could, of course cause some serious problems for either or both ui-view32 or agwpe_pro. I do know it is not possible to eliminate the "p1" OR "p2" prefixing of packets, even if you run the DSP-2232 in single port mode. It has 30+ modems built into itself, and you select the modem by "command". For example: Modem 12 as a command will tell it to go into single port 1200 baud packet.

This TNC is the best decoding tnc I've ever encountered and I've had it setting on the shelf for over a year. It just struck me today, that if it could run under agwpe_pro, I'd like to use it.

Roger or George (I've posted to both groups), any ideas if the DSP-2232 will work? (must be kiss mode and must work with agwpe_pro....and then work ok with ui-view32)

Does anyone know if this TNC can be used? Brent (of APRS+SA fame) got it to work with his software, but he had to make a couple tries at it, and he was supporting it in dual simultaneous port mode.

It's an awful expensive piece of equipment to just let lay around, and besides it had the best modems in it I've ever put my pinkies on, so if anyone can verify that it works, I'd love to put it back to use.

TIA

...hasan, N0AN

79. Re: [agwpe_pro] New Version (2003.1006) FIXED IT!!!

Yahoo group: agwpe_pro
Date: 2003-10-15 23:01:37 UTC
From: hasan schiers
Topic: 79 Message: 79

Ralph,

I re-booted the machine and it showed up in the uninstall programs list. I then uninstalled it, re-installed version 2003.1006 FULL and the install worked. (and is still registered)

I am now running it with UI-View32 on one machine...I have the older version on the 2nd machine...will try to uninstall it later in the week and then install this full version and see if that works without causing things to disappear.

I want to make sure this version won't go deaf after a few days or hours, like some of the earlier versions did. Thanks for your help. 73

...hasan, N0AN
----- Original Message -----
From: "Ralph Milnes" <ralph.milnes@...>
To: "hasan schiers" <schiers@...>
Sent: Wednesday, October 15, 2003 9:39 AM
Subject: Re: [agwpe_pro] New Version (2003.1006)

> Hasan,
>
> It's really strange that "Packet Engine Pro" doesn't show up on the
Control
> Panel's "Add/Remove Software" list if Windows or the .msi installation
> thinks it's installed. I don't know why that would be, but I think that
> means your only solution is to edit the Windows registry and delete all
> keys that reference Packet Engine Pro. Hopefully that will clear out
> Windows' memory of it.
>
> Save your registry first and if you've paid for a registration number for
> Packet Engine Pro, write it down before you fool with the registry. If you
> don't have that number, you may discover it as you manual delete each
> registry key (look at what the key value is before you delete it.)
>
> If you've never done registry editing before, write back if you need
> further guidance.
>
> If you do finally install 2003.1006 BUT don't have your registration key
> code, you'll have to ask George for another, which I'm sure he will be
> happy to give you if you send your PE Pro's 'key to send'.
>
> Ralph KC2RLM
>
>

> At 07:08 PM 10/11/2003, you wrote:
> >Thanks Ralph.
> >
> >I don't have an "earlier" *.msi....and besides, it was buggy anyway (the
> >August version). That was my initial install of agwpe pro. I downloaded
> >the latest yesterday and tried to upgrade and failed miserably, as noted
> >in my other message.
> >
> >I have since gone back to the non-pro version and will run it until
George
> >or someone tells me how to get out of this mess.
> >
> >73,
> >
> >hasan, N0AN
> >----- Original Message -----
> >From: <mailto:ralph.milnes@...>Ralph Milnes
> >To: <mailto:agwpe_pro@yahoogroups.com>agwpe_pro@yahoogroups.com
> >Sent: Saturday, October 11, 2003 4:44 PM
> >Subject: Re: [agwpe_pro] New Version (2003.1006)
> >
> >Hasan wrote:
> >
> > >I have a bad problem trying to upgrade agwpe pro.
> >
> >If I remember correctly, when you run the old *.msi file, it gives you a
> >choice of "remove" or "repair" if it detects an existing version of the
> >program. So -- can you recover the old version of the .msi file from
your
> >recycle bin? Run it and 'remove' the old version.
> >
> >(but not that I just tried it with ver 2003.1006 and this method doesn't
> >appear to work... so maybe my memory is faulty.)
> >
> >If that doesn't work, perhaps some 'registry' surgery may be needed...
> >
> > or someone else may have an idea.
> >
> >To give you some encouragement, ver 2003.1006 seems to work very
smoothly.
> >
> >73
> >
> >Ralph KC2RLM
> >
> > >
> > >I have registered a version from August. I downloaded the update and
tried
> > >to run it (direct download, not the internal update). It said another
> > >version was installed.

> > >
> > >I then restarted the August version of pro and told it to get the
update.
> > >It found it and then said it wasn't a valid Windows install.
> > >
> > >I then looked for an uninstall file for agwpe pro, so I could start all
> > >over. Guess what? No uninstall utility.
> > >
> > >I then went to Add/Remove programs....guess what? No listing for agw-pe
> > >pro. Nothing!
> > >
> > >I then deleted everything from the "george" directory and below.
> > >
> > >I then tried to do a fresh install of agwpro full, not an update> Guess
> > >what? It says another version is present and refuses to install.
> > >
> > >THIS IS RIDICULOUS!!!
> > >
> > >Could someone help me out of this mess? There is NO EXUSE for
installing
> > >or upgrading a software package being this difficult or messy. I am
VERY
> > >DISAPPOINTED. I have used agwpe for a long time (the free version). I
had
> > >not had any significant problems. Out of loyalty to George and wanting
to
> > >support his efforts, I moved up to agwpe_pro and paid the registration
> > >fee. I have had NOTHING BUT TROUBLE ever since. Program going deaf to
> > >UI-View32 after a few days running, impossible upgrades, upgrades
issued
> > >with others saying they don't work.
> > >
> > >I'm right on the edge of becoming pretty ticked off.
> > >
> > >...hasan, N0AN
> > >----- Original Message -----
> > >From: <mailto:sv2agw@...>(SV2AGW) George Rossopoulos
> > >To: <mailto:agwpe_pro@yahoogroups.com>agwpe_pro@yahoogroups.com
> > >Sent: Thursday, October 09, 2003 9:36 PM
> > >Subject: [agwpe_pro] New Version (2003.1006)
> > >
> > >Hi all
> > >
> > >I have uploaded version 2003.1006.
> > >In the new version solved the "Crash on Exit "Problem and some other
> > >bugs. Use the live update for updates, now it should work ok.
> > >
> > >The <<http://www.elcom.gr>http://www.elcom.gr>www.elcom.gr site now
must
> > be a lot faster. If

> > >you have any problems
> > >pse notify me.
> > >
> > >For the next two weeks I have a lot of work to do, so I will not touch
> > >Pepro, meanwhile I am planning the new update. I will add new modems.
If
> > >you have any suggestions PSE send it here to add it to the wish list
for
> > >the new version. Suggestions are new features or changes that may make
> > >Pepro more user friendly. So far the program, despites the small bugs
> > >(are really small!!!) it is quite stable and faster/smoother than ever.
> > >I am trying to run my tests in slow and heavy systems like an old
> > >Pentium 2 I have here with win2000. I received a request for a small
> > >upgrade to AGWCluster, it is used for DX spot broadcast on APRS network
> > >and they need to control the path. I will do this upgrade but I must
say
> > >that Both AGWCluster and AGWTerminal are written around 1995-1996 using
> > >a third part windows library which is now obsolete and I cannot do many
> > >things. This was a lesson to me and since then I am not using any
> > >windows library at all just windows api calls, that way all new
programs
> > >will be easily maintained for .....ever.
> > >
> > >73
> > >
> > >(SV2AGW) George Rossopoulos
> > >www.elcom.gr/sv2agw
> > >sv2agw@...
> > >+306932 465 216
> > >
> > >
> > >
> > >To unsubscribe from this group, send an email to:
> > >agwpe_pro-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > >Your use of Yahoo! Groups is subject to the
> >
><<http://docs.yahoo.com/info/terms/>http://docs.yahoo.com/info/terms/>Yah
> > oo! Terms of Service.
> > >
> > >
> > >Yahoo! Groups Sponsor
> > >ADVERTISEMENT
> >
><<http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=1705
> >
063108:HM/A=1595054/R=0/SIG=124ukap9t/*http://ashnin.com/clk/muryutaitakenat
togyo?YH=3707890&yhad=1595054>http://rd.yahoo.com/M=244522.3707890.4968055.1

261774/D=egroupweb/S=1705063108:HM/A=1595054/R=0/SIG=124ukap9t/*http://ashni
n.com/clk/muryutaitakenattogyo?YH=3707890&yhad=1595054>134f15.jpg
> >
> > >134fa1.jpg
> > >
> > >To unsubscribe from this group, send an email to:
> > >agwpe_pro-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > >Your use of Yahoo! Groups is subject to the
> >
><<http://docs.yahoo.com/info/terms/>http://docs.yahoo.com/info/terms/>Yah
> > oo! Terms of Service.
> >
> >To unsubscribe from this group, send an email to:
> >agwpe_pro-unsubscribe@yahoogroups.com
> >
> >
> >
> >Your use of Yahoo! Groups is subject to the
> ><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
> >
> >
> >Yahoo! Groups Sponsor
> >ADVERTISEMENT
>
><http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=1705063
108:HM/A=1595056/R=0/SIG=124p07ne0/*http://ashnin.com/clk/muryutaitakenattog
yo?YH=3707890&yhad=1595056>96c25c.jpg
> >96c361.jpg
> >
> >To unsubscribe from this group, send an email to:
> >agwpe_pro-unsubscribe@yahoogroups.com
> >
> >
> >
> >Your use of Yahoo! Groups is subject to the
> ><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>

80. RE: [agwpe_pro] Re: LPT Port Problems with 2003.1006

Yahoo group: agwpe_pro
Date: 2003-10-16 07:36:16 UTC
From: (SV2AGW) George Rossopoulos
Topic: 76 Message: 80

Hi all
Well it seems that this LPT port has bothered us a lot.
The status so far is
Many reports that doesn't work, a few reports that works ok.
All of them for WIN2000/Xp. On win98/ME it must work with no problem

I Have no LPT port interface and I cannot test it by myself.So I will
build such an interface today to see for myself.
I must say here, due to the lpt hardware, that if you wish to test the
lpt port ptt you must
1.Have a lpt ptt interface
2.You must have connected the transceiver to the interface
You must not try to check it with spy programs, simple they cannot work
while Packet Engine Pro uses the LPT port.

If you wish to investigate the problem thoroughly you must do also the
following
1.From Packet Engine's pro left menu select "Other Settings".
2.In the debug section check the third option "Log to file (AGWPE.LOG)"
3.Run PEPRO with soundcard and lpt port setup.
4.Close PEPRO and open the agwpe.log file with notepad.exe
Read the file and you will see there the LPT port address which must be
the same with the one in control panel/system/hardware/device
manager/ports
You must see also that the driver is loaded ok

If you cannot understand the log file send it here.

Don't forget to cancel this debug option after that because the log file
may grow to huge size.....

I will post here my results during this week.
Also if anyone uses the LPT port with success and has something that may
help pse tell us.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: IK3SVW [mailto:montimax@...]
> Sent: Wednesday, October 15, 2003 5:20 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT Port Problems with 2003.1006

>
>
> Hi Ramesh,
> i am in the exact situation as yours, except that i have a Dell 2650
> notebook instead of Toshiba.
> It seems that the LPT problem is common to several users, the only
> thing i noticed is that in msg#42 iw1ric was able to work with LPT
> starting a packet program (truetty) and set lpt and after run agw,
> but i think that we are still waiting for the definitive
> solution. '73 de IK3SVW Max
>
>
> --- In agwpe_pro@yahoogroups.com, "ve3rsd" <rdhami@s...> wrote:
> > Hi folks:
> >
> > I have a Toshiba Satellite Pro 4200 Series Notebook with WIN XP and
> > AGWE Pro v2003.1006 installed. Since the notebook only has 1
> serial
> > port (that I want to use for the GPS), I can not get the LPT port
> to
> > switch for the PTT. In the Bios, I have tried both ECP and Std bi-
> > directional - no difference. .....
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~-->
> Buy Ink Cartridges or Refill Kits for your HP, Epson, Canon or Lexmark
> Printer at MyInks.com. Free s/h on orders $50 or more to the
> US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

81. RE: [agwpe_pro] Re: LPT Port Problems with 2003.1006

Yahoo group: agwpe_pro
Date: 2003-10-16 07:49:29 UTC
From: (SV2AGW) George Rossopoulos
Topic: 76 Message: 81

Hi

Yes it works ok as dual port. Just be sure that you have loaded both channels with the appropriate modems. I think that it has an utility that changes mode.Use it first to configure the unit for packet with the desired modems and then run Packet Engine. It works ok with both AGWPE and Packet Engine Pro(PEPRO). In the configuration select DSP2232 everything will be set to appropriate default settings.

Inform us if everything is ok.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: IK3SVW [mailto:montimax@...]
> Sent: Wednesday, October 15, 2003 5:20 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT Port Problems with 2003.1006
>
>
> Hi Ramesh,
> i am in the exact situation as yours, except that i have a Dell 2650
> notebook instead of Toshiba.
> It seems that the LPT problem is common to several users, the only
> thing i noticed is that in msg#42 iw1ric was able to work with LPT
> starting a packet program (truetty) and set lpt and after run agw,
> but i think that we are still waiting for the definitive
> solution. '73 de IK3SVW Max
>
>
> --- In agwpe_pro@yahoogroups.com, "ve3rsd" <rdhami@s...> wrote:
> > Hi folks:
> >
> > I have a Toshiba Satellite Pro 4200 Series Notebook with WIN XP and
> > AGWE Pro v2003.1006 installed. Since the notebook only has 1
> serial
> > port (that I want to use for the GPS), I can not get the LPT port
> to
> > switch for the PTT. In the Bios, I have tried both ECP and Std bi-
> > directional - no difference. .....
>

>
>
> ---------- Yahoo! Groups Sponsor
> ----------~-->
> Buy Ink Cartridges or Refill Kits for your HP, Epson, Canon or Lexmark
> Printer at MyInks.com. Free s/h on orders $50 or more to the
> US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> -------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

82. RE: [agwpe_pro] Re: LPT Port Problems with 2003.1006

Yahoo group: agwpe_pro
Date: 2003-10-16 13:09:26 UTC
From: (SV2AGW) George Rossopoulos
Topic: 76 Message: 82

Hi all

The previous message was about the DSP2232 not about LPT Port

Now on the subject.I made the interface cable and I found.
It Works ok ON WIN2000 I will test later today on WINXP.

The interesting thing is that the interface must not use a Photo isolator. My PTT interface (Homemade) is a small box with a db9 plug to connect the computer and two db9 to connect the trx. In the right channel circuit I am using a photo isolator ic and in the left circuit I am using a 2n2222. I build a cable for parallel port and plug in a transceiver The Photo isolator circuit failed. I inverted the parallel port cable so to use the 2n2222 circuit on right channel and again it worked ok.

One thing I have forgotten was that lpt port has all pins HIGH on startup. I even wrote a small utility to set those pins low on startup. So no matter if Packet Engine Pro works ok or not if you connect the interface to parallel port and the transceiver, the TRANCEIVER must be ON TX. If this is not the case then your ptt interface is not working.

I made a further test changing from bios the lpt port to 3bc (lpt3)

Windows started ok they don't change the lpt port name they leave it as lpt1.AGWPE successfully discovered the base address.

The cable I built has wired pins 2 and 8 for ptt and pin 25 for ground. The 2n2222 circuit is the same as in the wizard schema but it has a LED instead of the resistor between computer output and transistor base. That way I have also a visual indication for the ptt.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

83. RE: [agwpe_pro] Re: LPT Port Problems with 2003.1006

Yahoo group: agwpe_pro
Date: 2003-10-16 13:24:42 UTC
From: (SV2AGW) George Rossopoulos
Topic: 76 Message: 83

Hi all

The previous message was about the DSP2232 not about LPT Port

Now on the subject.I made the interface cable and I found.
It Works ok ON WIN2000 I will test later today on WINXP.

The interesting thing is that the interface must not use a Photo isolator. My PTT interface (Homemade) is a small box with a db9 plug to connect the computer and two db9 to connect the trx. In the right channel circuit I am using a photo isolator ic and in the left circuit I am using a 2n2222. I build a cable for parallel port and plug in a transceiver The Photo isolator circuit failed. I inverted the parallel port cable so to use the 2n2222 circuit on right channel and again it worked ok.

One thing I have forgotten was that lpt port has all pins HIGH on startup. I even wrote a small utility to set those pins low on startup. So no matter if Packet Engine Pro works ok or not if you connect the interface to parallel port and the transceiver, the TRANCEIVER must be ON TX. If this is not the case then your ptt interface is not working.

I made a further test changing from bios the lpt port to 3bc (lpt3)

Windows started ok they don't change the lpt port name they leave it as lpt1.AGWPE successfully discovered the base address.

The cable I built has wired pins 2 and 8 for ptt and pin 25 for ground. The 2n2222 circuit is the same as in the wizard schema but it has a LED instead of the resistor between computer output and transistor base. That way I have also a visual indication for the ptt.

Use the wizard schematic for the ptt interface.
The pin assignement in the wizard are the same as you see the male plug from the behind, where you do the soldering.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

84. KPC-9612 V7.0

Yahoo group: agwpe_pro
Date: 2003-10-17 02:36:21 UTC
From: vk7hse
Topic: 84 Message: 84

Hello to all in the group...

I have recently discovered a problem... I hope somebody has an answer for me!...

The problem is that after a while I loose access to port 1 on the tnc. My setup is as follows...

AGWPE PRO ver 2003.1006 (with tcpip setup on port 2)
UI-View32 (set to use both ports 1 & 2)
Winpack 6.8 (like wise to use both ports)

I have tried adjusting comm port settings but AGW dosn't have a problem talking to the tnc. I've even reset the tnc to default with out any personal settings to see if maybe there was something there it didn't like... The quick fix I have found is to shutdown all packet apps the restart them! as I'm at work at present I'll send all tnc and program settings once I home so they can be viewed...

73 Scott VK7HSE

85. DR-135TP Success

Yahoo group: agwpe_pro
Date: 2003-10-18 14:22:14 UTC
From: hasan schiers
Topic: 85 Message: 85

This morning was my time to experiment and it has been initally successful.

I was able to configure agwpe pro (2003.1006 latest) to work with the Alinco DR-135TP (internal tnc) and UI-View32. Here is what I did:

1. Put the 135TB in packet mode (PressFunction, Hit Squelch button)
2. Start agwpe pro, create new tnc port.
3. Select external tnc
4. TNC Type: TNC2 Clone
5. Let agwpe pro detect tnc (found on com2) 9600 baud terminal rate.
6. Let install finish, close agwpe pro, restart agwpe pro
7. Run agwterm program, confirm receiving packets.

Start UI-View32, configure for agwpe host. BINGO!

The band is WIDE open, 160 stations reported being seen on RF, direct stations as far away as 350 miles. UI-Traffic count running in the mid 350's in 10 minute period.

So far it appears to be processing this heavy channel load (despite the DR-135TP's meager buffer). It appears that agwpe pro is making up for the poor buffering in the 135TP's internal tnc successfully.

CAVEAT: The Alinco DR-135TP will not stay in packet mode (much less in KISS) if the power is removed. If you have a power glitch, you need some sort of battery backup for this radio, or you will lose packet operations. I'm currently exploring a backup battery for the radio.

I have done more experiments with my laptop and agwpe pro and the Kenwood D7A(g). These have NOT been successful and will be detailed in a separate message.

73,

...hasan, N0AN

p.s. further experiments using the AEA DSP-2232 to follow when I have time. agwpe pro has the 2232 listed and George confirms it will work. For now, I need to let the DR-135TP run for a few days to see that things are reliable before testing with the DSP-2232.

86. Kenwood D7A(g) AGWPE PRO & UI-View32

Yahoo group: agwpe_pro
Date: 2003-10-18 14:31:05 UTC
From: hasan schiers
Topic: 86 Message: 86

I tested this combination this morning on my laptop and met with failure on the transmit side.

AGWPE PRO ver 2003.1006 (latest)
WinXP home, USB > Serial converter (works prefectly in host mode NONE)
UI-View32 1.97

The install went just fine, D7 is in the list of supported TNC's for agwpe pro. When I started agwterminal to confirm things were working on receive, everything looked fine. However, when I ran UI-View32 and attempted to transmit, the D7's tx light would flash very quickly and none of my packets were copied or digi'd. The tx light should have stayed on much longer than what I observed....and since the packets were not being copied by any other station, it is apparent that something isn't right between the D7 and agwpe pro.

I recall someone saying that for the Kenwood D7 to work properly with agwpe pro, some pins on the RS-232 connector had to be strapped together. If anyone knows what they are, please let me know, and when I get time. I'll try it again. Also, if there is this mod and it works, will this same mod make the D7 stop working with hostmode NONE, should I need to return to that configuration?

I know the problem IS NOT with UI-View32. I posted here so people who try this combo with ui-view32 won't think it is the fault of ui-view32.

This is just an experiment as I doubt I'll ever need to run the D7 and UI-View32 in kiss mode....host mode NONE works fine and my D7 isn't much of a digi <g>. I just would like to verify that it can be done, if desired.

73,

...hasan, N0AN

87. DR-135TP AGWPE PRO Deaf 2 hrs

Yahoo group: agwpe_pro
Date: 2003-10-18 15:16:13 UTC
From: hasan schiers
Topic: 87 Message: 87

I'm glad I referred to the DR-135TP with AGWPE PRO as "initially successful".

It went deaf (receive) after two hours. It just stopped receiving altogether. I've seen this symptom before. Apparently the internal tnc in the 135TP is just not capable of reliable operation in KISS mode.

...hasan, N0AN

88. Parallel Port Problems

Yahoo group: agwpe_pro
Date: 2003-10-19 16:46:27 UTC
From: (SV2AGW) George Rossopoulos
Topic: 87 Message: 88

Hi All

Anyone had success with the parallel port PTT?
PSE check also if in the directory Program Files/AGWSoft/Packet Engine
Pro there is the file agwsclpt.sys
This is the driver executable.
Something that I missed is that you need to log on to windows as
Administrator. Although the driver is loaded with administrative
privileges it is good to log in as administrator .... Just in case

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

89. Re: KPC-9612 V7.0

Yahoo group: agwpe_pro
Date: 2003-10-20 00:53:43 UTC
From: vk7hse
Topic: 84 Message: 89

Hi to everyone...

I think I've solved the problem!...

In my setup I had tcpip over radio enabled only on port2 (9600b) I've changed it to "All Ports" and all has been fine since... no loss of TX on port 1 (1200b) :)

90. Soundcard problem?

Yahoo group: agwpe_pro
Date: 2003-10-20 23:38:09 UTC
From: zl3tpl
Topic: 90 Message: 90

I just downloaded the latest version (dated october the 8th i think?) yesterday, and installed on my system running win2k.

I used the wizard to set up my radio port, which it claimed to do succesfully.
I can hear packets coming in on the radio channel, I can see them on the soundcard tuning aid, however the wee modem green light doesn't blink, and I don't get to see any decoded packets on the monitor screen.

What am I overlooking here?
cheers
Andy
ZL3AD

91. AGWPE_PRO and TELPAC

Yahoo group: agwpe_pro
Date: 2003-10-21 23:01:40 UTC
From: bigtyme30
Topic: 91 Message: 91

All,

I'm trying to run the Telnet Packet (TELPAC) program under Packet Engine Pro, yet, with Packet Engine Pro first running, I get an error message in TELPAC indicating the IP connection was refused. The port assignment in both programs is the same: 8000. TELPAC seems to run fine under the basic Packet Engine program, however. I've attempted changing the various settings in both programs without any success since there are limited parameters to change. Any insight or suggestions will be greatly appreciated.

Thanks,

Jim Hertok - K3JH

92. RE: [agwpe_pro] AGWPE_PRO and TELPAC

Yahoo group: agwpe_pro
Date: 2003-10-22 06:08:30 UTC
From: (SV2AGW) George Rossopoulos
Topic: 91 Message: 92

Hi Jim

Open the "Network Settings" dialog.
In the first TAB check "Enable Network TCPIP..."
In the second TAB select the first entry "Acccept without Login....".
This will solve your problem from PEPRO side.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: bigtyme30 [mailto:jcherto@...]
> Sent: Wednesday, October 22, 2003 2:02 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE_PRO and TELPAC
>
>
> All,
>
> I'm trying to run the Telnet Packet (TELPAC) program under Packet
> Engine Pro, yet, with Packet Engine Pro first running, I get an
> error message in TELPAC indicating the IP connection was refused.
> The port assignment in both programs is the same: 8000. TELPAC
> seems to run fine under the basic Packet Engine program, however.
> I've attempted changing the various settings in both programs
> without any success since there are limited parameters to change.
> Any insight or suggestions will be greatly appreciated.
>
> Thanks,
>
> Jim Hertok - K3JH
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Rent DVDs Online - Over 14,500
> titles. No Late Fees & Free Shipping. Try Netflix for FREE!
> http://us.click.yahoo.com/Tq9otC/XP.FAA/3jkFAA/ELTolB/TM
>
> ---
> --------~->

>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

93. Re: AGWPE_PRO and TELPAC

Yahoo group: agwpe_pro
Date: 2003-10-22 19:28:51 UTC
From: bigtyme30
Topic: 91 Message: 93

George,

Thanks for the quick response. The problem turned out to be my
firewall was preventing AGWPE Pro from communicating with the
outside world. I reconfigured the firewall and all is well.

Thanks es 73's

JH

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
<sv2agw@p...> wrote:
> Hi Jim
>
> Open the "Network Settings" dialog.
> In the first TAB check "Enable Network TCPIP..."
> In the second TAB select the first entry "Acccept without
Login....".
> This will solve your problem from PEPRO side.
>
> 73
>
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@e...
> +306932 465 216
>
> > -----Original Message-----
> > From: bigtyme30 [mailto:jcherto@h...]
> > Sent: Wednesday, October 22, 2003 2:02 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] AGWPE_PRO and TELPAC
> >
> >
> > All,
> >
> > I'm trying to run the Telnet Packet (TELPAC) program under
Packet
> > Engine Pro, yet, with Packet Engine Pro first running, I get an
> > error message in TELPAC indicating the IP connection was
refused.
> > The port assignment in both programs is the same: 8000. TELPAC
> > seems to run fine under the basic Packet Engine program,
however.
> > I've attempted changing the various settings in both programs
> > without any success since there are limited parameters to

change.
> > Any insight or suggestions will be greatly appreciated.
> >
> > Thanks,
> >
> > Jim Hertok - K3JH
> >
> >
> >
> >
> > ---------- Yahoo! Groups Sponsor
> > ----------~--> Rent DVDs Online - Over 14,500
> > titles. No Late Fees & Free Shipping. Try Netflix for FREE!
> > http://us.click.yahoo.com/Tq9otC/XP.FAA/3jkFAA/ELTolB/TM
> >
> > ---
> > -------~->
> >
> > To unsubscribe from this group, send an email to:
> > agwpe_pro-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> > http://docs.yahoo.com/info/terms/
> >
> >

94. RE: [agwpe_pro] Re: AGWPE_PRO and TELPAC

Yahoo group: agwpe_pro
Date: 2003-10-23 04:11:51 UTC
From: (SV2AGW) George Rossopoulos
Topic: 91 Message: 94

Hi

Good ,I must write something in the "Network setup "dialog about
firewalls. You may spend a week searching where the error is.....

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: bigtyme30 [mailto:jcherto@...]
> Sent: Wednesday, October 22, 2003 10:29 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: AGWPE_PRO and TELPAC
>
>
> George,
>
> Thanks for the quick response. The problem turned out to be my
> firewall was preventing AGWPE Pro from communicating with the
> outside world. I reconfigured the firewall and all is well.
>
> Thanks es 73's
>
> JH
>
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> <sv2agw@p...> wrote:
> > Hi Jim
> >
> > Open the "Network Settings" dialog.
> > In the first TAB check "Enable Network TCPIP..."
> > In the second TAB select the first entry "Acccept without
> Login....".
> > This will solve your problem from PEPRO side.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > www.elcom.gr/sv2agw
> > sv2agw@e...
> > +306932 465 216

> >
> > > -----Original Message-----
> > > From: bigtyme30 [mailto:jcherto@h...]
> > > Sent: Wednesday, October 22, 2003 2:02 AM
> > > To: agwpe_pro@yahoogroups.com
> > > Subject: [agwpe_pro] AGWPE_PRO and TELPAC
> > >
> > >
> > > All,
> > >
> > > I'm trying to run the Telnet Packet (TELPAC) program under
> Packet
> > > Engine Pro, yet, with Packet Engine Pro first running, I get an
> > > error message in TELPAC indicating the IP connection was
> refused.
> > > The port assignment in both programs is the same: 8000. TELPAC
> > > seems to run fine under the basic Packet Engine program,
> however.
> > > I've attempted changing the various settings in both programs
> > > without any success since there are limited parameters to
> change.
> > > Any insight or suggestions will be greatly appreciated.
> > >
> > > Thanks,
> > >
> > > Jim Hertok - K3JH
> > >
> > >
> > >
> > >
> > > ------------------------- Yahoo! Groups Sponsor
> > > ------------------------~--> Rent DVDs Online - Over 14,500
> > > titles. No Late Fees & Free Shipping. Try Netflix for FREE!
> > > http://us.click.yahoo.com/Tq9otC/XP.FAA/3jkFAA/ELTolB/TM
> > >
> > > ---
> > > --------~->
> > >
> > > To unsubscribe from this group, send an email to:
> > > agwpe_pro-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > > Your use of Yahoo! Groups is subject to
> > > http://docs.yahoo.com/info/terms/
> > >
> > >
>
>
> ------------------------- Yahoo! Groups Sponsor

> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

95. AGW PE Pro v2003.1006 / UI-View v2.39 Locking up the Serial Port

Yahoo group: agwpe_pro
Date: 2003-10-23 00:35:50 UTC
From: ve3rsd
Topic: 95 Message: 95

Hi Folks:

I am running the AGW PE Pro v2003.1006 with UI-View v2.39 on my Toshiba Notebook under WIN XP. I use the RTS line on the serial port to control the PTT on my rig. I have recently noticed that the Notebook is regularly locking up the serial port and hence locking up the rig in TX. I have re-booted the machine, and again this problem has re-ocurred - in fact 5 or 6 times this afternoon while operating mobile.

When I look in Task Manager, I have noticed that there is an application called NTVDM that is chewing up about 90 to 95% of the processor bandwidth (I think this is associated with UI-View but I'm not sure).

On a separate note, I have found that when using the sound card tuning feature, when I first open it and look at the scope utility, the input waveform is extremely noisey - lots of garbage, etc. As soon as I open the 'Adjust Volume' utility, the input waveform is immediately cleaned up - which leads me to believe that the application needs more processor resources, i.e., by opening the utility, it becomes the focussed application and therefore gets the appropriate system resources automatically.

Appreciate your thoughts on this - the first one re., the serial port locking up is really annoying - especially when this happens on the highway!

Cheers,

Ramesh.
VE3RSD

96. RE: [agwpe_pro] AGW PE Pro v2003.1006 / UI-View v2.39 Locking up the Serial Port

Yahoo group: agwpe_pro
Date: 2003-10-23 07:11:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 95 Message: 96

Hi

This 90-95% of cpu usage is the problem.
Try to find what this is, probably it is a DOS windows(hidden).
Also disable the UIVIEW voice/sound feautures especially if you have
enabled the digipeater functions.
In General for Pentium 3 and 4 cpus Pepro must consumes from 1-4% of cpu
resources depending on soundcard modems it uses.

Tell us the results.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: ve3rsd [mailto:rdhami@...]
> Sent: Thursday, October 23, 2003 3:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW PE Pro v2003.1006 / UI-View v2.39
> Locking up the Serial Port
>
>
> Hi Folks:
>
> I am running the AGW PE Pro v2003.1006 with UI-View v2.39 on my
> Toshiba Notebook under WIN XP. I use the RTS line on the serial
> port to control the PTT on my rig. I have recently noticed that the
> Notebook is regularly locking up the serial port and hence locking
> up the rig in TX. I have re-booted the machine, and again this
> problem has re-ocurred - in fact 5 or 6 times this afternoon while
> operating mobile.
>
> When I look in Task Manager, I have noticed that there is an
> application called NTVDM that is chewing up about 90 to 95% of the
> processor bandwidth (I think this is associated with UI-View but I'm
> not sure).
>
> On a separate note, I have found that when using the sound card
> tuning feature, when I first open it and look at the scope utility,
> the input waveform is extremely noisey - lots of garbage, etc. As
> soon as I open the 'Adjust Volume' utility, the input waveform is

> immediately cleaned up - which leads me to believe that the
> application needs more processor resources, i.e., by opening the
> utility, it becomes the focussed application and therefore gets the
> appropriate system resources automatically.
>
> Appreciate your thoughts on this - the first one re., the serial
> port locking up is really annoying - especially when this happens on
> the highway!
>
> Cheers,
>
> Ramesh.
> VE3RSD
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Rent DVDs from home. Over 14,500
> titles. Free Shipping & No Late Fees. Try Netflix for FREE!
> http://us.click.yahoo.com/mk9osC/hP.FAA/3jkFAA/ELTolB/TM
>
> ----------
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

97. RE: [agwpe_pro] AGW PE Pro v2003.1006 / UI-View v2.39 Locking up the Serial Port

Yahoo group: agwpe_pro
Date: 2003-10-23 07:25:12 UTC
From: (SV2AGW) George Rossopoulos
Topic: 95 Message: 97

Hi again

Two things I forget
1.
Open the portx.ini (probably port0.ini) the ini file for the soundcard
modem

Locate the follow entry
[TNC]
TYPE=SoundCard
.....
QUALITY=2

And set QUALITY=1

Use notepad.exe for this.

2.
Where do you have the laptop installed in the car??
And what model the car is. Do you have a picture?
Just curious, since I am trying to install a d700 and a gps in my car
and I cannot find a suitable place. My car is an ALFA ROMEO 156.

Don't forget to inform us if the QUALITY=1 solved your problem.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: ve3rsd [mailto:rdhami@...]
> Sent: Thursday, October 23, 2003 3:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW PE Pro v2003.1006 / UI-View v2.39
> Locking up the Serial Port
>
>
> Hi Folks:
>
> I am running the AGW PE Pro v2003.1006 with UI-View v2.39 on my
> Toshiba Notebook under WIN XP. I use the RTS line on the serial
> port to control the PTT on my rig. I have recently noticed that the
> Notebook is regularly locking up the serial port and hence locking

> up the rig in TX. I have re-booted the machine, and again this
> problem has re-ocurred - in fact 5 or 6 times this afternoon while
> operating mobile.
>
> When I look in Task Manager, I have noticed that there is an
> application called NTVDM that is chewing up about 90 to 95% of the
> processor bandwidth (I think this is associated with UI-View but I'm
> not sure).
>
> On a separate note, I have found that when using the sound card
> tuning feature, when I first open it and look at the scope utility,
> the input waveform is extremely noisey - lots of garbage, etc. As
> soon as I open the 'Adjust Volume' utility, the input waveform is
> immediately cleaned up - which leads me to believe that the
> application needs more processor resources, i.e., by opening the
> utility, it becomes the focussed application and therefore gets the
> appropriate system resources automatically.
>
> Appreciate your thoughts on this - the first one re., the serial
> port locking up is really annoying - especially when this happens on
> the highway!
>
> Cheers,
>
> Ramesh.
> VE3RSD
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Rent DVDs from home. Over 14,500
> titles. Free Shipping & No Late Fees. Try Netflix for FREE!
> http://us.click.yahoo.com/mk9osC/hP.FAA/3jkFAA/ELTolB/TM
>
> ----------
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

98. Re: [agwpe_pro] AGW PE Pro v2003.1006 / UI-View v2.39 Locking up the Serial Port

Yahoo group: agwpe_pro
Date: 2003-10-23 21:24:22 UTC
From: Ralph Milnes
Topic: 95 Message: 98

Ramesh, check your power management settings. Perhaps the notebook is going into power saving mode and that may affect the serial port.

Ralph KC2RLM

At 08:35 PM 10/22/2003, you wrote:
>Hi Folks:
>
>I am running the AGW PE Pro v2003.1006 with UI-View v2.39 on my
>Toshiba Notebook under WIN XP. I use the RTS line on the serial
>port to control the PTT on my rig. I have recently noticed that the
>Notebook is regularly locking up the serial port and hence locking
>up the rig in TX. I have re-booted the machine, and again this
>problem has re-ocurred - in fact 5 or 6 times this afternoon while
>operating mobile.
>
>When I look in Task Manager, I have noticed that there is an
>application called NTVDM that is chewing up about 90 to 95% of the
>processor bandwidth (I think this is associated with UI-View but I'm
>not sure).
>
>On a separate note, I have found that when using the sound card
>tuning feature, when I first open it and look at the scope utility,
>the input waveform is extremely noisey - lots of garbage, etc. As
>soon as I open the 'Adjust Volume' utility, the input waveform is
>immediately cleaned up - which leads me to believe that the
>application needs more processor resources, i.e., by opening the
>utility, it becomes the focussed application and therefore gets the
>appropriate system resources automatically.
>
>Appreciate your thoughts on this - the first one re., the serial
>port locking up is really annoying - especially when this happens on
>the highway!
>
>Cheers,
>
>Ramesh.
>VE3RSD

99. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-24 01:07:57 UTC
From: marc_archambault
Topic: 26 Message: 99

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> Meanwhile, is there anyone else who is using LPT port for PTT or has an
> interface to participate in the test?

I run Windows XP Professional (SP1a). I have a working interface on the serial port but I can't get it to work the paralell port (the line is always hot). I've checked and re-checked the pin configuration and have tested every pin when sending, but agwpe pro does not appear to affect LPT1 (address: 0x03BC)

100. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-24 06:43:06 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 100

Hi

Don't try to check the voltage in the pins.There are pulled resistors
and the pin without load is always High.
Plug in the interface.Which must be sensitive enough since Parallel port
is TTL level (+5v,0V) not like RS232 which has around 10V on High and
-10V on Low state.
If your interface is Homemade check the load resistor and the
transistor.
Also run another test just to be sure that PEPRO finds the LPT port.
1.From Left menu select "Other Settings"
2.In the middle section of the dialog ,check "Log to File(AGWPE.LOG).
3.Restart PEPRO
4.Open the file AGWPE.LOG and see if the driver is loaded OK.If you cant
find the info send me the log file.
5.Dont forget to disable,after that, the debug operation.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: marc_archambault [mailto:marc.archambault@...]
> Sent: Friday, October 24, 2003 4:08 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> > Meanwhile, is there anyone else who is using LPT port for PTT or
> has an
> > interface to participate in the test?
>
> I run Windows XP Professional (SP1a). I have a working interface on
> the serial port but I can't get it to work the paralell port (the
> line is always hot). I've checked and re-checked the pin
> configuration and have tested every pin when sending, but agwpe pro
> does not appear to affect LPT1 (address: 0x03BC)
>
>
>
>
>

> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

101. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-24 19:49:20 UTC
From: marc_archambault
Topic: 26 Message: 101

My interface is Buck's Rascal. There's a led and resistor (470 ohms) in parallel on the line from the computer's port, tied in to the optocoupler. What change needs to be made to use this with the LPT port?

The only time the ptt indicator led flashes off is while shutting down PA Pro. The "test" function while creating a new port does not affect the port (LED indicator stays on).

Thanks for your help, Marc VE7MJO

Below is the log file:

```
@19:38:17:299> Oct 6 2003
@19:38:17:820> 2003=1006
@19:38:17:820> 2003=2003 1006=1006
@19:38:17:830> AGWRegister::CheckAndUpdateUnregistered 1
@19:38:17:840> 0
@19:38:17:840> 183
@19:38:17:840> 183
@19:38:17:850> 183
@19:38:17:850> 183
@19:38:17:850> 183
@19:38:17:850> 183
@19:38:17:860> 183
@19:38:17:860> 183
@19:38:17:890> INISOUNDCARD
@19:38:17:890> SOUNDCARD.HowMany=1
@19:38:17:900> SOUNDCARD NEW
@19:38:17:900> SAMPLERATE=22050
@19:38:17:980> SoundCard:FULLDUPLEX=YES
@19:38:17:980> PARALLELPORT = LPT1 nt=1
@19:38:17:990> 1
@19:38:18:80> ECP Printer Port (LPT1)
@19:38:18:80> ACPI\PNP0401\4&32D50C2&0
@19:38:18:80> 2
@19:38:18:90> DeviceId=ACPI\PNP0401\4&32D50C2&0\LogConf
@19:38:18:90> 3
@19:38:18:90> ~DeviceControl
@19:38:18:90> PARALLELPORT = LPT1=378
@19:38:18:150> ECP Printer Port (LPT1)
@19:38:18:160> ACPI\PNP0401\4&32D50C2&0
@19:38:18:160> ACPI\PNP0401\4&32D50C2&0
@19:38:18:811> C:\Program Files\AGWSoft\Packet Engine
Pro\agwsclpt.sys
@19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
```

```
@19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
@19:38:18:821> AGWDEVICEDRIVER LASTERROR=997
@19:38:18:821> Unload device Driver1 LASTERROR=183
@19:38:18:821> Unload device Driver2 LASTERROR=1060
@19:38:18:821> Unload device Driver3 LASTERROR=1060
@19:38:18:831> InstallDriver ok1
@19:38:18:831> InstallDriver ok2
@19:38:19:142> LASTERROR=997
@19:38:19:142> InstallDriver ok3
@19:38:19:152> Write registry
@19:38:19:152> start driver
@19:38:19:162> STARTDRIVER 1
@19:38:19:162> STARTDRIVER 2
@19:38:19:172> STARTDRIVER 3
@19:38:19:182> \\.\agwsclpt
@19:38:19:182> OpenDevice error=0
@19:38:19:182> ~AGWDEVICEDRIVER
@19:38:19:192> ~DeviceControl
@19:38:19:242> Sound:StartReading
@19:38:19:292> ether start thread!
@19:38:19:302> ether start thread2
@19:38:20:273> HDLCRX::RxFoundFlag 1
@19:38:21:846> HDLCRX::RxFoundFlag 1
@19:38:30:388> AGWDSKTP::ONCLOSE
@19:38:30:398> DELETE KISS
@19:38:30:498> Serial kill
@19:38:30:498> KILL Httpserver

@19:38:30:498> sockserver flushthread
@19:38:30:508> Exit loop sockserver
@19:38:30:518> KILL sockserver

@19:38:30:518> SOUNDCARD EXITKISS
@19:38:30:528> WAVEINCLOSE RETURNED 0=0
@19:38:30:528> SOUNDCARD EXITKISS END
@19:38:30:538> SERIALPORT WRITER FLUSHTHREAD
@19:38:30:538> SERIALPORT WRITER FLUSHTHREAD END
@19:38:30:548> EXIT LOOP SERIALWRITER
@19:38:30:578> deleted tcpip

@19:38:30:578> ~SOCKSERVER
@19:38:30:588> deleted sockserver

@19:38:30:588> deleted Httpserver

@19:38:30:598> destroyed DDEML
@19:38:30:628> ~SbTncAFSK
@19:38:30:628> ~SOUNDTNC
@19:38:30:638> ~SOUNDCARD
@19:38:30:648> Enable again lpt device=LPT1
@19:38:30:648> AGWDEVICEDRIVER LASTERROR=183
```

```
@19:38:30:658> AGWDEVICEDRIVER LASTERROR=183
@19:38:30:658> AGWDEVICEDRIVER LASTERROR=997
@19:38:30:658> Unload device Driver1 LASTERROR=183
@19:38:30:668> SERVICE STOPED=1
@19:38:30:678> Unload device Driver2 LASTERROR=997
@19:38:30:678> Unload device Driver3 LASTERROR=997
@19:38:30:738> Enable again lpt device=LPT1
@19:38:30:738> Device control enable port=LPT1
@19:38:30:829> ECP Printer Port (LPT1)
@19:38:30:839> ACPI\PNP0401\4&32D50C2&0
@19:38:30:839> ACPI\PNP0401\4&32D50C2&0
@19:38:31:359> ~DeviceControl
@19:38:31:359> ~AGWDEVICEDRIVER
@19:38:31:359> ~SCPTT
@19:38:31:369> ~SERIALPORTWRITER
@19:38:31:369> ~SerialPort
@19:38:31:369> ~SerialPort END
@19:38:31:369> ~RADIOPORT
@19:38:31:379> deleted serialports

@19:38:31:379> Destroyed Icons
@19:38:31:379> WSA CLEANUP
@19:38:31:389> ~DDEML
@19:38:31:389> ~CONVMANAGER
@19:38:31:389> ~CONVMANAGER end
@19:38:31:389> ~RPMANAGER
@19:38:31:399> END ~RPMANAGER
@19:38:31:399> ~AX25MANAGER
@19:38:31:399> ~AX25MANAGER END
@19:38:31:409> AGWDSKTP::ONCLOSE END
@19:38:31:540> ~dsktp
@19:38:31:540> WINMAIN::exit error=183

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
<sv2agw@p...> wrote:
> Hi
>
> Don't try to check the voltage in the pins.There are pulled
resistors
> and the pin without load is always High.
> Plug in the interface.Which must be sensitive enough since
Parallel port
> is TTL level (+5v,0V) not like RS232 which has around 10V on High
and
> -10V on Low state.
> If your interface is Homemade check the load resistor and the
> transistor.
> Also run another test just to be sure that PEPRO finds the LPT
port.
> 1.From Left menu select "Other Settings"
> 2.In the middle section of the dialog ,check "Log to File
```

(AGWPE.LOG).
> 3.Restart PEPRO
> 4.Open the file AGWPE.LOG and see if the driver is loaded OK.If
you cant
> find the info send me the log file.
> 5.Dont forget to disable,after that, the debug operation.
>
> 73
>
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@e...
> +306932 465 216
>

102. Re: Soundcard problem?

Yahoo group: agwpe_pro
Date: 2003-10-29 01:36:35 UTC
From: zl3tpl
Topic: 90 Message: 102

So I guess my question is either so stupid, that nobody can be
bothered answering (and yes I have read the help files on the
sondcard packet website),.... or is my problem too dificult for
everyone here?

any and all help is appreciated!!

73
Andy
ZL3AD

--- In agwpe_pro@yahoogroups.com, "zl3tpl" <zl3ad@g...> wrote:
> I just downloaded the latest version (dated october the 8th i
think?)
> yesterday, and installed on my system running win2k.
>
> I used the wizard to set up my radio port, which it claimed to do
> succesfully.
> I can hear packets coming in on the radio channel, I can see them
on
> the soundcard tuning aid, however the wee modem green light doesn't
> blink, and I don't get to see any decoded packets on the monitor
> screen.
>
> What am I overlooking here?
> cheers
> Andy
> ZL3AD

103. Re: [agwpe_pro] Re: Soundcard problem?

Yahoo group: agwpe_pro
Date: 2003-10-29 02:26:07 UTC
From: Ralph Milnes
Topic: 90 Message: 103

Hi Andy,

I think it was because it was too difficult..

I've seen this problem a few times and I don't think there's a simple answer. It could be one of many things:

* poor transmitted signals/poor reception (packets aren't decodable) - is it possible to find a nearby signal that is known to be decodable? how strong are the packet signals .. what's the S meter show? have you tried signals from a different frequency/stations?
* RF interference on the cable from other devices, such as your monitor
* an outdated/improper sound card driver - have you checked for a more recent one?

Can you change something in the equation -- the computer? your antenna? the signal source? -- to see if it will then work. It probably isn't a bug in PE Pro. Does it work with AGWPE 2003.308?

You might also try adjusting the "clock" settings for the sound card: highlight the port in PE Pro and from the menu select "Edit: Properties", then "Adjust the sound card clock". You can try changing the value up or down -- I can't tell you what will work .. it's trial-and-error.

You didn't say .. is this a desktop or laptop? what sound card jack are you using .. mic or line in? what's the radio and where are you getting the RX audio from?

73

Ralph KC2RLM

At 08:36 PM 10/28/2003, you wrote:
>So I guess my question is either so stupid, that nobody can be
>bothered answering (and yes I have read the help files on the
>sondcard packet website),.... or is my problem too dificult for
>everyone here?
>
>any and all help is appreciated!!
>
>73
>Andy
>ZL3AD
>
>
>--- In agwpe_pro@yahoogroups.com, "zl3tpl" <zl3ad@g...> wrote:
> > I just downloaded the latest version (dated october the 8th i

>think?)
> > yesterday, and installed on my system running win2k.
> >
> > I used the wizard to set up my radio port, which it claimed to do
> > succesfully.
> > I can hear packets coming in on the radio channel, I can see them
>on
> > the soundcard tuning aid, however the wee modem green light doesn't
> > blink, and I don't get to see any decoded packets on the monitor
> > screen.
> >
> > What am I overlooking here?
> > cheers
> > Andy
> > ZL3AD

104. Re: [agwpe_pro] Re: Soundcard problem?

Yahoo group: agwpe_pro
Date: 2003-10-29 03:18:37 UTC
From: radionut
Topic: 90 Message: 104

---> My reply to what Ralph Milnes wrote 10/28/2003 8:26:07 PM

There are so many factors that the best anyone can give by way of advice is suggestions to try, things to look at, and share some experience. I don't think anyone can give you a quick fix without knowing a lot more about your system. Maybe some things others have found to work will help, maybe you will have to try something different to correct the problem.

I have found something as simple to changing from a stereo to mono patch cord can fix the problem to those that any thing short of changing sound cards failed.

The other issue is compatibility of the OS, drivers and computer. I have had more than my share of problems with sound cards after updating to Windows 2000 and/or XP that I had never had before upgrading.

Are you using the 'line in' port of your sound card? That is the best. Try to manually in agwpe set manually the sound card as the input device, set the volume levels so that there is good signal being displayed but not chopping off top or bottom (nice sharp peaks, not flat spots).

One system, I found that the only way I could get things to work is to isolate the audio source (the rig) from the sound card with a 1:1 auto transformer. I was picking up a ground loop that affected that sound card. By the way, total isolation with a transformer is the correct and best way to connect your audio to your sound card. Shielded cable on both sides of the transformer and a ferrite core (or beads) on the sound card side of the transformer also helps. This not only provides good audio but also protects your computer and rig from problems. Plus make sure you have good ground connections on both your rig and the computer (good earth ground).

You should use the line in (as I noted before) to your sound card. If you must use the mic connection you need to use a 10:1 attenuation with a isolation transformer to get the best audio quality. Again here use shielded cable on both sides of the transformer and a ferrite core. Plus make sure you have good ground connections both on the rig and on the computer.

Run your rig with the squelch open and set your volume level low to start and try adjusting it to see if that starts to help. If you over drive the audio to the sound card it can cause it not to work. Make sure you reception of the packets is strong. Check your antenna connections and improve there if you need to so that you have good, strong signals to start with.

Make sure your rig is on frequency. If you can borrow a TNC check to make sure that the packets are being decoded by a 'known' to work system to eliminate problems on this end.

As suggested, to narrow down the problem, if you can, start to change something in the equation. If you have another computer, try that first to see if you can get it to work, if so then the rig (and audio line) is ok. If not you might start suspecting something there. If you have another computer on a different OS that is even better.

Once you prove your rig setup is working then go back to the computer you are trying to get working. If it is a desktop, borrow or change the sound card. See if you can get a different brand and driver to work.

It is a process of elimination with these kind of things, One thing I have found is that 2K and XP can be a bear with some sound card and some applications.

---------- Original Message ----------

Hi Andy,

I think it was because it was too difficult..

I've seen this problem a few times and I don't think there's a simple answer. It could be one of many things:

* poor transmitted signals/poor reception (packets aren't decodable) - is it possible to find a nearby signal that is known to be decodable? how strong are the packet signals .. what's the S meter show? have you tried signals from a different frequency/stations?
* RF interference on the cable from other devices, such as your monitor
* an outdated/improper sound card driver - have you checked for a more recent one?

Can you change something in the equation -- the computer? your antenna? the signal source? -- to see if it will then work. It probably isn't a bug in PE Pro. Does it work with AGWPE 2003.308?

You might also try adjusting the "clock" settings for the sound card: highlight the port in PE Pro and from the menu select "Edit: Properties", then "Adjust the sound card clock". You can try changing the value up or down -- I can't tell you what will work .. it's trial-and-error.

You didn't say .. is this a desktop or laptop? what sound card jack are you using .. mic or line in? what's the radio and where are you getting the RX audio from?

73

Ralph KC2RLM

At 08:36 PM 10/28/2003, you wrote:
>So I guess my question is either so stupid, that nobody can be
>bothered answering (and yes I have read the help files on the
>sondcard packet website),.... or is my problem too dificult for
>everyone here?
>

>any and all help is appreciated!!
>
>73
>Andy
>ZL3AD
>
>
>--- In agwpe_pro@yahoogroups.com, "zl3tpl" <zl3ad@g...> wrote:
> > I just downloaded the latest version (dated october the 8th i
>think?)
> > yesterday, and installed on my system running win2k.
> >
> > I used the wizard to set up my radio port, which it claimed to do
> > succesfully.
> > I can hear packets coming in on the radio channel, I can see them
>on
> > the soundcard tuning aid, however the wee modem green light doesn't
> > blink, and I don't get to see any decoded packets on the monitor
> > screen.
> >
> > What am I overlooking here?
> > cheers
> > Andy
> > ZL3AD

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

105. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-29 07:07:24 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 105

Hi

Thank you for the log file.
The Log says the follow.
1.You are using LPT1 with address 378.
PSE go to control panel/system/device manager/ports open properties
dialog for lpt1 go to resources TAB and see if the address is really 378

I assume that the LED on the interface is alwayes ON and goes off while
sutting down PEPRO.
If this is the case then the trx is always on PTT??

Answer these questions and will continue till we find the solution.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: marc_archambault [mailto:marc.archambault@...]
> Sent: Friday, October 24, 2003 10:49 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> My interface is Buck's Rascal. There's a led and resistor (470 ohms)
> in parallel on the line from the computer's port, tied in to the
> optocoupler. What change needs to be made to use this with the LPT
> port?
>
> The only time the ptt indicator led flashes off is while shutting
> down PA Pro. The "test" function while creating a new port does not
> affect the port (LED indicator stays on).
>
> Thanks for your help, Marc VE7MJO
>
> Below is the log file:
>
> @19:38:17:299> Oct 6 2003
> @19:38:17:820> 2003=1006
> @19:38:17:820> 2003=2003 1006=1006
> @19:38:17:830> AGWRegister::CheckAndUpdateUnregistered 1
> @19:38:17:840> 0 @19:38:17:840> 183 @19:38:17:840> 183

```
> @19:38:17:850> 183 @19:38:17:850> 183 @19:38:17:850> 183
> @19:38:17:850> 183 @19:38:17:860> 183 @19:38:17:860> 183
> @19:38:17:890> INISOUNDCARD @19:38:17:890>
> SOUNDCARD.HowMany=1 @19:38:17:900> SOUNDCARD NEW
> @19:38:17:900> SAMPLERATE=22050 @19:38:17:980>
> SoundCard:FULLDUPLEX=YES @19:38:17:980> PARALLELPORT = LPT1
> nt=1 @19:38:17:990> 1 @19:38:18:80> ECP Printer Port (LPT1)
> @19:38:18:80> ACPI\PNP0401\4&32D50C2&0 @19:38:18:80> 2
> @19:38:18:90> DeviceId=ACPI\PNP0401\4&32D50C2&0\LogConf
> @19:38:18:90> 3
> @19:38:18:90> ~DeviceControl
> @19:38:18:90> PARALLELPORT = LPT1=378
> @19:38:18:150> ECP Printer Port (LPT1)
> @19:38:18:160> ACPI\PNP0401\4&32D50C2&0
> @19:38:18:160> ACPI\PNP0401\4&32D50C2&0
> @19:38:18:811> C:\Program Files\AGWSoft\Packet Engine
> Pro\agwsclpt.sys
> @19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
> @19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
> @19:38:18:821> AGWDEVICEDRIVER LASTERROR=997
> @19:38:18:821> Unload device Driver1 LASTERROR=183
> @19:38:18:821> Unload device Driver2 LASTERROR=1060
> @19:38:18:821> Unload device Driver3 LASTERROR=1060
> @19:38:18:831> InstallDriver ok1 @19:38:18:831> InstallDriver
> ok2 @19:38:19:142> LASTERROR=997 @19:38:19:142> InstallDriver
> ok3 @19:38:19:152> Write registry @19:38:19:152> start driver
> @19:38:19:162> STARTDRIVER 1 @19:38:19:162> STARTDRIVER 2
> @19:38:19:172> STARTDRIVER 3 @19:38:19:182> \\.\agwsclpt
> @19:38:19:182> OpenDevice error=0 @19:38:19:182>
> ~AGWDEVICEDRIVER @19:38:19:192> ~DeviceControl @19:38:19:242>
> Sound:StartReading @19:38:19:292> ether start thread!
> @19:38:19:302> ether start thread2 @19:38:20:273>
> HDLCRX::RxFoundFlag 1 @19:38:21:846> HDLCRX::RxFoundFlag 1
> @19:38:30:388> AGWDSKTP::ONCLOSE @19:38:30:398> DELETE KISS
> @19:38:30:498> Serial kill @19:38:30:498> KILL Httpserver
>
> @19:38:30:498> sockserver flushthread
> @19:38:30:508> Exit loop sockserver
> @19:38:30:518> KILL sockserver
>
> @19:38:30:518> SOUNDCARD EXITKISS
> @19:38:30:528> WAVEINCLOSE RETURNED 0=0
> @19:38:30:528> SOUNDCARD EXITKISS END
> @19:38:30:538> SERIALPORT WRITER FLUSHTHREAD
> @19:38:30:538> SERIALPORT WRITER FLUSHTHREAD END
> @19:38:30:548> EXIT LOOP SERIALWRITER
> @19:38:30:578> deleted tcpip
>
> @19:38:30:578> ~SOCKSERVER
> @19:38:30:588> deleted sockserver
```

>
> @19:38:30:588> deleted Httpserver
>
> @19:38:30:598> destroyed DDEML
> @19:38:30:628> ~SbTncAFSK
> @19:38:30:628> ~SOUNDTNC
> @19:38:30:638> ~SOUNDCARD
> @19:38:30:648> Enable again lpt device=LPT1
> @19:38:30:648> AGWDEVICEDRIVER LASTERROR=183
> @19:38:30:658> AGWDEVICEDRIVER LASTERROR=183
> @19:38:30:658> AGWDEVICEDRIVER LASTERROR=997
> @19:38:30:658> Unload device Driver1 LASTERROR=183
> @19:38:30:668> SERVICE STOPED=1 @19:38:30:678> Unload device
> Driver2 LASTERROR=997 @19:38:30:678> Unload device Driver3
> LASTERROR=997 @19:38:30:738> Enable again lpt device=LPT1
> @19:38:30:738> Device control enable port=LPT1 @19:38:30:829>
> ECP Printer Port (LPT1) @19:38:30:839>
> ACPI\PNP0401\4&32D50C2&0 @19:38:30:839>
> ACPI\PNP0401\4&32D50C2&0 @19:38:31:359> ~DeviceControl
> @19:38:31:359> ~AGWDEVICEDRIVER @19:38:31:359> ~SCPTT
> @19:38:31:369> ~SERIALPORTWRITER @19:38:31:369> ~SerialPort
> @19:38:31:369> ~SerialPort END @19:38:31:369> ~RADIOPORT
> @19:38:31:379> deleted serialports
>
> @19:38:31:379> Destroyed Icons
> @19:38:31:379> WSA CLEANUP
> @19:38:31:389> ~DDEML
> @19:38:31:389> ~CONVMANAGER
> @19:38:31:389> ~CONVMANAGER end
> @19:38:31:389> ~RPMANAGER
> @19:38:31:399> END ~RPMANAGER
> @19:38:31:399> ~AX25MANAGER
> @19:38:31:399> ~AX25MANAGER END
> @19:38:31:409> AGWDSKTP::ONCLOSE END
> @19:38:31:540> ~dsktp
> @19:38:31:540> WINMAIN::exit error=183
>
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> <sv2agw@p...> wrote:
> > Hi
> >
> > Don't try to check the voltage in the pins.There are pulled
> resistors
> > and the pin without load is always High.
> > Plug in the interface.Which must be sensitive enough since
> Parallel port
> > is TTL level (+5v,0V) not like RS232 which has around 10V on High
> and
> > -10V on Low state.

> > If your interface is Homemade check the load resistor and the
> > transistor. Also run another test just to be sure that
> PEPRO finds the
> > LPT
> port.
> > 1.From Left menu select "Other Settings"
> > 2.In the middle section of the dialog ,check "Log to File
> (AGWPE.LOG).
> > 3.Restart PEPRO
> > 4.Open the file AGWPE.LOG and see if the driver is loaded OK.If
> you cant
> > find the info send me the log file.
> > 5.Dont forget to disable,after that, the debug operation.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > www.elcom.gr/sv2agw
> > sv2agw@e...
> > +306932 465 216
> >
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~-->
> Buy Ink Cartridges or Refill Kits for your HP, Epson, Canon or Lexmark
> Printer at MyInks.com. Free s/h on orders $50 or more to the
> US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

106. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-29 07:43:35 UTC
From: marc_archambault
Topic: 26 Message: 106

Reply below: &&&&

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos" <sv2agw@p...> wrote:
> Hi
>
> go to resources TAB and see if the address is really 378

&&&& yes, the range is indicated as 0378-037F, enable legacy support is disabled, the bios is set to "ECP", and the filter ressource method is set to "try not to use an interrupt".

> I assume that the LED on the interface is alwayes ON and goes off while sutting down PEPRO.
> If this is the case then the trx is always on PTT??

&&&& Actually, it's always on, even after exiting PEPRO. Except when PEPRO is shutting down, the led momentarily turns off, then goes back on again.

If the cables where less expensive, I would just get a usb-serial adpater...

Thanks for the help, Marc VE7MJO

107. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-29 12:23:10 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 107

Hi

Something else really important.
Is this interface for LPT port? Or you have changed the serial plug to lpt?
Are you sure that you are using the right pins?
2 or 3 for Left channel and 9 or 8 for right channel. The ground is any pin between 18 ... 25 .

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: marc_archambault [mailto:marc.archambault@...]
> Sent: Wednesday, October 29, 2003 9:44 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> Reply below: &&&&
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> <sv2agw@p...> wrote:
> > Hi
> >
> > go to resources TAB and see if the address is really 378
>
> &&&& yes, the range is indicated as 0378-037F, enable legacy support
> is disabled, the bios is set to "ECP", and the filter ressource
> method is set to "try not to use an interrupt".
>
> > I assume that the LED on the interface is alwayes ON and goes off
> while sutting down PEPRO.
> > If this is the case then the trx is always on PTT??
>
> &&&& Actually, it's always on, even after exiting PEPRO. Except when
> PEPRO is shutting down, the led momentarily turns off, then goes
> back on again.
>
> If the cables where less expensive, I would just get a usb-serial
> adpater...
>

> Thanks for the help, Marc VE7MJO
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Rent DVDs Online - Over 14,500
> titles. No Late Fees & Free Shipping. Try Netflix for FREE!
> http://us.click.yahoo.com/vhSowB/XP.FAA/3jkFAA/ELTolB/TM
>
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

108. FW: Soundcard problems.

Yahoo group: agwpe_pro
Date: 2003-10-30 05:59:15 UTC
From: A Davidson
Topic: 108 Message: 108
Attachments: 1 described; binary payloads are missing from this source WARC

Hi Ralph & Mike, thanks very much for the reponses.

There are lots of suggestions there that I will work my way slowly through. I have attached a screen capture of the souncard tuning aid, I'm not sure wether it will be able to go though the groups, or wether I have to upload it somewhere, however the DCD light on the screen blinks when the packet comes, in, and looks okay to my eye. I did try adjusting the soundcard tuning up and down to no avail. Yes they are valid packets, as I have a TH-D7 setup and running decoding the same packets.

The PC is a desktop system, and the monitor is an LCD display. I'm using the Line in card on the soundcard, will check on the status of the drivers. My Rig is an FT100, and I'm taking audio out the recommended Data connector on the rear of the radio and connecting to the PC via a stereo jack (will look at this)

I am trying to get it running on VHF, so I can retune to HF for 300Baud.

Will see how I get on working through some of the other suggestions

---

Message: 3
Date: Tue, 28 Oct 2003 21:18:37 -0600
From: radionut <radionutmike@...>
Subject: Re: Re: Soundcard problem?

---> My reply to what Ralph Milnes wrote 10/28/2003 8:26:07 PM

There are so many factors that the best anyone can give by way of advice is suggestions to try, things to look at, and share some experience. I don't think anyone can give you a quick fix without knowing a lot more about your system. Maybe some things others have found to work will help, maybe you will have to try something different to correct the problem.

I have found something as simple to changing from a stereo to mono patch cord can fix the problem to those that any thing short of changing sound cards failed.

The other issue is compatibility of the OS, drivers and computer. I have had more than my share of problems with sound cards after updating to Windows 2000 and/or XP that I had never had before upgrading.

Are you using the 'line in' port of your sound card? That is the best. Try to manually in agwpe set manually the sound card as the input device, set the volume levels so that there is good signal being

displayed but not chopping off top or bottom (nice sharp peaks, not flat spots).

One system, I found that the only way I could get things to work is to isolate the audio source (the rig) from the sound card with a 1:1 auto transformer. I was picking up a ground loop that affected that sound card. By the way, total isolation with a transformer is the correct and best way to connect your audio to your sound card. Shielded cable on both sides of the transformer and a ferrite core (or beads) on the sound card side of the transformer also helps. This not only provides good audio but also protects your computer and rig from problems. Plus make sure you have good ground connections on both your rig and the computer (good earth ground).

You should use the line in (as I noted before) to your sound card. If you must use the mic connection you need to use a 10:1 attenuation with a isolation transformer to get the best audio quality. Again here use shielded cable on both sides of the transformer and a ferrite core. Plus make sure you have good ground connections both on the rig and on the computer.

Run your rig with the squelch open and set your volume level low to start and try adjusting it to see if that starts to help. If you over drive the audio to the sound card it can cause it not to work. Make sure you reception of the packets is strong. Check your antenna connections and improve there if you need to so that you have good, strong signals to start with.

Make sure your rig is on frequency. If you can borrow a TNC check to make sure that the packets are being decoded by a 'known' to work system to eliminate problems on this end.

As suggested, to narrow down the problem, if you can, start to change something in the equation. If you have another computer, try that first to see if you can get it to work, if so then the rig (and audio line) is ok. If not you might start suspecting something there. If you have another computer on a different OS that is even better.

Once you prove your rig setup is working then go back to the computer you are trying to get working. If it is a desktop, borrow or change the sound card. See if you can get a different brand and driver to work.

It is a process of elimination with these kind of things, One thing I have found is that 2K and XP can be a bear with some sound card and some applications.

---------- Original Message ----------

Hi Andy,

I think it was because it was too difficult..

I've seen this problem a few times and I don't think there's a simple
answer. It could be one of many things:

* poor transmitted signals/poor reception (packets aren't decodable) -
is
it possible to find a nearby signal that is known to be decodable? how
strong are the packet signals .. what's the S meter show? have you tried

signals from a different frequency/stations?
* RF interference on the cable from other devices, such as your monitor
* an outdated/improper sound card driver - have you checked for a more
recent one?

Can you change something in the equation -- the computer? your antenna?
the
signal source? -- to see if it will then work. It probably isn't a bug
in
PE Pro. Does it work with AGWPE 2003.308?

You might also try adjusting the "clock" settings for the sound card:
highlight the port in PE Pro and from the menu select "Edit:
Properties",
then "Adjust the sound card clock". You can try changing the value up or

down -- I can't tell you what will work .. it's trial-and-error.

You didn't say .. is this a desktop or laptop? what sound card jack are
you
using .. mic or line in? what's the radio and where are you getting the
RX
audio from?

73

Ralph KC2RLM

At 08:36 PM 10/28/2003, you wrote:
>So I guess my question is either so stupid, that nobody can be bothered

>answering (and yes I have read the help files on the sondcard packet
>website),.... or is my problem too dificult for everyone here?
>
>any and all help is appreciated!!
>
>73
>Andy
>ZL3AD
>
>
>--- In agwpe_pro@yahoogroups.com, "zl3tpl" <zl3ad@g...> wrote:
> > I just downloaded the latest version (dated october the 8th i
>think?)
> > yesterday, and installed on my system running win2k.
> >

> > I used the wizard to set up my radio port, which it claimed to do
> > succesfully. I can hear packets coming in on the radio channel, I
> > can see them
>on
> > the soundcard tuning aid, however the wee modem green light doesn't
> > blink, and I don't get to see any decoded packets on the monitor
> > screen.
> >
> > What am I overlooking here?
> > cheers
> > Andy
> > ZL3AD

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

[This message contained attachments]

Message: 4
Date: Wed, 29 Oct 2003 09:07:24 +0200
From: "\(SV2AGW\) George Rossopoulos" <sv2agw@...>
Subject: RE: Re: LPT PTT not working on WinXP

Hi

Thank you for the log file.
The Log says the follow.
1.You are using LPT1 with address 378.
PSE go to control panel/system/device manager/ports open properties
dialog for lpt1 go to resources TAB and see if the address is really 378

I assume that the LED on the interface is alwayes ON and goes off while
sutting down PEPRO. If this is the case then the trx is always on PTT??

Answer these questions and will continue till we find the solution.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: marc_archambault [mailto:marc.archambault@...]
> Sent: Friday, October 24, 2003 10:49 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> My interface is Buck's Rascal. There's a led and resistor (470 ohms)
> in parallel on the line from the computer's port, tied in to the
> optocoupler. What change needs to be made to use this with the LPT
> port?
>
> The only time the ptt indicator led flashes off is while shutting down
> PA Pro. The "test" function while creating a new port does not affect
> the port (LED indicator stays on).
>
> Thanks for your help, Marc VE7MJO
>
> Below is the log file:
>
> @19:38:17:299> Oct 6 2003
> @19:38:17:820> 2003=1006
> @19:38:17:820> 2003=2003 1006=1006
> @19:38:17:830> AGWRegister::CheckAndUpdateUnregistered 1
> @19:38:17:840> 0 @19:38:17:840> 183 @19:38:17:840> 183 @19:38:17:850>
> 183 @19:38:17:850> 183 @19:38:17:850> 183 @19:38:17:850> 183
> @19:38:17:860> 183 @19:38:17:860> 183 @19:38:17:890> INISOUNDCARD
> @19:38:17:890> SOUNDCARD.HowMany=1 @19:38:17:900> SOUNDCARD NEW
> @19:38:17:900> SAMPLERATE=22050 @19:38:17:980>
> SoundCard:FULLDUPLEX=YES @19:38:17:980> PARALLELPORT = LPT1
> nt=1 @19:38:17:990> 1 @19:38:18:80> ECP Printer Port (LPT1)
> @19:38:18:80> ACPI\PNP0401\4&32D50C2&0 @19:38:18:80> 2
> @19:38:18:90> DeviceId=ACPI\PNP0401\4&32D50C2&0\LogConf
> @19:38:18:90> 3
> @19:38:18:90> ~DeviceControl
> @19:38:18:90> PARALLELPORT = LPT1=378
> @19:38:18:150> ECP Printer Port (LPT1)
> @19:38:18:160> ACPI\PNP0401\4&32D50C2&0
> @19:38:18:160> ACPI\PNP0401\4&32D50C2&0
> @19:38:18:811> C:\Program Files\AGWSoft\Packet Engine
> Pro\agwsclpt.sys
> @19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
> @19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
> @19:38:18:821> AGWDEVICEDRIVER LASTERROR=997
> @19:38:18:821> Unload device Driver1 LASTERROR=183
> @19:38:18:821> Unload device Driver2 LASTERROR=1060
> @19:38:18:821> Unload device Driver3 LASTERROR=1060
> @19:38:18:831> InstallDriver ok1 @19:38:18:831> InstallDriver
> ok2 @19:38:19:142> LASTERROR=997 @19:38:19:142> InstallDriver
> ok3 @19:38:19:152> Write registry @19:38:19:152> start driver
> @19:38:19:162> STARTDRIVER 1 @19:38:19:162> STARTDRIVER 2

```
> @19:38:19:172> STARTDRIVER 3 @19:38:19:182> \\.\agwsclpt
> @19:38:19:182> OpenDevice error=0 @19:38:19:182>
> ~AGWDEVICEDRIVER @19:38:19:192> ~DeviceControl @19:38:19:242>
> Sound:StartReading @19:38:19:292> ether start thread!
> @19:38:19:302> ether start thread2 @19:38:20:273>
> HDLCRX::RxFoundFlag 1 @19:38:21:846> HDLCRX::RxFoundFlag 1
> @19:38:30:388> AGWDSKTP::ONCLOSE @19:38:30:398> DELETE KISS
> @19:38:30:498> Serial kill @19:38:30:498> KILL Httpserver
>
> @19:38:30:498> sockserver flushthread
> @19:38:30:508> Exit loop sockserver
> @19:38:30:518> KILL sockserver
>
> @19:38:30:518> SOUNDCARD EXITKISS
> @19:38:30:528> WAVEINCLOSE RETURNED 0=0
> @19:38:30:528> SOUNDCARD EXITKISS END
> @19:38:30:538> SERIALPORT WRITER FLUSHTHREAD
> @19:38:30:538> SERIALPORT WRITER FLUSHTHREAD END @19:38:30:548> EXIT
> LOOP SERIALWRITER @19:38:30:578> deleted tcpip
>
> @19:38:30:578> ~SOCKSERVER
> @19:38:30:588> deleted sockserver
>
> @19:38:30:588> deleted Httpserver
>
> @19:38:30:598> destroyed DDEML
> @19:38:30:628> ~SbTncAFSK
> @19:38:30:628> ~SOUNDTNC
> @19:38:30:638> ~SOUNDCARD
> @19:38:30:648> Enable again lpt device=LPT1
> @19:38:30:648> AGWDEVICEDRIVER LASTERROR=183
> @19:38:30:658> AGWDEVICEDRIVER LASTERROR=183
> @19:38:30:658> AGWDEVICEDRIVER LASTERROR=997
> @19:38:30:658> Unload device Driver1 LASTERROR=183 @19:38:30:668>
> SERVICE STOPED=1 @19:38:30:678> Unload device Driver2 LASTERROR=997
> @19:38:30:678> Unload device Driver3 LASTERROR=997 @19:38:30:738>
> Enable again lpt device=LPT1 @19:38:30:738> Device control enable
> port=LPT1 @19:38:30:829> ECP Printer Port (LPT1) @19:38:30:839>
> ACPI\PNP0401\4&32D50C2&0 @19:38:30:839>
> ACPI\PNP0401\4&32D50C2&0 @19:38:31:359> ~DeviceControl
> @19:38:31:359> ~AGWDEVICEDRIVER @19:38:31:359> ~SCPTT
> @19:38:31:369> ~SERIALPORTWRITER @19:38:31:369> ~SerialPort
> @19:38:31:369> ~SerialPort END @19:38:31:369> ~RADIOPORT
> @19:38:31:379> deleted serialports
>
> @19:38:31:379> Destroyed Icons
> @19:38:31:379> WSA CLEANUP
> @19:38:31:389> ~DDEML
> @19:38:31:389> ~CONVMANAGER
> @19:38:31:389> ~CONVMANAGER end
```

> @19:38:31:389> ~RPMANAGER
> @19:38:31:399> END ~RPMANAGER
> @19:38:31:399> ~AX25MANAGER
> @19:38:31:399> ~AX25MANAGER END
> @19:38:31:409> AGWDSKTP::ONCLOSE END
> @19:38:31:540> ~dsktp
> @19:38:31:540> WINMAIN::exit error=183
>
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> <sv2agw@p...> wrote:
> > Hi
> >
> > Don't try to check the voltage in the pins.There are pulled
> resistors
> > and the pin without load is always High.
> > Plug in the interface.Which must be sensitive enough since
> Parallel port
> > is TTL level (+5v,0V) not like RS232 which has around 10V on High
> and
> > -10V on Low state.
> > If your interface is Homemade check the load resistor and the
> > transistor. Also run another test just to be sure that
> PEPRO finds the
> > LPT
> port.
> > 1.From Left menu select "Other Settings"
> > 2.In the middle section of the dialog ,check "Log to File
> (AGWPE.LOG).
> > 3.Restart PEPRO
> > 4.Open the file AGWPE.LOG and see if the driver is loaded OK.If
> you cant
> > find the info send me the log file.
> > 5.Dont forget to disable,after that, the debug operation.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > www.elcom.gr/sv2agw
> > sv2agw@e...
> > +306932 465 216
> >
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits for your
> HP, Epson, Canon or Lexmark Printer at MyInks.com. Free s/h on orders
> $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511

> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

109. Re: [agwpe_pro] FW: Soundcard problems.

Yahoo group: agwpe_pro
Date: 2003-10-30 15:43:23 UTC
From: radionut
Topic: 108 Message: 109

---> My reply to what A Davidson wrote 10/29/2003 11:59:15 PM

Try one thing quick, on the rig end put a stereo to mono adapter

---------- Original Message ----------

Hi Ralph & Mike, thanks very much for the reponses.

There are lots of suggestions there that I will work my way slowly through. I have attached a screen capture of the souncard tuning aid, I'm not sure wether it will be able to go though the groups, or wether I have to upload it somewhere, however the DCD light on the screen blinks when the packet comes, in, and looks okay to my eye. I did try adjusting the soundcard tuning up and down to no avail. Yes they are valid packets, as I have a TH-D7 setup and running decoding the same packets.

The PC is a desktop system, and the monitor is an LCD display. I'm using the Line in card on the soundcard, will check on the status of the drivers. My Rig is an FT100, and I'm taking audio out the recommended Data connector on the rear of the radio and connecting to the PC via a stereo jack (will look at this)

I am trying to get it running on VHF, so I can retune to HF for 300Baud.

Will see how I get on working through some of the other suggestions

---

Message: 3
Date: Tue, 28 Oct 2003 21:18:37 -0600
From: radionut <radionutmike@...>
Subject: Re: Re: Soundcard problem?

---> My reply to what Ralph Milnes wrote 10/28/2003 8:26:07 PM

There are so many factors that the best anyone can give by way of advice is suggestions to try, things to look at, and share some experience. I don't think anyone can give you a quick fix without knowing a lot more about your system. Maybe some things others have found to work will help, maybe you will have to try something different to correct the problem.

I have found something as simple to changing from a stereo to mono patch cord can fix the problem to those that any thing short of changing sound cards failed.

The other issue is compatibility of the OS, drivers and computer. I have had more than my share of problems with sound cards after updating to Windows 2000 and/or XP that I had never had before upgrading.

Are you using the 'line in' port of your sound card? That is the best. Try to manually in agwpe set manually the sound card as the input device, set the volume levels so that there is good signal being displayed but not chopping off top or bottom (nice sharp peaks, not flat spots).

One system, I found that the only way I could get things to work is to isolate the audio source (the rig) from the sound card with a 1:1 auto transformer. I was picking up a ground loop that affected that sound card. By the way, total isolation with a transformer is the correct and best way to connect your audio to your sound card. Shielded cable on both sides of the transformer and a ferrite core (or beads) on the sound card side of the transformer also helps. This not only provides good audio but also protects your computer and rig from problems. Plus make sure you have good ground connections on both your rig and the computer (good earth ground).

You should use the line in (as I noted before) to your sound card. If you must use the mic connection you need to use a 10:1 attenuation with a isolation transformer to get the best audio quality. Again here use shielded cable on both sides of the transformer and a ferrite core. Plus make sure you have good ground connections both on the rig and on the computer.

Run your rig with the squelch open and set your volume level low to start and try adjusting it to see if that starts to help. If you over drive the audio to the sound card it can cause it not to work. Make sure you reception of the packets is strong. Check your antenna connections and improve there if you need to so that you have good, strong signals to start with.

Make sure your rig is on frequency. If you can borrow a TNC check to make sure that the packets are being decoded by a 'known' to work system to eliminate problems on this end.

As suggested, to narrow down the problem, if you can, start to change something in the equation. If you have another computer, try that first to see if you can get it to work, if so then the rig (and audio line) is ok. If not you might start suspecting something there. If you have another computer on a different OS that is even better.

Once you prove your rig setup is working then go back to the computer you are trying to get working. If it is a desktop, borrow or change the sound card. See if you can get a different brand and driver to work.

It is a process of elimination with these kind of things, One thing I have found is that 2K and XP can be a bear with some sound card and some applications.

---------- Original Message ----------

Hi Andy,

I think it was because it was too difficult..

I've seen this problem a few times and I don't think there's a simple
answer. It could be one of many things:

* poor transmitted signals/poor reception (packets aren't decodable) -
is
it possible to find a nearby signal that is known to be decodable? how
strong are the packet signals .. what's the S meter show? have you tried

signals from a different frequency/stations?
* RF interference on the cable from other devices, such as your monitor
* an outdated/improper sound card driver - have you checked for a more
recent one?

Can you change something in the equation -- the computer? your antenna?
the
signal source? -- to see if it will then work. It probably isn't a bug
in
PE Pro. Does it work with AGWPE 2003.308?

You might also try adjusting the "clock" settings for the sound card:
highlight the port in PE Pro and from the menu select "Edit:
Properties",
then "Adjust the sound card clock". You can try changing the value up or

down -- I can't tell you what will work .. it's trial-and-error.

You didn't say .. is this a desktop or laptop? what sound card jack are
you
using .. mic or line in? what's the radio and where are you getting the
RX
audio from?

73

Ralph KC2RLM

At 08:36 PM 10/28/2003, you wrote:
>So I guess my question is either so stupid, that nobody can be bothered

>answering (and yes I have read the help files on the sondcard packet
>website),.... or is my problem too dificult for everyone here?
>
>any and all help is appreciated!!
>
>73
>Andy
>ZL3AD
>
>
>--- In agwpe_pro@yahoogroups.com, "zl3tpl" <zl3ad@g...> wrote:
> > I just downloaded the latest version (dated october the 8th i
>think?)
> > yesterday, and installed on my system running win2k.
> >

> > I used the wizard to set up my radio port, which it claimed to do
> > succesfully. I can hear packets coming in on the radio channel, I
> > can see them
>on
> > the soundcard tuning aid, however the wee modem green light doesn't
> > blink, and I don't get to see any decoded packets on the monitor
> > screen.
> >
> > What am I overlooking here?
> > cheers
> > Andy
> > ZL3AD

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

[This message contained attachments]

Message: 4
Date: Wed, 29 Oct 2003 09:07:24 +0200
From: "\(SV2AGW\) George Rossopoulos" <sv2agw@...>
Subject: RE: Re: LPT PTT not working on WinXP

Hi

Thank you for the log file.
The Log says the follow.
1.You are using LPT1 with address 378.
PSE go to control panel/system/device manager/ports open properties
dialog for lpt1 go to resources TAB and see if the address is really 378

I assume that the LED on the interface is alwayes ON and goes off while
sutting down PEPRO. If this is the case then the trx is always on PTT??

Answer these questions and will continue till we find the solution.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: marc_archambault [mailto:marc.archambault@...]
> Sent: Friday, October 24, 2003 10:49 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> My interface is Buck's Rascal. There's a led and resistor (470 ohms)
> in parallel on the line from the computer's port, tied in to the
> optocoupler. What change needs to be made to use this with the LPT
> port?
>
> The only time the ptt indicator led flashes off is while shutting down
> PA Pro. The "test" function while creating a new port does not affect
> the port (LED indicator stays on).
>
> Thanks for your help, Marc VE7MJO
>
> Below is the log file:
>
> @19:38:17:299> Oct 6 2003
> @19:38:17:820> 2003=1006
> @19:38:17:820> 2003=2003 1006=1006
> @19:38:17:830> AGWRegister::CheckAndUpdateUnregistered 1
> @19:38:17:840> 0 @19:38:17:840> 183 @19:38:17:840> 183 @19:38:17:850>
> 183 @19:38:17:850> 183 @19:38:17:850> 183 @19:38:17:850> 183
> @19:38:17:860> 183 @19:38:17:860> 183 @19:38:17:890> INISOUNDCARD
> @19:38:17:890> SOUNDCARD.HowMany=1 @19:38:17:900> SOUNDCARD NEW
> @19:38:17:900> SAMPLERATE=22050 @19:38:17:980>
> SoundCard:FULLDUPLEX=YES @19:38:17:980> PARALLELPORT = LPT1
> nt=1 @19:38:17:990> 1 @19:38:18:80> ECP Printer Port (LPT1)
> @19:38:18:80> ACPI\PNP0401\4&32D50C2&0 @19:38:18:80> 2
> @19:38:18:90> DeviceId=ACPI\PNP0401\4&32D50C2&0\LogConf
> @19:38:18:90> 3
> @19:38:18:90> ~DeviceControl
> @19:38:18:90> PARALLELPORT = LPT1=378
> @19:38:18:150> ECP Printer Port (LPT1)
> @19:38:18:160> ACPI\PNP0401\4&32D50C2&0
> @19:38:18:160> ACPI\PNP0401\4&32D50C2&0
> @19:38:18:811> C:\Program Files\AGWSoft\Packet Engine
> Pro\agwsclpt.sys
> @19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
> @19:38:18:811> AGWDEVICEDRIVER LASTERROR=183
> @19:38:18:821> AGWDEVICEDRIVER LASTERROR=997
> @19:38:18:821> Unload device Driver1 LASTERROR=183
> @19:38:18:821> Unload device Driver2 LASTERROR=1060
> @19:38:18:821> Unload device Driver3 LASTERROR=1060
> @19:38:18:831> InstallDriver ok1 @19:38:18:831> InstallDriver
> ok2 @19:38:19:142> LASTERROR=997 @19:38:19:142> InstallDriver
> ok3 @19:38:19:152> Write registry @19:38:19:152> start driver
> @19:38:19:162> STARTDRIVER 1 @19:38:19:162> STARTDRIVER 2

```
> @19:38:19:172> STARTDRIVER 3 @19:38:19:182> \\.\agwsclpt
> @19:38:19:182> OpenDevice error=0 @19:38:19:182>
> ~AGWDEVICEDRIVER @19:38:19:192> ~DeviceControl @19:38:19:242>
> Sound:StartReading @19:38:19:292> ether start thread!
> @19:38:19:302> ether start thread2 @19:38:20:273>
> HDLCRX::RxFoundFlag 1 @19:38:21:846> HDLCRX::RxFoundFlag 1
> @19:38:30:388> AGWDSKTP::ONCLOSE @19:38:30:398> DELETE KISS
> @19:38:30:498> Serial kill @19:38:30:498> KILL Httpserver
>
> @19:38:30:498> sockserver flushthread
> @19:38:30:508> Exit loop sockserver
> @19:38:30:518> KILL sockserver
>
> @19:38:30:518> SOUNDCARD EXITKISS
> @19:38:30:528> WAVEINCLOSE RETURNED 0=0
> @19:38:30:528> SOUNDCARD EXITKISS END
> @19:38:30:538> SERIALPORT WRITER FLUSHTHREAD
> @19:38:30:538> SERIALPORT WRITER FLUSHTHREAD END @19:38:30:548> EXIT
> LOOP SERIALWRITER @19:38:30:578> deleted tcpip
>
> @19:38:30:578> ~SOCKSERVER
> @19:38:30:588> deleted sockserver
>
> @19:38:30:588> deleted Httpserver
>
> @19:38:30:598> destroyed DDEML
> @19:38:30:628> ~SbTncAFSK
> @19:38:30:628> ~SOUNDTNC
> @19:38:30:638> ~SOUNDCARD
> @19:38:30:648> Enable again lpt device=LPT1
> @19:38:30:648> AGWDEVICEDRIVER LASTERROR=183
> @19:38:30:658> AGWDEVICEDRIVER LASTERROR=183
> @19:38:30:658> AGWDEVICEDRIVER LASTERROR=997
> @19:38:30:658> Unload device Driver1 LASTERROR=183 @19:38:30:668>
> SERVICE STOPED=1 @19:38:30:678> Unload device Driver2 LASTERROR=997
> @19:38:30:678> Unload device Driver3 LASTERROR=997 @19:38:30:738>
> Enable again lpt device=LPT1 @19:38:30:738> Device control enable
> port=LPT1 @19:38:30:829> ECP Printer Port (LPT1) @19:38:30:839>
> ACPI\PNP0401\4&32D50C2&0 @19:38:30:839>
> ACPI\PNP0401\4&32D50C2&0 @19:38:31:359> ~DeviceControl
> @19:38:31:359> ~AGWDEVICEDRIVER @19:38:31:359> ~SCPTT
> @19:38:31:369> ~SERIALPORTWRITER @19:38:31:369> ~SerialPort
> @19:38:31:369> ~SerialPort END @19:38:31:369> ~RADIOPORT
> @19:38:31:379> deleted serialports
>
> @19:38:31:379> Destroyed Icons
> @19:38:31:379> WSA CLEANUP
> @19:38:31:389> ~DDEML
> @19:38:31:389> ~CONVMANAGER
> @19:38:31:389> ~CONVMANAGER end
```

> @19:38:31:389> ~RPMANAGER
> @19:38:31:399> END ~RPMANAGER
> @19:38:31:399> ~AX25MANAGER
> @19:38:31:399> ~AX25MANAGER END
> @19:38:31:409> AGWDSKTP::ONCLOSE END
> @19:38:31:540> ~dsktp
> @19:38:31:540> WINMAIN::exit error=183
>
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> <sv2agw@p...> wrote:
> > Hi
> >
> > Don't try to check the voltage in the pins.There are pulled
> resistors
> > and the pin without load is always High.
> > Plug in the interface.Which must be sensitive enough since
> Parallel port
> > is TTL level (+5v,0V) not like RS232 which has around 10V on High
> and
> > -10V on Low state.
> > If your interface is Homemade check the load resistor and the
> > transistor. Also run another test just to be sure that
> PEPRO finds the
> > LPT
> port.
> > 1.From Left menu select "Other Settings"
> > 2.In the middle section of the dialog ,check "Log to File
> (AGWPE.LOG).
> > 3.Restart PEPRO
> > 4.Open the file AGWPE.LOG and see if the driver is loaded OK.If
> you cant
> > find the info send me the log file.
> > 5.Dont forget to disable,after that, the debug operation.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > www.elcom.gr/sv2agw
> > sv2agw@e...
> > +306932 465 216
> >
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits for your
> HP, Epson, Canon or Lexmark Printer at MyInks.com. Free s/h on orders
> $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511

> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

110. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-10-30 18:59:32 UTC
From: marc_archambault
Topic: 26 Message: 110

This interface is designed for a serial port. What needs to be different in the PTT circuit for an LPT port?

Marc

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos" <sv2agw@p...> wrote:
> Hi
>
> Something else really important.
> Is this interface for LPT port? Or you have changed the serial plug to
> lpt?
> Are you sure that you are using the right pins?
> 2 or 3 for Left channel and 9 or 8 for right channel. The ground is any
> pin between 18 ... 25 .
>
> 73
>
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@e...
> +306932 465 216
>
> > -----Original Message-----
> > From: marc_archambault [mailto:marc.archambault@c...]
> > Sent: Wednesday, October 29, 2003 9:44 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: LPT PTT not working on WinXP
> >
> >
> > Reply below: &&&&
> >
> > --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
> > <sv2agw@p...> wrote:
> > > Hi
> > >
> > > go to resources TAB and see if the address is really 378
> >
> > &&&& yes, the range is indicated as 0378-037F, enable legacy support
> > is disabled, the bios is set to "ECP", and the filter ressource
> > method is set to "try not to use an interrupt".

> >
> > > I assume that the LED on the interface is alwayes ON and goes
off
> > while sutting down PEPRO.
> > > If this is the case then the trx is always on PTT??
> >
> > &&&& Actually, it's always on, even after exiting PEPRO. Except
when
> > PEPRO is shutting down, the led momentarily turns off, then goes
> > back on again.
> >
> > If the cables where less expensive, I would just get a usb-
serial
> > adpater...
> >
> > Thanks for the help, Marc VE7MJO
> >
> >
> >
> >
> > ------------------------- Yahoo! Groups Sponsor
> > ------------------------~--> Rent DVDs Online - Over 14,500
> > titles. No Late Fees & Free Shipping. Try Netflix for FREE!
> > http://us.click.yahoo.com/vhSowB/XP.FAA/3jkFAA/ELTolB/TM
> >
> > ---
> > --------~->
> >
> > To unsubscribe from this group, send an email to:
> > agwpe_pro-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> > http://docs.yahoo.com/info/terms/
> >
> >

111. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-11-06 06:38:12 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 111

Hi

The LPT PTT problem was at last solved.
The driver was not working on WIN200/Xp systems with ACPI support motherboards.
When PEPRO disables the parallel port drivers the system cut off the power from the chip.
When my driver loads then the hardware does not responds since it is dead.

For the last month I was searching to find a solution. Finally today I found it, suddenly as usual.....

In http://www.elcom.gr/sv2agw/pepro.zip is the updated driver and Packet Engine Pro.
Unzip the file and put the Packet Engine Pro.exe and agwsclpt.sys in the directory where Packet Engine Pro is, overwriting the existing files.
Packet Engine is in Program files/AGWSoft/Packet Engine Pro directory.

PSE if you have the necessary lpt ptt hardware try and TEST the driver and announce the results here.

PS the same is true also for Baycom driver. I will fix it as soon as possible.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

112. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-11-06 22:27:59 UTC
From: Ralph Milnes
Topic: 26 Message: 112

George, you said:

>In http://www.elcom.gr/sv2agw/pepro.zip is the updated driver and Packet
>Engine Pro.
>Unzip the file and put the Packet Engine Pro.exe and agwsclpt.sys ..

the zip file has no agwsclpt.sys in it .... only agwbay.sys

Ralph KC2RLM

113. RE: [agwpe_pro] Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-11-06 16:52:41 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 113

Hi

Sorry for this ,wrong drag and drop file.
I have uploaded the right files.....
Thank you Ralph.

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: Ralph Milnes [mailto:ralphmilnes@...]
> Sent: Friday, November 07, 2003 12:28 AM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Re: LPT PTT not working on WinXP
>
>
> George, you said:
>
> >In http://www.elcom.gr/sv2agw/pepro.zip is the updated driver and
> >Packet Engine Pro. Unzip the file and put the Packet Engine
> Pro.exe and
> >agwsclpt.sys ..
>
> the zip file has no agwsclpt.sys in it .... only agwbay.sys
>
> Ralph KC2RLM
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~--> Rent DVDs Online - Over 14,500
> titles. No Late Fees & Free Shipping. Try Netflix for FREE!
> http://us.click.yahoo.com/xlw.sC/XP.FAA/3jkFAA/ELTolB/TM
>
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/

>
>

114. Re: LPT PTT not working on WinXP

Yahoo group: agwpe_pro
Date: 2003-11-11 18:07:08 UTC
From: marc_archambault
Topic: 26 Message: 114

That did it! Thanks a lot, Marc

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
<sv2agw@p...> wrote:
> Hi
>
> The LPT PTT problem was at last solved.
> The driver was not working on WIN200/Xp systems with ACPI support
> motherboards.
> When PEPRO disables the parallel port drivers the system cut off
the
> power from the chip.
> When my driver loads then the hardware does not responds since it
is
> dead.
>
> For the last month I was searching to find a solution. Finally
today I
> found it, suddenly as usual........
>
> In http://www.elcom.gr/sv2agw/pepro.zip is the updated driver and
Packet
> Engine Pro.
> Unzip the file and put the Packet Engine Pro.exe and agwsclpt.sys
in the
> directory where Packet Engine Pro is, overwriting the existing
files.
> Packet Engine is in Program files/AGWSoft/Packet Engine Pro
directory.
>
> PSE if you have the necessary lpt ptt hardware try and TEST the
driver
> and announce the results here.
>
> PS the same is true also for Baycom driver. I will fix it as soon
as
> possible.
>
> 73
>
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@e...
> +306932 465 216

115. LPT PTT now working on WinXP

Yahoo group: agwpe_pro
Date: 2003-11-12 09:52:06 UTC
From: IK3SVW
Topic: 26 Message: 115

Hi George,

now LPT PTT works with my Dell 2650 Notebook running XP, at last.
I have checked both channels successfully (i used the same LPT
interface that i made for the free version installed on a PC running
Win98).

But as you mentioned on msg#82 lpt port has all pins HIGH on
startup, it means that transcievers connected start transmitting when
switching on the computer, until pepro is loaded :-(
I think that your small utility to set LPT pins low on startup could
be useful and safety for several XP/2000 users.
Finally i experienced that once pepro is started for the first time,
tx remains OFF even if pepro is closed :-)

'73 de IK3SVW Max

>
> The LPT PTT problem was at last solved.
> The driver was not working on WIN200/Xp systems with ACPI support
> motherboards.
> When PEPRO disables the parallel port drivers the system cut off the
> power from the chip.
> When my driver loads then the hardware does not responds since it is
> dead.
>

116. Packet Engine Pro Status

Yahoo group: agwpe_pro
Date: 2003-11-14 10:51:26 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 116

Hi all

I am preparing the new version.
It will have
1.The new Soundcard LPT fix.

2.A new driver for Picpar and bp96 (Baycom.Tigertronics) parallel port
9k6 modems

3.The baycom driver for the moment will work only under win98/me and
win2000/xp with no ACPI ports. Unfortunately the two solutions I found
for win2000/XP ACPI serial ports need replacement of the original ACPI
or Serialport Windows driver. This may introduce problems so I will not
proceed with these.
I will search further and hope to find something.....
Meanwhile Baycom serial port dummy modem can be used with extra serial
ports in PCI cards etc.

4.An even better 1200b soundcard modem.I have optimized it further. From
a comparison I made between other software soundcard modems I found that
is the most sensitive and lighter.
I will publish here later this week a comparison chart between PEPRO
1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood d700 internal
1200b modem and TNC2 with other modem. All of them will be connected to
the same tranceiver.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: IK3SVW [mailto:montimax@...]
> Sent: Wednesday, November 12, 2003 11:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] LPT PTT now working on WinXP
>
>
> Hi George,
>
> now LPT PTT works with my Dell 2650 Notebook running XP, at
> last. I have checked both channels successfully (i used the same LPT
> interface that i made for the free version installed on a PC running
> Win98).
>

> But as you mentioned on msg#82 lpt port has all pins HIGH on
> startup, it means that transcievers connected start transmitting when
> switching on the computer, until pepro is loaded :-(
> I think that your small utility to set LPT pins low on startup could
> be useful and safety for several XP/2000 users.
> Finally i experienced that once pepro is started for the first time,
> tx remains OFF even if pepro is closed :-)
>
> '73 de IK3SVW Max
>
>
> >
> > The LPT PTT problem was at last solved.
> > The driver was not working on WIN200/Xp systems with ACPI support
> > motherboards. When PEPRO disables the parallel port drivers
> the system
> > cut off the power from the chip.
> > When my driver loads then the hardware does not responds since it is
> > dead.
> >
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

117. RE: [agwpe_pro] LPT PTT now working on WinXP

Yahoo group: agwpe_pro
Date: 2003-11-14 10:51:26 UTC
From: (SV2AGW) George Rossopoulos
Topic: 26 Message: 117

Hi

Thank you for the info.I needed it!!!
There is a fix for the high lpt port pins, but I cannot recall it now.
My Lpt fix works only on win98/me systems.

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: IK3SVW [mailto:montimax@...]
> Sent: Wednesday, November 12, 2003 11:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] LPT PTT now working on WinXP
>
>
> Hi George,
>
> now LPT PTT works with my Dell 2650 Notebook running XP, at
> last. I have checked both channels successfully (i used the same LPT
> interface that i made for the free version installed on a PC running
> Win98).
>
> But as you mentioned on msg#82 lpt port has all pins HIGH on
> startup, it means that transcievers connected start transmitting when
> switching on the computer, until pepro is loaded :-(
> I think that your small utility to set LPT pins low on startup could
> be useful and safety for several XP/2000 users.
> Finally i experienced that once pepro is started for the first time,
> tx remains OFF even if pepro is closed :-)
>
> '73 de IK3SVW Max
>
>
> >
> > The LPT PTT problem was at last solved.
> > The driver was not working on WIN200/Xp systems with ACPI support
> > motherboards. When PEPRO disables the parallel port drivers
> the system
> > cut off the power from the chip.
> > When my driver loads then the hardware does not responds since it is
> > dead.
> >
>

>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

118. RE: [agwpe_pro] Packet Engine Pro Status

Yahoo group: agwpe_pro
Date: 2003-11-16 18:40:58 UTC
From: Angel Alferez
Topic: 26 Message: 118

Hello George,

As you know, the new portable Computers in the market, comes without RS232 interface.

Would be usefull that the driver for the Baycom modem could use the usb port, and with the apropiate external conversor connetct to it.

Thanks

Ángel Alférez
EB4GCS

-----Mensaje original-----
De: (SV2AGW) George Rossopoulos [mailto:sv2agw@...]
Enviado el: viernes, 14 de noviembre de 2003 11:51
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro Status

Hi all

I am preparing the new version.
It will have
1.The new Soundcard LPT fix.

2.A new driver for Picpar and bp96 (Baycom.Tigertronics) parallel port 9k6 modems

3.The baycom driver for the moment will work only under win98/me and win2000/xp with no ACPI ports. Unfortunately the two solutions I found for win2000/XP ACPI serial ports need replacement of the original ACPI or Serialport Windows driver. This may introduce problems so I will not proceed with these.
I will search further and hope to find something.....
Meanwhile Baycom serial port dummy modem can be used with extra serial ports in PCI cards etc.

4.An even better 1200b soundcard modem.I have optimized it further. From a comparison I made between other software soundcard modems I found that is the most sensitive and lighter.
I will publish here later this week a comparison chart between PEPRO 1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood d700 internal 1200b modem and TNC2 with other modem. All of them will be connected to the same tranceiver.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
+306932 465 216

> -----Original Message-----
> From: IK3SVW [mailto:montimax@...]
> Sent: Wednesday, November 12, 2003 11:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] LPT PTT now working on WinXP
>
>
> Hi George,
>
> now LPT PTT works with my Dell 2650 Notebook running XP, at
> last. I have checked both channels successfully (i used the same LPT
> interface that i made for the free version installed on a PC running
> Win98).
>
> But as you mentioned on msg#82 lpt port has all pins HIGH on
> startup, it means that transcievers connected start transmitting when
> switching on the computer, until pepro is loaded :-(
> I think that your small utility to set LPT pins low on startup could
> be useful and safety for several XP/2000 users.
> Finally i experienced that once pepro is started for the first time,
> tx remains OFF even if pepro is closed :-)
>
> '73 de IK3SVW Max
>
>
> >
> > The LPT PTT problem was at last solved.
> > The driver was not working on WIN200/Xp systems with ACPI support
> > motherboards. When PEPRO disables the parallel port drivers
> the system
> > cut off the power from the chip.
> > When my driver loads then the hardware does not responds since it is
> > dead.
> >
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
>
http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
---~->

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

Yahoo! Groups Sponsor

<http://us.a1.yimg.com/us.yimg.com/a/sl/sleepangel/sleep_300x250.gif>

<http://us.adserver.yahoo.com/l?M=259395.3614674.4902533.1261774/D=egrou
pmail/S=:HM/A=1524963/rand=564506874>

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

119. Watson WMM-3 Baycom serial modem Win XP

Yahoo group: agwpe_pro
Date: 2003-11-18 19:13:03 UTC
From: glandp
Topic: 119 Message: 119

I recently downloaded agwpe pro so I could use my Watson WMM-3 modem and found problems ie it wouldn't work. The modem was installed on com 1 and testing with Hyperterminal the modem's leds would light up. Setting up with agwpe pro nothing would happen until I exited agwpe when the leds would light briefly. Afterwards going into Hardware devices in XP windows had disabed com 1. This happened whatever settings I put in for com 1 and settings in agwpe pro using the wizard (including going tnc settings for software dcd etc).

So reading previous posts I bought a PCI serial com port controller card which installed OK. However I'm still getting the same problems as described above whether I set the card to com 4 (default) or choose another value, in that setting up agwpe pro shows baycom device as idle (VHF 1200) and then going into windows device manager which shows the new com port disabled as happened with the motherboard com 1.

Any help would be appreciated.

Paul

120. RE: [agwpe_pro] Watson WMM-3 Baycom serial modem Win XP

Yahoo group: agwpe_pro
Date: 2003-11-20 23:31:07 UTC
From: BT INTERNET
Topic: 119 Message: 120

Try using a programme called vm machine it allows you to use w98 as a virtual o/s in side xp that way your wwm3 should work

-----Original Message-----
From: glandp [mailto:pglandfield@...]
Sent: 18 November 2003 19:13
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Watson WMM-3 Baycom serial modem Win XP

I recently downloaded agwpe pro so I could use my Watson WMM-3 modem and found problems ie it wouldn't work. The modem was installed on com 1 and testing with Hyperterminal the modem's leds would light up. Setting up with agwpe pro nothing would happen until I exited agwpe when the leds would light briefly. Afterwards going into Hardware devices in XP windows had disabed com 1. This happened whatever settings I put in for com 1 and settings in agwpe pro using the wizard (including going tnc settings for software dcd etc).

So reading previous posts I bought a PCI serial com port controller card which installed OK. However I'm still getting the same problems as described above whether I set the card to com 4 (default) or choose another value, in that setting up agwpe pro shows baycom device as idle (VHF 1200) and then going into windows device manager which shows the new com port disabled as happened with the motherboard com 1.

Any help would be appreciated.

Paul

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

Incoming mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.541 / Virus Database: 335 - Release Date: 14/11/2003

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.541 / Virus Database: 335 - Release Date: 14/11/2003

121. New Delphi interface component for AGW Packet Engine

Yahoo group: agwpe_pro
Date: 2003-11-22 14:51:01 UTC
From: Lee, K0QED
Topic: 121 Message: 121

I've been working on a Delphi interface (TCP/IP) to the Packet Engine and it is near completion. It should be usable with any version of Delphi starting with version 5 (maybe earlier). For Delphi 7, you need to install the older socket component library that Borland shipped but did not install (dclsockets70.bpl).

Other than the source code (which is included), there is no documentation at this time. I will be putting together a description of the component and utility unit, but will not try to develop documentation on how to make use of the interface (since I have limited experience in writing packet applications).

If you would like to help test and help make this interface useable, please download the archive from http://www.iqed.us/download and install the component defined in the AGWPEInft.pas unit. If you do download the component, please let me know (via private email) and also please send me your comments, suggestions, and bug reports.

Once the component is stable, if someone would volunteer to create a small example program I will include it in the distribution archive.

BTW, the component and accompanying sources are free for Amateur use.

Thanks.

73, Lee K0QED

122. Agwpe_Pro

Yahoo group: agwpe_pro
Date: 2003-11-23 22:00:08 UTC
From: zabelbok
Topic: 122 Message: 122

Agwpe pro not working with UIview 32 Using a Rig blaster plus...Worked before I register AGWPE_PRO any idea.
KB1O

123. Re: [agwpe_pro] Agwpe_Pro

Yahoo group: agwpe_pro
Date: 2003-11-24 17:14:33 UTC
From: Ralph Milnes
Topic: 122 Message: 123

You've got something set wrong, but you've given us hardly any information
to work with.

Look at
www.qsl.net/soundcardpacket/
for ideas

Ralph KC2RLM

At 05:00 PM 11/23/2003, you wrote:
>Agwpe pro not working with UIview 32 Using a Rig blaster
>plus...Worked before I register AGWPE_PRO any idea.
> KB1O
>
>
>
>
>To unsubscribe from this group, send an email to:
>agwpe_pro-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

124. (no subject)

Yahoo group: agwpe_pro
Date: 2003-11-29 23:33:53 UTC
From: zabelbok
Topic: 124 Message: 124

I kept the same setting that I had before I purchased the software
the only problem is now agwpe pro will not work or won't reconized
my UI VIEW 32 also a registerd sofware...

125. New file uploaded to agwpe_pro

Yahoo group: agwpe_pro
Date: 2003-12-18 13:09:53 UTC
From: agwpe_pro@yahoogroups.com
Topic: 125 Message: 125

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the agwpe_pro
group.

File : /Releases/pepro_update (1006).zip
Uploaded by : pss0ft <henkpit@...>
Description : Update AGW Packet Engine Pro (1006)

You can access this file at the URL

http://groups.yahoo.com/group/agwpe_pro/files/Releases/pepro_update%20%281006%29.zip

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

pss0ft <henkpit@...>
```

126. New file uploaded to agwpe_pro

Yahoo group: agwpe_pro
Date: 2003-12-18 13:46:36 UTC
From: agwpe_pro@yahoogroups.com
Topic: 125 Message: 126

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the agwpe_pro
group.

File : /Releases/pepro_setup (1006).zip
Uploaded by : pss0ft <henkpit@...>
Description : AGW Packet Engine (full) (1006)

You can access this file at the URL

http://groups.yahoo.com/group/agwpe_pro/files/Releases/pepro_setup%20%281006%29.zip

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

pss0ft <henkpit@...>
```

127. bare en test

Yahoo group: agwpe_pro
Date: 2003-12-21 06:01:11 UTC
From: la9raa
Topic: 127 Message: 127

[Body unavailable in the source archive]

128. Remote Access and TCP/IP Over Radio

Yahoo group: agwpe_pro
Date: 2003-12-29 22:56:39 UTC
From: Thomas Besore
Topic: 128 Message: 128

It was a merry Christmas indeed. Having secured a Rigblaster Pro and AGWPE Professional from the man in the red suit, I have been busy getting packet radio set up on this computer. Between the AGWPE program, UI View32 and Winpack, my head is swarming with new jargon about sound cards, packet and APRS!! Amazingly, I found my way through it all and am pleased to see W9LT-1 listed on a FindU server, indicating that my packet setup signals are making it out of the shack!!

Now I also happen to be the owner of a Palm Tungsten C handheld which has built in 802.11b wireless...This sparks an interest in my mind about using that to network into my packet-connected computer in the shack to do some walkabout packet around the house and maybe even remotely from some internet connected locations throughout town.

Has anyone done this?? Is there a "tutorial" out there about remote computer ops via telnet?? This seems a little out of my league and I need a good place to start.

Also, I noted the following on the AGWPE features list:

"TCP/IP Over Radio" feature included at no extra charge:
- allows you to use packet radio to connect to a gateway station providing internet access -- send and receive your email by packet!

But elsewhere it seems that some "drivers" need to be registered for 28 bucks and installed with the program? Is this a misprint or do I need something beyond AGWPE Pro that I already purchased??

Not that I will necessarily mind paying if necessary, I just want to make sure its not already a part of the software I downloaded.

Thanks for any help.

129. Re: [agwpe_pro] Remote Access and TCP/IP Over Radio

Yahoo group: agwpe_pro
Date: 2003-12-30 00:53:49 UTC
From: Ralph Milnes
Topic: 128 Message: 129

Thomas,

Because AGWPE Pro (and regular) typically use Window's TCP/IP interface to talk to their client programs (the exception is WinPack -- it uses a non-network-able interface), it's actually fairly easy to configure AGWPE for LAN or even internet use. I have a web page about it at my site:

http://www.qsl.net/soundcardpacket/appnetwork.htm

Basically you need to configure the client program to look for the IP address of the AGWPE computer and it's port 8000 (the default). For UI-View this is a snap. As I said, WinPack can't utilize this feature and I'm not sure how -- or if --it will work with Palm applications or via Telenet.

The TCP/IP Over Radio feature is included with your purchase of PE Pro, so you would need to write George SV2AGW and just ask for your free "TCP/IP over Radio" registration key. You would also need to download a special driver for your version of Windows. BUT ... this feature isn't needed for connecting to AGWPE over a LAN or the internet. You'd use this feature if there were no wireless or wired network -- you'd create the network by packet radio and you'd need two stations equipped with the AGW TCP/IP Over Internet feature to make it work. Based on what you've said, you don't need it for what you want to do.

Hope that helps .. also, if you do get something going with the Palm, we'd all be interested in hearing about it!

73

Ralph KC2RLM

At 05:56 PM 12/29/2003, you wrote:
>It was a merry Christmas indeed. Having secured a Rigblaster Pro
>and AGWPE Professional from the man in the red suit, I have been
>busy getting packet radio set up on this computer. Between the
>AGWPE program, UI View32 and Winpack, my head is swarming with new
>jargon about sound cards, packet and APRS!! Amazingly, I found my
>way through it all and am pleased to see W9LT-1 listed on a FindU
>server, indicating that my packet setup signals are making it out of
>the shack!!
>
>Now I also happen to be the owner of a Palm Tungsten C handheld
>which has built in 802.11b wireless...This sparks an interest in my
>mind about using that to network into my packet-connected computer
>in the shack to do some walkabout packet around the house and maybe
>even remotely from some internet connected locations throughout town.
>

>Has anyone done this?? Is there a "tutorial" out there about remote
>computer ops via telnet?? This seems a little out of my league and
>I need a good place to start.
>
>Also, I noted the following on the AGWPE features list:
>
>"TCP/IP Over Radio" feature included at no extra charge:
>- allows you to use packet radio to connect to a gateway station
>providing internet access -- send and receive your email by packet!
>
>
>But elsewhere it seems that some "drivers" need to be registered for
>28 bucks and installed with the program? Is this a misprint or do I
>need something beyond AGWPE Pro that I already purchased??
>
>Not that I will necessarily mind paying if necessary, I just want to
>make sure its not already a part of the software I downloaded.
>
>Thanks for any help.

130. TCPIP and COM Ports

Yahoo group: agwpe_pro
Date: 2003-12-30 14:11:04 UTC
From: Terry G0EZY
Topic: 130 Message: 130

George

Many thanks for sending the Pro registrations over the Christmas holidays.

I have had great pleasure setting it all up and thought the following information and notes would be helpful for you and others.

1. TCP/IP

I have set up the TCP/IP drivers and had successful links with my local TCP/IP gateway using various applications such as IExplorer, Outlook POP3/SMTP email, Telnet, Converse etc. I have some questions.

My O/S is Win2000 Pro (2.4GHz P4) and I had previously installed (for AGWPE.308) the SV2AGW TCPIP Over Radio NDIS Driver and TCP/IP for Win2K using my own ampr address and my local gateway. I saw that the TCP/IP drivers are the same for AGWPE-Pro so there was no need to re-install. I have used the very helpful notes on AGWPE and TCP/IP from G7RAZ:

http://www.g8pzt.pwp.blueyonder.co.uk/fourpak/agw_ip.htm

As described by G7RAZ, I used AGWARP.exe to generate an AGWROUTE.BAT file but got the error message that "The route addition failed: Either the interface index is wrong or the gateway does not lie on the same network as the interface. Check the interface table for the machine". I am certain I input the correct data to AGWARP but of course my interface does not lie on the same network as the gateway.

I therefore set-up the routes for AGWPE.308 in "set-up routes" in the AGWPE.308 "TCPIP over radio" screen. The only route I have is for my local gateway station. This worked OK. I notice there is a route.bin file in the AGWPE directory.

When I tried to do the same in AGWPE-Pro, I got the message "...APWPE-Pro closed down abnormally.... etc", so is no route setting now.

As I am getting success with TCP/IP through my local gateway/server, perhaps route setting is not necessary?

2. COM Ports

For various reasons I use MixW v 2.10 as a TNCs emulator. I have three different soundcards installed. At first I used the hardware serial connections with null modem cables to connect from the MixWs to AGWPE.308. I have a multi-serial port adapter giving a total of 10 hardware serial ports. Using MixW as a TNC emulator requires a total of 3 serial ports per MixW (radio interface + TNC output + AGWPE input). Even with 10 hardware serial ports available, I didn't have enough!!

There are now multi-comport emulators developed for MixW that provide pairs of virtual comports connected via virtual null modems. I have installed the driver. This enables COM port numbers in excess of COM9 to be used. The emulated TNC output can be directed to comports with almost any number. AGWPE.308 can access only up to COM9. On setting up the AGWPE-Pro ports for the MixW TNCs, I saw the message "If your serial port number is not in the list just type it" and thought this would give the possibility to use comport numbers greater than 9. I tried this to access the emulated comports (e.g. COM20: COM:21 etc) but got the message that this was an illegal number.

I eventually solved the problem by renumbering my hardware comports to free-up comport numbers less the 9 for AGWPE to use. For example virtual ports 2, 8 and 9 are used by AGWPE-Pro and these are paired to virtual comports 20,21,22 for MixW. The setup wizard also told me COM9 was illegal, so I used COM1 and then changed afterward it to COM9 using the port editor. This worked OK but it still won't accept anything above 9.

The arrangement I have now works perfectly. I have 3 MixW TNCs running HF300, VHF1k2 and UHF9k6 connected to AGWPE-Pro driving UIView32 and TCP/IP applications.

Happy New Year and thanks for all your work on AGWPE

73 Terry G0EZY

G0EZY@...
g0ezy@...
g0ezy@gb7imk.#43.gbr.eu

131. Re: [agwpe_pro] TCPIP and COM Ports

Yahoo group: agwpe_pro
Date: 2003-12-30 14:46:48 UTC
From: Ralph Milnes
Topic: 130 Message: 131

Terry wrote:

>1. TCP/IP

>I therefore set-up the routes for AGWPE.308 in "set-up routes" in the
>AGWPE.308 "TCPIP over radio" screen. The only route I have is for my local
>gateway station. This worked OK. I notice there is a route.bin file in the
>AGWPE directory.
>
>When I tried to do the same in AGWPE-Pro, I got the message "...APWPE-Pro
>closed down abnormally.... etc", so is no route setting now.

There's a bug in PE Pro -- it doesn't come with or create a route.bin file.
You can either copy the route.bin file from your AGWPE folder to your PE
Pro folder or you can use a text editor to create a route.bin file with
nothing in it. But .... see below ...

>As I am getting success with TCP/IP through my local gateway/server, perhaps
>route setting is not necessary?

That's true. George SV2AGW says "The "setup Routes" is used only in
multiport systems where you need to access certain stations
from certain radioport. A use for it is when you have a full duplex
system. You receive from VHF and you tx from UHF. "

73

Ralph KC2RLM

132. AGWTracker

Yahoo group: agwpe_pro
Date: 2004-01-03 09:14:02 UTC
From: Keith Ray
Topic: 132 Message: 132

Hi All
Have just loaded AGWTracker to run with AGWPE-Pro and I must admit it was simplicity itself to get up and running and to connect to a AMPR Server. The one problem I have is the Stations heard appear in the stations list but nothing is shown on the Maps. In the View Column I have Stations All Ticked.
Tracker looks like being a very good add on to AGW.
73 de Keith G1GXB@GB7SOU

133. lost connection to localhost

Yahoo group: agwpe_pro
Date: 2004-01-11 22:13:06 UTC
From: Mike Donovan
Topic: 133 Message: 133

I had packet engine pro working fine with APRS and Radio Mobile. I tried the AGWTracker and it worked for a short while (all three external software connecting to packet engine pro via 127.0.0.1:8000) but for some reason after AGWTracker crashed I can not connect from anything.

Packet engine pro is running fine and seeing packets, I just can not get anything to connect. I have double checked all my settings and have searched for tips but still can not get the connections back.

Anyone have thoughts or suggestions?

Thanks

134. Re: lost connection to localhost

Yahoo group: agwpe_pro
Date: 2004-01-15 23:27:45 UTC
From: radionutmike
Topic: 133 Message: 134

A bit of a update, I was able to get AGWTracker and Radio Mobile working with Packet Engine Pro by changing the TCP/IP localhost address from 8000 to 20000 in all. There must be something blocking but can't find out what

Mike

--- In agwpe_pro@yahoogroups.com, Mike Donovan <radionutmike@m...> wrote:
>
> I had packet engine pro working fine with APRS and Radio Mobile. I tried the
> AGWTracker and it worked for a short while (all three external software
> connecting to packet engine pro via 127.0.0.1:8000) but for some reason after
> AGWTracker crashed I can not connect from anything.
>
> Packet engine pro is running fine and seeing packets, I just can not get
> anything to connect. I have double checked all my settings and have searched
> for tips but still can not get the connections back.
>
> Anyone have thoughts or suggestions?
>
>
> Thanks

135. Operating Limitations?

Yahoo group: agwpe_pro
Date: 2004-01-17 05:38:10 UTC
From: Thomas Besore
Topic: 135 Message: 135

Sorry if this question is too simple for the group, but I am just getting back into packet (without a tnc this time) after years of inactivity.

I've found that AGWPE Pro works great with an application like UIView32. Can't be beat for simplicity and less hardware to deal with. I absolutely love this setup. But am I missing something or is there no provision for the command modes I was familiar with years ago when I was into packet radio? Seems to me there was a "command set" of "tnc parameters" for lack of a better term that one could tinker with to connect with other stations, use mailboxes and the like. I've recently been told that this terrific AGWPE-based packet setup I have cannot connect to an emergency packet "net" running "FNPack" because of the limitations of sound card packet.

I must be missing something. ...Perhaps a simple program to emulate or duplicate that command set. Or must I bite the bullet and purchase that hardware tnc with its associated software to get these further bells and whistles?

I hope there is a simple answer to this. Thanks for getting me on the right track.

136. RE: [agwpe_pro] Operating Limitations?

Yahoo group: agwpe_pro
Date: 2004-01-18 14:51:01 UTC
From: (SV2AGW)George Rossopoulos
Topic: 135 Message: 136

Hi

Packet Engine does all a hardware tnc does and much more.
All Parameters are automatically adjusted.
If you wish to control them yourself then go to "RadioPort Manager"
select the port and press properties.
The second tab contains the ax25 parameters.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Thomas Besore [mailto:thomas@...]
Sent: Saturday, January 17, 2004 7:38 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Operating Limitations?

Sorry if this question is too simple for the group, but I am just
getting back into packet (without a tnc this time) after years of
inactivity.

I've found that AGWPE Pro works great with an application like
UIView32. Can't be beat for simplicity and less hardware to deal
with. I absolutely love this setup. But am I missing something or
is there no provision for the command modes I was familiar with
years ago when I was into packet radio? Seems to me there was
a "command set" of "tnc parameters" for lack of a better term that
one could tinker with to connect with other stations, use mailboxes
and the like. I've recently been told that this terrific AGWPE- based
packet setup I have cannot connect to an emergency
packet "net" running "FNPack" because of the limitations of sound
card packet.

I must be missing something. ...Perhaps a simple program to emulate
or duplicate that command set. Or must I bite the bullet and
purchase that hardware tnc with its associated software to get these
further bells and whistles?

I hope there is a simple answer to this. Thanks for getting me on the right track.

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

137. Added 2nd port: ???

Yahoo group: agwpe_pro
Date: 2004-01-18 15:28:00 UTC
From: hasan schiers
Topic: 137 Message: 137

I added a 2nd tnc port to my agwpe pro setup. The first port is for ui-view32. I just added (on the same machine) a 2nd tnc port for ISS.

The first agwpe port uses RS-232 com port 2 on the computer.
The second agwpe port uses RS-232 > USB Adapter com port 5 on the computer.

It appears to be working, but when I put my mouse cursor over the little modem icon (in the system tray) for the 2nd port (Com5 ISS) it shows thousands of received frames and its little green activity light is flickering all the time. The present count of frames received is over 445,000 in about an hour. There has been NO packet activity on that port at all...ISS doesn't come in range for another 9 hours or so. The frame count on the first port looks just fine, both tx and rx.

Why is the frame count on the tnc that isn't even seeing signals going berserk? Is this going to cause things to crash?

I have verified that I can tx just fine on the 2nd port, UISS appears to work with it, but I haven't had any packets to receive yet.

AGWPE Pro (registered), WinXP home, 512 mb ram, 1.2 gig celeron.

Ideas?
==========

Question #2:

When I use UISS I see the received packets for both agw ports, 144.390 (APRS)and 145.800 (ISS) Is there an easy way to monitor ONLY the port that has ISS on it? I know I can use a string filter like RS0ISS*....just wondering if there is an easier way, and filtering doesn't change the station heard list...so it fills up with meaningless aprs activity calls from 144.390.

TIA

...hasan, N0AN

138. How to use UI-View32 over LAN

Yahoo group: agwpe_pro
Date: 2004-01-20 14:30:30 UTC
From: Vince Staffo
Topic: 138 Message: 138

I have computer 1 running AGW Pro with UI-View32.
I have computer 2 that is networked via LAN
to computer 1.

I want to use UI-View32 on Computer 2 via AGW Pro
on computer 1 over my LAN.

When I enter the IP address of Computer 1 into the UIView32
of Computer 2 Setup it will not connect to computer 1.
It keeps giving me a time out error.

I have a cable router connected to both computer's also.
I have put in the port 8000 enable for computer 1 but I still
get the timeout message.

Any ideas or suggestions would be greatly appreciated!

Vince WB2FYZ

139. RE: [agwpe_pro] How to use UI-View32 over LAN

Yahoo group: agwpe_pro
Date: 2004-01-20 23:46:41 UTC
From: Lee Inman
Topic: 138 Message: 139

Vince,

A couple of possibilities:

1. Check your AGW setup to see if you are allowing LAN connections or have used a valid user login and password.
2. Verify the port used by your remote UI-View is the same as the one set up in AGW (default is 8000).

I assume you have verified network connectivity between the AGW and remote machine?

73, Lee K0QED

> -----Original Message-----
> From: Vince Staffo [mailto:vstaffo@...]
> Sent: Tuesday, January 20, 2004 7:31 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] How to use UI-View32 over LAN
>
> I have computer 1 running AGW Pro with UI-View32.
> I have computer 2 that is networked via LAN
> to computer 1.
>
> I want to use UI-View32 on Computer 2 via AGW Pro
> on computer 1 over my LAN.
>
> When I enter the IP address of Computer 1 into the UIView32
> of Computer 2 Setup it will not connect to computer 1.
> It keeps giving me a time out error.
>
> I have a cable router connected to both computer's also.
> I have put in the port 8000 enable for computer 1 but I still
> get the timeout message.
>
> Any ideas or suggestions would be greatly appreciated!
>
> Vince WB2FYZ
>
>
>

140. Re: How to use UI-View32 over LAN

Yahoo group: agwpe_pro
Date: 2004-01-21 02:07:38 UTC
From: Vince Staffo
Topic: 138 Message: 140

OK here is where I am at currently.
The reason I was getting the time out was that I had the IP
addresses set up backwards. Now when I set up UI-View
with the correct IP Addrees it does not time out but it
does not show any connection to AGWPro from the remote?
I can network between both computers fine!
I have UI-View32 running on both systems!

Vince WB2FYZ

--- In agwpe_pro@yahoogroups.com, Lee Inman <leei@d...> wrote:
> Vince,
>
> A couple of possibilities:
>
> 1. Check your AGW setup to see if you are allowing LAN connections
or have
> used a valid user login and password.
> 2. Verify the port used by your remote UI-View is the same as the
one set up
> in AGW (default is 8000).
>
> I assume you have verified network connectivity between the AGW
and remote
> machine?
>
> 73, Lee K0QED
>
>
> > -----Original Message-----
> > From: Vince Staffo [mailto:vstaffo@t...]
> > Sent: Tuesday, January 20, 2004 7:31 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] How to use UI-View32 over LAN
> >
> > I have computer 1 running AGW Pro with UI-View32.
> > I have computer 2 that is networked via LAN
> > to computer 1.
> >
> > I want to use UI-View32 on Computer 2 via AGW Pro
> > on computer 1 over my LAN.
> >
> > When I enter the IP address of Computer 1 into the UIView32
> > of Computer 2 Setup it will not connect to computer 1.
> > It keeps giving me a time out error.

> >
> > I have a cable router connected to both computer's also.
> > I have put in the port 8000 enable for computer 1 but I still
> > get the timeout message.
> >
> > Any ideas or suggestions would be greatly appreciated!
> >
> > Vince WB2FYZ
> >
> >
> >

141. RE: [agwpe_pro] Re: How to use UI-View32 over LAN

Yahoo group: agwpe_pro
Date: 2004-01-21 10:13:27 UTC
From: (SV2AGW)George Rossopoulos
Topic: 138 Message: 141

Hi
In Packet Engine select from the Left Menu "Network TCPIP Settings"
Go to [Network Security] Tab and check "Accept Without Login from
Anywhere" (The first selection).
Now UIView should work properly.
If ok then you can select the Second Option "Accept Without Login from
My LAN".

Security is just to prohibit others (From internet) to use your Packet
Engine Pro instance.

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Vince Staffo [mailto:vstaffo@...]
Sent: Wednesday, January 21, 2004 4:08 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: How to use UI-View32 over LAN

OK here is where I am at currently.
The reason I was getting the time out was that I had the IP addresses
set up backwards. Now when I set up UI-View with the correct IP Addrees
it does not time out but it does not show any connection to AGWPro from
the remote? I can network between both computers fine! I have UI-View32
running on both systems!

Vince WB2FYZ

--- In agwpe_pro@yahoogroups.com, Lee Inman <leei@d...> wrote:
> Vince,
>
> A couple of possibilities:
>
> 1. Check your AGW setup to see if you are allowing LAN connections
or have
> used a valid user login and password.
> 2. Verify the port used by your remote UI-View is the same as the
one set up
> in AGW (default is 8000).

>
> I assume you have verified network connectivity between the AGW
and remote
> machine?
>
> 73, Lee K0QED
>
>
> > -----Original Message-----
> > From: Vince Staffo [mailto:vstaffo@t...]
> > Sent: Tuesday, January 20, 2004 7:31 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] How to use UI-View32 over LAN
> >
> > I have computer 1 running AGW Pro with UI-View32.
> > I have computer 2 that is networked via LAN
> > to computer 1.
> >
> > I want to use UI-View32 on Computer 2 via AGW Pro
> > on computer 1 over my LAN.
> >
> > When I enter the IP address of Computer 1 into the UIView32 of
> > Computer 2 Setup it will not connect to computer 1. It keeps giving
> > me a time out error.
> >
> > I have a cable router connected to both computer's also.
> > I have put in the port 8000 enable for computer 1 but I still get
> > the timeout message.
> >
> > Any ideas or suggestions would be greatly appreciated!
> >
> > Vince WB2FYZ
> >
> >
> >

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

142. Re: How to use UI-View32 over LAN

Yahoo group: agwpe_pro
Date: 2004-01-21 18:34:31 UTC
From: Vince Staffo
Topic: 138 Message: 142

George,

Thank You! That was it! The network security setting!
I had thought that setting was only related to the Internet
and that it did not matter for the LAN connection! You have
a great program and it was very easy to install and get going.
I plan to register soon!

73,

Vince WB2FYZ

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
<sv2agw@r...> wrote:
> Hi
> In Packet Engine select from the Left Menu "Network TCPIP Settings"
> Go to [Network Security] Tab and check "Accept Without Login from
> Anywhere" (The first selection).
> Now UIView should work properly.
> If ok then you can select the Second Option "Accept Without Login
from
> My LAN".
>
> Security is just to prohibit others (From internet) to use your
Packet
> Engine Pro instance.
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
>
> -----Original Message-----
> From: Vince Staffo [mailto:vstaffo@t...]
> Sent: Wednesday, January 21, 2004 4:08 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: How to use UI-View32 over LAN
>
>
> OK here is where I am at currently.

> The reason I was getting the time out was that I had the IP
addresses
> set up backwards. Now when I set up UI-View with the correct IP
Addrees
> it does not time out but it does not show any connection to AGWPro
from
> the remote? I can network between both computers fine! I have UI-
View32
> running on both systems!
>
> Vince WB2FYZ
>
>

143. Two Questions

Yahoo group: agwpe_pro
Date: 2004-01-21 21:06:14 UTC
From: eepentecost1927
Topic: 143 Message: 143

For several years I have used AGWPE with packet, 1200 and 9600 bps, and APRS. A few days ago, I downloaded and installed AGWPE Pro. Great program!

With AGWPE, I installed a copy of the program in the same directory as the application. Using the Startup Programs feature, I got a one click from desktop shortcut to different applications with all parameters set. When I tried to install a second copy of AGWPE Pro in a second directory, it will only let me update the already installed version. I can understand this may be a feature to prevent copyright violations. So here are the two questions:

1. Is there a way to get a single installed AGWPE Pro program to start different application programs from its own desktop shortcut? (Soundcard settings can be taken care of by different ports. Before, I used QuikMix and the application as startup programs.)

2. If I register the program, will I be able to use the same key to install AGWPE Pro on a second computer?

I will appreciate some help. I did read all the posted messages.

TNX,

Gene Pentecost W4IMT

144. RE: [agwpe_pro] Two Questions

Yahoo group: agwpe_pro
Date: 2004-01-21 23:06:51 UTC
From: (SV2AGW)George Rossopoulos
Topic: 143 Message: 144

Hi

1. registration is valid for all the computers you use.

2.You can start from PEPRO any program, the number is unlimited.
You cannot run two instances of PEPRO.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: eepentecost1927 [mailto:gene.pentecost@...]
Sent: Wednesday, January 21, 2004 11:06 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Two Questions

For several years I have used AGWPE with packet, 1200 and 9600 bps, and APRS. A few days ago, I downloaded and installed AGWPE Pro. Great program!

With AGWPE, I installed a copy of the program in the same directory as the application. Using the Startup Programs feature, I got a one click from desktop shortcut to different applications with all parameters set. When I tried to install a second copy of AGWPE Pro in a second directory, it will only let me update the already installed version. I can understand this may be a feature to prevent copyright violations. So here are the two questions:

1. Is there a way to get a single installed AGWPE Pro program to start different application programs from its own desktop shortcut? (Soundcard settings can be taken care of by different ports. Before, I used QuikMix and the application as startup programs.)

2. If I register the program, will I be able to use the same key to install AGWPE Pro on a second computer?

I will appreciate some help. I did read all the posted messages.

TNX,

Gene Pentecost W4IMT

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

145. Re: Two Questions

Yahoo group: agwpe_pro
Date: 2004-01-22 02:49:44 UTC
From: eepentecost1927
Topic: 143 Message: 145

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@r...> wrote:
> Hi
>
> 1. registration is valid for all the computers you use.
>
> 2.You can start from PEPRO any program, the number is unlimited.
> You cannot run two instances of PEPRO.
>
> 73
>
> (SV2AGW)George Rossopoulos

George-

Thank you.

Gene W4IMT

146. Registration Delays???

Yahoo group: agwpe_pro
Date: 2004-01-22 18:49:33 UTC
From: Thomas Besore
Topic: 146 Message: 146

Anybody (George) know how long it takes to receive a registration code for AGWPE Pro? I paid early yesterday via BMT Micro. Late yesterday I sent them an inquiry and got no reply. As of mid-day today still no word on a registration code. I am reluctant to do it again for fear of being billed twice to my credit card. How does this work? Does it take a couple of days to go through? Why doesn't anybody respond to an inquiry at BMT Micro?

Thanks for any help. George, please reply off list. I would have corresponded with you directly, but see no private e-mail other than this list.

147. Registration Delays???

Yahoo group: agwpe_pro
Date: 2004-01-22 18:55:07 UTC
From: Thomas Besore
Topic: 146 Message: 147

Anybody (George) know how long it takes to receive a registration code for AGWPE Pro? I paid early yesterday via BMT Micro. Late yesterday I sent them an inquiry and got no reply. As of mid-day today still no word on a registration code. I am reluctant to do it again for fear of being billed twice to my credit card. How does this work? Does it take a couple of days to go through? Why doesn't anybody respond to an inquiry at BMT Micro?

Thanks for any help. George, please reply off list. I would have corresponded with you directly, but see no private e-mail other than this list.

148. RE: [agwpe_pro] Registration Delays???

Yahoo group: agwpe_pro
Date: 2004-01-22 19:49:41 UTC
From: (SV2AGW)George Rossopoulos
Topic: 146 Message: 148

Hi Thomas

I sent you an email about your registration on 21. You probably typed a wrong email.
Anyway send me your call and the "Key TO Send" from PEPRO registration dialog to generate your keycodes.

Use the email below.

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Thomas Besore [mailto:thomas@...]
Sent: Thursday, January 22, 2004 8:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration Delays???

Anybody (George) know how long it takes to receive a registration code for AGWPE Pro? I paid early yesterday via BMT Micro. Late yesterday I sent them an inquiry and got no reply. As of mid-day today still no word on a registration code. I am reluctant to do it again for fear of being billed twice to my credit card. How does this work? Does it take a couple of days to go through? Why doesn't anybody respond to an inquiry at BMT Micro?

Thanks for any help. George, please reply off list. I would have corresponded with you directly, but see no private e-mail other than this list.

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

149. RE: [agwpe_pro] Registration Delays???

Yahoo group: agwpe_pro
Date: 2004-01-23 06:14:06 UTC
From: (SV2AGW)George Rossopoulos
Topic: 146 Message: 149

Hi Thomas

Your keycode is
99b6:5fn00:<<2589@/eiA;.6ge34h=6=1be

Send me your call to generate your tcpip key.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: (SV2AGW)George Rossopoulos [mailto:sv2agw@...]
Sent: Thursday, January 22, 2004 9:50 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Registration Delays???

Hi Thomas

I sent you an email about your registration on 21. You probably typed a
wrong email. Anyway send me your call and the "Key TO Send" from PEPRO
registration dialog to generate your keycodes.

Use the email below.

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Thomas Besore [mailto:thomas@...]
Sent: Thursday, January 22, 2004 8:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration Delays???

Anybody (George) know how long it takes to receive a registration code for AGWPE Pro? I paid early yesterday via BMT Micro. Late yesterday I sent them an inquiry and got no reply. As of mid-day today still no word on a registration code. I am reluctant to do it again for fear of being billed twice to my credit card. How does this work? Does it take a couple of days to go through? Why doesn't anybody respond to an inquiry at BMT Micro?

Thanks for any help. George, please reply off list. I would have corresponded with you directly, but see no private e-mail other than this list.

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

150. 2 TNC's AGWPRO?

Yahoo group: agwpe_pro
Date: 2004-01-24 15:19:47 UTC
From: hasan schiers
Topic: 150 Message: 150

I posted this question about 4 or 5 days ago. It appeared on the list, but I never got an answer, so if someone could help, I would appreciate it!

I just added a 2nd tnc for ISS port and now I get two little modems in the system tray. The one for the first port shows normal activity, the one for the newly added port (which is only seeing packets a few times per day, and perhaps 10 or 20 at most at the times when the Space Station is in view), shows many thousands of frames...yet there are no packets being received (nor are there any really there).

Is this normal behavior...and why is the frame count so high on the 2nd port, while it is "normal" on the first port?

...hasan, N0AN

151. RE: [agwpe_pro] 2 TNC's AGWPRO?

Yahoo group: agwpe_pro
Date: 2004-01-24 18:10:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 150 Message: 151

Hi

Yes it is normal.
Every 2 minutes Packet Engine updates the TNC parameters
(Txdelay,resptime etc).

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: hasan schiers [mailto:schiers@...]
Sent: Saturday, January 24, 2004 5:20 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] 2 TNC's AGWPRO?

I posted this question about 4 or 5 days ago. It appeared on the list, but I never got an answer, so if someone could help, I would appreciate it!

I just added a 2nd tnc for ISS port and now I get two little modems in the system tray. The one for the first port shows normal activity, the one for the newly added port (which is only seeing packets a few times per day, and perhaps 10 or 20 at most at the times when the Space Station is in view), shows many thousands of frames...yet there are no packets being received (nor are there any really there).

Is this normal behavior...and why is the frame count so high on the 2nd port, while it is "normal" on the first port?

...hasan, N0AN

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

152. AGW - Pro and UISS

Yahoo group: agwpe_pro
Date: 2004-01-30 16:19:52 UTC
From: Bob C
Topic: 152 Message: 152

I've been trying to get UISS running wiht AGW-Pro

153. agwpep works with Rigblaber Pro?

Yahoo group: agwpe_pro
Date: 2004-01-30 19:52:30 UTC
From: leechbot
Topic: 153 Message: 153

I have a Rigblaster Pro and TS-2000. I'm just installing agwpep, and when i do "new tnc (port)", Rigblaster doesn't come up in the list. Won't the program use a Rigblaster?

Also, when I select TS-2000 as the TNC, agwpep doesn't detect it, even though i've thoroughly looked over the com port connections and the TS-2000's menus for baud rate and tnc selection. I'd rather use my Rigblaster, at any rate.

154. Re: agwpep works with Rigblaber Pro?

Yahoo group: agwpe_pro
Date: 2004-01-31 20:04:38 UTC
From: Vince Staffo
Topic: 153 Message: 154

--- In agwpe_pro@yahoogroups.com, "leechbot" <leechbot@z...> wrote:
> I have a Rigblaster Pro and TS-2000. I'm just installing agwpep,
and
> when i do "new tnc (port)", Rigblaster doesn't come up in the list.
> Won't the program use a Rigblaster?
>

The Rig Blaster is not a "TNC". It is only an interface between your
sound card and your radio! You should select "Sound Card" as
the "TNC" select in AGW Pro when you setup your "New Tnc Port"!

Vince WB2FYZ

155. AGWTerm Map Options?

Yahoo group: agwpe_pro
Date: 2004-02-14 22:42:57 UTC
From: radionut
Topic: 155 Message: 155

I was using a small utility (UI-Veiw Map Tool) to create maps for AGWTerm (http://home.kabelfoon.nl/~cvangorp/) but with the MapBlast problems I am looking for other options. Are there any utilities to use Microsoft Streets and Trips or Delome Streets for AGWTerm? Any other on line utilities?

Mike

156. RE: [agwpe_pro] AGWTerm Map Options?

Yahoo group: agwpe_pro
Date: 2004-02-14 23:09:15 UTC
From: Ralph Milnes
Topic: 155 Message: 156

Mike,

I assume you mean UI-View, not AGWTerm ... AGWTerm doesn't use maps.

You'll have better success posting your question in the UI-View Yahoo group.

Ralph

From: radionut [mailto:radionutmike@...]
Sent: Saturday, February 14, 2004 5:43 PM
To: AGWPE Pro
Subject: [agwpe_pro] AGWTerm Map Options?

I was using a small utility (UI-Veiw Map Tool) to create maps for AGWTerm
(http://home.kabelfoon.nl/~cvangorp/) but with the MapBlast problems I am
looking for other options. Are there any utilities to use Microsoft Streets
and
Trips or Delome Streets for AGWTerm? Any other on line utilities?

Mike

157. Re: [agwpe_pro] AGWTerm Map Options?

Yahoo group: agwpe_pro
Date: 2004-02-14 23:15:22 UTC
From: radionut
Topic: 155 Message: 157

---> My reply to what Ralph Milnes wrote 2/14/2004 5:09:15 PM

Hi, thanks for your reply. No, I am using (or was) the conversion utility to make maps for AGWTerm. I have made a few and they worked great. However with the MapBlast problems the utility will not work any longer and I guess no one knows what the fate will be.

The utility was made to make maps for UI-View (that I do not use) but it really did work great for maps in AGWTerm as well. All the information and format was correct and you could just load them directly into AGWTerm.

Mike

---------- Original Message ----------

Mike,

I assume you mean UI-View, not AGWTerm ... AGWTerm doesn't use maps.

You'll have better success posting your question in the UI-View Yahoo group.

Ralph

I was using a small utility (UI-Veiw Map Tool) to create maps for AGWTerm (http://home.kabelfoon.nl/~cvangorp/) but with the MapBlast problems I am looking for other options. Are there any utilities to use Microsoft Streets and
Trips or Delome Streets for AGWTerm? Any other on line utilities?

Mike

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

158. Re: [agwpe_pro] AGWTracker Map Options? Duhhhhh

Yahoo group: agwpe_pro
Date: 2004-02-14 23:18:10 UTC
From: radionut
Topic: 155 Message: 158

---> My reply to what Ralph Milnes wrote 2/14/2004 5:09:15 PM

Duhhh, I am sorry Ralph (and the group) My cold must be affecting more than I thought. I did not mean AGWTerm, I meant AGWTacker. Even after you mentioned that Ralph I still did not get it till I went back and read what I wrote..

Mike

---------- Original Message ----------

I was using a small utility (UI-Veiw Map Tool) to create maps for AGWTracker (http://home.kabelfoon.nl/~cvangorp/) but with the MapBlast problems I am looking for other options. Are there any utilities to use Microsoft Streets and
Trips or Delome Streets for AGWTracker? Any other on line utilities?

Mike

159. FSK pulse shaping in 300 baud mode

Yahoo group: agwpe_pro
Date: 2004-02-18 06:21:12 UTC
From: kd7lmo
Topic: 159 Message: 159

As you transition from symbol to symbol in the 300 baud HF-APRS mode, what kind of pulse shaping are you doing to prevent spectral re-growth? Or do you just rely on the limited bandwidth of the SSB transmiter path?

I'm using a DDS to generate the two FSK tones that make up the HF-APRS mode. The transition between the two tones is phase coherent, but I still get spectral regrowth because of the 300 baud switch rate. I changed to slew rate between to the states to be equivalent to 1/4 a bit time. I'm sure there is some loss of SNR doing this, but it greatly improves the spectral regrowth. Any thoughts on how slow the rate can be adjusted. This is kind of an GMSK type thing for FSK.

73s de KD7LMO
http://www.kd7lmo.net

160. Newbie Question

Yahoo group: agwpe_pro
Date: 2004-02-20 00:28:00 UTC
From: kb0ofd
Topic: 160 Message: 160

Greeting's! The following text is put out over the air when I start the program up. Can someone point me in the
right direction on how to correct this. I am only running one radio port and I am not connected to the internet. The
radio port is listed as:
Port1 with KPC3+ On COM4: 145.800 @ 4800 KPC RP1

This is the text:
Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:52:58]ARP: len 30 hwtype AX25 prot IP op REQUEST
sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
target IPaddr 192.168.0.1
Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:52:59]ARP: len 30 hwtype AX25 prot IP op REQUEST
sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
target IPaddr 192.168.0.1
Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:53:00]ARP: len 30 hwtype AX25 prot IP op REQUEST
sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
target IPaddr 192.168.0.1

Any idea's or help would be appreciated.
73's Gary (KB0OFD)

161. RE: [agwpe_pro] Newbie Question

Yahoo group: agwpe_pro
Date: 2004-02-22 02:54:27 UTC
From: Ralph Milnes
Topic: 160 Message: 161

Gary,

That's the first I've heard of such messages.

Are you using some program that uses PE Pro or are you saying PE Pro is running alone and sending this itself? Were you trying to do something when this started or are you just beginning to use PE Pro for the first time?

Based on some of the words I see in the packets, it looks like PE Pro is trying to send TCP/IP data. Were you trying to do this? If not, from the menu select "TCP/IP Over Radio" and then de-select "Enable TCP/IP over radio".

Ralph KC2RLM

> -----Original Message-----
> From: kb0ofd [mailto:kb0ofd@...]
> Sent: Thursday, February 19, 2004 7:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Newbie Question
>
> Greeting's! The following text is put out over the air when
> I start the program up. Can someone point me in the right
> direction on how to correct this. I am only running one
> radio port and I am not connected to the internet. The radio
> port is listed as:
> Port1 with KPC3+ On COM4: 145.800 @ 4800 KPC RP1
>
> This is the text:
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30
> >[11:52:58]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7 target IPaddr
> 192.168.0.1 Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30
> >[11:52:59]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7 target IPaddr
> 192.168.0.1 Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30
> >[11:53:00]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7 target IPaddr 192.168.0.1
>
> Any idea's or help would be appreciated.
> 73's Gary (KB0OFD)
>
>

>
>
>
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> -------~->
>
>
> Yahoo! Groups Links
>
>
>
>
>

162. RE: [agwpe_pro] Newbie Question

Yahoo group: agwpe_pro
Date: 2004-02-22 08:32:59 UTC
From: Gerhard F5VAG
Topic: 160 Message: 162

Gary,

The message you see is an ARP request broadcast which Windoze sends on all known TCP/IP interfaces to find a hardware interface for a route.

In your case the TCP/IP set-up seems to be screwed-up. If you don't need the TCP/IP over radio feature, simly disable it. Otherwise look at the following link: http://www.g8pzt.pwp.blueyonder.co.uk/fourpak/agw_ip.htm

--
73 de Gerhard, F5VAG / DL7MW
http://france.aprs2.net

> -----Original Message-----
> From: kb0ofd [mailto:kb0ofd@...]
> Sent: Friday, February 20, 2004 1:28 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Newbie Question
>
>
> Greeting's! The following text is put out over the air when I start the
> program up. Can someone point me in the
> right direction on how to correct this. I am only running one radio port
> and I am not connected to the internet. The
> radio port is listed as:
> Port1 with KPC3+ On COM4: 145.800 @ 4800 KPC RP1
>
> This is the text:
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:52:58]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
> target IPaddr 192.168.0.1
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:52:59]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
> target IPaddr 192.168.0.1
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:53:00]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
> target IPaddr 192.168.0.1
>
> Any idea's or help would be appreciated.
> 73's Gary (KB0OFD)
>
>
>

>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

163. Re: [agwpe_pro] Newbie Question

Yahoo group: agwpe_pro
Date: 2004-02-22 19:10:13 UTC
From: kb0ofd
Topic: 160 Message: 163

Greeting's! Well it seems that this five thumbed technician
doesn't know how to read. I went back through the set up
as described. Yes, it does work and I do not get the files
as before. Thank You! I do appreciate the help.
73's Gary
----- Original Message -----
From: Gerhard F5VAG
To: agwpe_pro@yahoogroups.com
Sent: Sunday, February 22, 2004 2:32 AM
Subject: RE: [agwpe_pro] Newbie Question

Gary,

The message you see is an ARP request broadcast which Windoze sends on all
known TCP/IP interfaces to find a hardware interface for a route.

In your case the TCP/IP set-up seems to be screwed-up. If you don't need the
TCP/IP over radio feature, simly disable it. Otherwise look at the following
link: http://www.g8pzt.pwp.blueyonder.co.uk/fourpak/agw_ip.htm

--
73 de Gerhard, F5VAG / DL7MW
http://france.aprs2.net

> -----Original Message-----
> From: kb0ofd [mailto:kb0ofd@...]
> Sent: Friday, February 20, 2004 1:28 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Newbie Question
>
>
> Greeting's! The following text is put out over the air when I start the
> program up. Can someone point me in the
> right direction on how to correct this. I am only running one radio port
> and I am not connected to the internet. The
> radio port is listed as:
> Port1 with KPC3+ On COM4: 145.800 @ 4800 KPC RP1
>
> This is the text:
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:52:58]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
> target IPaddr 192.168.0.1
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:52:59]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7

> target IPaddr 192.168.0.1
> Fm KB0OFD-7 To QST Via 192-8 <UI pid=CD Len=30 >[11:53:00]ARP: len 30 hwtype
> AX25 prot IP op REQUEST
> sender IPaddr 192.168.0.1 hwaddr KB0OFD-7
> target IPaddr 192.168.0.1
>
> Any idea's or help would be appreciated.
> 73's Gary (KB0OFD)
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

164. Problems with Kipsspe connecting to AGW, Please help

Yahoo group: agwpe_pro
Date: 2004-02-23 16:14:04 UTC
From: radionut
Topic: 164 Message: 164

I am running APRS+SA, KIPSSPE and Packet Engine Pro (AGW) on my Windows 2000 desktop computer. Everything was working fine but then KIPSSPE stopped connecting to Packet Engine Pro.

I am sure this is a system issue because I have the same versions running on my Windows 2000 notebook and they work fine. I am just not sure where else to check or what to adjust to get this working again.

I was connecting to Packet Engine Pro on port 8000 with KIPSSPE and other software (AGWTracker, Radio Mobile APRS plotting that connect directly without using KIPSSPE). All of a sudden with out changing anything on the system (that I can remember) I could not connect any more.

I changed the connection port to 6280 and tried 20000. I can connect everything else now to Packet Engine Pro on either of these ports but KIPSSPE will not connect.

A friend was doing a demo the other night at a ham club meeting on his notebook and ran into the same problem (KIPSSPE would not connect).

When I load I can see that APRS+SA connects to KIPSSPE, but KIPSSPE is not connecting (or talking to) Packet Engine Pro (AGW) so not data is transferred.

I have tired everything I can think of to solve the problem, I have downloaded fresh versions of all the software and re-installed. I have checked my software firewall (Norton) and can not find where I am blocking these ports (and remember I can connect with other software using these ports). I have been searching on the internet for a similar problem. I have used the setup guide to double check my settings.

Any thoughts, ideas or help please?

Thank you in advance

Mike

165. RE: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

Yahoo group: agwpe_pro
Date: 2004-02-24 02:55:50 UTC
From: Ralph Milnes
Topic: 164 Message: 165

How about turning off Norton?
Will it work with AGWPE (not Pro)?
Have you looked at http://www.qsl.net/soundcardpacket/appaprsplus.htm ?

Ralph KC2RLM

From: radionut [mailto:radionutmike@...]
Sent: Monday, February 23, 2004 11:14 AM
To: AGWPE Pro
Subject: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

I am running APRS+SA, KIPSSPE and Packet Engine Pro (AGW) on my Windows 2000
desktop computer. Everything was working fine but then KIPSSPE stopped
connecting to Packet Engine Pro.

I am sure this is a system issue because I have the same versions running on
my Windows 2000 notebook and they work fine. I am just not sure where else
to
check or what to adjust to get this working again.

I was connecting to Packet Engine Pro on port 8000 with KIPSSPE and other
software (AGWTracker, Radio Mobile APRS plotting that connect directly
without
using KIPSSPE). All of a sudden with out changing anything on the system
(that
I can remember) I could not connect any more.

I changed the connection port to 6280 and tried 20000. I can connect
everything else now to Packet Engine Pro on either of these ports but
KIPSSPE
will not connect.

A friend was doing a demo the other night at a ham club meeting on his
notebook and ran into the same problem (KIPSSPE would not connect).

When I load I can see that APRS+SA connects to KIPSSPE, but KIPSSPE is not
connecting (or talking to) Packet Engine Pro (AGW) so not data is
transferred.

I have tired everything I can think of to solve the problem, I have
downloaded
fresh versions of all the software and re-installed. I have checked my
software firewall (Norton) and can not find where I am blocking these ports
(and remember I can connect with other software using these ports). I have
been

searching on the internet for a similar problem. I have used the setup guide to double check my settings.

Any thoughts, ideas or help please?

Thank you in advance

Mike

<http://img.msgtag.com/li/aFwE/vzgggt/yi/xzBFt/rudgjD/pjy/jja.gif>

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

166. Re: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

Yahoo group: agwpe_pro
Date: 2004-02-24 03:29:47 UTC
From: radionut
Topic: 164 Message: 166

---> My reply to what Ralph Milnes wrote 2/23/2004 8:55:50 PM

No, it will not connect to either AGWPE nor Pro. I have disabled the Norton
firewall and that did not help either.

Mike

---------- Original Message ----------

How about turning off Norton?
Will it work with AGWPE (not Pro)?
Have you looked at http://www.qsl.net/soundcardpacket/appaprsplus.htm ?

Ralph KC2RLM

From: radionut [mailto:radionutmike@...]
Sent: Monday, February 23, 2004 11:14 AM
To: AGWPE Pro
Subject: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

I am running APRS+SA, KIPSSPE and Packet Engine Pro (AGW) on my Windows 2000
desktop computer. Everything was working fine but then KIPSSPE stopped
connecting to Packet Engine Pro.

I am sure this is a system issue because I have the same versions running on
my Windows 2000 notebook and they work fine. I am just not sure where else
to
check or what to adjust to get this working again.

I was connecting to Packet Engine Pro on port 8000 with KIPSSPE and other
software (AGWTracker, Radio Mobile APRS plotting that connect directly
without
using KIPSSPE). All of a sudden with out changing anything on the system
(that
I can remember) I could not connect any more.

I changed the connection port to 6280 and tried 20000. I can connect
everything else now to Packet Engine Pro on either of these ports but
KIPSSPE
will not connect.

A friend was doing a demo the other night at a ham club meeting on his
notebook and ran into the same problem (KIPSSPE would not connect).

When I load I can see that APRS+SA connects to KIPSSPE, but KIPSSPE is not
connecting (or talking to) Packet Engine Pro (AGW) so not data is

transferred.

I have tired everything I can think of to solve the problem, I have downloaded
fresh versions of all the software and re-installed. I have checked my software firewall (Norton) and can not find where I am blocking these ports (and remember I can connect with other software using these ports). I have been
searching on the internet for a similar problem. I have used the setup guide to double check my settings.

Any thoughts, ideas or help please?

Thank you in advance

Mike

<http://img.msgtag.com/li/aFwE/vzgggt/yi/xzBFt/rudgjD/pjy/jja.gif>

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

167. RE: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

Yahoo group: agwpe_pro
Date: 2004-02-24 03:48:52 UTC
From: Ralph Milnes
Topic: 164 Message: 167

What IP address are you using for the computer -- 127.0.0.1 or something else?

If something else, is that in fact the IP address of the computer -- or are you perhaps on a network and being assigned a dynamic (changing) IP address from a DHCP server/router?

Could an automated Windows Update have changed something?

Ralph

From: radionut [mailto:radionutmike@...]
Sent: Monday, February 23, 2004 10:30 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

---> My reply to what Ralph Milnes wrote 2/23/2004 8:55:50 PM

No, it will not connect to either AGWPE nor Pro. I have disabled the Norton firewall and that did not help either.

Mike

---------- Original Message ----------

How about turning off Norton?
Will it work with AGWPE (not Pro)?
Have you looked at http://www.qsl.net/soundcardpacket/appaprsplus.htm ?

Ralph KC2RLM

From: radionut [mailto:radionutmike@...]
Sent: Monday, February 23, 2004 11:14 AM
To: AGWPE Pro
Subject: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

I am running APRS+SA, KIPSSPE and Packet Engine Pro (AGW) on my Windows 2000 desktop computer. Everything was working fine but then KIPSSPE stopped connecting to Packet Engine Pro.

I am sure this is a system issue because I have the same versions running on my Windows 2000 notebook and they work fine. I am just not sure where else to
check or what to adjust to get this working again.

I was connecting to Packet Engine Pro on port 8000 with KIPSSPE and other software (AGWTracker, Radio Mobile APRS plotting that connect directly without
using KIPSSPE). All of a sudden with out changing anything on the system (that
I can remember) I could not connect any more.

I changed the connection port to 6280 and tried 20000. I can connect everything else now to Packet Engine Pro on either of these ports but KIPSSPE
will not connect.

A friend was doing a demo the other night at a ham club meeting on his notebook and ran into the same problem (KIPSSPE would not connect).

When I load I can see that APRS+SA connects to KIPSSPE, but KIPSSPE is not connecting (or talking to) Packet Engine Pro (AGW) so not data is transferred.

I have tired everything I can think of to solve the problem, I have downloaded
fresh versions of all the software and re-installed. I have checked my software firewall (Norton) and can not find where I am blocking these ports (and remember I can connect with other software using these ports). I have been
searching on the internet for a similar problem. I have used the setup guide to double check my settings.

Any thoughts, ideas or help please?

Thank you in advance

Mike

<http://img.msgtag.com/li/aFwE/vzgggt/yi/xzBFt/rudgjD/pjy/jja.gif
<http://img.msgtag.com/li/aFwE/vzgggt/yi/xzBFt/rudgjD/pjy/jja.gif>> >;

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/ <http://docs.yahoo.com/info/terms/>> >; .

[Some portions of this message may have been removed]

---------- Original Message Ends ----------

<http://img.msgtag.com/ljjefzseDCmmlzzn/qburz/Dt/DoElntdq.gif>

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

168. RE: [agwpe_pro] Problems with Kipsspe connecting to AGW, Please help

Yahoo group: agwpe_pro
Date: 2004-02-24 03:53:57 UTC
From: Mike Donovan
Topic: 164 Message: 168

It is possible a automatic update may be the cause. I am using 127.0.01 and have tried local host. Again, things like AGWTerm and others connect to AGW pro just fine but I am assuming they use a different interface?

On 2/23/2004 9:48:52 PM, agwpe_pro@yahoogroups.com wrote:
> What IP address are you using for the computer -- 127.0.0.1 or something
> else

169. TNC Kamplus & AGWRE

Yahoo group: agwpe_pro
Date: 2004-03-01 09:55:22 UTC
From: linouxarios
Topic: 169 Message: 169

I have a Kantronics TNC KAMplus (8.2 firmware) and i tried many times
to run
AGW packet engine pro without succesfull.
Even durring installation the setup founds the serial com and bound
rate (1200)
i am not able to see the initial message from tnc, only some dots
appears (.....) on setup screen. I tried manual set the com and
speed with same result.
The tnc is working perfect with many others packet programs.
Please does anyone have test this software with Kamplus?
P.S Thanks for reading my msg
Best 73
George/ SV2CUI

170. Debug Application

Yahoo group: agwpe_pro
Date: 2004-03-06 19:27:15 UTC
From: Michael J. Pawlowsky
Topic: 170 Message: 170

Under the "Other Settings" there is the option to Debug to console.
But it says we need a special application.

Where can I find that application?

Thanks,
Mike

171. 9600 buad using sound card

Yahoo group: agwpe_pro
Date: 2004-03-06 19:29:51 UTC
From: Michael J. Pawlowsky
Topic: 171 Message: 171

Is anyone doing 9600 baud using the soundcard.

It says (needs special TRX)
TRX is transceiver?

Also which one, what do we need exactly?

Thanks,
Mike

172. RE: [agwpe_pro] 9600 buad using sound card

Yahoo group: agwpe_pro
Date: 2004-03-07 01:27:58 UTC
From: Gerhard F5VAG
Topic: 171 Message: 172

```
> -----Original Message-----
> From: Michael J. Pawlowsky [mailto:mjpawlowsky@...]
> Sent: Saturday, March 06, 2004 8:30 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] 9600 buad using sound card

snip

> It says (needs special TRX)
> TRX is transceiver?

Yes, it is.

> Also which one, what do we need exactly?

Look under RECEIVERS and TRANSMITTERS in the following
basic article:
http://www.amsat.org/amsat/articles/g3ruh/109.txt

The requirements are of course the same if you want to
use a sound card instead of a TNC. The key is that you
have to use FSK and not AFSK.

Some of the newer radios have an input/output for 9k6
operation. You can't use mike input and speaker output
as you do for AFSK.

--
73 de Gerhard, F5VAG / DL7MW
APRSFR: http://france.aprs2.net
```

173. RE: [agwpe_pro] 9600 buad using sound card

Yahoo group: agwpe_pro
Date: 2004-03-07 01:57:06 UTC
From: Michael J. Pawlowsky
Topic: 171 Message: 173

Thanks for the link!

>Look under RECEIVERS and TRANSMITTERS in the following
>basic article:
>http://www.amsat.org/amsat/articles/g3ruh/109.txt

174. Receiving Data From AGWPE Pro.

Yahoo group: agwpe_pro
Date: 2004-03-07 20:53:25 UTC
From: Michael J. Pawlowsky
Topic: 174 Message: 174

I managed to get monitor frames no problem from AGWPE however I don't seem to be able to receive any other type of data frames.

Maybe I'm missing something.

Here's what I'm doing:

- Connect to the TCPIP socket
- Register my call sign in the from field using DataKind 'X'
- Receive confirmation that the call sign was registered by receiving a 1 in the data field.

And from the radio, I send a UI message to my callsign. I see it it the monitor window but it never seems to get passed on to my application.

Is there something else I need to be doing?

If I simply ask for monitor frames (DataKind 'm') than I receive them no problem.

Thanks,
Mike

175. Re: Debug Application

Yahoo group: agwpe_pro
Date: 2004-03-07 20:54:52 UTC
From: Michael J. Pawlowsky
Topic: 170 Message: 175

Still looking for this one... reloading th log file is getting very tiresome since it grows so fast.

Under the "Other Settings" there is the option to Debug to console. But it says we need a special application.

Where can I find that application?

Thanks,
Mike

176. RE: [agwpe_pro] Re: Debug Application

Yahoo group: agwpe_pro
Date: 2004-03-07 21:39:57 UTC
From: Ralph Milnes
Topic: 170 Message: 176

As far as I know, the app isn't available generally. You'd have to ask
George SV2AGW directly.

Ralph KC2RLM

> -----Original Message-----
> From: Michael J. Pawlowsky [mailto:mjpawlowsky@...]
> Sent: Sunday, March 07, 2004 3:55 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Debug Application
>
> Still looking for this one... reloading th log file is
> getting very tiresome since it grows so fast.
>
> --------
>
>
> Under the "Other Settings" there is the option to Debug to console.
> But it says we need a special application.
>
> Where can I find that application?
>
> Thanks,
> Mike
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

177. RE: [agwpe_pro] Re: Debug Application

Yahoo group: agwpe_pro
Date: 2004-03-09 12:24:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 170 Message: 177

Hi

I am back now....
1. for debugging use the follow DbgMon or debugview from
http://www.sysinternals.com
You will see debug messages real time.
Have in mind that debug messages are for my usage and may not cover
eveyrithing you need. Some of them may be in Greek with English fonts. But
in General are in English.

2.To receive monitor frames you must turn on monitor sending a 'M' frame to
Packet Engine. Sending again it stops monitoring. It is used as a switch.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Michael J. Pawlowsky [mailto:mjpawlowsky@...]
Sent: Sunday, March 07, 2004 10:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Debug Application

Still looking for this one... reloading th log file is getting very
tiresome since it grows so fast.

Under the "Other Settings" there is the option to Debug to console.
But it says we need a special application.

Where can I find that application?

Thanks,
Mike

Yahoo! Groups Links

178. Unproto Frames

Yahoo group: agwpe_pro
Date: 2004-03-09 14:20:22 UTC
From: Michael J. Pawlowsky
Topic: 178 Message: 178

>2.To receive monitor frames you must turn on monitor sending a 'M' frame to
>Packet Engine. Sending again it stops monitoring. It is used as a switch.

Now I'm even more confused....

I thought 'M' was to SEND UNPROTO Frames.

'm' was to receive monitor frames (which I can do no problem, that works)

What I'm trying to do is to RECEIVE UNPROTO Frames.

By the way, did you get a chance to look at the Java code I sent you?
There's a small functional Monitor App that works.

179. U frames with AGWPE

Yahoo group: agwpe_pro
Date: 2004-03-09 16:19:56 UTC
From: Michael J. Pawlowsky
Topic: 179 Message: 179

I'm pretty sure I went through every piece of documentation that you have written.
And this is my conclusion for UNPROTO frames.

Although sending an UNPROTO frame is simple, receiving an UNPROTO frame is not very obvious.

From what I can tell, there are only 2 ways to receive an UNPROTO frame.
Either by requesting monitoring 'm' or by asking for AX.25 raw frames 'k'.

The problem here is that although the monitor frame does come in as a 'U' frame.
64 bytes are added at the begining of the data by AGWPE.

If I ask for the raw AX.25 frames I have 16 bytes added to the data.
(Naturally the AX.25 stuff which is as it should be)

I think what would have been nice would be to have a way to ask for UNPROTO frames.
So basically send a 'u' to AGWPE and have it send back all the unproto frames in the usual frame of 36 bytes + Data with nothing added to it as 'U' type frames.

As it is know, I think the best solution for me is to receive the AX.25 raw frames and simply dump the first 16 bytes of data.

MikeP

180. RE: [agwpe_pro] Re: Debug Application

Yahoo group: agwpe_pro
Date: 2004-03-09 12:47:40 UTC
From: Michael J. Pawlowsky
Topic: 170 Message: 180

Thank you George.
Hope you had a nice trip.

Mike

********** REPLY SEPARATOR **********

On 09/03/2004 at 2:24 PM \(SV2AGW\)George Rossopoulos wrote:

>Hi
>
>I am back now....
>1. for debugging use the follow DbgMon or debugview from
>http://www.sysinternals.com
>You will see debug messages real time.
>Have in mind that debug messages are for my usage and may not cover
>eveyrithing you need. Some of them may be in Greek with English fonts. But
>in General are in English.
>
>2.To receive monitor frames you must turn on monitor sending a 'M' frame to
>Packet Engine. Sending again it stops monitoring. It is used as a switch.
>
>73

181. agwpe pro support > 1 connects at same time?

Yahoo group: agwpe_pro
Date: 2004-03-09 14:54:30 UTC
From: hasan schiers
Topic: 181 Message: 181

I'm running agwpe pro on my desktop machine in the basement (N0AN) and on my laptop upstairs (N0AN-9). The desktop copy of agwpe pro supervises two tnc's/radios. One is on aprs on 144.390 and the other is on 145.800 for ISS. I have enabled a remote user with a password as well as my laptop as a remote.

So, I have two remote users defined in the tcp/ip setup of agwpe pro:

(notice the SSID of -9 and -2 are NOT in the user logon name)

N0AN
N0YKX

each have their own unique password. My question:

Can both remote users log on/connect to agwpe pro at the same time, or is there a limit of one remote connect at a time?

N0YKX-2 wants to be connected to use my ISS port. I (N0AN-9) want to be connected from my laptop using ui-view32/agwpe pro. For some reason, when I am connected remotely from my laptop, N0YKX-2 is not able to be connected remotely from his location. When I look at the security log I see a lot of connection refused messages from the same IP...and I think it is probably N0YKX's IP.

Why would this be happening?

Network topology diagram:

N0AN-9 Laptop (Client) > UI-View32 > AGWPE PRO > Internet > AGWPE PRO > N0AN Desktop

N0AN Desktop (Server) > UI-VIEW32/PCSAT Decode > AGWPE PRO > 2 TNC's/Radios/Internet > Remote Clients

N0YKX-2 (Client) > PCSAT Decode > AGWPE > Internet > N0AN Server (agwpe pro)

N0AN is the SERVER with AGWPE PRO supervising the TNC's / Radios
N0AN-9 is a CLIENT wanting to connect to N0AN's resources via agwpe pro
N0YKX-2 is a CLIENT wanting to connect to N0AN's resourcecs via agwpe (pro)?

PCSAT Decode Standalone is a program by Roger Barker that is agwpe compatible. It has a terminal program in it that allows interacting with ISS and other satellites. I can run it and ui-view32 simultaneously on the laptop and interact remotely PERFECTLY with N0AN Server/Desktop in the basement. What I am looking for is for N0YKX-2 to be able to connect via the internet remotely to N0AN at the same time and use my 145.800 port.

I have seen YKX-2 using my system successfully before....but NOT when I am also remotely connected. So...the question is, can agwpe pro support more than one connect simultanously?

Thanks for any help.

73,

hasan, N0AN

182. RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

Yahoo group: agwpe_pro
Date: 2004-03-09 21:47:13 UTC
From: (SV2AGW)George Rossopoulos
Topic: 181 Message: 182

Hi Hasan

There is no limitation.
Try to disable any security.
Security is not actually needed .Is there just to prohibit others to use your Packet Station.

Anyway I am preparing the new Packet Engine Pro Version which will allow radioport sharing, that way iot will be easier to use it over internet.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: hasan schiers [mailto:schiers@...]
Sent: Tuesday, March 09, 2004 4:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] agwpe pro support > 1 connects at same time?

I'm running agwpe pro on my desktop machine in the basement (N0AN) and on my laptop upstairs (N0AN-9). The desktop copy of agwpe pro supervises two tnc's/radios. One is on aprs on 144.390 and the other is on 145.800 for ISS. I have enabled a remote user with a password as well as my laptop as a remote.

So, I have two remote users defined in the tcp/ip setup of agwpe pro:

(notice the SSID of -9 and -2 are NOT in the user logon name)

N0AN
N0YKX

each have their own unique password. My question:

Can both remote users log on/connect to agwpe pro at the same time, or is there a limit of one remote connect at a time?

N0YKX-2 wants to be connected to use my ISS port. I (N0AN-9) want to be connected from my laptop using ui-view32/agwpe pro. For some reason, when I am connected remotely from my laptop, N0YKX-2 is not able to be connected

remotely from his location. When I look at the security log I see a lot of connection refused messages from the same IP...and I think it is probably N0YKX's IP.

Why would this be happening?

Network topology diagram:

N0AN-9 Laptop (Client) > UI-View32 > AGWPE PRO > Internet > AGWPE PRO > N0AN Desktop

N0AN Desktop (Server) > UI-VIEW32/PCSAT Decode > AGWPE PRO > 2 TNC's/Radios/Internet > Remote Clients

N0YKX-2 (Client) > PCSAT Decode > AGWPE > Internet > N0AN Server (agwpe pro)

N0AN is the SERVER with AGWPE PRO supervising the TNC's / Radios
N0AN-9 is a CLIENT wanting to connect to N0AN's resources via agwpe pro
N0YKX-2 is a CLIENT wanting to connect to N0AN's resourcecs via agwpe (pro)?

PCSAT Decode Standalone is a program by Roger Barker that is agwpe compatible. It has a terminal program in it that allows interacting with ISS and other satellites. I can run it and ui-view32 simultaneously on the laptop and interact remotely PERFECTLY with N0AN Server/Desktop in the basement. What I am looking for is for N0YKX-2 to be able to connect via the internet remotely to N0AN at the same time and use my 145.800 port.

I have seen YKX-2 using my system successfully before....but NOT when I am also remotely connected. So...the question is, can agwpe pro support more than one connect simultanously?

Thanks for any help.

73,

hasan, N0AN

Yahoo! Groups Links

183. Re: [agwpe_pro] agwpe pro support > 1 connects at same time?

Yahoo group: agwpe_pro
Date: 2004-03-10 02:22:41 UTC
From: hasan schiers
Topic: 181 Message: 183

George,

Thanks for the info, it was MOST helpful. I also learned that I only need to have agwpe pro running on the host machine (N0AN), and that the remote running on my laptop with either ui-view32 (N0AN-9) or pcsatdecode standalone (N0AN-4) will connect to agwpe pro without a copy of agwpe pro on the laptop! It turns out that tcpip handling is already built in and setup in these two programs and they will go right out and connect to the agwpe pro server via the lan/internet, as long as I give them the IP of the agwpe pro server machine. Really cool!

This allows full RF use of UI-View32 and PCSat decode (terminal and tracking for ISS et al), on the laptop with no serial ports or rf gear on the laptop, just an internet or lan connection. Couldn't be easier.

Network topology revisited:

Laptop > UI-View32 (N0AN-9) & PCSat Decode (N0AN-4) > Wireless LAN > AGWPE PRO on N0AN > 2 radios/tncs + UI-View32 (N0AN).

Since N0AN has two RF ports being supervised by AGWPE PRO, 144.390 for UI-View32 and 145.800 (split for ISS) for PCSat Decode), I have full access to them from the wireless laptop upstairs. UI-View32 on the laptop looks just like it's connected directly to the radios, thanks to the ingenuity of AGWPE PRO.

Thanks for your help. I hope a future version of agwpe pro will solve my buffer overflow disconnect of agwpe after about two days. I have to restart agwpe pro every two days or so, or the tcp connection between ui-view32, agwtermTCP, or pcsat decode fails, saying TCP connection lost. It is VERY predicatable, and always gives a buffer full or overflow message. The free version of agwpe does the same thing. Interestingly UISS keeps working, as does the old version of AGW Terminal, but that's because they use DDE instead of the broken tcp connection.

73,

...hasan, N0AN

----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Tuesday, March 09, 2004 3:47 PM
Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

> Hi Hasan
>

> There is no limitation.
> Try to disable any security.
> Security is not actually needed .Is there just to prohibit others to use
> your Packet Station.
>
>
> Anyway I am preparing the new Packet Engine Pro Version which will allow
> radioport sharing, that way iot will be easier to use it over internet.
>
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

184. RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

Yahoo group: agwpe_pro
Date: 2004-03-10 08:47:39 UTC
From: (SV2AGW)George Rossopoulos
Topic: 181 Message: 184

Hi Hasan

Can you run a test for me??
On you rlaptop run too AGWMonitor.
I need to know if AGWMonitor also breaks after two days.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: hasan schiers [mailto:schiers@...]
Sent: Wednesday, March 10, 2004 4:23 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] agwpe pro support > 1 connects at same time?

George,

Thanks for the info, it was MOST helpful. I also learned that I only need to have agwpe pro running on the host machine (N0AN), and that the remote running on my laptop with either ui-view32 (N0AN-9) or pcsatdecode standalone (N0AN-4) will connect to agwpe pro without a copy of agwpe pro on the laptop! It turns out that tcpip handling is already built in and setup in these two programs and they will go right out and connect to the agwpe pro server via the lan/internet, as long as I give them the IP of the agwpe pro server machine. Really cool!

This allows full RF use of UI-View32 and PCSat decode (terminal and tracking for ISS et al), on the laptop with no serial ports or rf gear on the laptop, just an internet or lan connection. Couldn't be easier.

Network topology revisited:

Laptop > UI-View32 (N0AN-9) & PCSat Decode (N0AN-4) > Wireless LAN > AGWPE PRO on N0AN > 2 radios/tncs + UI-View32 (N0AN).

Since N0AN has two RF ports being supervised by AGWPE PRO, 144.390 for UI-View32 and 145.800 (split for ISS) for PCSat Decode), I have full access to them from the wireless laptop upstairs. UI-View32 on the laptop looks just like it's connected directly to the radios, thanks to the ingenuity of

AGWPE PRO.

Thanks for your help. I hope a future version of agwpe pro will solve my buffer overflow disconnect of agwpe after about two days. I have to restart agwpe pro every two days or so, or the tcp connection between ui-view32, agwtermTCP, or pcsat decode fails, saying TCP connection lost. It is VERY predicatable, and always gives a buffer full or overflow message. The free version of agwpe does the same thing. Interestingly UISS keeps working, as does the old version of AGW Terminal, but that's because they use DDE instead of the broken tcp connection.

73,

...hasan, N0AN

----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Tuesday, March 09, 2004 3:47 PM
Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

> Hi Hasan
>
> There is no limitation.
> Try to disable any security.
> Security is not actually needed .Is there just to prohibit others to use
> your Packet Station.
>
>
> Anyway I am preparing the new Packet Engine Pro Version which will allow
> radioport sharing, that way iot will be easier to use it over internet.
>
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

Yahoo! Groups Links

185. Re: [agwpe_pro] agwpe pro support > 1 connects at same time?

Yahoo group: agwpe_pro
Date: 2004-03-10 08:54:18 UTC
From: hasan schiers
Topic: 181 Message: 185

I'll download it and try, George. I'll get back to you.

Since agwpe pro is running on the N0AN server machine, do you really want me to run agw monitor on the laptop (client) machine, or do you want me to run it on the server? It is the server machine that looses all tcp/ip connectivity and I don't have agwpe running on the laptop. Which one do you want me to run it on?

73,

...hasan, N0AN
----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Wednesday, March 10, 2004 2:47 AM
Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

> Hi Hasan
>
> Can you run a test for me??
> On you rlaptop run too AGWMonitor.
> I need to know if AGWMonitor also breaks after two days.
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: hasan schiers [mailto:schiers@...]
> Sent: Wednesday, March 10, 2004 4:23 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] agwpe pro support > 1 connects at same time?
>
> George,
>
> Thanks for the info, it was MOST helpful. I also learned that I only need
to
> have agwpe pro running on the host machine (N0AN), and that the remote

> running on my laptop with either ui-view32 (N0AN-9) or pcsatdecode
> standalone (N0AN-4) will connect to agwpe pro without a copy of agwpe pro
on
> the laptop! It turns out that tcpip handling is already built in and setup
> in these two programs and they will go right out and connect to the agwpe
> pro server via the lan/internet, as long as I give them the IP of the
agwpe
> pro server machine. Really cool!
>
> This allows full RF use of UI-View32 and PCSat decode (terminal and
tracking
> for ISS et al), on the laptop with no serial ports or rf gear on the
laptop,
> just an internet or lan connection. Couldn't be easier.
>
> Network topology revisited:
>
> Laptop > UI-View32 (N0AN-9) & PCSat Decode (N0AN-4) > Wireless LAN > AGWPE
> PRO on N0AN > 2 radios/tncs + UI-View32 (N0AN).
>
> Since N0AN has two RF ports being supervised by AGWPE PRO, 144.390 for
> UI-View32 and 145.800 (split for ISS) for PCSat Decode), I have full
access
> to them from the wireless laptop upstairs. UI-View32 on the laptop looks
> just like it's connected directly to the radios, thanks to the ingenuity
of
> AGWPE PRO.
>
> Thanks for your help. I hope a future version of agwpe pro will solve my
> buffer overflow disconnect of agwpe after about two days. I have to
restart
> agwpe pro every two days or so, or the tcp connection between ui-view32,
> agwtermTCP, or pcsat decode fails, saying TCP connection lost. It is VERY
> predicatable, and always gives a buffer full or overflow message. The free
> version of agwpe does the same thing. Interestingly UISS keeps working, as
> does the old version of AGW Terminal, but that's because they use DDE
> instead of the broken tcp connection.
>
> 73,
>
> ...hasan, N0AN
>
> ----- Original Message -----
> From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Tuesday, March 09, 2004 3:47 PM
> Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?
>
>
> > Hi Hasan

> >
> > There is no limitation.
> > Try to disable any security.
> > Security is not actually needed .Is there just to prohibit others to use
> > your Packet Station.
> >
> >
> > Anyway I am preparing the new Packet Engine Pro Version which will allow
> > radioport sharing, that way iot will be easier to use it over internet.
> >
> >
> > 73
> >
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@...
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

186. Re: [agwpe_pro] agwpe pro support > 1 connects at same time?

Yahoo group: agwpe_pro
Date: 2004-03-10 08:59:53 UTC
From: hasan schiers
Topic: 181 Message: 186

It says in the instructions to run agwmonitorTCP on the machine with agwpe pro running, so I'll install it downstairs in a few hours when I go down there and watch it.

Testing this is difficult because of the 2 day cycle...it takes just a bit over two days, so every time I try to test it, I have to wait two days!

I'll let you know how things go. Thanks for the tip and for looking into this.

...hasan, N0AN
----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Wednesday, March 10, 2004 2:47 AM
Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

> Hi Hasan
>
> Can you run a test for me??
> On you rlaptop run too AGWMonitor.
> I need to know if AGWMonitor also breaks after two days.
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: hasan schiers [mailto:schiers@...]
> Sent: Wednesday, March 10, 2004 4:23 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] agwpe pro support > 1 connects at same time?
>
> George,
>
> Thanks for the info, it was MOST helpful. I also learned that I only need
to
> have agwpe pro running on the host machine (N0AN), and that the remote

> running on my laptop with either ui-view32 (N0AN-9) or pcsatdecode
> standalone (N0AN-4) will connect to agwpe pro without a copy of agwpe pro
on
> the laptop! It turns out that tcpip handling is already built in and setup
> in these two programs and they will go right out and connect to the agwpe
> pro server via the lan/internet, as long as I give them the IP of the
agwpe
> pro server machine. Really cool!
>
> This allows full RF use of UI-View32 and PCSat decode (terminal and
tracking
> for ISS et al), on the laptop with no serial ports or rf gear on the
laptop,
> just an internet or lan connection. Couldn't be easier.
>
> Network topology revisited:
>
> Laptop > UI-View32 (N0AN-9) & PCSat Decode (N0AN-4) > Wireless LAN > AGWPE
> PRO on N0AN > 2 radios/tncs + UI-View32 (N0AN).
>
> Since N0AN has two RF ports being supervised by AGWPE PRO, 144.390 for
> UI-View32 and 145.800 (split for ISS) for PCSat Decode), I have full
access
> to them from the wireless laptop upstairs. UI-View32 on the laptop looks
> just like it's connected directly to the radios, thanks to the ingenuity
of
> AGWPE PRO.
>
> Thanks for your help. I hope a future version of agwpe pro will solve my
> buffer overflow disconnect of agwpe after about two days. I have to
restart
> agwpe pro every two days or so, or the tcp connection between ui-view32,
> agwtermTCP, or pcsat decode fails, saying TCP connection lost. It is VERY
> predicatable, and always gives a buffer full or overflow message. The free
> version of agwpe does the same thing. Interestingly UISS keeps working, as
> does the old version of AGW Terminal, but that's because they use DDE
> instead of the broken tcp connection.
>
> 73,
>
> ...hasan, N0AN
>
> ----- Original Message -----
> From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Tuesday, March 09, 2004 3:47 PM
> Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?
>
>
> > Hi Hasan

> >
> > There is no limitation.
> > Try to disable any security.
> > Security is not actually needed .Is there just to prohibit others to use
> > your Packet Station.
> >
> >
> > Anyway I am preparing the new Packet Engine Pro Version which will allow
> > radioport sharing, that way iot will be easier to use it over internet.
> >
> >
> > 73
> >
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@...
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

187. Test Resulst for George

Yahoo group: agwpe_pro
Date: 2004-03-10 20:24:39 UTC
From: hasan schiers
Topic: 187 Message: 187

Yes, George, I just finished the test:

The tcp/ip connection failed after 2 days, 7 hours and 40 minutes. That is VERY TYPICAL of what I have been seeing.

Yes, AGWMonitorTCP also broke...all of the following quit working (showed a broken connection error): (at the same time)

UI-View32
AGWMonitorTCP
AGWTerminal TCP
PCSat Decode Standalone Terminal

I have to reboot the computer to get things back to normal, simply exiting and restarting agwpe pro doesn't work. (the tcp/ip programs don't work until I reboot the computer and reload agwpe pro cleanly)

hope this helps. 73

BTW: WinXP Home, 512 mb RAM, 1.2 gig celeron is the setup on the agwpe pro machine. Latest version of agwpe pro

...hasan, N0AN

----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Wednesday, March 10, 2004 2:47 AM
Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?

> Hi Hasan
>
> Can you run a test for me??
> On you rlaptop run too AGWMonitor.
> I need to know if AGWMonitor also breaks after two days.
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece

>
> Thanks for your help. I hope a future version of agwpe pro will solve my
> buffer overflow disconnect of agwpe after about two days. I have to
restart
> agwpe pro every two days or so, or the tcp connection between ui-view32,
> agwtermTCP, or pcsat decode fails, saying TCP connection lost. It is VERY
> predicatable, and always gives a buffer full or overflow message. The free
> version of agwpe does the same thing. Interestingly UISS keeps working, as
> does the old version of AGW Terminal, but that's because they use DDE
> instead of the broken tcp connection.
>
> 73,
>
> ...hasan, N0AN
>
> ----- Original Message -----
> From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Tuesday, March 09, 2004 3:47 PM
> Subject: RE: [agwpe_pro] agwpe pro support > 1 connects at same time?
>
>
> > Hi Hasan
> >
> > There is no limitation.
> > Try to disable any security.
> > Security is not actually needed .Is there just to prohibit others to use
> > your Packet Station.
> >
> >
> > Anyway I am preparing the new Packet Engine Pro Version which will allow
> > radioport sharing, that way iot will be easier to use it over internet.
> >
> >
> > 73
> >
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@...
> > www.elcom.gr/sv2agw

188. AGWPE PRO on Kenwood D7

Yahoo group: agwpe_pro
Date: 2004-03-14 22:29:15 UTC
From: ae5nl
Topic: 188 Message: 188

Please is there anyone who has made this combination work. Is there something special that needs to be done? The TX light is so quick that there is no way that a packet was sent. Sometimes you get a little blip of packet but nothing is ever recognized by anyone. D7 TNC works normaly and perfect with regular Terminal software like winpack. So cable and radio are ok.
Thanks in advance,
Nelson Livingston
AE5NL

189. Re: [agwpe_pro] AGWPE PRO on Kenwood D7

Yahoo group: agwpe_pro
Date: 2004-03-15 01:00:25 UTC
From: hasan schiers
Topic: 188 Message: 189

My d7 will receive ok with the d7 kiss mode, but none of the transmit packets can be decoded, nor do they "sound" right. The d7's tnc works perfectly in command mode, but in kiss mode, it will not transmit a packet cleanly. I don't get digi'd and can't copy the d7 on my other station downstairs.

If ANYONE has real solution, let us know, but I am very skeptical.

TIA

hasan, N0AN

----- Original Message -----
From: "ae5nl" <ae5nl@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Sunday, March 14, 2004 4:29 PM
Subject: [agwpe_pro] AGWPE PRO on Kenwood D7

> Please is there anyone who has made this combination work. Is there
> something special that needs to be done? The TX light is so quick
> that there is no way that a packet was sent. Sometimes you get a
> little blip of packet but nothing is ever recognized by anyone. D7
> TNC works normaly and perfect with regular Terminal software like
> winpack. So cable and radio are ok.
> Thanks in advance,
> Nelson Livingston
> AE5NL
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

190. RE: [agwpe_pro] AGWPE PRO on Kenwood D7

Yahoo group: agwpe_pro
Date: 2004-03-15 09:12:08 UTC
From: (SV2AGW)George Rossopoulos
Topic: 188 Message: 190

Hi

From "RadioPOrt Manager" double click the D7 entry.
In the dialog select the second tab and set Txdelay to 60.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: hasan schiers [mailto:schiers@...]
Sent: Monday, March 15, 2004 3:00 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] AGWPE PRO on Kenwood D7

My d7 will receive ok with the d7 kiss mode, but none of the transmit packets can be decoded, nor do they "sound" right. The d7's tnc works perfectly in command mode, but in kiss mode, it will not transmit a packet cleanly. I don't get digi'd and can't copy the d7 on my other station downstairs.

If ANYONE has real solution, let us know, but I am very skeptical.

TIA

hasan, N0AN

----- Original Message -----
From: "ae5nl" <ae5nl@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Sunday, March 14, 2004 4:29 PM
Subject: [agwpe_pro] AGWPE PRO on Kenwood D7

> Please is there anyone who has made this combination work. Is there
> something special that needs to be done? The TX light is so quick
> that there is no way that a packet was sent. Sometimes you get a
> little blip of packet but nothing is ever recognized by anyone. D7
> TNC works normaly and perfect with regular Terminal software like
> winpack. So cable and radio are ok.
> Thanks in advance,

> Nelson Livingston
> AE5NL
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Links

191. RE: [agwpe_pro] AGWPE PRO on Kenwood D7

Yahoo group: agwpe_pro
Date: 2004-03-22 01:10:57 UTC
From: Ralph Milnes
Topic: 188 Message: 191

You could use the D7 with the sound card option in AGWPRE Pro, i.e. don't use the D7's built in TNC.

If interested, I have a schematic for the cabling at:

http://www.qsl.net/soundcardpacket/extras/cableford7a.htm

73

Ralph KC2RLM

> -----Original Message-----
> From: ae5nl [mailto:ae5nl@...]
> Sent: Sunday, March 14, 2004 5:29 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE PRO on Kenwood D7
>
> Please is there anyone who has made this combination work.
> Is there something special that needs to be done? The TX
> light is so quick that there is no way that a packet was
> sent. Sometimes you get a little blip of packet but nothing
> is ever recognized by anyone. D7 TNC works normaly and
> perfect with regular Terminal software like winpack. So
> cable and radio are ok.
> Thanks in advance,
> Nelson Livingston
> AE5NL

192. Program Setting's

Yahoo group: agwpe_pro
Date: 2004-03-22 03:39:01 UTC
From: kb0ofd
Topic: 192 Message: 192

Greeting's! My problem is I would like to get the receive part turned up a bit. My program works, but is lacking on the receive part. Is there a setting I can change that would help that? This is what I am running:
FT-847
AEA DSP-2232
Windows XP (Home)

Any idea's or information would be appreciated...
73's Gary

193. RE: [agwpe_pro] Program Setting's

Yahoo group: agwpe_pro
Date: 2004-03-23 15:20:31 UTC
From: Ralph Milnes
Topic: 192 Message: 193

Gary,

Can you tell us what you mean by "turn up" the receive part and that it is "lacking"? Also, what mode/frequency are you talking about -- SSB HF or FM VHF/UHF?

I don't have any experience with the DSP-2232, but I don't think there's anything in AGWPE Pro that can help you. You'd need to look at your hardware -- the TNC's settings, the radio's settings, or your antenna system.

Ralph KC2RLM

From: kb0ofd [mailto:kb0ofd@...]
Sent: Sunday, March 21, 2004 10:39 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Program Setting's

Greeting's! My problem is I would like to get the receive part turned up a bit. My program works, but is lacking on the receive part. Is there a setting I can change that would help that? This is what I am running:
FT-847
AEA DSP-2232
Windows XP (Home)

Any idea's or information would be appreciated...
73's Gary

194. Won't run on Dell Laptop

Yahoo group: agwpe_pro
Date: 2004-03-28 19:54:54 UTC
From: twskloss
Topic: 194 Message: 194

Help! I have both the free and pro versions of AGWPE working on my home computer, but my Dell laptop refuses to work.

I have tried all the suggestions on the web pages but still no luck.

Machine: Dell Lattitude 610, Pentium III, Win2K

Symptom: System freezes (cursor doesn't move, no blue screen, must power down and reboot)

The system freeze happens only after I define a soundcard port and reboot AGWPE (AGWPE is OK until I define a port). The freeze happens about 3 seconds after AGWPE boots. I have tried turning off all other applications, unnecessary processes, etc. I have the latest driver for my imbedded sound card (Crystal WMD).

I assume there is a conflict for the sound port or an incompatiblity with the sound driver. This is very frustrating because it takes a few minutes each time to reboot my computer.

We will be doing balloon launches this summer with APRS and I really need to sort this out.

Any help would be most appreciated!

Thanks,
Tim Skloss, KC5DNA

195. RE: [agwpe_pro] Won't run on Dell Laptop

Yahoo group: agwpe_pro
Date: 2004-03-29 05:43:08 UTC
From: Ralph Milnes
Topic: 194 Message: 195

Could it be a conflict with the PTT port you've selected?

For a PTT port, try temporarily picking "receive only" or a COM/LPT port
that you are *sure* you don't have anything running on, e.g. LPT3?

If the programs work then, then look for a COM/LPT conflict with some other
program or device, such as a modem or a palm pilot driver.

Ralph KC2RLM

> -----Original Message-----
> From: twskloss [mailto:twskloss@...]
> Sent: Sunday, March 28, 2004 2:55 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Won't run on Dell Laptop
>
> Help! I have both the free and pro versions of AGWPE working
> on my home computer, but my Dell laptop refuses to work.
>
> I have tried all the suggestions on the web pages but still no luck.
>
> Machine: Dell Lattitude 610, Pentium III, Win2K
>
> Symptom: System freezes (cursor doesn't move, no blue
> screen, must power down and reboot)
>
> The system freeze happens only after I define a soundcard
> port and reboot AGWPE (AGWPE is OK until I define a port).
> The freeze happens about 3 seconds after AGWPE boots. I have
> tried turning off all other applications, unnecessary
> processes, etc. I have the latest driver for my imbedded
> sound card (Crystal WMD).
>
> I assume there is a conflict for the sound port or an
> incompatiblity with the sound driver. This is very
> frustrating because it takes a few minutes each time to
> reboot my computer.
>
> We will be doing balloon launches this summer with APRS and I
> really need to sort this out.
>
> Any help would be most appreciated!
>
> Thanks,
> Tim Skloss, KC5DNA
>

>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits
> for your HP, Epson, Canon or Lexmark Printer at MyInks.com.
> Free s/h on orders $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---
> --------~->
>
>
> Yahoo! Groups Links
>
>
>
>
>

196. Re: Won't run on Dell Laptop

Yahoo group: agwpe_pro
Date: 2004-03-30 04:14:38 UTC
From: twskloss
Topic: 194 Message: 196

Thanks, but I tried LPT3 and no dice... computer froze up just the same.

Still looking...

Tim

197. RE: [agwpe_pro] Re: Won't run on Dell Laptop

Yahoo group: agwpe_pro
Date: 2004-03-30 06:18:28 UTC
From: Ralph Milnes
Topic: 194 Message: 197

How about receive only?

> -----Original Message-----
> From: twskloss [mailto:twskloss@...]
> Sent: Monday, March 29, 2004 11:15 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Won't run on Dell Laptop
>
> Thanks, but I tried LPT3 and no dice... computer froze up
> just the same.
>
> Still looking...
>
> Tim
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

198. RE: [agwpe_pro] Re: Won't run on Dell Laptop

Yahoo group: agwpe_pro
Date: 2004-03-31 03:46:59 UTC
From: Tim Skloss
Topic: 194 Message: 198

Nope. RX only doesn't help. I have downloaded and tried the PRO version
and I get exactly the same result--everything is fine until I define a
soundcard port and reboot the program... FREEZE!

Tim

At 01:18 AM 3/30/2004 -0500, you wrote:
>How about receive only?
>
> > -----Original Message-----
> > From: twskloss [mailto:twskloss@...]
> > Sent: Monday, March 29, 2004 11:15 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: Won't run on Dell Laptop
> >
> > Thanks, but I tried LPT3 and no dice... computer froze up
> > just the same.
> >
> > Still looking...
> >
> > Tim
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
>
>
>
>
>----------
>Yahoo! Groups Links
> * To visit your group on the web, go to:
> *
> <http://groups.yahoo.com/group/agwpe_pro/>http://groups.yahoo.com/group/agwpe_pro/
>
> *
> * To unsubscribe from this group, send an email to:
> *

> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>agwpe_pro-unsubscribe@yahoogroups.com
>
> *
> * Your use of Yahoo! Groups is subject to the
> <http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

199. Registration Key On Multiple Notebooks ?

Yahoo group: agwpe_pro
Date: 2004-03-31 12:09:40 UTC
From: james_vk2jn
Topic: 199 Message: 199

Hi Guys,

Excuse my ingnorant newbie basic question ??? I have recieved a key for my newly aquired packet engine pro and successfully registered it with the key from George. I have two other portable notebooks in the house tht i will be using when in the field however the send key generated is different on the 1st machines where I loaded it.

Do i have to email the "send key" for the other machines to have a special key generated for them as well ? If so, I guess any hard drive reload will always need a new registration key each time as well. But hey ! product works fine. :-)
cheers,

james (newbie) VK2JN

200. RE: [agwpe_pro] Registration Key On Multiple Notebooks ?

Yahoo group: agwpe_pro
Date: 2004-03-31 17:48:26 UTC
From: Ralph Milnes
Topic: 199 Message: 200

> Excuse my ingnorant newbie basic question ??? I have recieved
> a key for my newly aquired packet engine pro and successfully
> registered it with the key from George. I have two other
> portable notebooks in the house tht i will be using when in
> the field however the send key generated is different on the
> 1st machines where I loaded it.
>
> Do i have to email the "send key" for the other machines to
> have a special key generated for them as well ? If so, I
> guess any hard drive reload will always need a new
> registration key each time as well. But hey ! product works
> fine. :-) cheers,

James,

Yes, you need to install the program on the other machines and then send the keys to George SV2AGW. He will send you the appropriate unlocking key for the other machines. He has said you can install AGWPE Pro on additional machines *you own* for the same registration fee.

"George SV2AGW" (sv2agw@...)

Ralph Kc2RLM

201. Re: RE: [agwpe_pro] Registration Key On Multiple Notebooks ?

Yahoo group: agwpe_pro
Date: 2004-03-31 20:55:08 UTC
From: James Nelson
Topic: 199 Message: 201
Attachments: 1 described; binary payloads are missing from this source WARC

[Attachment content not displayed]

202. Problem with AGWPE PRO / Baycom serial modem / WinXP

Yahoo group: agwpe_pro
Date: 2004-04-10 19:26:07 UTC
From: FORESTIER Damien
Topic: 202 Message: 202

I'm running latest PE Pro on Windows XP Home edition. I found that my Baycom serial modem isn't work (no TX and no RX).
The same Baycom serial modem on my old computer with PE and Win98 was a total success.
The modem is installed on com 1.
Afterwards going into Hardware devices in XP windows had disabed com 1.

Is there anyone using with success a Baycom serial modem with AGWPE and WinXP ?

Any help would be appreciated.

Happy Easter

Damien
http://perso.wanadoo.fr/f5rrs/

203. RE: [agwpe_pro] Problem with AGWPE PRO / Baycom serial modem / WinXP

Yahoo group: agwpe_pro
Date: 2004-04-10 20:06:41 UTC
From: Gerhard F5VAG
Topic: 202 Message: 203

```
> -----Original Message-----
> From: FORESTIER Damien [mailto:f5rrs@...]
> Sent: Saturday, April 10, 2004 9:26 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Problem with AGWPE PRO / Baycom serial modem /
> WinXP
>
>
> I'm running latest PE Pro on Windows XP Home edition. I found that my
> Baycom serial modem isn't work (no TX and no RX).
> The same Baycom serial modem on my old computer with PE and Win98 was
> a total success.
> The modem is installed on com 1.
> Afterwards going into Hardware devices in XP windows had disabed com
> 1.
>
> Is there anyone using with success a Baycom serial modem with AGWPE
> and WinXP ?
>
> Any help would be appreciated.

If you would have searched the [agwpe_pro] message archive with 'baycom',
you would have found the following message from George (MSG #116):

<quote>
From: "\(SV2AGW\) George Rossopoulos" <sv2agw@p...>
Date: Fri Nov 14, 2003 11:51 am
Subject: Packet Engine Pro Status

Hi all

I am preparing the new version.
It will have
1.The new Soundcard LPT fix.

2.A new driver for Picpar and bp96 (Baycom.Tigertronics) parallel port
9k6 modems

3.The baycom driver for the moment will work only under win98/me and
win2000/xp with no ACPI ports. Unfortunately the two solutions I found
for win2000/XP ACPI serial ports need replacement of the original ACPI
or Serialport Windows driver. This may introduce problems so I will not
proceed with these.
I will search further and hope to find something...........
Meanwhile Baycom serial port dummy modem can be used with extra serial
```

ports in PCI cards etc.

4.An even better 1200b soundcard modem.I have optimized it further. From a comparison I made between other software soundcard modems I found that is the most sensitive and lighter.
I will publish here later this week a comparison chart between PEPRO 1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood d700 internal 1200b modem and TNC2 with other modem. All of them will be connected to the same tranceiver.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@e...
+306932 465 216
</quote>

--
73 de Gerhard, F5VAG / DL7MW
APRSFR: http://france.aprs2.net

204. RE: [agwpe_pro] Problem with AGWPE PRO / Baycom serial modem / WinXP

Yahoo group: agwpe_pro
Date: 2004-04-10 22:45:03 UTC
From: Mark Jordan
Topic: 202 Message: 204

On 10 Apr 2004 at 22:06, Gerhard F5VAG wrote:

> 4.An even better 1200b soundcard modem.I have optimized it further. From
> a comparison I made between other software soundcard modems I found that
> is the most sensitive and lighter.
> I will publish here later this week a comparison chart between PEPRO
> 1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood d700 internal
> 1200b modem and TNC2 with other modem. All of them will be connected to
> the same tranceiver.
>

As it is easier to ask instead of searching the archives,
was that modem comparision published?

Thanks.
Mark Jordan

205. DCD sense?

Yahoo group: agwpe_pro
Date: 2004-04-16 14:13:20 UTC
From: xbullworker
Topic: 205 Message: 205

I want to use agwpe pro with UI-view32 for APRS. I need a tnc with dcd sense. AGWPE is used with my soundcard.

Does the software dcd sense work with soundcards? I cant find any info about it. Also what is the number box for by the softdcd sense checkbox?

Stan K9IUQ

206. windows 2000 server

Yahoo group: agwpe_pro
Date: 2004-04-26 06:30:27 UTC
From: kb9mma1996
Topic: 206 Message: 206

```
i have installed pro version 1006.
it crashes saying aborted abnomaly.
any hints.
I have installed and uninstalled it.
jim
kb9mma@...
```

207. RE: [agwpe_pro] windows 2000 server

Yahoo group: agwpe_pro
Date: 2004-04-26 21:47:50 UTC
From: WA7NTW
Topic: 206 Message: 207

jim,

i had a similar problem when i was first getting it going. i wnet the uninstall/reinstall route also with no success. here is george's response to me and it fixed it...

"just delete any ini file. AGWPE.ini port0.ini and possible port1.ini. Then just run the program and run the "New radioport" wizzard."

hope that helps your situation also.

73's

Gary

From: kb9mma1996 [mailto:kb9mma@...]
Sent: Sunday, April 25, 2004 11:30 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] windows 2000 server

i have installed pro version 1006.
it crashes saying aborted abnomaly.
any hints.
I have installed and uninstalled it.
jim
kb9mma@...

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

208. AGWPE/PAXON

Yahoo group: agwpe_pro
Date: 2004-05-02 13:34:15 UTC
From: tonyco55
Topic: 208 Message: 208

Anyone here get Paxon working ok with AGWPE? It starts to work ok, connects fine but then it doesn't send any more packets. I can see nothing going out in the monitor window but the input window accepts text. Sometime I might be able to send a node command and see it go out and get an answer but after that it stops sending packets, I'm using agwpe and a baycom with W98. WinPack works fine on this system.

n2peu

209. RE: [agwpe_pro] AGWPE/PAXON

Yahoo group: agwpe_pro
Date: 2004-05-02 14:56:29 UTC
From: Gerhard F5VAG
Topic: 208 Message: 209

> -----Original Message-----
> From: tonyco55 [mailto:tonyco55@...]
> Sent: Sunday, May 02, 2004 3:34 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE/PAXON
>
>
> Anyone here get Paxon working ok with AGWPE? It starts to
> work ok, connects fine but then it doesn't send any more
> packets. I can see nothing going out in the monitor window
> but the input window accepts text. Sometime I might be able
> to send a node command and see it go out and get an answer
> but after that it stops sending packets, I'm using agwpe and
> a baycom with W98. WinPack works fine on this system.

I'm using Paxon 2.000.1114 beta with AGWPE 2003.308 and it works
flawless as well under Win98SE as XP pro with a TNC in KISS
(SMACK) mode in both cases.

--
73 de Gerhard, F5VAG / DL7MW
APRSFR: http://france.aprs2.net

210. Re: Problem with AGWPE PRO / Baycom serial modem / WinXP

Yahoo group: agwpe_pro
Date: 2004-05-04 21:18:43 UTC
From: ik4iro
Topic: 202 Message: 210

--- In agwpe_pro@yahoogroups.com, "Gerhard F5VAG" <f5vag@n...> wrote:
> > -----Original Message-----
> > From: FORESTIER Damien [mailto:f5rrs@w...]
> > Sent: Saturday, April 10, 2004 9:26 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Problem with AGWPE PRO / Baycom serial
modem /
> > WinXP
> >
> >
> > I'm running latest PE Pro on Windows XP Home edition. I found
that my
> > Baycom serial modem isn't work (no TX and no RX).
> > The same Baycom serial modem on my old computer with PE and
Win98 was
> > a total success.
> > The modem is installed on com 1.
> > Afterwards going into Hardware devices in XP windows had disabed
com
> > 1.
> >
> > Is there anyone using with success a Baycom serial modem with
AGWPE
> > and WinXP ?
> >
> > Any help would be appreciated.
>
> If you would have searched the [agwpe_pro] message archive
with 'baycom',
> you would have found the following message from George (MSG #116):
>
> <quote>
> From: "\(SV2AGW\) George Rossopoulos" <sv2agw@p...>
> Date: Fri Nov 14, 2003 11:51 am
> Subject: Packet Engine Pro Status
>
>
> Hi all
>
> I am preparing the new version.
> It will have
> 1.The new Soundcard LPT fix.
>
> 2.A new driver for Picpar and bp96 (Baycom.Tigertronics) parallel
port

> 9k6 modems
>
> 3.The baycom driver for the moment will work only under win98/me
and
> win2000/xp with no ACPI ports. Unfortunately the two solutions I
found
> for win2000/XP ACPI serial ports need replacement of the original
ACPI
> or Serialport Windows driver. This may introduce problems so I
will not
> proceed with these.
> I will search further and hope to find something.....
> Meanwhile Baycom serial port dummy modem can be used with extra
serial
> ports in PCI cards etc.
>
> 4.An even better 1200b soundcard modem.I have optimized it
further. From
> a comparison I made between other software soundcard modems I
found that
> is the most sensitive and lighter.
> I will publish here later this week a comparison chart between
PEPRO
> 1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood d700
internal
> 1200b modem and TNC2 with other modem. All of them will be
connected to
> the same tranceiver.
>
> 73
>
> (SV2AGW) George Rossopoulos
> www.elcom.gr/sv2agw
> sv2agw@e...
> +306932 465 216
> </quote>
>
> --
> 73 de Gerhard, F5VAG / DL7MW
> APRSFR: http://france.aprs2.net

I have the same problem.
I ask George if he has a solution.
Thank's
ik4iro Vittorio

211. AGWPE PRO for Win CE

Yahoo group: agwpe_pro
Date: 2004-05-07 17:50:30 UTC
From: Angel Alferez
Topic: 202 Message: 211

Hello George,

Is in your plan to develope the AGWPE PRO for running in a Palm with Windows CE ??.

Thanks in advance

Ángel Alferez
EB4GCS

212. Help please

Yahoo group: agwpe_pro
Date: 2004-05-08 19:29:06 UTC
From: Phillip Conza
Topic: 212 Message: 212

Hi,
I am running the latest version of AGWPE-Pro on a clean install Cyrix M II PR 300 PC with 128meg ram.

Win 98se up to date
Soundcard driver ESS Audio
Sound card ES 1869 Plug and Play (WDM)

Kenwood TS 140s audio out from the Data port into Line in on the sound card

My problem is I am seeing the data in the Osciloscope window but the modem Icon does not see it.

I have done all the tests that show on Ralph's site (very well done)

I have also replaced the INI file as suggested if problems arise.

What have I missed

73 Phillip
ZL2TZE

213. RE: [agwpe_pro] Help please

Yahoo group: agwpe_pro
Date: 2004-05-09 08:42:53 UTC
From: (SV2AGW)George Rossopoulos
Topic: 212 Message: 213

Hi
Have you set soundcard to 300Baud?
In HF tunning is very critical.
Use the waterfall display in the tunning aid and adjust the frequency so
that the signal fails between the two vertical white lines.
Download from my site the help for Packet Engine Pro.
www.elcom.gr/sv2agw/inst.htm

Unzip the file in the packet engine pro help directory.
In there there are images for proper HF tunning.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

From: Phillip Conza [mailto:zl2tze@...]
Sent: Saturday, May 08, 2004 10:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Help please

Hi,
I am running the latest version of AGWPE-Pro on a clean install Cyrix M
II PR 300 PC with 128meg ram.

Win 98se up to date
Soundcard driver ESS Audio
Sound card ES 1869 Plug and Play (WDM)

Kenwood TS 140s audio out from the Data port into Line in on the sound card

My problem is I am seeing the data in the Osciloscope window but the modem
Icon does not see it.

I have done all the tests that show on Ralph's site (very well done)

I have also replaced the INI file as suggested if problems arise.

What have I missed

73 Phillip
ZL2TZE

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/SIG=129vg70bo/M=295196.4901138.6071305.3001176/D=groups
/S=1705063108:HM/EXP=1084131251/A=2128215/R=0/SIG=10se96mf6/*http://companio
n.yahoo.com> click here

<http://us.adserver.yahoo.com/l?M=295196.4901138.6071305.3001176/D=groups/S=
:HM/A=2128215/rand=706755390>

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

214. Re: [agwpe_pro] Digest Number 102

Yahoo group: agwpe_pro
Date: 2004-05-09 10:26:59 UTC
From: Phillip
Topic: 214 Message: 214
Attachments: 1 described; binary payloads are missing from this source WARC

Hi George,
I have done as you have said i have extracted your HELP
file ..

There appears to be a problem with the HELP file it can't find the GIFs and
other data .
I look at the Link in the DOC and it tells me that the GIFs are in IMAGES
Dir yet I can not find them..
I get page not found yet I can manually find them ..

I have so far found out that I can't copy 1200 baud self generated packet
either via sound card, i get no Modem green Light. I checked all settings
etc ..

I did have everything set right for 300 bd I had the waterfall with the
signal between the 2 lines

73 Phillip
ZL2TZE

Message: 2
Date: Sun, 9 May 2004 11:42:53 +0300
From: "\(SV2AGW\)George Rossopoulos" <sv2agw@...>
Subject: RE: Help please

Hi
Have you set soundcard to 300Baud?
In HF tunning is very critical.
Use the waterfall display in the tunning aid and adjust the frequency so
that the signal fails between the two vertical white lines.
Download from my site the help for Packet Engine Pro.
www.elcom.gr/sv2agw/inst.htm

Unzip the file in the packet engine pro help directory.
In there there are images for proper HF tunning.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

From: Phillip Conza [mailto:zl2tze@...]
Sent: Saturday, May 08, 2004 10:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Help please

Hi,
I am running the latest version of AGWPE-Pro on a clean install Cyrix M II PR 300 PC with 128meg ram.

Win 98se up to date
Soundcard driver ESS Audio
Sound card ES 1869 Plug and Play (WDM)

Kenwood TS 140s audio out from the Data port into Line in on the sound card

My problem is I am seeing the data in the Osciloscope window but the modem Icon does not see it.

I have done all the tests that show on Ralph's site (very well done)

I have also replaced the INI file as suggested if problems arise.

What have I missed

73 Phillip
ZL2TZE

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/SIG=129vg70bo/M=295196.4901138.6071305.3001176/D=groups/S=1705063108:HM/EXP=1084131251/A=2128215/R=0/SIG=10se96mf6/*http://companion.yahoo.com> click here

<http://us.adserver.yahoo.com/l?M=295196.4901138.6071305.3001176/D=groups/S=:HM/A=2128215/rand=706755390>

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[This message contained attachments]

Yahoo! Groups Links

---

215. RE: [agwpe_pro] Digest Number 102

Yahoo group: agwpe_pro
Date: 2004-05-09 15:57:22 UTC
From: Ralph Milnes
Topic: 214 Message: 215

Phillip wrote:

>I have done as you have said i have extracted your HELP file ..

>There appears to be a problem with the HELP file it can't find the GIFs and other data .
>I look at the Link in the DOC and it tells me that the GIFs are in IMAGES Dir yet I can not find them..
>I get page not found yet I can manually find them ..

When you extract the file, make sure you let the extraction program extract files to the folders noted. For example, most (but not all) bmp, gif and jpg files must go into a "Help\Images" folder. (Other images go in the main "Help" folder and some also go in a "Help\Images|Sound Card" folder.) Rather than give a list of which images go in each folder, see if your un-zip program has a switch to "Use Folder Names". WinZip does.

>I have so far found out that I can't copy 1200 baud self generated packet either via sound card, i get no Modem green Light. I checked all settings etc ..

>I did have everything set right for 300 bd I had the waterfall with the signal between the 2 lines

How did you "self generate" the packet tones?

Generally, if AGWPE isn't decoding the packets after you set the mixer volume settings correctly, it's one of 3 things:

1. The packets received at your antenna are poor quality -- to weak, distorted, incomplete/clipped
2. Noise at your station is distorting the RX audio -- ground loops (no isolation transformer on the RX cable), RFI from other sources (such as your monitor), no shielding on the RX cable.
3. The sound card driver isn't correct -- look for an update/VXD driver (for Win 98):

Chris N0TTW posted this suggestion in December:

" It seems that many of us are using sound cards with Windows operating systems of 98SE and beyond. I see that WIN95 and the WIN98 doesn't have as much problems as the others systems. I'm not sure about XP, but I do work with the other operating systems.

I tried this on 3 computers and ran 98SE, ME, 2000 on these computers to check the drivers.If you have Win98SE, ME or 2000 and are having receiving problems.... check and see what drivers you are running for the sound card. You need to run the VXD drivers, and not the WDM type (used by 98SE and

above). Here are the steps to find out what driver:

1: On the desktop, right-click the "My Computer" and select "properties"

2: Click on the "Device Manager" tab.

3: Scroll down until you see "Audio, video and game controllers" and click the "+" sign to expand it if it isn't expanded already.

4: Look to see if the audio driver (usually the first one) states WDM in it's name or any of it's associated files.

(a) If your files don't say anything, then click the the audio driver and select the "Properties" button. On the new pop-up window select the tab "Drivers"

(b) If this doesn't say WDM on anything (which is rare), then click the button "Driver File Details...".

(c) If you have any drivers in the WINDOWS\SYSTEM32\DRIVERS directory, then we need to assume they are WDM.

If you do have WDM drivers, you need to download the WIN95 drivers. These drivers are VXD type. You may have noticed that some of your drivers may say VXD, but that may not be the case as I found out.

Removal of your existing drivers can variate from an un-install program, to manually removing them. I recommend removing these files with the supplied un-install program if possible. Even with the uninstall program, you may have to remove the INF file in the WINDOWS\INF directory. You will need to know the INF file name.

--> (KC2RLM note: make sure you coould re-install the current (WDM) drivers if this suggestion doesn't work out. You should have the original sound card installation disk or a downloaded installation file.)

Download the drivers for Windows *95* for your specific sound card. The reason I mention downloading is that most supplied sound card drivers on the disk/CD that came with the card are already out of date.

Better to get the latest version. Remember WHERE you stored the Win 95 driver. I recommend making a directory in your root drive called AUDIO and storing your driver file there on download. Then make sure you unzip, expand or whatever is required to that directory as well.

After you do this, it is recommended that you reboot the computer.

Once you do this, windows will boot up and state that it has found some new hardware or sound card. Tell windows WHERE you placed your Win 95 driver, rather than having it search for the driver. If you let it search, it will load the WDM drivers and you will have to start all over again." -- end quote.

I hope this helps.

73, Ralph

216. TCPIP Setup Problem

Yahoo group: agwpe_pro
Date: 2004-05-11 02:23:25 UTC
From: Steve Hester
Topic: 216 Message: 216

I have a Sony Vaio laptop running Windows XP Home. Everything sets up fine until I try to setup a route for the soundcard port. I get a "Packet engine pro shuts down abnormally" message. I installed the TCPIP virtual driver and everything else looks normal. Are there any other things I've missed in setting up the TCPIP stuff. BTW, I have WiFi, Bluetooth, and ethernet interfaces all working through the XP bridge along with the virtual port for PEPro. I'm sure I've overlooked something, just not sure what?

Steve Hester - K5STV

As soon as I get this working, I will be registering!

217. RE: [agwpe_pro] TCPIP Setup Problem

Yahoo group: agwpe_pro
Date: 2004-05-11 06:18:33 UTC
From: Gerhard F5VAG
Topic: 216 Message: 217

> -----Original Message-----
> From: Steve Hester [mailto:stevehester@...]
> Sent: Tuesday, May 11, 2004 4:23 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] TCPIP Setup Problem
>
>
> I have a Sony Vaio laptop running Windows XP Home. Everything sets
> up fine until I try to setup a route for the soundcard port. I get
> a "Packet engine pro shuts down abnormally" message. I installed
> the TCPIP virtual driver and everything else looks normal. Are
> there any other things I've missed in setting up the TCPIP stuff.
> BTW, I have WiFi, Bluetooth, and ethernet interfaces all working
> through the XP bridge along with the virtual port for PEPro. I'm
> sure I've overlooked something, just not sure what?

Do you have a file routes.bin in the pe_pro directory? If not, copy
it from the agwpe directory. This might solve the problem.

--
73 de Gerhard, F5VAG / DL7MW
APRSFR: http://france.aprs2.net

218. RE: [agwpe_pro] TCPIP Setup Problem

Yahoo group: agwpe_pro
Date: 2004-05-11 13:40:55 UTC
From: (SV2AGW)George Rossopoulos
Topic: 216 Message: 218

Hi

Routes has a bug.
Although you can live with it since "routes" is not something you need it.
Routes is a function for Internet gateways that have more than a radioport (TNC/Trranceiver) and need to keep certain users to certain radioports or allow certain users to "play" fullduplex.
In general Packet Engine uses the radioport from which it receives a request.
For instance using "Routes" you can specify that SV2AGW packets will be sent only from Radioport2. That way SV2AGW will be able to send its packets to radioport 1 and receives data from Radioport 2 (Fullduplex). That way Sv2AGW will have higher speeds.

Can be used also to restrict access to certain stations etc.

If you wish to set TCPIP routes then use your windows route command ....

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Steve Hester [mailto:stevehester@...]
Sent: Tuesday, May 11, 2004 5:23 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] TCPIP Setup Problem

I have a Sony Vaio laptop running Windows XP Home. Everything sets up fine until I try to setup a route for the soundcard port. I get a "Packet engine pro shuts down abnormally" message. I installed the TCPIP virtual driver and everything else looks normal. Are there any other things I've missed in setting up the TCPIP stuff.
BTW, I have WiFi, Bluetooth, and ethernet interfaces all working through the XP bridge along with the virtual port for PEPro. I'm sure I've overlooked something, just not sure what?

Steve Hester - K5STV

As soon as I get this working, I will be registering!

Yahoo! Groups Links

219. Re: [agwpe_pro] Digest Number 103

Yahoo group: agwpe_pro
Date: 2004-05-13 10:32:17 UTC
From: Phillip
Topic: 219 Message: 219
Attachments: 1 described; binary payloads are missing from this source WARC

Hi George and Ralph,

Ok after trashing the PC OS when trying to install old versions of Soundcard drivers I now have a C-Media Home theater sound card installed and running the WIN 95 version.
CMAUDIO.VXD

Why can't AGWPE Pro run the WMD WIN 98SE sound files ? Surely going back to a now unsupported
OS file is looking for trouble.

As to the path of the extracted HELP files they are all in the correct DIRs as per the original extraction.

I have done the following to track where Explorer is telling me to look ..

I clicked on PORT Properties Result file not found : looked at the Properties of that Link it is looking for the link in MY DOCUMENTS and not in the DIR that they are in.

The files are in the DIRs as you say Ralph so why is the Help HTM telling Explorer to look elsewhere.

Is this a setup problem here ?

73 Phillip

Message: 2
Date: Sun, 9 May 2004 11:57:22 -0400
From: "Ralph Milnes" <ralphmilnes@...>
Subject: RE: Digest Number 102

Phillip wrote:

>I have done as you have said i have extracted your HELP file ..

>There appears to be a problem with the HELP file it can't find the GIFs and other data .
>I look at the Link in the DOC and it tells me that the GIFs are in IMAGES Dir yet I can not find them..
>I get page not found yet I can manually find them ..

When you extract the file, make sure you let the extraction program extract files to the folders noted. For example, most (but not all) bmp, gif and jpg files must go into a "Help\Images" folder. (Other images go in the main "Help" folder and some also go in a "Help\Images|Sound Card" folder.) Rather than give a list of which images go in each folder, see if your un-zip

program has a switch to "Use Folder Names". WinZip does.

>I have so far found out that I can't copy 1200 baud self generated packet either via sound card, i get no Modem green Light. I checked all settings etc ..

>I did have everything set right for 300 bd I had the waterfall with the signal between the 2 lines

How did you "self generate" the packet tones?

Generally, if AGWPE isn't decoding the packets after you set the mixer volume settings correctly, it's one of 3 things:

1. The packets received at your antenna are poor quality -- to weak, distorted, incomplete/clipped
2. Noise at your station is distorting the RX audio -- ground loops (no isolation transformer on the RX cable), RFI from other sources (such as your monitor), no shielding on the RX cable.
3. The sound card driver isn't correct -- look for an update/VXD driver (for Win 98):

Chris N0TTW posted this suggestion in December:

" It seems that many of us are using sound cards with Windows operating systems of 98SE and beyond. I see that WIN95 and the WIN98 doesn't have as much problems as the others systems. I'm not sure about XP, but I do work with the other operating systems.

I tried this on 3 computers and ran 98SE, ME, 2000 on these computers to check the drivers.If you have Win98SE, ME or 2000 and are having receiving problems.... check and see what drivers you are running for the sound card. You need to run the VXD drivers, and not the WDM type (used by 98SE and above). Here are the steps to find out what driver:

1: On the desktop, right-click the "My Computer" and select "properties"

2: Click on the "Device Manager" tab.

3: Scroll down until you see "Audio, video and game controllers" and click the "+" sign to expand it if it isn't expanded already.

4: Look to see if the audio driver (usually the first one) states WDM in it's name or any of it's associated files.

(a) If your files don't say anything, then click the the audio driver and select the "Properties" button. On the new pop-up window select the tab "Drivers"

(b) If this doesn't say WDM on anything (which is rare), then click the button "Driver File Details...".

(c) If you have any drivers in the WINDOWS\SYSTEM32\DRIVERS directory, then we need to assume they are WDM.

If you do have WDM drivers, you need to download the WIN95 drivers. These drivers are VXD type. You may have noticed that some of your drivers may say VXD, but that may not be the case as I found out.

Removal of your existing drivers can variate from an un-install program, to manually removing them. I recommend removing these files with the supplied un-install program if possible. Even with the uninstall program, you may have to remove the INF file in the WINDOWS\INF directory. You will need to know the INF file name.

--> (KC2RLM note: make sure you coould re-install the current (WDM) drivers if this suggestion doesn't work out. You should have the original sound card installation disk or a downloaded installation file.)

Download the drivers for Windows *95* for your specific sound card. The reason I mention downloading is that most supplied sound card drivers on the disk/CD that came with the card are already out of date.

Better to get the latest version. Remember WHERE you stored the Win 95 driver. I recommend making a directory in your root drive called AUDIO and storing your driver file there on download. Then make sure you unzip, expand or whatever is required to that directory as well.

After you do this, it is recommended that you reboot the computer.

Once you do this, windows will boot up and state that it has found some new hardware or sound card. Tell windows WHERE you placed your Win 95 driver, rather than having it search for the driver. If you let it search, it will load the WDM drivers and you will have to start all over again." -- end quote.

I hope this helps.

73, Ralph

[This message contained attachments]

Yahoo! Groups Links

.

220. Thanks

Yahoo group: agwpe_pro
Date: 2004-05-21 21:36:08 UTC
From: Phillip
Topic: 220 Message: 220

Hi All,
Well I would like to thank Ralph and George for helping out.

I suspect it could have been a bad soundcard driver, I don't really know.

As I said earlier i tried to revert to an old WIN95 driver (VXD) and this sent WIN 89se into a spin and i basically trashed the OS.

I did a complete reload of Win 98SE and also replaced the soundcard with a new one and then loaded the
supplied VXD drivers Yes it worked I am getting some really good VK copy from VK3MY the odd ZL and 1 VE station. 10.151.00 LSB

I am running my data out from the data port on the Kenwood TS 140s it is direct with no decoupling or transformer. The signal out is clean there is no earth loops or distortion. (earth is only connected at 1 end) This is fed into the Line In on the sound card

What I have noticed is that the audio from the data out port on the TS 140 s is not that high and I have to run the Volumes all on FULL in AGWPE-PRO and the Mixer.

Is there an adjustment inside the TS140 to give it some more output drive ????

Also i mentioned a problem with the New HELP Files Ralph is sorting this out there is a directory path error and some links go to a wrong Dir.

73 Phillip
ZL2TZE

221. AGWPE does not rx

Yahoo group: agwpe_pro
Date: 2004-06-07 01:53:12 UTC
From: kc0nnt
Topic: 221 Message: 221

I have read all the posts and help files, web sites etc. Have tried mono and stereo cables, line in, mic in, etc. The program detects the rx source and set up without error, just no rx, the modem light icon is not ligthing and the monitor screen shows no data being rx....any ideas.... I am at a loss...
THX
RT

222. RE: [agwpe_pro] AGWPE does not rx

Yahoo group: agwpe_pro
Date: 2004-06-07 13:43:42 UTC
From: Ralph Milnes
Topic: 221 Message: 222

Randy,

Are you seeing *any* signals in the sound card tuning aid of PE Pro?

Forgetting about PE Pro, can you see any audio signals in the Windows' Sound Recorder?
http://patmedia.net/ralphmilnes/soundcardpacket/probrx.htm

This basic test can help sort out where the problem lies.

Ralph KC2RLM

> -----Original Message-----
> From: kc0nnt [mailto:randyt@...]
> Sent: Sunday, June 06, 2004 9:53 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE does not rx
>
> I have read all the posts and help files, web sites etc. Have
> tried mono and stereo cables, line in, mic in, etc. The
> program detects the rx source and set up without error, just
> no rx, the modem light icon is not ligthing and the monitor
> screen shows no data being rx....any ideas.... I am at a loss...
> THX
> RT
>
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ----------------------~--> Yahoo! Domains - Claim yours for
> only $14.70 http://us.click.yahoo.com/Z1wmxD/DREIAA/yQLSAA/ELTolB/TM
> ---
> -------~->
>
>
> Yahoo! Groups Links
>
>
>
>

223. Re: [agwpe_pro] AGWPE does not rx

Yahoo group: agwpe_pro
Date: 2004-06-07 14:58:16 UTC
From: Randall Taylor
Topic: 221 Message: 223

Thanks for the quick reply,
Yes, I do see signals and hear the packets...

I loaded it on a different PC and it works fine.
The PC with the problem has the soundcard built into the motherboard,
so I am thinking it is too wimpy...
THX
RT
----- Original Message -----
From: Ralph Milnes
To: agwpe_pro@yahoogroups.com
Sent: Monday, June 07, 2004 6:43 AM
Subject: RE: [agwpe_pro] AGWPE does not rx

Randy,

Are you seeing *any* signals in the sound card tuning aid of PE Pro?

Forgetting about PE Pro, can you see any audio signals in the Windows' Sound
Recorder?
http://patmedia.net/ralphmilnes/soundcardpacket/probrx.htm

This basic test can help sort out where the problem lies.

Ralph KC2RLM

> -----Original Message-----
> From: kc0nnt [mailto:randyt@...]
> Sent: Sunday, June 06, 2004 9:53 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE does not rx
>
> I have read all the posts and help files, web sites etc. Have
> tried mono and stereo cables, line in, mic in, etc. The
> program detects the rx source and set up without error, just
> no rx, the modem light icon is not ligthing and the monitor
> screen shows no data being rx....any ideas.... I am at a loss...
> THX
> RT
>
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ----------------------~--> Yahoo! Domains - Claim yours for
> only $14.70 http://us.click.yahoo.com/Z1wmxD/DREIAA/yQLSAA/ELTolB/TM
> ---

> ------~->
>
>
> Yahoo! Groups Links
>
>
>
>

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

224. Sally 4 AGWPE_PRO?

Yahoo group: agwpe_pro
Date: 2004-06-16 19:27:51 UTC
From: Richard
Topic: 224 Message: 224

Hi All,

Can anyone point me to a working link to download a copy of the pms software 'Sally'. I know it is not supported by its author anymore but need a pms to work with agwpe_pro and is the only one I know of.

73
Richard

225. Re: [agwpe_pro] Sally 4 AGWPE_PRO?

Yahoo group: agwpe_pro
Date: 2004-06-15 20:10:33 UTC
From: Joop Lankhaar
Topic: 224 Message: 225

here is a link for Sally
virtual.xs4all.nl/nl3asd/sally.html
73 Joop PA1JLG
----- Original Message -----
From: Richard
To: agwpe_pro@yahoogroups.com
Sent: Wednesday, June 16, 2004 9:27 PM
Subject: [agwpe_pro] Sally 4 AGWPE_PRO?

Hi All,

Can anyone point me to a working link to download a copy of the
pms software 'Sally'. I know it is not supported by its author
anymore but need a pms to work with agwpe_pro and is the only
one I know of.

73
Richard

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

226. Re: Sally 4 AGWPE_PRO?

Yahoo group: agwpe_pro
Date: 2004-06-16 22:01:38 UTC
From: Richard
Topic: 224 Message: 226

Thanks Joop,

Just what I was looking for.

73 Richard GW1JFV

--- In agwpe_pro@yahoogroups.com, "Joop Lankhaar"
<pa1jlg@k...> wrote:
> here is a link for Sally
> virtual.xs4all.nl/nl3asd/sally.html
> 73 Joop PA1JLG

227. LPT PTT

Yahoo group: agwpe_pro
Date: 2004-06-19 22:15:01 UTC
From: andrea097
Topic: 227 Message: 227

Hello,
i have a problem with AGW and AGWPRO for the LPT PTT system.

I have configured, and added for AGW, the driver for work with the LTP, but when I turn on the PC (PIII 500 with XP SP1) the radio go in tx mode.
I have used the schematic diagram with 2N2222, in the RS232 mode it work.

Can you please help me ?

Thanks

228. LPT PTT switch

Yahoo group: agwpe_pro
Date: 2004-06-19 22:32:18 UTC
From: Andrea
Topic: 228 Message: 228

Hello,
i have a problem with AGW and AGWPRO for the LPT PTT system.

I have configured, and added for AGW, the driver for work with the LTP, but when I turn on the PC (PIII 500 with XP SP1) the radio go in tx mode.
I have used the schematic diagram with 2N2222, in the RS232 mode it work.

Can you please help me ?

Thanks

229. Re: [agwpe_pro] LPT PTT switch

Yahoo group: agwpe_pro
Date: 2004-06-20 15:57:41 UTC
From: (SV2AGW)George Rossopoulos
Topic: 228 Message: 229

Hi

have you put in series a diode?
if not add it.

Another problem is that XP/2000 set the pins in LPT port.
In that case you need a small utility i wrote a few years ago to turn off.
I am not at home and i cannot tell if the program is in my downloads
section.

for the moment you can run Packet Engine and then close it to turn off the
ptt.

When back i will tell you where is the utility to download it.

73

(SV2AGW) George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...

----- Original Message -----
From: "Andrea" <andrea097@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Sunday, June 20, 2004 1:32 AM
Subject: [agwpe_pro] LPT PTT switch

> Hello,
> i have a problem with AGW and AGWPRO for the LPT PTT system.
>
> I have configured, and added for AGW, the driver for work with the
> LTP, but when I turn on the PC (PIII 500 with XP SP1) the radio go in
> tx mode.
> I have used the schematic diagram with 2N2222, in the RS232 mode it
> work.
>
> Can you please help me ?
>
> Thanks
>
>
>
>
>
>
> Yahoo! Groups Links
>

>
>
>
>

230. RE: [agwpe_pro] LPT PTT switch

Yahoo group: agwpe_pro
Date: 2004-06-20 16:21:53 UTC
From: Ralph Milnes
Topic: 228 Message: 230

Andrea,

This was a fix reported for a problem in WinXP with the DTR pin on the *serial* (COM) port starting up with voltage and causing the radio to transmit. I do not know if it will fix the LPT port with the same problem. From the MFJ site:

"The fix for this problem is to go to the Device Manager within Windows XP and removing all of the Communication Ports, or COM ports, as listed under "Ports (COM & LPT)". After removing these ports from the Device Manager, re-boot Windows XP and it will re-install all of the drivers for these ports. This should fix the problem."

Try it and let us know.

Also you say it works OK with the RS232 port -- the COM port? I assume you then made a different connector (DB25?) for the LPT. Which pins in the DB25 are you using? Did you test the cable to make sure it is not the problem -- no short circuits, etc.? You can test it by putting a 9volt battery to the DB25 to simulate the computer's voltage. The battery voltage will make the radio TX; remove the battery and it should not.

Ralph KC2RLM

> -----Original Message-----
> From: Andrea [mailto:andrea097@...]
> Sent: Saturday, June 19, 2004 6:32 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] LPT PTT switch
>
> Hello,
> i have a problem with AGW and AGWPRO for the LPT PTT system.
>
> I have configured, and added for AGW, the driver for work
> with the LTP, but when I turn on the PC (PIII 500 with XP
> SP1) the radio go in tx mode.
> I have used the schematic diagram with 2N2222, in the RS232
> mode it work.
>
> Can you please help me ?
>
> Thanks
>
>
>
>

> ---------- Yahoo! Groups Sponsor
> ----------~--> Yahoo! Domains - Claim yours for
> only $14.70 http://us.click.yahoo.com/Z1wmxD/DREIAA/yQLSAA/ELTolB/TM
> ----------
> ------~->
>
>
> Yahoo! Groups Links
>
>
>
>

231. Upgrade and baycom problems

Yahoo group: agwpe_pro
Date: 2004-06-23 09:14:54 UTC
From: Andrea
Topic: 231 Message: 231

Hello,
Where I can find the file to upgrade AGWPEPRO?
The tool of the program don't work.
The baycom moden, under XP, don't work.

Can you help me?

232. RE: [agwpe_pro] Upgrade and baycom problems

Yahoo group: agwpe_pro
Date: 2004-06-23 13:55:18 UTC
From: Ralph Milnes
Topic: 231 Message: 232

The Baycom may or may not work with AGWPE Pro and Windows XP. It depends on the serial port-type in your computer. It will only work with older, non-ACPI serial ports. ACPI, a power management protocol, has been the standard on computers for many years now, so it depends on the age of your computer.

If you have a ACPI-compliant motherboard/serial port, one possible workaround is to install an additional serial port card. Any ISA card should work because it will be non-ACPI compliant.

I fyou have PE Pro installed already, use the Live Update feature in the program

For a new install, download it from:
http://64.87.74.149/sv2agw/pepro_setup.zip

Ralph KC2RLM

> -----Original Message-----
> From: Andrea [mailto:andrea097@...]
> Sent: Wednesday, June 23, 2004 5:15 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Upgrade and baycom problems
>
> Hello,
> Where I can find the file to upgrade AGWPEPRO?
> The tool of the program don't work.
> The baycom moden, under XP, don't work.
>
> Can you help me?
>
>

233. AGWPE /PRO with sound blaster

Yahoo group: agwpe_pro
Date: 2004-07-01 20:35:04 UTC
From: andrea097
Topic: 233 Message: 233

I have tested, in the afternoon, the agwpe /pro, with sounblaster of my notebook.(WIN2K)
With my desktop(WIN2K) it work very vell, but my notebook don't work.(i have too insert the isolator trasformer with and out)
I have tested agwpe, last year, and notebook soudblaster worked.

The volume levels are same for both the configurations...and it are goods!!!

I am disconcerted.

Bye and i go to bed

Andrea

234. Packet Engine Pro ver 2004.730

Yahoo group: agwpe_pro
Date: 2004-07-03 08:31:03 UTC
From: (SV2AGW)George Rossopoulos
Topic: 224 Message: 234

Hi

New Packet Engine Pro Version.

Radioports Sharing

New 1200b Soundcard Modem

New Help (Thank you Ralph)

Uicro USB TNC support.

Various bug fixes, and updates.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

235. Re: [agwpe_pro] Packet Engine Pro ver 2004.730

Yahoo group: agwpe_pro
Date: 2004-07-04 04:07:50 UTC
From: hasan Schiers
Topic: 224 Message: 235

Installed and running. The only thing I can't make work is the http interface. Even on the same computer I can't use the web browser to connect to the page. It just gives an error, page not available. I changed the port to 82, since 80 is being used by ui-view32's web server. I even turned the firewall off and it made no difference. I also turned off ui-view32 web server, changed port in agwpe pro to 80 and it still wouldn't work. I'm betting I'm doing something really stupid <g>.

So...how do we get the http interface to work?

Thanks for the update, now it's time to see how long it will run before it stops working (prior version had to be rebooted every 2.5 days or so, or it would go deaf.)

73,

...hasan, N0AN
----- Original Message -----
From: (SV2AGW)George Rossopoulos
To: agwpe_pro@yahoogroups.com
Sent: Saturday, July 03, 2004 3:31 AM
Subject: [agwpe_pro] Packet Engine Pro ver 2004.730

Hi

New Packet Engine Pro Version.

Radioports Sharing

New 1200b Soundcard Modem

New Help (Thank you Ralph)

Uicro USB TNC support.

Various bug fixes, and updates.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

236. Re: [agwpe_pro] Packet Engine Pro ver 2004.730

Yahoo group: agwpe_pro
Date: 2004-07-04 14:52:00 UTC
From: Ralph Milnes
Topic: 224 Message: 236
Attachments: 2 described; binary payloads are missing from this source WARC

Hasan,

1. Make sure the interface is "enabled" from the OTHER menu: select "HTTP interface" and then check the enable box.
2. Make sure you have the .html files in the HTTP folder under your main PE Pro folder, particularly index.html

Ralph KC2RLM

At 11:07 PM 7/3/2004 -0500, you wrote:
>Installed and running. The only thing I can't make work is the http
>interface. Even on the same computer I can't use the web browser to
>connect to the page. It just gives an error, page not available. I changed
>the port to 82, since 80 is being used by ui-view32's web server. I even
>turned the firewall off and it made no difference. I also turned off
>ui-view32 web server, changed port in agwpe pro to 80 and it still
>wouldn't work. I'm betting I'm doing something really stupid <g>.
>
>So...how do we get the http interface to work?
>
>Thanks for the update, now it's time to see how long it will run before it
>stops working (prior version had to be rebooted every 2.5 days or so, or
>it would go deaf.)
>
>73,
>
>...hasan, N0AN
>----- Original Message -----
>From: <mailto:sv2agw@...>(SV2AGW)George Rossopoulos
>To: <mailto:agwpe_pro@yahoogroups.com>agwpe_pro@yahoogroups.com
>Sent: Saturday, July 03, 2004 3:31 AM
>Subject: [agwpe_pro] Packet Engine Pro ver 2004.730
>
>Hi
>
>New Packet Engine Pro Version.
>
>Radioports Sharing
>
>New 1200b Soundcard Modem
>
>New Help (Thank you Ralph)
>
>Uicro USB TNC support.
>

>Various bug fixes, and updates.
>
>73
>
>
>(SV2AGW)George Rossopoulos
><mailto:sv2agw@...>sv2agw@...
>www.elcom.gr/sv2agw
>+306932465216
>George Rossopoulos
>Nikanoros 59
>54250,Thessaloniki
>Greece
>
>
>
>
>
>
>Yahoo! Groups Sponsor
>ADVERTISEMENT
><http://us.ard.yahoo.com/SIG=129cdn4id/M=295196.4901138.6071305.3001176/D=groups/S=170506
3108:HM/EXP=1089000582/A=2128215/R=0/SIG=10se96mf6/*http://companion.yahoo.com>eff45.jpg
>f00f3.jpg
>
>
>----------
>Yahoo! Groups Links
> * To visit your group on the web, go to:
> *
> <http://groups.yahoo.com/group/agwpe_pro/>http://groups.yahoo.com/group/agwpe_pro/
>
> *
> * To unsubscribe from this group, send an email to:
> *
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>agwpe_pro-unsubscribe@
yahoogroups.com
>
> *
> * Your use of Yahoo! Groups is subject to the
> <http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

237. AGWPE Pro JNOS

Yahoo group: agwpe_pro
Date: 2004-07-08 01:27:00 UTC
From: James K. Darrow
Topic: 237 Message: 237

Has anyone been able to use JNOS's telnet server with AGWPE Pro? If so could you tell me how its done. I'm new to JNOS.

Jim KB9MMC

238. AGWPE pro, serial loopback emulator and Wisp

Yahoo group: agwpe_pro
Date: 2004-07-28 16:52:25 UTC
From: k6ux2003
Topic: 238 Message: 238

Has anyone had any luck getting Wisp to work with AGWPE pro and the loopback emulator? Wisp seems to be able to key the transmitter and send a packet, but doesn't hear any of the packets coming down from a variety of 9600 baud packet satellites.

AGWPE pro + the loopback work well with tlmEcho and various other KISS terminal programs that I've tried, so I think that I have things set up correctly from a configuration standpoint. I've put a hyperterminal session on the loopback and I can see that data is getting passed, but I'm at a loss on this one. I've tried a variety of MSPE tnc startup commands, but still no luck.
TNX,
Steve

239. Kenwood D7A (g) and KISS Mode

Yahoo group: agwpe_pro
Date: 2004-08-02 21:16:34 UTC
From: Ralph Milnes
Topic: 239 Message: 239

Has anyone been able to get the Kenwood D7A (g version) to work with AGWPE or AGWPE Pro in KISS mode?

Hasan has asked this before and George suggesting increasing the TXDelay to 60.

But neither Hasan N0AN or I have been able to get the D7A to work in KISS mode. It will work in normal (non-AGWPE) packet mode but not in KISS mode. It hears OK but nothing it sends can be decoded.

Ralph KC2RLM

240. Re: Kenwood D7A (g) and KISS Mode

Yahoo group: agwpe_pro
Date: 2004-08-17 01:36:16 UTC
From: Joseph Leitsch
Topic: 239 Message: 240

I have tried it with the same results on both 1200 and 9600 bps.
increasing TXD just sends more flags, but no data.

With no hardware flow control on the TH-d7 and small buffer resources
I'd bet there would be problems with long term operations in KISS
mode...

My 2.5 cents...

Joe, K4DMU, Louisville, KY

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...>
wrote:
> Has anyone been able to get the Kenwood D7A (g version) to work
with AGWPE
> or AGWPE Pro in KISS mode?
>
> Hasan has asked this before and George suggesting increasing the
TXDelay to
> 60.
>
> But neither Hasan N0AN or I have been able to get the D7A to work
in KISS
> mode. It will work in normal (non-AGWPE) packet mode but not in
KISS mode.
> It hears OK but nothing it sends can be decoded.
>
> Ralph KC2RLM

241. AGW Pro serial TNC problems

Yahoo group: agwpe_pro
Date: 2004-08-29 20:56:55 UTC
From: ml41782
Topic: 241 Message: 241

I can make the TNC Transmit but its not receiving any traffic.

I can shut down AGW and use hyperterminal and it works perfectly.

any thoughts ?

242. New person with a receive problem

Yahoo group: agwpe_pro
Date: 2004-08-29 21:10:54 UTC
From: ml41782
Topic: 242 Message: 242

OK so many folks arew using this so I decided to come back and give it a try. Still there is the same old problem. Hyperterminal works and AGW pro doesn't.

The program can make the TNC transit but I don't get anything in the Mheard list.

These are 2 TNCs Kantronics KPC9612 & KPC3+. One on serial port 2 and the other on serial port 3.
Now the 9612 is running 5.2 firmware. KPC3+ is running 8.2.
Neither of these 2 TNCs would flash thier station lighte during the setup. Well that must have been the first concern. Since the program didn't want to let me proceed until that worked. I have tried Kiss and Xkiss modes. Niether one seem to make a difference.

Any thoughts here would be appriciated. I'm trying to setup Paclink for our area ARES group.

\mike

243. RE: [agwpe_pro] New person with a receive problem

Yahoo group: agwpe_pro
Date: 2004-08-29 22:26:57 UTC
From: Manos Darkadakis
Topic: 242 Message: 243

Hello Mike
I have here both tnc's mentioned working perfectly with AGW-Pro. First the flashing of the leds is not a problem as none of them will do it. This is a procedure normally seen on typical tnc-2 (MFJ, Paccom, etc). Try to do the following, put tnc's manually in kiss with hyperterminal by issuing commands "int kiss" - "reset" (Kantronics needs reset not restart). Then load AGW and see if it works, if not try the older versions of agw wchich doesn't need registration and see if the problem is solved.

73 Manos SV1IW

-----Original Message-----
From: ml41782 [mailto:ml41782@...]
Sent: Monday, August 30, 2004 12:11 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New person with a receive problem

OK so many folks arew using this so I decided to come back and give it a try. Still there is the same old problem. Hyperterminal works and AGW pro doesn't.

The program can make the TNC transit but I don't get anything in the Mheard list.

These are 2 TNCs Kantronics KPC9612 & KPC3+. One on serial port 2 and the other on serial port 3.
Now the 9612 is running 5.2 firmware. KPC3+ is running 8.2.
Neither of these 2 TNCs would flash thier station lighte during the setup. Well that must have been the first concern. Since the program didn't want to let me proceed until that worked. I have tried Kiss and Xkiss modes. Niether one seem to make a difference.

Any thoughts here would be appriciated. I'm trying to setup Paclink for our area ARES group.

\mike

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://us.ard.yahoo.com/SIG=129mo4g4q/M=298184.5285298.6392945.3001176/D=groups/S=1705063108:HM/EXP=1093901612/A=2319501/R=0/SIG=11tq0u909/*http://www.netflix.com/Default?mqso=60185353&partid=5285298> click here

<http://us.adserver.yahoo.com/l?M=298184.5285298.6392945.3001176/D=groups/S=:HM/A=2319501/rand=711827655>

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

244. Debug log

Yahoo group: agwpe_pro
Date: 2004-09-04 05:03:45 UTC
From: gerry_macd2000
Topic: 244 Message: 244

Could someone explain to me how to find the "AGWPE.log" file.
This file is used to capture the monitor data for debugging

thanks

Gerry
VE6QLT

245. Registration

Yahoo group: agwpe_pro
Date: 2004-09-03 23:14:07 UTC
From: kenwood1995
Topic: 245 Message: 245

Is the registration for PE PRO also good for AGW TRACKER?

VE9MB

246. Re: [agwpe_pro] Debug log

Yahoo group: agwpe_pro
Date: 2004-09-04 06:18:18 UTC
From: Gary Jacobs
Topic: 244 Message: 246

Good Day Gerry,
If you are using a microsoft product for an OS just click on find or search depending on the version of software that is your Windows Operating System. Under file name type AGWPE.log and make sure that "Search in..." is set to C:\. My log was located in C:\Program Files\AGWSoft\PacketEnginePro. Hope this helps. Regards, Gary WA4PDM in Henderson, NV.

On Sep 3, 2004, at 10:03 PM, gerry_macd2000 wrote:

> Could someone explain to me how to find the "AGWPE.log" file.
> This file is used to capture the monitor data for debugging
>
> thanks
>
> Gerry
> VE6QLT
>
>
>
>
>
> Yahoo! Groups Sponsor
>
> ADVERTISEMENT
> <lrec_companion_043004.gif>
> <l.gif>
>
> Yahoo! Groups Links
>
> • To visit your group on the web, go to:
> http://groups.yahoo.com/group/agwpe_pro/
>
> • To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
> • Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>

247. RE: [agwpe_pro] Debug log

Yahoo group: agwpe_pro
Date: 2004-09-05 07:45:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 244 Message: 247

Hi

to find a file it must exists.
Have you enabled the Log file capture?
From Left Menu select "Other.." and enable the LOG.

Have in mind that this file may become huge, so turn it off or delete from
time to time.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

From: Gary Jacobs [mailto:jacobsg@...]
Sent: Saturday, September 04, 2004 9:18 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Debug log

Good Day Gerry,
If you are using a microsoft product for an OS just click on find or search
depending on the version of software that is your Windows Operating System.
Under file name type AGWPE.log and make sure that "Search in..." is set to
C:\. My log was located in C:\Program Files\AGWSoft\PacketEnginePro. Hope
this helps. Regards, Gary WA4PDM in Henderson, NV.

On Sep 3, 2004, at 10:03 PM, gerry_macd2000 wrote:

Could someone explain to me how to find the "AGWPE.log" file.
This file is used to capture the monitor data for debugging

thanks

Gerry
VE6QLT

Yahoo! Groups Sponsor

ADVERTISEMENT
<lrec_companion_043004.gif>

<l.gif>

Yahoo! Groups Links

. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

248. PK900 problem

Yahoo group: agwpe_pro
Date: 2004-09-06 19:38:13 UTC
From: Dave K6DLW
Topic: 248 Message: 248

Hello to the group. I recently installed AGWPE and cannot get it to talk to my PK900. Anyone have any suggestions? Thanks.
Dave K6DLW

249. RE: [agwpe_pro] PK900 problem

Yahoo group: agwpe_pro
Date: 2004-09-07 08:22:29 UTC
From: (SV2AGW)George Rossopoulos
Topic: 248 Message: 249

Hi

PK900 is supported well.
Just read its manual to see how it enters KISS mode.
It needs some extra commands which you should enter using Hyperterminal.
After that PE will use it without problem

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Dave K6DLW [mailto:k6dlw@...]
Sent: Monday, September 06, 2004 10:38 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PK900 problem

Hello to the group. I recently installed AGWPE and cannot get it to talk to
my PK900. Anyone have any suggestions? Thanks.
Dave K6DLW

---------- Yahoo! Groups Sponsor ----------~--> Make
a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

250. BP-96 (PICPAR) Support in Windows XP??

Yahoo group: agwpe_pro
Date: 2004-09-09 04:54:18 UTC
From: xwastaken
Topic: 250 Message: 250

Hi guys. Does anyone know when PE Pro will support the BP-96 (PICPAR) 9600 baud parallel (printer) port modem in Windows XP? I searched the archives for the answer to this question but could not find it. Please help... Thank you.

Chad

251. Re: [agwpe_pro] PK900 problem

Yahoo group: agwpe_pro
Date: 2004-09-10 02:35:58 UTC
From: Dave K6DLW
Topic: 248 Message: 251

Hi George,
Thanks. I was finally able to figure it out. The high order bit has to be
set for the correct radio port so for vhf packet it is $11.
Dave

----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Tuesday, September 07, 2004 1:22 AM
Subject: RE: [agwpe_pro] PK900 problem

>
> Hi
>
> PK900 is supported well.
> Just read its manual to see how it enters KISS mode.
> It needs some extra commands which you should enter using Hyperterminal.
> After that PE will use it without problem
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: Dave K6DLW [mailto:k6dlw@...]
> Sent: Monday, September 06, 2004 10:38 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PK900 problem
>
> Hello to the group. I recently installed AGWPE and cannot get it to talk
> to
> my PK900. Anyone have any suggestions? Thanks.
> Dave K6DLW
>
>
>
>

> ---------- Yahoo! Groups Sponsor ----------~-->
> Make
> a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
> Now with Pop-Up Blocker. Get it for free!
> http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
> ----------~->
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

252. RE: [agwpe_pro] PK900 problem

Yahoo group: agwpe_pro
Date: 2004-09-10 08:00:23 UTC
From: (SV2AGW)George Rossopoulos
Topic: 248 Message: 252

Hi

The wizzard sets correctly the command "KISS 11".
What else have you done??

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Dave K6DLW [mailto:k6dlw@...]
Sent: Friday, September 10, 2004 5:36 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] PK900 problem

Hi George,
Thanks. I was finally able to figure it out. The high order bit has to be
set for the correct radio port so for vhf packet it is $11.
Dave

----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Tuesday, September 07, 2004 1:22 AM
Subject: RE: [agwpe_pro] PK900 problem

>
> Hi
>
> PK900 is supported well.
> Just read its manual to see how it enters KISS mode.
> It needs some extra commands which you should enter using Hyperterminal.
> After that PE will use it without problem
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw

> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: Dave K6DLW [mailto:k6dlw@...]
> Sent: Monday, September 06, 2004 10:38 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PK900 problem
>
> Hello to the group. I recently installed AGWPE and cannot get it to talk
> to
> my PK900. Anyone have any suggestions? Thanks.
> Dave K6DLW
>
>
>
>
> ---------- Yahoo! Groups Sponsor ----------~-->
> Make
> a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
> Now with Pop-Up Blocker. Get it for free!
> http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
> ~-->
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

Yahoo! Groups Links

253. WINXP SP2 and TCPIP Over radio adapter problem.

Yahoo group: agwpe_pro
Date: 2004-09-10 18:45:44 UTC
From: (SV2AGW)George Rossopoulos
Topic: 253 Message: 253

Hi

If you install WINXP SP2 you will notice that the Tcpip over radio adapter
does not appear in the Network Connections view and you cannot configure it.
The solution is to uninstall the driver and to install the new winxp driver
which is in the drivers.zip and tcpipXP.zip.

In my site there are detailed instructions.

73

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

254. key

Yahoo group: agwpe_pro
Date: 2004-09-11 00:09:56 UTC
From: richard_gibbs6
Topic: 254 Message: 254

i am not able to put key in may be i am not using right format thanks
rich gibbs wb6rcp

255. Re: [agwpe_pro] PK900 problem

Yahoo group: agwpe_pro
Date: 2004-09-11 02:04:54 UTC
From: Dave K6DLW
Topic: 248 Message: 255

Hi George,
I set it to kiss $11. Needs to be hex not decimal.
73
Dave

----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Friday, September 10, 2004 1:00 AM
Subject: RE: [agwpe_pro] PK900 problem

> Hi
>
> The wizzard sets correctly the command "KISS 11".
> What else have you done??
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: Dave K6DLW [mailto:k6dlw@...]
> Sent: Friday, September 10, 2004 5:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] PK900 problem
>
> Hi George,
> Thanks. I was finally able to figure it out. The high order bit has to be
> set for the correct radio port so for vhf packet it is $11.
> Dave
>
> ----- Original Message -----
> From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Tuesday, September 07, 2004 1:22 AM
> Subject: RE: [agwpe_pro] PK900 problem
>

>
> >
> > Hi
> >
> > PK900 is supported well.
> > Just read its manual to see how it enters KISS mode.
> > It needs some extra commands which you should enter using Hyperterminal.
> > After that PE will use it without problem
> >
> > 73
> >
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@...
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> > -----Original Message-----
> > From: Dave K6DLW [mailto:k6dlw@...]
> > Sent: Monday, September 06, 2004 10:38 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] PK900 problem
> >
> > Hello to the group. I recently installed AGWPE and cannot get it to talk
> > to
> > my PK900. Anyone have any suggestions? Thanks.
> > Dave K6DLW
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >

> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

256. RE: [agwpe_pro] New person with a receive problem

Yahoo group: agwpe_pro
Date: 2004-09-12 01:03:50 UTC
From: Michael Panger
Topic: 242 Message: 256

I replaced the battery and upgraded the bios and the problem went away.

Do you Yahoo!?
Shop for Back-to-School deals on Yahoo! Shopping.

257. sound card packet advice?

Yahoo group: agwpe_pro
Date: 2004-09-14 01:23:12 UTC
From: Bill Hosking W7JSW
Topic: 257 Message: 257

I'm running latest version of PE PRo on a 1.7G P4 w/sound card built in.Using direct s/c connect to a VHF FM xceiver to run 1200B Packet.

Across the room I have another vhf xcvr/kpc-3 normally my aprs monitor.

After installing & setup of PEPRO as a sound card tnc and using AGWTermTCP I tried to connect to radio across room..no luck. Using the other side radio I got an immediate connect back to the PEPRO side (eventually retried out trying to ACK)

Obvious, PEPRO would receive 1200b packet fine but not xmit. I also have a comm analyzer in the shack so I looked at the transmission from the PEPRO side and adjusted the xmit audio to about 2.5KHz deviation...still didn't work.

After 2 days I gave up, set up a tnc channel(rs232) in PEPRO, put on a 9612 and in 5 minutes had it working perfectly. My Winlink node is on the air with the TNC which satisfies my immediate goal.

However, I would like to know if anyone has ideas as to why the transmit side of the sound card tnc did not work.

Thanks & 73
Bill W7JSW

258. RE: [agwpe_pro] sound card packet advice?

Yahoo group: agwpe_pro
Date: 2004-09-14 22:47:11 UTC
From: Ralph Milnes
Topic: 257 Message: 258

Bill,

So two things were changed out to make it work -- the sound card and the interface.

What kind of interface were you using?

It might be interesting to see what happens if computer #2 ran with PE Pro, the interface and radio #1, while computer #1 ran with the radio #2 and the KPC-3? In other words, swap some components and see if it's the sound card perhaps something else.

Ralph

From: Bill Hosking W7JSW [mailto:hoskingb@...]
Sent: Monday, September 13, 2004 9:23 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] sound card packet advice?

I'm running latest version of PE PRo on a 1.7G P4 w/sound card built in.Using direct s/c connect to a VHF FM xceiver to run 1200B Packet.

Across the room I have another vhf xcvr/kpc-3 normally my aprs monitor.

After installing & setup of PEPRO as a sound card tnc and using AGWTermTCP I tried to connect to radio across room..no luck. Using the other side radio I got an immediate connect back to the PEPRO side (eventually retried out trying to ACK)

Obvious, PEPRO would receive 1200b packet fine but not xmit. I also have a comm analyzer in the shack so I looked at the transmission from the PEPRO side and adjusted the xmit audio to about 2.5KHz deviation...still didn't work.

After 2 days I gave up, set up a tnc channel(rs232) in PEPRO, put on a 9612 and in 5 minutes had it working perfectly. My Winlink node is on the air with the TNC which satisfies my immediate goal.

However, I would like to know if anyone has ideas as to why the transmit side of the sound card tnc did not work.

Thanks & 73
Bill W7JSW

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://us.ard.yahoo.com/SIG=1298ksqsr/M=298184.5285298.6392945.3001176/D=groups/S=1705063108:HM/EXP=1095226718/A=2352667/R=0/SIG=11t4iivpf/*http://www.netflix.com/Default?mqso=60185359&partid=5285298> click here
Web Bug from
http://us.adserver.yahoo.com/l?M=298184.5285298.6392945.3001176/D=groups/S=:HM/A=2352667/rand=214904853

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

259. BayCom USCC>4 card win 2k support

Yahoo group: agwpe_pro
Date: 2004-10-04 14:00:03 UTC
From: Jon
Topic: 259 Message: 259

Hi

I have a BayCom USCC>4 card that I would like to use on my windows 2000 machine. Does PE Pro support this card under 2k?

Thanks

Jon
MM1CQO

260. RE: [agwpe_pro] BayCom USCC>4 card win 2k support

Yahoo group: agwpe_pro
Date: 2004-10-05 19:46:31 UTC
From: Ralph Milnes
Topic: 259 Message: 260

Jon,

The card is listed as a choice in the PE Pro installation wizard, so I assume it's supported. I'm not familiar with the card, so I don't know for sure.

PE Pro does have a 30 day free look, so you could test it without having to lay out any money.

Ralph KC2RLM

From: Jon [mailto:jon@...]
Sent: Monday, October 04, 2004 10:00 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] BayCom USCC>4 card win 2k support

Hi

I have a BayCom USCC>4 card that I would like to use on my windows 2000 machine. Does PE Pro support this card under 2k?

Thanks

Jon
MM1CQO

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://us.ard.yahoo.com/SIG=1297jgl6u/M=298184.5285298.6392945.3001176/D=groups/S=1705063108:HM/EXP=1096984920/A=2319498/R=0/SIG=11thfntfp/*http://www.netflix.com/Default?mqso=60185352&partid=5285298> click here
Web Bug from
http://us.adserver.yahoo.com/l?M=298184.5285298.6392945.3001176/D=groups/S=:HM/A=2319498/rand=438944941

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

261. Re: BayCom USCC>4 card win 2k support

Yahoo group: agwpe_pro
Date: 2004-10-08 18:05:18 UTC
From: Jon
Topic: 259 Message: 261

Ralph

Thanks for the reply. I unfortunately installed pe-pro 2 months ago
and never got around to looking at it!

My PC needs a reformat / reinstall anyway;-)

Cheers

Jon
MM1CQO

262. TNC Settings

Yahoo group: agwpe_pro
Date: 2004-10-18 10:16:27 UTC
From: John KC4LZN
Topic: 262 Message: 262

One of the features listed in AGWPE is that you can utilize this program in lieu of an actual TNC. All that is need is the cable interface to the radio from the sound card.

In reference to the soundcard TNC, what other parameters can be adjusted outside of persist, slottime, maxframe, retries, txdelay, and txtail? Does this program emulate a KAM Plus or an AEA 232 TNC or others and how can you adjust other parameters (i.e. myalies, btext, etc)? Can you utilize more than one alias?

73 John

263. RE: [agwpe_pro] TNC Settings

Yahoo group: agwpe_pro
Date: 2004-10-18 20:23:09 UTC
From: Ralph Milnes
Topic: 262 Message: 263

John,

AGWPE's and AGWPE Pro's sound card modem feature doesn't emulate a particular TNC very closely. The parameters you mention are just about all the parameters available to adjust other than FRACK and RESPTIME.

Neither program beacons or digipeats on its own, but you can use other "client" programs to do that. For example, AGWUIDigi, a free pogram, can be configured to digipeat (using more than one alias) and beacon when used with AGWPE/AGWPE Pro:

http://www.raag.org/sv2agw/agwuidigi.zip

Other client programs, such as APRS programs (e.g. UI-View), may also have digipeat and beacon functions.

For HF packet, AGWPE Pro emulates both the PK-232 and KAM tone pairs. AGWPE (non-Pro version) only emulates PK-232 tones.

Note that AGWPE does not have a watch-dog timer as some TNCs do -- to prevent continuous transmitting if an error occurs.

Ralph KC2RLM

From: John KC4LZN [mailto:kc4lzn@...]
Sent: Monday, October 18, 2004 6:16 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] TNC Settings

One of the features listed in AGWPE is that you can utilize this program in lieu of an actual TNC. All that is need is the cable interface to the radio from the sound card.

In reference to the soundcard TNC, what other parameters can be adjusted outside of persist, slottime, maxframe, retries, txdelay, and txtail? Does this program emulate a KAM Plus or an AEA 232 TNC or others and how can you adjust other parameters (i.e. myalies, btext, etc)? Can you utilize more than one alias?

73 John

264. Re: Problem with AGWPE PRO / Baycom serial modem / WinXP

Yahoo group: agwpe_pro
Date: 2004-10-28 03:54:48 UTC
From: hs3liq
Topic: 202 Message: 264

--- In agwpe_pro@yahoogroups.com, "ik4iro" <ik4iro@a...> wrote:
> --- In agwpe_pro@yahoogroups.com, "Gerhard F5VAG" <f5vag@n...>
wrote:
> > > -----Original Message-----
> > > From: FORESTIER Damien [mailto:f5rrs@w...]
> > > Sent: Saturday, April 10, 2004 9:26 PM
> > > To: agwpe_pro@yahoogroups.com
> > > Subject: [agwpe_pro] Problem with AGWPE PRO / Baycom serial
> modem /
> > > WinXP
> > >
> > >
> > > I'm running latest PE Pro on Windows XP Home edition. I found
> that my
> > > Baycom serial modem isn't work (no TX and no RX).
> > > The same Baycom serial modem on my old computer with PE
and
> Win98 was
> > > a total success.
> > > The modem is installed on com 1.
> > > Afterwards going into Hardware devices in XP windows had
disabed
> com
> > > 1.
> > >
> > > Is there anyone using with success a Baycom serial modem with
> AGWPE
> > > and WinXP ?
> > >
> > > Any help would be appreciated.
> >
> > If you would have searched the [agwpe_pro] message archive
> with 'baycom',
> > you would have found the following message from George (MSG
#116):
> >
> > <quote>
> > From: "\(SV2AGW\) George Rossopoulos" <sv2agw@p...>
> > Date: Fri Nov 14, 2003 11:51 am
> > Subject: Packet Engine Pro Status
> >
> >
> > Hi all
> >
> > I am preparing the new version.

> > It will have
> > 1.The new Soundcard LPT fix.
> >
> > 2.A new driver for Picpar and bp96 (Baycom.Tigertronics) parallel
> port
> > 9k6 modems
> >
> > 3.The baycom driver for the moment will work only under
win98/me
> and
> > win2000/xp with no ACPI ports. Unfortunately the two solutions I
> found
> > for win2000/XP ACPI serial ports need replacement of the original
> ACPI
> > or Serialport Windows driver. This may introduce problems so I
> will not
> > proceed with these.
> > I will search further and hope to find something.....
> > Meanwhile Baycom serial port dummy modem can be used with
extra
> serial
> > ports in PCI cards etc.
> >
> > 4.An even better 1200b soundcard modem.I have optimized it
> further. From
> > a comparison I made between other software soundcard modems I
> found that
> > is the most sensitive and lighter.
> > I will publish here later this week a comparison chart between
> PEPRO
> > 1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood
d700
> internal
> > 1200b modem and TNC2 with other modem. All of them will be
> connected to
> > the same tranceiver.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > www.elcom.gr/sv2agw
> > sv2agw@e...
> > +306932 465 216
> > </quote>
> >
> > --
> > 73 de Gerhard, F5VAG / DL7MW
> > APRSFR: http://france.aprs2.net
>
> I have the same problem.

> I ask George if he has a solution.
> Thank's
> ik4iro Vittorio

Hello all

from
"3.The baycom driver for the moment will work only under win98/me
and
win2000/xp with no ACPI ports. Unfortunately the two solutions I found
for win2000/XP ACPI serial ports need replacement of the original ACPI
or Serialport Windows driver. This may introduce problems so I will
not
proceed with these.
I will search further and hope to find something.....
Meanwhile Baycom serial port dummy modem can be used with extra
serial
ports in PCI cards etc.
"

Now I'm install port PCI cards ,and it has COM 4 , 5 IRQ 18
address I/O Rang is C800-C807 on COM 4 , C400-C407 on COM 5.
then How to setup PE Pro ?
I'm test in PE Pro. IRQ Line)Interrupt and Serial Port Basa Address
are not except.
Help me please.

265. RE: [agwpe_pro] Re: Problem with AGWPE PRO / Baycom serial modem / WinXP

Yahoo group: agwpe_pro
Date: 2004-10-28 12:32:52 UTC
From: Ralph Milnes
Topic: 202 Message: 265

I think there may have been a misunderstanding.

The Baycom won't work with PE Pro on a WIn XP/2000 system unless you have a *non*-ACPI card. I suspect that most PCI cards are ACPI compliant and will *not* work.

An older *ISA* serial card -- which will not be ACPI compliant -- may work.

Ralph KC2RLM

From: hs3liq [mailto:d014554861@...]
Sent: Wednesday, October 27, 2004 11:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Problem with AGWPE PRO / Baycom serial modem / WinXP

--- In agwpe_pro@yahoogroups.com, "ik4iro" <ik4iro@a...> wrote:
> --- In agwpe_pro@yahoogroups.com, "Gerhard F5VAG" <f5vag@n...> wrote:
> > > -----Original Message-----
> > > From: FORESTIER Damien [mailto:f5rrs@w...]
> > > Sent: Saturday, April 10, 2004 9:26 PM
> > > To: agwpe_pro@yahoogroups.com
> > > Subject: [agwpe_pro] Problem with AGWPE PRO / Baycom serial modem /
> > > WinXP
> > >
> > >
> > > I'm running latest PE Pro on Windows XP Home edition. I found that my
> > > Baycom serial modem isn't work (no TX and no RX).
> > > The same Baycom serial modem on my old computer with PE and Win98 was
> > > a total success.
> > > The modem is installed on com 1.
> > > Afterwards going into Hardware devices in XP windows had disabed com
> > > 1.
> > >
> > > Is there anyone using with success a Baycom serial modem with AGWPE

> > > and WinXP ?
> > >
> > > Any help would be appreciated.
> >
> > If you would have searched the [agwpe_pro] message archive
> with 'baycom',
> > you would have found the following message from George (MSG
#116):
> >
> > <quote>
> > From: "\(SV2AGW\) George Rossopoulos" <sv2agw@p...>
> > Date: Fri Nov 14, 2003 11:51 am
> > Subject: Packet Engine Pro Status
> >
> >
> > Hi all
> >
> > I am preparing the new version.
> > It will have
> > 1.The new Soundcard LPT fix.
> >
> > 2.A new driver for Picpar and bp96 (Baycom.Tigertronics) parallel
> port
> > 9k6 modems
> >
> > 3.The baycom driver for the moment will work only under
win98/me
> and
> > win2000/xp with no ACPI ports. Unfortunately the two solutions I
> found
> > for win2000/XP ACPI serial ports need replacement of the original
> ACPI
> > or Serialport Windows driver. This may introduce problems so I
> will not
> > proceed with these.
> > I will search further and hope to find something.....
> > Meanwhile Baycom serial port dummy modem can be used with
extra
> serial
> > ports in PCI cards etc.
> >
> > 4.An even better 1200b soundcard modem.I have optimized it
> further. From
> > a comparison I made between other software soundcard modems I
> found that
> > is the most sensitive and lighter.
> > I will publish here later this week a comparison chart between
> PEPRO
> > 1200b Soundcard modem and a TNC2 with tcp3105,a Kenwood
d700

> internal
> > 1200b modem and TNC2 with other modem. All of them will be
> connected to
> > the same tranceiver.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > www.elcom.gr/sv2agw
> > sv2agw@e...
> > +306932 465 216
> > </quote>
> >
> > --
> > 73 de Gerhard, F5VAG / DL7MW
> > APRSFR: http://france.aprs2.net
>
> I have the same problem.
> I ask George if he has a solution.
> Thank's
> ik4iro Vittorio

Hello all

from
"3.The baycom driver for the moment will work only under win98/me
and
win2000/xp with no ACPI ports. Unfortunately the two solutions I found
for win2000/XP ACPI serial ports need replacement of the original ACPI
or Serialport Windows driver. This may introduce problems so I will
not
proceed with these.
I will search further and hope to find something.....
Meanwhile Baycom serial port dummy modem can be used with extra
serial
ports in PCI cards etc.
"

Now I'm install port PCI cards ,and it has COM 4 , 5 IRQ 18
address I/O Rang is C800-C807 on COM 4 , C400-C407 on COM 5.
then How to setup PE Pro ?
I'm test in PE Pro. IRQ Line)Interrupt and Serial Port Basa Address
are not except.
Help me please.

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://us.ard.yahoo.com/SIG=1290da70m/M=315388.5529720.6602079.3001176/D=gr
oups/S=1705063108:HM/EXP=1099028597/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS> click

here
Web Bug from
http://us.adserver.yahoo.com/l?M=315388.5529720.6602079.3001176/D=groups/S=:
HM/A=2372354/rand=982816296

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

266. 30 day trial

Yahoo group: agwpe_pro
Date: 2004-10-31 04:22:06 UTC
From: k1mea
Topic: 266 Message: 266

I downloaded pro today and the free trial expired as soon as I opened it. Did I do something wrong?

Jim

267. RE: [agwpe_pro] 30 day trial

Yahoo group: agwpe_pro
Date: 2004-11-01 16:04:02 UTC
From: (SV2AGW)George Rossopoulos
Topic: 266 Message: 267

Hi

Probably you installed it before.
I will give you a link later today to download a trial version.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: k1mea [mailto:jfw@...]
Sent: Sunday, October 31, 2004 6:22 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] 30 day trial

I downloaded pro today and the free trial expired as soon as I opened it.
Did I do something wrong?

Jim

---------- Yahoo! Groups Sponsor ----------~--> Make
a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

268. RE: [agwpe_pro] 30 day trial

Yahoo group: agwpe_pro
Date: 2004-11-01 16:34:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 266 Message: 268

Hi

Download www.raag.org/sv2agw/pepro.zip replace the executable in Program files/agwsoft/Packet Engine Pro with the one in the zip

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: (SV2AGW)George Rossopoulos [mailto:sv2agw@...]
Sent: Monday, November 01, 2004 6:04 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] 30 day trial

Hi

Probably you installed it before.
I will give you a link later today to download a trial version.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation) www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: k1mea [mailto:jfw@...]
Sent: Sunday, October 31, 2004 6:22 AM

To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] 30 day trial

I downloaded pro today and the free trial expired as soon as I opened it.
Did I do something wrong?

Jim

---------- Yahoo! Groups Sponsor ----------~--> Make
a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

Yahoo! Groups Links

269. PEPRO and WindowsXP SP2 issue

Yahoo group: agwpe_pro
Date: 2004-11-16 04:23:20 UTC
From: Steve Hester
Topic: 269 Message: 269

I am using the latest version of PEPRO and Windows XP (Home) - SP2. When I use the File:Close menu, the PEPRO closes normally. If I use the window close button [X] in the upper right, it delays for a few seconds, then blue screen and immediate reboot. Anyone else have this problem?

K5STV Steve

270. RE: [agwpe_pro] PEPRO and WindowsXP SP2 issue

Yahoo group: agwpe_pro
Date: 2004-11-16 11:30:51 UTC
From: John KC4LZN
Topic: 269 Message: 270

I am running the same set-up and do not have this problem.

73 John
KC4LZN
-----Original Message-----
From: Steve Hester [mailto:stevehester@...]
Sent: Monday, November 15, 2004 11:23 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PEPRO and WindowsXP SP2 issue

I am using the latest version of PEPRO and Windows XP (Home) - SP2.
When I use the File:Close menu, the PEPRO closes normally. If I use
the window close button [X] in the upper right, it delays for a few
seconds, then blue screen and immediate reboot. Anyone else have
this problem?

K5STV Steve

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

271. F6BBS SET UP HELP

Yahoo group: agwpe_pro
Date: 2004-11-20 18:58:50 UTC
From: Art
Topic: 271 Message: 271

Has any user configured the F6BBS software to run with AGW or direct me to a web site for guidance on the subject? I am am very new at AGW. I have a very extensive set up guide on F6BBS using BPQ. Do I run BPQ and AGW in tandem? I haven't downloaded or installed BPQ, I don't know if the two programs would conflict with each other running on the same machine. Thank you for any guidance..
Art N9ZZK

272. micro tnc

Yahoo group: agwpe_pro
Date: 2004-11-29 17:36:02 UTC
From: Bill Hosking W7JSW
Topic: 272 Message: 272

Any experience out there with Micro TNC yet? Particularly interested
in ability to work KISS with AGE Pro.
Thanks
Bill W7JSW

273. Radioports Sharing

Yahoo group: agwpe_pro
Date: 2004-11-29 23:28:52 UTC
From: Randy
Topic: 273 Message: 273

Hello all,

I'm having a bit of a problem with the RadioPorts sharing feature on AGWPE Pro, hoping someone may have some ideas.

I'm running 2 instances of AGWPE Pro, on a LAN. Systems are Xp Pro (client) and Windows Server 2003(server). A MicroTNT and KPC-3 are connected to the server running AGWPE Pro.

I wanted to pull a single port feed from the server to the client for use on WinPack. I have at this point now been successful in pulling only port 2 data as I want however it took some unusual system configuration to accomplish.

This is how I have it configured now:

Client AGWPE Pro, RadioPorts sharing/Virtual Radio Ports/ID 0 and 1 checked.
Server AGWPE Pro, RadioPorts Sharing/enabled sharing of My RadioPorts checked. ID port 1 unchecked, ID Port 2 checked

Monitor display on Client AGWPE Pro shows packets coming from port 1, however they are from the port 2 TNC.
Winpack packet program operates properly showing only port 2 packets but designates the packet as coming from port 1.

If I uncheck Client AGWPE Pro, RadioPorts sharing/Virtual Radio Ports/ID 0, restart AGWPE Pro, I get nothing from the server machine and Winpack displays error indicating AGW Packet engine is not initialized.

Additionally, if I change any of the ports from the above, or try any other port checked or unchecked, I get unexpected results or no data. I do however get proper display and operation when both ports are checked on both the server and client under Virtual Radioports (client) and sharing(server).

One thing I do see is the designation of the ID port numbers are different for the Sharing and Virtual Radioports. On sharing, the ID numbers are 1 and 2. On Virtual, they are 0 and 1.

While I have worked around the problem and operating the way I want, I plan to add another TNC which I wonder then what will happen to the port assignments.

I am very happy with AGWPE Pro aside form the little quirk above. The radio port sharing is great and opens up new uses and options. I have been running AGWPE pro non-stop for long periods of time for

use on my Tier 2 server using both the µTNC and KPC-3. Thanks for the fine software.

73,
Randy - KK6RW

274. Re: micro tnc

Yahoo group: agwpe_pro
Date: 2004-12-05 16:55:50 UTC
From: Randy
Topic: 272 Message: 274

"Bill Hosking W7JSW" <hoskingb@e...> wrote:
>
> Any experience out there with Micro TNC yet? Particularly
interested
> in ability to work KISS with AGE Pro.
> Thanks
> Bill W7JSW

The microTNT USB works great with AGWPE pro for me. I run it on a
Tier 2 server network as well as with Winpack. I haven't tried it as
an APRS tracker yet.

Hook up is easy and can be interfaced to a GPS and external power or
use it's internal battery or powered from the USB port.

New features have been added and more are promised. George, SV2AGW
is involved with writing the formware for the microTNT.

So far I've been happy with it's performance but I'm looking forward
to the enhancments.

73,

Randy, KK6RW
APRSWA Tier 2 sysop

275. RE: [agwpe_pro] Radioports Sharing

Yahoo group: agwpe_pro
Date: 2004-12-05 18:20:03 UTC
From: (SV2AGW)George Rossopoulos
Topic: 273 Message: 275

Hi Randy

Just forgot to answer the message.Sorry..
There is abug in radioport sharing.
If you enable it then all radioports are coming to client. You cannot select a specific port.
I am working on that and will be solved soon.

The Radioport numbering in the client machine is
From 0 to xx all the physical radioports and xx+1 for shared radioports.
So if you have 0 and 1 as physical and say you have other two shared then you have
0 and 1 for physical and 2 -3 for shared.
If you now add another physical radioport then you will have 0,1,2 for physical and 3-4 for shared.

I am using the internal radioport numbering which starts from 0.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Randy [mailto:kk6rw@...]
Sent: Tuesday, November 30, 2004 1:29 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Radioports Sharing

Hello all,

I'm having a bit of a problem with the RadioPorts sharing feature on AGWPE Pro, hoping someone may have some ideas.

I'm running 2 instances of AGWPE Pro, on a LAN. Systems are Xp Pro (client) and Windows Server 2003(server). A MicroTNT and KPC-3 are connected to the server running AGWPE Pro.

I wanted to pull a single port feed from the server to the client for use on WinPack. I have at this point now been successful in pulling only port 2 data as I want however it took some unusual system configuration to accomplish.

This is how I have it configured now:

Client AGWPE Pro, RadioPorts sharing/Virtual Radio Ports/ID 0 and 1 checked.
Server AGWPE Pro, RadioPorts Sharing/enabled sharing of My RadioPorts checked. ID port 1 unchecked, ID Port 2 checked

Monitor display on Client AGWPE Pro shows packets coming from port 1, however they are from the port 2 TNC.
Winpack packet program operates properly showing only port 2 packets but designates the packet as coming from port 1.

If I uncheck Client AGWPE Pro, RadioPorts sharing/Virtual Radio Ports/ID 0, restart AGWPE Pro, I get nothing from the server machine and Winpack displays error indicating AGW Packet engine is not initialized.

Additionally, if I change any of the ports from the above, or try any other port checked or unchecked, I get unexpected results or no data. I do however get proper display and operation when both ports are checked on both the server and client under Virtual Radioports
(client) and sharing(server).

One thing I do see is the designation of the ID port numbers are different for the Sharing and Virtual Radioports. On sharing, the ID numbers are 1 and 2. On Virtual, they are 0 and 1.

While I have worked around the problem and operating the way I want, I plan to add another TNC which I wonder then what will happen to the port assignments.

I am very happy with AGWPE Pro aside form the little quirk above.
The radio port sharing is great and opens up new uses and options. I have been running AGWPE pro non-stop for long periods of time for use on my Tier 2 server using both the µTNC and KPC-3. Thanks for the fine software.

73,
Randy - KK6RW

---------- Yahoo! Groups Sponsor ----------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

276. EMAIL ADRESWIJZIGING PER 20-12-2004

Yahoo group: agwpe_pro
Date: 2004-12-08 15:24:17 UTC
From: Joop Lankhaar
Topic: 276 Message: 276

LET OP.!!!!!!!!!!!!!!!!!!!

EMAIL ADRESWIJZIGING PER 20-12-2004.....!!

I.v.m. overstappen van WDSL naar ADSL komt mijn emailadres(en) te vervallen

VERVALLEN ZIJN: OUT OF RANGE
pa1jlg@...
pa1jlg@...

NIEUW - NEW - NIEUW - NEW - NIEUW - NEW - NIEUW - NEW ADRES
pa1jlg@...

Verander mijn emailadres AUB tussen 20-12-2004 en 31-12-2004, daarna is het niet meer beschikbaar.

Met vriendelijke groet
Joop Lankhaar
PA1JLG

[Non-text portions of this message have been removed]

277. Problem with AGWTerm and AGWPepro Monitor

Yahoo group: agwpe_pro
Date: 2005-01-05 05:16:08 UTC
From: Bruce W. Harris
Topic: 277 Message: 277

I am experiencing a problem when I use AGWTermTCP to connect to a station. Occasionally, when I attempt a connect, and I am also monitoring in AGWPepro, the connection shows in AGWPepro, but does not show in AGWTerm. Since it does not show in AGWTerm, I am not able to continue the connect.

It seems that if the connect shows in AGWPepro Monitor, it ought to also show in AGWTerm. Is there something I can do to correct this?

Thanks,

73 de Bruce, W5HCS
bruce-bonnie@...

278. Re: Problem with Connect showing up in both AGW Term and Pepro

Yahoo group: agwpe_pro
Date: 2005-01-05 05:29:04 UTC
From: Bruce W. Harris
Topic: 278 Message: 278

Sorry, I forgot to mention that I am using the soundcard TNC within Pepro, This I added lately, and really I do not recall it happening when I was using an external TNC. Maybe this additional info will help to explain the problem.

Thanks,

73 de Bruce, W5HCS
bruce-bonnie@...

279. help

Yahoo group: agwpe_pro
Date: 2005-01-08 02:20:51 UTC
From: William Biggs
Topic: 279 Message: 279

How do I set up agwpe pro to work with rigblaster ?

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.6.9 - Release Date: 1/6/2005

280. help setting up with rigblaster

Yahoo group: agwpe_pro
Date: 2005-01-08 03:13:44 UTC
From: William Biggs
Topic: 280 Message: 280

My name is William Biggs How do I set up pro to work with rigblaster ?

281. RE: [agwpe_pro] help

Yahoo group: agwpe_pro
Date: 2005-01-09 17:37:54 UTC
From: Ralph Milnes
Topic: 279 Message: 281

Hi William,

It should work as follows:

1. Plug in the Radio's RX audio cord into the "LINE IN" jack on your sound card. Configure the AGWPE Pro "Radio port" to use the "LINE IN" audio source. You may need to adjust the audio level either in AGWPE Pro or on the radio, if the radio's volume control can change the audio level, to get adequate audio. Use the Sound Card Tuning Aid to "see" the amplitude of the audio signal.

2. Plug in the RigBlaster's TX audio cord into the "LINE OUT" jack on your sound card. You may need to adjust the audio level either in AGWPE Pro.

3. Plug in the RigBlaster's PTT cable into a serial port, usually COM1. You may need to specify the COM port in in AGWPE Pro.

AGWPE Pro has a "radio port" setup wizard to "automate" a lot of this, for example, setting the COM port.

The AGWPE Pro 'Help' may have addtional help.

If you still have trouble, write back with information about what you have done and what is happening. Also more about your radio.

Ralph KC2RLM

From: William Biggs [mailto:mrbiggs@...]
Sent: Friday, January 07, 2005 9:21 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] help

How do I set up agwpe pro to work with rigblaster ?

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.6.9 - Release Date: 1/6/2005

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

282. AGWPE to Kantronics KAM+

Yahoo group: agwpe_pro
Date: 2005-01-10 05:49:10 UTC
From: w8dzn
Topic: 282 Message: 282

Ok I am ready to get the gun and shoot something! I am trying to setup AGWPE PRO to a Kantronics KAM+. I can find it but I can not figure out what it needs for INTKISS 1 2 or 3. Also when I turn the TNC on after test mode in setup all I get in the test windows is a bunch of periods. There is no text. What is supposed to be displayed here? Also I tried to use my KPC3 because of the KAM failure and I can not even find the TNC. If I place it back on the packet system the terminal program works fine with it.

What am I doing so wrong? I am sure it is a stupid thing on my part.

Regards, Ken Cook, W8DZN

283. Re: AGWPE to Kantronics KAM+

Yahoo group: agwpe_pro
Date: 2005-01-10 09:35:30 UTC
From: Randy
Topic: 282 Message: 283

Before you blow a few holes in the Kam+ Ken, you might give this a try. I've found the Kantronic TNC's require the command INT KISS to properly put them into KISS mode.

In addition, make sure to close AGWPE Pro then restart for the changes/additions to take effect.

HTH,

Randy, KK6RW
APRSWA Tier 2 Sysop

--- In agwpe_pro@yahoogroups.com, "w8dzn" <W8DZN1@d...> wrote:
>
>
> Ok I am ready to get the gun and shoot something! I am trying to
> setup AGWPE PRO to a Kantronics KAM+. I can find it but I can not
> figure out what it needs for INTKISS 1 2 or 3. Also when I turn
the
> TNC on after test mode in setup all I get in the test windows is a
> bunch of periods. There is no text. What is supposed to be
displayed
> here? Also I tried to use my KPC3 because of the KAM failure and I
> can not even find the TNC. If I place it back on the packet system
> the terminal program works fine with it.
>
> What am I doing so wrong? I am sure it is a stupid thing on my
part.
>
> Regards, Ken Cook, W8DZN

284. Re: [agwpe_pro] AGWPE to Kantronics KAM+

Yahoo group: agwpe_pro
Date: 2005-01-10 07:42:54 UTC
From: Mike Gao/BD4OS
Topic: 282 Message: 284

```
port0.ini like:
[TNC]
TYPE=KAM+
KISSSUBTYPE=KISS
INITKISS1=XKCH OFF
INITKISS2=INTFACE KISS
INITKISS3=RESET
EXITKISS=1
KISSID=0
FREQUENCY=VHF 1200
MULTIPORT=2
[COMMUNICATION]
PORT=COM3:
BAUD=9600
[DUALPORT]
SECONDPORT=1
MAINPORT=0
----------------------------------------

port1.ini like so:
[DUALPORT]
SERIALPORT=DISABLE
SECONDPORT=1
MAINPORT=0
[TNC]
TYPE=KAM+
FREQUENCY=HF 300
KISSID=16
MULTIPORT=2
KISSSUBTYPE=KISS
[COMMUNICATION]
PORT=COM3:
BAUD=9600

-------------------------------------
note:rs232 serbaud 9600bps and with com3,pls correct the init. data like your
serbaud(tnc<->pc) and com port!

Mike Gao/BD4OS
Chinaham.org
```

285. Re: micro tnc

Yahoo group: agwpe_pro
Date: 2005-01-10 14:29:16 UTC
From: Ted G. Freitas
Topic: 272 Message: 285

I'll let you know when I get mine. :)

--- In agwpe_pro@yahoogroups.com, "Bill Hosking W7JSW" <hoskingb@e...>
wrote:
>
> Any experience out there with Micro TNC yet? Particularly interested
> in ability to work KISS with AGE Pro.
> Thanks
> Bill W7JSW

286. Run as Service

Yahoo group: agwpe_pro
Date: 2005-01-10 14:28:40 UTC
From: Ted G. Freitas
Topic: 286 Message: 286

I was wondering if there was a way to run AGW PE Pro as a service? I am trying to setup a "Server" and don't want to have to login to start all the services. If not, will it run under FireDaemon?

-Ted

287. Re: [agwpe_pro] Run as Service

Yahoo group: agwpe_pro
Date: 2005-01-10 23:06:55 UTC
From: Perry - K4PWO
Topic: 286 Message: 287

A "service" is specially written software (usually in a DLL or SYS file format, as my "leaky" memory serves me!)... A normal "exe" file can't be run as a service.
73 de Perry - K4PWO
----- Original Message -----
From: Ted G. Freitas
To: agwpe_pro@yahoogroups.com
Sent: Monday, January 10, 2005 8:28 AM
Subject: [agwpe_pro] Run as Service

I was wondering if there was a way to run AGW PE Pro as a service? I am trying to setup a "Server" and don't want to have to login to start all the services. If not, will it run under FireDaemon?

-Ted

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

288. RE: [agwpe_pro] Run as Service

Yahoo group: agwpe_pro
Date: 2005-01-11 12:22:27 UTC
From: (SV2AGW)George Rossopoulos
Topic: 286 Message: 288

Hi

For the moment no it cannot.
But this is a good idea and will look at it.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

289. Re: [agwpe_pro] Run as Service

Yahoo group: agwpe_pro
Date: 2005-01-11 10:26:09 UTC
From: Mike Gao/BD4OS
Topic: 286 Message: 289

there is a program name is AppToService,try it!
http://www.basta.com/ProdAppToService.htm

Mike Gao/BD4OS
Chinaham.org

290. Re: Messages 277-278

Yahoo group: agwpe_pro
Date: 2005-01-12 16:59:29 UTC
From: Bruce W. Harris
Topic: 290 Message: 290

Hello, George,

Did you miss my questions in messages 277-278?

I disconnected the Soundcard TNC (don't know how to disable it in software), reconnected my PK232 and I think that I am printing in AGWTerm what the AGWPepro Monitor reads out.

This missed info in AGWTerm when I am using the Soundcard TNC is not in the UNproto channel. It is in the connect channels (1st, 2nd, etc. When I click back to the Unproto channel, all info is there. However, I can't reply when there is missing info in the !st, 2nd... channels. I can't even send a "bye" to disconnect.

How may I help you to help me explain what might be happening?

Thanks,

Bruce, W5HCS
bruce-bonnie@...

291. AXIP

Yahoo group: agwpe_pro
Date: 2005-01-12 19:23:03 UTC
From: Dave M1AGN
Topic: 291 Message: 291

Hi,

Does anyone know of any plans to add built in support for AXIP/AXUDP, I have been using the external third party driver but this appears to suffer from a serious bug and I've had no luck contacting the author.

Cheers,
Dave M1AGN.

292. RE: [agwpe_pro] Re: Messages 277-278

Yahoo group: agwpe_pro
Date: 2005-01-12 21:18:57 UTC
From: Ralph Milnes
Topic: 290 Message: 292

Bruce,

Normally you should only have one connected channel in AGWTerm and that is the channel screen you must use to send commands.

Are you getting multiple channels?

Ralph KC2RLM

From: Bruce W. Harris [mailto:bruce-bonnie@...]
Sent: Wednesday, January 12, 2005 11:59 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Messages 277-278

Hello, George,

Did you miss my questions in messages 277-278?

I disconnected the Soundcard TNC (don't know how to disable it in software), reconnected my PK232 and I think that I am printing in AGWTerm what the AGWPepro Monitor reads out.

This missed info in AGWTerm when I am using the Soundcard TNC is not in the UNproto channel. It is in the connect channels (1st, 2nd, etc. When I click back to the Unproto channel, all info is there. However, I can't reply when there is missing info in the !st, 2nd... channels. I can't even send a "bye" to disconnect.

How may I help you to help me explain what might be happening?

Thanks,

Bruce, W5HCS
bruce-bonnie@...

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

293. RE: [agwpe_pro] Re: Messages 277-278

Yahoo group: agwpe_pro
Date: 2005-01-13 10:36:33 UTC
From: (SV2AGW)George Rossopoulos
Topic: 290 Message: 293

Hi

There is a BUG in PEPRO with Soundcards when you have also normal tncs.

I will publish an update soon.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

294. Re: Messages 277-278

Yahoo group: agwpe_pro
Date: 2005-01-12 22:35:51 UTC
From: Bruce W. Harris
Topic: 290 Message: 294

Thanks,Ralph, for ur quick reply.

When I open AGWTerm, I am in the UNProto channel, and all of the communications on the channel appears on the screen. Now, when I attempt a connection, for instance, to N5BLY-1, the screen switches to another one, called "Try Connect N5BLY-1." Assuming I do connect, I see,

"Connected to N5BLY-1,etc....."

If he is a Telpac node, I should see other info coming at me, but here is the problem, Since I am monitoring AGWPepro, I see this info coming there, but AGWTerm fails to show it. If the info does not get to AGWTerm, then I cannot reply.

Now, this problem does not occur on every connect, but often enough to be disconcerting. I believe you told me that the decoding is donw only once, and in AGWPepro. I am puzzled as to why I do not see the info I need appear in AGWTerm.

When I do connect, I am switched away from the UNproto screen by the program, and my communication becomes isolated to the connectee.

I hope I have expressed the problem well enough.

Thanks for any help you might give. I really want to make things work using the Soundcard within AGWPepro. At present, I have just finished reworking the transceiver input with respect to signal levels. I will let u know how it turns out.

73 de Bruce, W5HCS

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...>
wrote:
> Bruce,
>
> Normally you should only have one connected channel in AGWTerm and
that is
> the channel screen you must use to send commands.
>
> Are you getting multiple channels?
>
> Ralph KC2RLM
>
>
> -----
>

> From: Bruce W. Harris [mailto:bruce-bonnie@s...]
> Sent: Wednesday, January 12, 2005 11:59 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Messages 277-278
>
>
>
>
> Hello, George,
>
> Did you miss my questions in messages 277-278?
>
> I disconnected the Soundcard TNC (don't know how to disable it in
> software), reconnected my PK232 and I think that I am printing in
> AGWTerm what the AGWPepro Monitor reads out.
>
> This missed info in AGWTerm when I am using the Soundcard TNC is
not
> in the UNproto channel. It is in the connect channels (1st, 2nd,
> etc. When I click back to the Unproto channel, all info is there.
> However, I can't reply when there is missing info in the !st,
2nd...
> channels. I can't even send a "bye" to disconnect.
>
> How may I help you to help me explain what might be happening?
>
> Thanks,
>
> Bruce, W5HCS
> bruce-bonnie@s...
>
>
>
>
>
>
>
>
> _____
>
> Yahoo! Groups Links
>
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/agwpe_pro/
>
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service
> <http://docs.yahoo.com/info/terms/> .
>
>
>
>
> [Non-text portions of this message have been removed]

295. Re: Messages 277-278

Yahoo group: agwpe_pro
Date: 2005-01-14 22:32:37 UTC
From: Bruce W. Harris
Topic: 290 Message: 295

Hello, George,

Thanks for the reply.

Just in case I am misunderstanding the soundcard operation, I will mention the problems I am having.
1. I deleted the External TNC, leaving just the Soundcard TNC. However, now the software is sending 2 of everything, about a second apart.

2. The setup for the Soundcard TNC is very nice and on the initial setting of levels, it appears that a tone is generated to help get the TX levels correct, but once the initial setup is finished, I can not figure out how to get this tone back in order to make a change in levels.

3. I have a SignaLink interface and you included it as a choice in the comport settings. This I appreciate. My concern with using it and the Soundcard TNC is that I have not yet achieved the sensitivity of my PK232.

4. I will keep studying my equipment to see where I am going wrong.

Thanks for the nice work you have done in this area. I am sorry that I can't get it all going right away.

I look forward to your announcement of a bug fix for the use of a Soundcard and an External TNC.

73 de Bruce, W5HCS

-- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@r...> wrote:
> Hi
>
> There is a BUG in PEPRO with Soundcards when you have also normal tncs.
>
> I will publish an update soon.
>
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
> battery for portable operation)

> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece

296. RE: [agwpe_pro] Re: Messages 277-278

Yahoo group: agwpe_pro
Date: 2005-01-15 17:27:42 UTC
From: Ralph Milnes
Topic: 290 Message: 296

Bruce,

In the port properties of the sound card radio port in AGWPE, do you have "dual port" checked"? If so, try "single port".

Ralph KC2RLM

From: Bruce W. Harris [mailto:bruce-bonnie@...]
Sent: Friday, January 14, 2005 5:33 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Messages 277-278

Hello, George,

Thanks for the reply.

Just in case I am misunderstanding the soundcard operation, I will mention the problems I am having.
1. I deleted the External TNC, leaving just the Soundcard TNC. However, now the software is sending 2 of everything, about a second apart.

2. The setup for the Soundcard TNC is very nice and on the initial setting of levels, it appears that a tone is generated to help get the TX levels correct, but once the initial setup is finished, I can not figure out how to get this tone back in order to make a change in levels.

3. I have a SignaLink interface and you included it as a choice in the comport settings. This I appreciate. My concern with using it and the Soundcard TNC is that I have not yet achieved the sensitivity of my PK232.

4. I will keep studying my equipment to see where I am going wrong.

Thanks for the nice work you have done in this area. I am sorry that I can't get it all going right away.

I look forward to your announcement of a bug fix for the use of a Soundcard and an External TNC.

73 de Bruce, W5HCS

-- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@r...> wrote:
> Hi

>
> There is a BUG in PEPRO with Soundcards when you have also normal
tncs.
>
> I will publish an update soon.
>
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

297. Alternatives to AGWterm

Yahoo group: agwpe_pro
Date: 2005-01-15 21:26:21 UTC
From: Ralph Milnes
Topic: 290 Message: 297

Bruce, some other programs to try with AGWPE Pro besides AGWTerm are:

Winpack (terminal program)

http://patmedia.net/ralphmilnes/soundcardpacket/7winpack.htm

Hamscope

http://patmedia.net/ralphmilnes/soundcardpacket/7hamscope.htm

UISS (a program for sending unconnected "beacons", for example to be digipeated by the ISS or for APRS -- it's not used to "connect" to other stations/BBs)

http://users.skynet.be/on1dht/uiss.htm

Ralph KC2RLM

From: Bruce W. Harris [mailto:bruce-bonnie@...]
Sent: Wednesday, January 12, 2005 5:36 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Messages 277-278

Thanks,Ralph, for ur quick reply.

When I open AGWTerm, I am in the UNProto channel, and all of the communications on the channel appears on the screen. Now, when I attempt a connection, for instance, to N5BLY-1, the screen switches to another one, called "Try Connect N5BLY-1." Assuming I do connect, I see,

[Non-text portions of this message have been removed]

298. multiple sound cards

Yahoo group: agwpe_pro
Date: 2005-01-18 01:31:29 UTC
From: Kim A Kunze
Topic: 298 Message: 298

I'm running WinXP Pro with multiple sound cards. NVidia onboard sound and a SoundBlaster Live PCI card. I was using the onboard successfully with Writelog & RTTY then decided to try AGWPE for either Packet or APRS (UI-View32). I now have AGWPE and UI-View running successfully on the PCI Soundblaster but now the onboard sound won't function.

I know there is a way to get both sound card and the onboard sound to work but have not been able to find the answer. I would also like to install a second SB Live PCI card and use AGWPE to manage the two PCI SB cards, one with WinPack and the other with UI-View.

Any advice?

Kim A Kunze - N9SDL

[Non-text portions of this message have been removed]

299. AGWPE Pro with YAM modem @ 9600

Yahoo group: agwpe_pro
Date: 2005-01-22 22:51:16 UTC
From: Bruce Sawtelle
Topic: 299 Message: 299

Does anyone have experience with the YAM modem running with AGWPE Pro at 9600? I've got it running at 1200 baud, but after I re-config/re-load the 9600 baud driver for the YAM under AGWPE Pro ,I never see packets. I see packets if I run 9600 baud on the YAM using TSTHost, so I know the config file for the YAM works.

Are there any debug utilities or log files under AGWPE Pro that I can monitor data coming from the YAM? (Guess I can try the scope on the RS-232 port signals to see what's coming across, but may not give me the full story.)

tnx es 73

Bruce- W3NJ

300. RE: [agwpe_pro] AGWPE Pro with YAM modem @ 9600

Yahoo group: agwpe_pro
Date: 2005-01-23 06:28:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 299 Message: 300

Hi

Send me the prot0.ini file to see if you are using the right 9600b mcs file

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Bruce Sawtelle [mailto:W3NJ@...]
Sent: Sunday, January 23, 2005 12:51 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE Pro with YAM modem @ 9600

Does anyone have experience with the YAM modem running with AGWPE Pro at
9600? I've got it running at 1200 baud, but after I re-config/re- load the
9600 baud driver for the YAM under AGWPE Pro ,I never see packets. I see
packets if I run 9600 baud on the YAM using TSTHost, so I know the config
file for the YAM works.

Are there any debug utilities or log files under AGWPE Pro that I can
monitor data coming from the YAM? (Guess I can try the scope on the
RS-232 port signals to see what's coming across, but may not give me the
full story.)

tnx es 73

Bruce- W3NJ

Yahoo! Groups Links

301. Additional data on 9600 baud operation

Yahoo group: agwpe_pro
Date: 2005-01-23 04:21:18 UTC
From: Bruce Sawtelle
Topic: 301 Message: 301

All,
I managed to capture the async data coming from the YAM modem when configured for 9600. In reading Nico's (YAM designer) documentation, it always runs at 19200 between the modem and the PC, independent of 1200 vs 9600 baud.

I hooked up a separate PC comport to the YAM "receive data" (pin 3) in both 1200 and 9600 modes and saw good data in both modes. The data was making it to the com port, but AGWPE Pro wasn't recognizing it when running in 9600 baud mode.

George,
I looked at the logs and don't see any error messages when I was in 1200 and 9600 mode. Is there anything else I can debug to see why AGWPE Pro is not recognizing the data? Not seeing anything under MHeard or Monitor when I run 9600, but 1200 is perfect.

Thanks es 73

de Bruce- W3NJ

302. RE: [agwpe_pro] Additional data on 9600 baud operation

Yahoo group: agwpe_pro
Date: 2005-01-23 14:41:54 UTC
From: (SV2AGW)George Rossopoulos
Topic: 301 Message: 302

Hi

As I told you I need the port0.ini file to see if you are loading the 9600b mcs file for the YAM.
The YAM Driver works fine.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Bruce Sawtelle [mailto:W3NJ@...]
Sent: Sunday, January 23, 2005 6:21 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Additional data on 9600 baud operation

All,
I managed to capture the async data coming from the YAM modem when configured for 9600. In reading Nico's (YAM designer) documentation, it always runs at 19200 between the modem and the PC, independent of 1200 vs 9600 baud.

I hooked up a separate PC comport to the YAM "receive data" (pin 3) in both 1200 and 9600 modes and saw good data in both modes. The data was making it to the com port, but AGWPE Pro wasn't recognizing it when running in 9600 baud mode.

George,
I looked at the logs and don't see any error messages when I was in 1200 and 9600 mode. Is there anything else I can debug to see why AGWPE Pro is not recognizing the data? Not seeing anything under MHeard or Monitor when I run 9600, but 1200 is perfect.

Thanks es 73

de Bruce- W3NJ

Yahoo! Groups Links

303. reg code for pro

Yahoo group: agwpe_pro
Date: 2005-01-23 14:58:24 UTC
From: William Biggs
Topic: 303 Message: 303

I had to redo my computer and my reg code for pro how can I get it re-sent .

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.7.2 - Release Date: 1/21/2005

304. RE: [agwpe_pro] reg code for pro

Yahoo group: agwpe_pro
Date: 2005-01-23 15:51:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 303 Message: 304

Hi

Send me the new "Key to Send"
To sv2agw@...

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: William Biggs [mailto:mrbiggs@...]
Sent: Sunday, January 23, 2005 4:58 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] reg code for pro

I had to redo my computer and my reg code for pro how can I get it re-sent .

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.7.2 - Release Date: 1/21/2005

Yahoo! Groups Links

305. Port0.ini file with YAM

Yahoo group: agwpe_pro
Date: 2005-01-23 15:20:08 UTC
From: W3NJ@aol.com
Topic: 305 Message: 305

Hi George,
Attacehd is my port0.ini file. I have also changed the "Frequency" line to say UHF 9600, but I'm assuming this has no impact on the software. This file says the default "VHF 1200"

I'll also send the actual .mcs file and other AGWPE Pro files.

Thanks for your help!

73
Bruce- W3NJ

Date: Sun, 23 Jan 2005 08:28:46 +0200
From: "\(SV2AGW\)George Rossopoulos" <sv2agw@...>
Subject: RE: AGWPE Pro with YAM modem @ 9600

Hi

Send me the prot0.ini file to see if you are using the right 9600b mcs file

73

```
[TNC]
TYPE=YAM
KISSSUBTYPE=KISS
KISSID=0
FREQUENCY=VHF 1200
ONAIR=3
[COMMUNICATION]
PORT=COM1:
BAUD=9600
INIFILE=C:\Program Files\AGWSoft\Packet Engine Pro\yam96v13.mcs
COMBASE=3f8
IRQ=4
```

[Non-text portions of this message have been removed]

306. Additional files with YAM modem

Yahoo group: agwpe_pro
Date: 2005-01-23 15:23:27 UTC
From: W3NJ@aol.com
Topic: 306 Message: 306

Hi George,
Here are some of the other ini and config files I'm using with the YAM at 1200 and 9600.

Bruce

[Non-text portions of this message have been removed]

307. DRSI Board

Yahoo group: agwpe_pro
Date: 2005-01-23 19:03:53 UTC
From: James K. Darrow
Topic: 307 Message: 307

I have a DRSI card that I'm trying to use. When I try to configure the AGW Packet Engine Pro and restart I get the messages agwdrsi.vxd not found, but when I look in the packet engine pro folder its there. Does anyone have any suggestions.

Thanks,

73's Jim KB9MMC

308. port0.ini file for YAM

Yahoo group: agwpe_pro
Date: 2005-01-25 01:31:24 UTC
From: W3NJ@aol.com
Topic: 308 Message: 308

Hi George
Not sure if you got my attachments from the previous emails. Here's my port0.ini file

In a message dated 1/24/2005 03:44:30 Central Standard Time, agwpe_pro@yahoogroups.com writes:

```
> [TNC]
> TYPE=YAM
> KISSSUBTYPE=KISS
> KISSID=0
> FREQUENCY=UHF 9600
> ONAIR=3
> [COMMUNICATION]
> PORT=COM1:
> BAUD=9600
> INIFILE=C:\Program Files\AGWSoft\Packet Engine Pro\yam96v13.mcs
> COMBASE=3f8
> IRQ=4
```

[Non-text portions of this message have been removed]

309. Re: [agwpe_pro] WINXP SP2 and TCPIP Over radio adapter problem.

Yahoo group: agwpe_pro
Date: 2005-01-26 04:58:46 UTC
From: Gary Jacobs
Topic: 253 Message: 309

Good Day George,
I'm having trouble discerning the grounds in connecting the micro tnc.
My Alinco DR-150 TE instruction manual shows the following pinouts for
the microphone pin in 1200 bps packes operation:
Pin 1 TX data input (OK no problem) VIOLET
Pin 2 PTT Connect the PTT output transmit occurs when falls (BROWN?)
Pin 7 DE (Ground for TXD) Gnd of TNC output ???
Pin 8 GND (GND for PTT) ???
As you cautioned about grounding, I'm afraid I'm confused.
My rear receive plug is using the Blue wire (RX) on tip and the Green
wire (Analog Ground) on the shield
What colors go to Pins 7 and 8?
Thank you very much. Your help is greatly appreciated.
Gary WA4PDM

On Sep 10, 2004, at 11:45 AM, ((SV2AGW))George Rossopoulos wrote:

> Hi
>
> If you install WINXP SP2 you will notice that the Tcpip over radio
> adapter
> does not appear in the Network Connections view and you cannot
> configure it.
> The solution is to uninstall the driver and to install the new winxp
> driver
> which is in the drivers.zip and tcpipXP.zip.
>
> In my site there are detailed instructions.
>
>
>
> 73
>
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
>
>

>
>
>
> Yahoo! Groups Sponsor
>
> ADVERTISEMENT
> <81804_0704_b_300250a.gif>
> <l.gif>
>
> Yahoo! Groups Links
>
> ? To visit your group on the web, go to:
> http://groups.yahoo.com/group/agwpe_pro/
> ?
> ? To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> ?
> ? Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>

[Non-text portions of this message have been removed]

310. AXIP

Yahoo group: agwpe_pro
Date: 2005-01-26 20:34:55 UTC
From: Dave M1AGN
Topic: 291 Message: 310

Hi,

Does anyone know of any plans to add built in support for AXIP/AXUDP, I have been using the external third party driver but this appears to suffer from a serious bug and I've had no luck contacting the author.

Cheers,
Dave M1AGN.

311. XP/W2k And PTT

Yahoo group: agwpe_pro
Date: 2005-01-27 07:27:43 UTC
From: pippo
Topic: 311 Message: 311

```
Only one question:
now ptt on lptx with OS XP/W2k work?
If yes,please tell me how!

tks
Max
```

312. AGW Pro LPT1 PTT problem

Yahoo group: agwpe_pro
Date: 2005-01-26 22:18:40 UTC
From: n8fau15
Topic: 312 Message: 312

Hello all:

I'm running AGW pro with Win2000 operating system. So far I've not
been able to get the PTT interface working.

This is what I've checked:

The circuit will key the rig with a +5V applied to Pin 2 and pin 25
(gnd) of the interface I built.

LPT1 is selected in the program.

So... I'm running out of ideas...

Any help will be appriciated

73

Bob
N8FAU
Saranac, MI

313. RE: [agwpe_pro] AGW Pro LPT1 PTT problem

Yahoo group: agwpe_pro
Date: 2005-01-27 15:52:04 UTC
From: (SV2AGW)George Rossopoulos
Topic: 312 Message: 313

Hi

I made an error and I put in the installation package the BAD driver.
I will upload during this week a new version with the right prallel port driver.
Among others the new version will have a better 1200/300b soundcard modem

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: n8fau15 [mailto:n8fau@...]
Sent: Thursday, January 27, 2005 12:19 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGW Pro LPT1 PTT problem

Hello all:

I'm running AGW pro with Win2000 operating system. So far I've not been able to get the PTT interface working.

This is what I've checked:

The circuit will key the rig with a +5V applied to Pin 2 and pin 25 (gnd) of the interface I built.

LPT1 is selected in the program.

So... I'm running out of ideas...

Any help will be appriciated

73

Bob
N8FAU

Saranac, MI

Yahoo! Groups Links

314. Re: AGW Pro LPT1 PTT problem

Yahoo group: agwpe_pro
Date: 2005-01-27 19:40:06 UTC
From: n8fau15
Topic: 312 Message: 314

George:

Thanks.... A better modem!!!!! I'm already seeing 200% more than
what I was in the THD-7....

Keep up the good work...

73
Bob
N8FAU
Saranac, MI

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
<sv2agw@r...> wrote:
> Hi
>
> I made an error and I put in the installation package the BAD
driver.
> I will upload during this week a new version with the right
prallel port
> driver.
> Among others the new version will have a better 1200/300b
soundcard modem
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: n8fau15 [mailto:n8fau@w...]
> Sent: Thursday, January 27, 2005 12:19 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW Pro LPT1 PTT problem

>
>
>
>
> Hello all:
>
> I'm running AGW pro with Win2000 operating system. So far I've not
been able
> to get the PTT interface working.
>
> This is what I've checked:
>
> The circuit will key the rig with a +5V applied to Pin 2 and pin 25
> (gnd) of the interface I built.
>
> LPT1 is selected in the program.
>
> So... I'm running out of ideas...
>
> Any help will be appriciated
>
> 73
>
> Bob
> N8FAU
> Saranac, MI
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links

315. Re: AGW Pro LPT1 PTT problem

Yahoo group: agwpe_pro
Date: 2005-01-30 13:46:01 UTC
From: pippo
Topic: 312 Message: 315

<sv2agw@r...> wrote:
> Hi
>
> I made an error and I put in the installation package the BAD
driver.
> I will upload during this week a new version with the right
prallel port
> driver.

Please where do you upload new version? Here?

Max

316. RE: [agwpe_pro] Re: AGW Pro LPT1 PTT problem

Yahoo group: agwpe_pro
Date: 2005-01-30 16:30:00 UTC
From: Ralph Milnes
Topic: 312 Message: 316

Max,

It is normally announced on this reflector but you will be able to download
it at:

http://www.raag.org/sv2agw/inst.htm (Europa)

http://www.elcom.gr/sv2agw/inst.htm (North America)

Ralph KC2RLM

From: pippo [mailto:montegrande11@...]
Sent: Sunday, January 30, 2005 8:46 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW Pro LPT1 PTT problem

<sv2agw@r...> wrote:
> Hi
>
> I made an error and I put in the installation package the BAD
driver.
> I will upload during this week a new version with the right
prallel port
> driver.

Please where do you upload new version? Here?

Max

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

317. Can't start PE Pro

Yahoo group: agwpe_pro
Date: 2005-02-02 01:41:40 UTC
From: aroyo37
Topic: 317 Message: 317

Something has just gone wrong with my PE Pro. Whenever I try to run it now, I get the message "Packet Engine Pro shuts down abnormally. It is strong recommended to restart your computer." I restart my computer, then try to run PE Pro, & the same message reappears. Advice please!
Thanks!
Ben, AA3XH

318. Re: Can't start PE Pro

Yahoo group: agwpe_pro
Date: 2005-02-02 10:59:03 UTC
From: Art
Topic: 317 Message: 318

Ben, see below

--- In agwpe_pro@yahoogroups.com, "aroyo37" <aroyo37@y...> wrote:
>
>
> Something has just gone wrong with my PE Pro. Whenever I try to
run it
> now, I get the message "Packet Engine Pro shuts down abnormally.
It is
> strong recommended to restart your computer." I restart my
computer,
> then try to run PE Pro, & the same message reappears. Advice
please!
> Thanks!
> Ben, AA3XH

I had this same problem a month or so ago Ben. Thanks to Rick,
KN6KB, he instructed me to do the following and that got me back up
and running. I had posted this on the SV2AGW user group, his reply
was meesage number 5561 which I am pasting here:

Art,

Remove the AGWPE.INI and Portn.ini files in your PE Pro directory.
It will
give you a clean start (but you will have to re enter your TNC info
again).
In the future make a backup copy of these INI files and if something
goes
haywire you can simply re copy them and not have to re enter to set
up.

Rick KN6KB

319. RE: [agwpe_pro] Re: Can't start PE Pro

Yahoo group: agwpe_pro
Date: 2005-02-02 15:35:05 UTC
From: Ralph Milnes
Topic: 317 Message: 319

Art,

A "reset" of AGWPE should fix it: delete the agwpe.ini and *all* port(x).ini files, i.e. port1.ini, etc.

You will have to reconfigure all your radioports when PE Pro restarts, but the error should disappear. Somehow your agwpe.ini file is out of synch with your port.ini files.

Ralph KC2RLM

From: Art [mailto:abertheaume@...]
Sent: Wednesday, February 02, 2005 5:59 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Can't start PE Pro

Ben, see below

--- In agwpe_pro@yahoogroups.com, "aroyo37" <aroyo37@y...> wrote:
>
>
> Something has just gone wrong with my PE Pro. Whenever I try to run it
> now, I get the message "Packet Engine Pro shuts down abnormally. It is
> strong recommended to restart your computer." I restart my computer,
> then try to run PE Pro, & the same message reappears. Advice please!
> Thanks!
> Ben, AA3XH

I had this same problem a month or so ago Ben. Thanks to Rick, KN6KB, he instructed me to do the following and that got me back up and running. I had posted this on the SV2AGW user group, his reply was meesage number 5561 which I am pasting here:

Art,

Remove the AGWPE.INI and Portn.ini files in your PE Pro directory. It will
give you a clean start (but you will have to re enter your TNC info again).
In the future make a backup copy of these INI files and if something goes

haywire you can simply re copy them and not have to re enter to set up.

Rick KN6KB

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

320. Re: [agwpe_pro] Re: Can't start PE Pro

Yahoo group: agwpe_pro
Date: 2005-02-02 19:23:50 UTC
From: Ben Acton
Topic: 317 Message: 320

Art, many thanks to you, & Rick! Those instructions
worked. I've made backup copies of the files.
Ben, AA3XH

--- Art <abertheaume@...> wrote:

>
> Ben, see below
>
> --- In agwpe_pro@yahoogroups.com, "aroyo37"
> <aroyo37@y...> wrote:
> >
> >
> > Something has just gone wrong with my PE Pro.
> Whenever I try to
> run it
> > now, I get the message "Packet Engine Pro shuts
> down abnormally.
> It is
> > strong recommended to restart your computer." I
> restart my
> computer,
> > then try to run PE Pro, & the same message
> reappears. Advice
> please!
> > Thanks!
> > Ben, AA3XH
>
> I had this same problem a month or so ago Ben.
> Thanks to Rick,
> KN6KB, he instructed me to do the following and that
> got me back up
> and running. I had posted this on the SV2AGW user
> group, his reply
> was meesage number 5561 which I am pasting here:
>
> Art,
>
> Remove the AGWPE.INI and Portn.ini files in your PE
> Pro directory.
> It will
> give you a clean start (but you will have to re
> enter your TNC info
> again).
> In the future make a backup copy of these INI files

> and if something
> goes
> haywire you can simply re copy them and not have to
> re enter to set
> up.
>
> Rick KN6KB
>
>
>
>
>

Do you Yahoo!?
Yahoo! Mail - 250MB free storage. Do more. Manage less.
http://info.mail.yahoo.com/mail_250

321. D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-04 08:29:20 UTC
From: John Habbinga
Topic: 321 Message: 321

Is there a way for PEPRO to connect and monitor the digital information from my Icom IC-2200H D-Star radio? The connection parameters are as follows:

Port: COM1
Baud Rate: 4800 or 9600
Data: 8 bit
Parity: None
Stop: 1 bit
Flow Control: Xon/Xoff

322. RE: [agwpe_pro] Re: Can't start PE Pro

Yahoo group: agwpe_pro
Date: 2005-02-02 19:40:28 UTC
From: Kenneth Cook
Topic: 317 Message: 322

I had made a change one day and it did the same thing with mine. I opened AGWPE.INI and edited it with Note Pad to change the last thing I had done. It worked for me.

Kenneth P. Cook Jr., W8DZN

President, Bucyrus Amateur Radio Club

Assistant Emergency Coordinator for Crawford & Marion Co., Ohio

Winlink 2000 Representative for District 6

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III.

From: Art [mailto:abertheaume@...]
Sent: Wednesday, February 02, 2005 5:59 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Can't start PE Pro

Ben, see below

--- In agwpe_pro@yahoogroups.com, "aroyo37" <aroyo37@y...> wrote:
>
>
> Something has just gone wrong with my PE Pro. Whenever I try to run it
> now, I get the message "Packet Engine Pro shuts down abnormally. It is
> strong recommended to restart your computer." I restart my computer,
> then try to run PE Pro, & the same message reappears. Advice please!
> Thanks!
> Ben, AA3XH

[Non-text portions of this message have been removed]

323. Printer Port PTT

Yahoo group: agwpe_pro
Date: 2005-02-16 18:45:15 UTC
From: g6guh
Topic: 323 Message: 323

does anyone know if George has relaeased the update to enable the PTT to work ?

324. RE: [agwpe_pro] Printer Port PTT

Yahoo group: agwpe_pro
Date: 2005-02-16 19:39:36 UTC
From: Ralph Milnes
Topic: 323 Message: 324

There has not been a PE Pro update since 3July 2004.

I don't remember the thread about PTT by parallel port, but if it was a problem in the 3July2004 version, it's still a problem. Sorry.

Ralph KC2RLM

From: g6guh [mailto:peter.bonds@...]
Sent: Wednesday, February 16, 2005 1:45 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Printer Port PTT

does anyone know if George has relaeased the update to enable the PTT to work ?

Yahoo! Groups Sponsor

ADVERTISEMENT
document.write('
<http://us.ard.yahoo.com/SIG=129o3t2b1/M=298184.6018725.7038619.3001176/D=groups/S=1705063108:HM/EXP=1108665921/A=2532114/R=1/SIG=12kknk3e1/*http://clk.atdmt.com/NFX/go/yhxxxnfx0020000014nfx/direct/01/&time=1108579521991174> ');

<http://us.ard.yahoo.com/SIG=129o3t2b1/M=298184.6018725.7038619.3001176/D=groups/S=1705063108:HM/EXP=1108665921/A=2532114/R=2/SIG=12kknk3e1/*http://clk.atdmt.com/NFX/go/yhxxxnfx0020000014nfx/direct/01/&time=1108579521991174>
Web Bug from
http://us.adserver.yahoo.com/l?M=298184.6018725.7038619.3001176/D=groups/S=:HM/A=2532114/rand=356145282

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

325. DAMA and EAX25

Yahoo group: agwpe_pro
Date: 2005-02-17 09:56:32 UTC
From: KK6RW
Topic: 325 Message: 325

Hello all,

I am trying to eliminate the [DAMA] and [EAX25] from the packets my stations are sending. The DAMA and EAX boxes are not checked on the properties for the modem. Modem is musb TNT. These parameters are not in use here in the USA. I am using AGWPE Pro.

VE7MEP-9 To ID Via RELAY,KK6RW-11,WIDE2* <UI pid=F0 [DAMA] [EAX25] Len=30
>[01:39:25]
VE7MEP-9/R RELAY/D VE7MEP-1/B

Any suggestions or help is appreciated.

73,

Randy Whitney, KK6RW

326. Re: D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 07:40:37 UTC
From: John Habbinga
Topic: 321 Message: 326

I have been studying the GPS sentence formatters that come from my IC-2200H when connected to a GPS. There are 25 possible combinations, but combination number 3, RMC or GPRMC seems to be the most useful for APRS.

Is there a way for PEPRO to monitor one of my COMM Ports (connection data is listed below) and convert the GPRMC formatted sentence into data my APRS software (UI-View 32) could understand?

The following is a sentence from my radio transmitted a short while ago.

$GPRMC,070838,A,3331.2438,N,10152.3132,W,20.6,270.2,220205,7.7,E,A*32
KC5ZRQ ,

070838 Time of fix 07:08:38 UTC
A Navigation receiver warning A = OK, V = warning
3331.2438,N Latitude 33 deg. 31.2438 min North
10152.3132,W Longitude 101 deg. 52.3132 min West
20.6 Speed over ground, Knots
270.2 Course Made Good, True
220205 Date of fix 22 February 2005
7.7,E Magnetic variation 7.7 deg East
*32 mandatory checksum
KC5ZRQ , My callsign

BTW: My callsign can't have a dash (-) in it. I could put a number though. KC5ZRQ1, KC5ZRQ01 or KC5ZRQ15. Callsign is maximum of 8 characters.

Thanks
John, KC5ZRQ

> Is there a way for PEPRO to connect and monitor the digital
> information from my Icom IC-2200H D-Star radio? The connection
> parameters are as follows:
>
> Port: COM1
> Baud Rate: 4800 or 9600
> Data: 8 bit
> Parity: None
> Stop: 1 bit
> Flow Control: Xon/Xoff

327. RE: [agwpe_pro] Re: D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 16:53:19 UTC
From: (SV2AGW)George Rossopoulos
Topic: 321 Message: 327

Hi

Uiview understands GPRMC sentences (AGWTRacker not Yet!!!).
So you will have no problem.
This is what alinco sends too.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: John Habbinga [mailto:habbox@...]
Sent: Tuesday, February 22, 2005 9:41 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: D-Star IC-2200H Connection

I have been studying the GPS sentence formatters that come from my IC-2200H when connected to a GPS. There are 25 possible combinations, but combination number 3, RMC or GPRMC seems to be the most useful for APRS.

Is there a way for PEPRO to monitor one of my COMM Ports (connection data is listed below) and convert the GPRMC formatted sentence into data my APRS software (UI-View 32) could understand?

The following is a sentence from my radio transmitted a short while ago.

$GPRMC,070838,A,3331.2438,N,10152.3132,W,20.6,270.2,220205,7.7,E,A*32
KC5ZRQ ,

070838 Time of fix 07:08:38 UTC
A Navigation receiver warning A = OK, V = warning
3331.2438,N Latitude 33 deg. 31.2438 min North
10152.3132,W Longitude 101 deg. 52.3132 min West
20.6 Speed over ground, Knots
270.2 Course Made Good, True
220205 Date of fix 22 February 2005

7.7,E Magnetic variation 7.7 deg East
*32 mandatory checksum
KC5ZRQ , My callsign

BTW: My callsign can't have a dash (-) in it. I could put a number though. KC5ZRQ1, KC5ZRQ01 or KC5ZRQ15. Callsign is maximum of 8 characters.

Thanks
John, KC5ZRQ

> Is there a way for PEPRO to connect and monitor the digital
> information from my Icom IC-2200H D-Star radio? The connection
> parameters are as follows:
>
> Port: COM1
> Baud Rate: 4800 or 9600
> Data: 8 bit
> Parity: None
> Stop: 1 bit
> Flow Control: Xon/Xoff

Yahoo! Groups Links

328. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 18:05:58 UTC
From: John Habbinga
Topic: 321 Message: 328

> Uiview understands GPRMC sentences

If UI-View understands GPRMC sentences, then I don't understand UI-View. I want to track a D-Star station that is beaconing its position with GPRMC strings. I want there to be an icon with a callsign next to it. When I click on the icon I want to see the position, time, beacon comment, status text, name, effective digi path and frame.

Here is what I can do right now with UI-View and D-Star. I can go to the "GPS Setting" under the "Setup" menu. I can configure it as 9600 baud rate, com-port 2, and enable show GPS cross-hairs. This will place a cross-hair on my map in UI-View.

So I can drive around town in my car with my D-Star radio beaconing. At home my other D-Star radio is receiving. My UI-View is plotting a cross-hair on my screen.

But others in the APRS world can't see the cross-hairs (it doesn't get digipeated). And there is no information on my screen about the speed or bearing. There is no identification of what the cross-hairs represent.

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

329. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 19:30:11 UTC
From: Jean-Marie Houle
Topic: 321 Message: 329

Le 2005-02-22 10:05 -0800, John Habbinga ?crivait:

>> Uiview understands GPRMC sentences
>
>If UI-View understands GPRMC sentences, then I don't
>understand UI-View. I want to track a D-Star station
>that is beaconing its position with GPRMC strings. I
>want there to be an icon with a callsign next to it.
>When I click on the icon I want to see the position,
>time, beacon comment, status text, name, effective
>digi path and frame.
>
>Here is what I can do right now with UI-View and
>D-Star. I can go to the "GPS Setting" under the
>"Setup" menu. I can configure it as 9600 baud rate,
>com-port 2, and enable show GPS cross-hairs. This
>will place a cross-hair on my map in UI-View.
>
>So I can drive around town in my car with my D-Star
>radio beaconing. At home my other D-Star radio is
>receiving. My UI-View is plotting a cross-hair on my
>screen.
>
>But others in the APRS world can't see the cross-hairs
>(it doesn't get digipeated). And there is no
>information on my screen about the speed or bearing.
>There is no identification of what the cross-hairs represent.

I think I see what you are trying to do. You almost have it.

In UI-View, goto station setup. Under beacon interval, beside mobile enter 2 and 1. Under GPS Symbol, select the symbol. That way. UI-View will transmit that symbol with the position every 2 minutes or more often if the position changes more than 1 mile (or km).

Let us know if it works.

73, Jean-Marie, VE2AEY

330. Re: D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 20:00:28 UTC
From: John Habbinga
Topic: 321 Message: 330

See how these GPRMC sentences are displayed in Windows HyperTerminal.

http://members.cox.net/ic-2200h/images/IC-2200H_HyperTerminal_ScreenShot.png

HyperTerminal settings are:
Port: COM1
Baud Rate: 4800 or 9600
Data: 8 bit
Parity: None
Stop: 1 bit
Flow Control: Xon/Xoff

331. RE: [agwpe_pro] Re: D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 20:17:59 UTC
From: Bill Bell
Topic: 321 Message: 331

When reading from a GPS Ui-View only puts out cross hairs on the map as a indication of your location.

For you to receive others APRS station or be picked up by other APRS stations you need to be on 144.390 Mhz which is the US national APRS frequency.

For information on Ui-View I suggest the group at
http://groups.yahoo.com/group/ui-view/

You can get plenty of help there with UiView

73's W9BEL

Bill Bell

http://www.w9bel.com

-----Original Message-----
From: (SV2AGW)George Rossopoulos [mailto:sv2agw@...]
Sent: Tuesday, February 22, 2005 11:53
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: D-Star IC-2200H Connection

Hi

Uiview understands GPRMC sentences (AGWTRacker not Yet!!!).
So you will have no problem.
This is what alinco sends too.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation) www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: John Habbinga [mailto:habbox@...]
Sent: Tuesday, February 22, 2005 9:41 AM
To: agwpe_pro@yahoogroups.com

Subject: [agwpe_pro] Re: D-Star IC-2200H Connection

I have been studying the GPS sentence formatters that come from my IC-2200H when connected to a GPS. There are 25 possible combinations, but combination number 3, RMC or GPRMC seems to be the most useful for APRS.

Is there a way for PEPRO to monitor one of my COMM Ports (connection data is listed below) and convert the GPRMC formatted sentence into data my APRS software (UI-View 32) could understand?

The following is a sentence from my radio transmitted a short while ago.

$GPRMC,070838,A,3331.2438,N,10152.3132,W,20.6,270.2,220205,7.7,E,A*32
KC5ZRQ ,

070838 Time of fix 07:08:38 UTC
A Navigation receiver warning A = OK, V = warning
3331.2438,N Latitude 33 deg. 31.2438 min North
10152.3132,W Longitude 101 deg. 52.3132 min West
20.6 Speed over ground, Knots
270.2 Course Made Good, True
220205 Date of fix 22 February 2005
7.7,E Magnetic variation 7.7 deg East
*32 mandatory checksum
KC5ZRQ , My callsign

BTW: My callsign can't have a dash (-) in it. I could put a number though. KC5ZRQ1, KC5ZRQ01 or KC5ZRQ15. Callsign is maximum of 8 characters.

Thanks
John, KC5ZRQ

> Is there a way for PEPRO to connect and monitor the digital
> information from my Icom IC-2200H D-Star radio? The connection
> parameters are as follows:
>
> Port: COM1
> Baud Rate: 4800 or 9600
> Data: 8 bit
> Parity: None
> Stop: 1 bit
> Flow Control: Xon/Xoff

Yahoo! Groups Links

Yahoo! Groups Links

332. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 22:18:59 UTC
From: (SV2AGW)George Rossopoulos
Topic: 321 Message: 332

Hi

Does the Icom transmits a packet with the GPRSMC sentence??
If yes then any user with UIVIEW should See your station .
Of course you will not have any status text etc. Just the Position and your callsign.

If you use the in car UIVIEW to send beacons do what VE2AEY said.
You can avoid the in car PC using the ICOM with mUSB TNT. MUSB TNT will send the position packets etc.

I am planning to use a in CAR PC with a small VGA Touch Screen 7'' and AGWTracker.
I am still thinking about it, when ready I will publish fotos and how to.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Jean-Marie Houle [mailto:houle_jean_marie@...]
Sent: Tuesday, February 22, 2005 9:30 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] D-Star IC-2200H Connection

Le 2005-02-22 10:05 -0800, John Habbinga écrivait:

>> Uiview understands GPRMC sentences
>
>If UI-View understands GPRMC sentences, then I don't understand
>UI-View. I want to track a D-Star station that is beaconing its
>position with GPRMC strings. I want there to be an icon with a
>callsign next to it.
>When I click on the icon I want to see the position, time, beacon
>comment, status text, name, effective digi path and frame.
>

>Here is what I can do right now with UI-View and D-Star. I can go to
>the "GPS Setting" under the "Setup" menu. I can configure it as 9600
>baud rate, com-port 2, and enable show GPS cross-hairs. This will
>place a cross-hair on my map in UI-View.
>
>So I can drive around town in my car with my D-Star radio beaconing.
>At home my other D-Star radio is receiving. My UI-View is plotting a
>cross-hair on my screen.
>
>But others in the APRS world can't see the cross-hairs (it doesn't get
>digipeated). And there is no information on my screen about the speed
>or bearing.
>There is no identification of what the cross-hairs represent.

I think I see what you are trying to do. You almost have it.

In UI-View, goto station setup. Under beacon interval, beside mobile enter 2
and 1. Under GPS Symbol, select the symbol. That way. UI-View will transmit
that symbol with the position every 2 minutes or more often if the position
changes more than 1 mile (or km).

Let us know if it works.

73, Jean-Marie, VE2AEY

Yahoo! Groups Links

333. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-22 22:12:37 UTC
From: John Habbinga
Topic: 321 Message: 333

Thank you Jean-Marie. I just did that and it does
seem to be working.

The limitation here is that it will only be effective
for my station. If there are other D-Star users in
the area then their GPS beacons would screw up my
position.

Look at the format of this GPRMC sentence:

$GPRMC,061836,A,3331.4276,N,10152.5991,W,0.0,277.8,220205,7.8,E,A*07
KC5ZRQ ,

I would like a feature in PEPRO that would convert
that sentence into an APRS formatted sentence. Notice
that it is a standard RMC sentence format that places
my callsign at the end. That callsign can be 8
characters long. Example, KC5ZRQ15.

> In UI-View, goto station setup. Under beacon
> interval, beside mobile enter 2 and 1. Under GPS
> Symbol, select the symbol. That way. UI-View will
> transmit that symbol with the position every 2
> minutes or more often if the position changes more
> than 1 mile (or km).
>
> Let us know if it works.

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

334. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 00:08:53 UTC
From: John Habbinga
Topic: 321 Message: 334

> Does the Icom transmits a packet with the GPRSMC
> sentence??
> If yes then any user with UIVIEW should See your
> station .
> Of course you will not have any status text etc.
> Just the Position and your
> callsign.

Then what happens when the guy across town gets D-Star
and transmits his GPS beacon on the same frequency as
I am?

_____
Do you Yahoo!?
Yahoo! Mail - 250MB free storage. Do more. Manage less.
http://info.mail.yahoo.com/mail_250

335. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 10:25:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 321 Message: 335

Hi John

I really don't know how the 2200 works.
Could you explain it?
What exactly does with the GPS??
Does it transmits the gps sentences as packet frames or it uses a special format??
If it trasmits a frame, the frame can be received from other packet stations without 2200??
If this is a Packet formatted frame then contains a fromCall (which is yours) and ToCall which should be something like Apxxxx(APRS etc)

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: John Habbinga [mailto:habbox@...]
Sent: Wednesday, February 23, 2005 2:09 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] D-Star IC-2200H Connection

> Does the Icom transmits a packet with the GPRSMC sentence??
> If yes then any user with UIVIEW should See your station .
> Of course you will not have any status text etc.
> Just the Position and your
> callsign.

Then what happens when the guy across town gets D-Star and transmits his GPS beacon on the same frequency as I am?

Do you Yahoo!?
Yahoo! Mail - 250MB free storage. Do more. Manage less.
http://info.mail.yahoo.com/mail_250

Yahoo! Groups Links

336. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 13:29:36 UTC
From: Jean-Marie Houle
Topic: 321 Message: 336

Le 2005-02-22 14:12 -0800, John Habbinga ?crivait:

>Thank you Jean-Marie. I just did that and it does
>seem to be working.
>
>The limitation here is that it will only be effective
>for my station. If there are other D-Star users in
>the area then their GPS beacons would screw up my
>position.
>
>Look at the format of this GPRMC sentence:
>
>$GPRMC,061836,A,3331.4276,N,10152.5991,W,0.0,277.8,220205,7.8,E,A*07
>KC5ZRQ ,
>
>I would like a feature in PEPRO that would convert
>that sentence into an APRS formatted sentence. Notice
>that it is a standard RMC sentence format that places
>my callsign at the end. That callsign can be 8
>characters long. Example, KC5ZRQ15.

PEPRO is just an interface between the TNC/Radio and applications that use the data such as UI-View. It is not it's job to convert anything.

You either need the IC-2200h to send properly formatted data or another application that will do it.

73, Jean-Marie, VE2AEY

337. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 13:12:27 UTC
From: John Habbinga
Topic: 321 Message: 337

You connect the GPS to the radio with a cable such as this.

http://members.cox.net/ic-2200h/images/pcif.jpg

In the radio's menu you can choose the format of the GPS sentence (1-25).

The radio adds to that sentence your callsign, which is eight characters long.

Below is an example of some of the different sentence formatters available on the D-Star radios.

First line is the description of the GPS sentence format that I have added. The second line (sometimes third and fourth) is the GPS sentence format. The last line is my callsign. (It appears that it had a problem creating a VTG formatted sentence from my GPS.)

```
GPS-01 GLL
$GPGLL,3331.4277,N,10152.5989,W,061636,A,A*5F
KC5ZRQ ,

GPS-02 GGA
$GPGGA,061436,3331.4276,N,10152.5993,W,1,07,3.2,986.6,M,-23.6,M,,*7F
KC5ZRQ ,

GPS-03 RMC
$GPRMC,061836,A,3331.4276,N,10152.5991,W,0.0,277.8,220205,7.8,E,A*07
KC5ZRQ ,

GPS-04 GSA
$GPGSA,A,3,01,11,,16,20,,,25,,,,,2.1,1.8,1.0*3A
KC5ZRQ ,

GPS-05 VTG
Radio received signal, but no data was transferred

GPS-06 GLL,GGA
$GPGLL,3331.4270,N,10152.5993,W,062406,A,A*51
$GPGGA,062406,3331.4270,N,10152.5993,W,1,06,1.8,990.3,M,-23.6,M,,*72
KC5ZRQ ,

GPS-07 GLL,RMC
$GPGLL,3331.4271,N,10152.5990,W,062536,A,A*51
$GPRMC,062536,A,3331.4271,N,10152.5990,W,0.0,277.8,220205,7.8,E,A*0F
```

```
KC5ZRQ ,

GPS-08 GLL,GSA
$GPGLL,3331.4271,N,10152.5989,W,062636,A,A*5A
$GPGSA,A,3,01,11,,14,16,20,,,25,,,,2.3,1.9,1.0*3C
KC5ZRQ ,

GPS-09 GLL,VTG
$GPGLL,3331.4272,N,10152.5987,W,062808,A,A*54
KC5ZRQ ,

GPS-10 GGA,RMC
$GPGGA,062908,3331.4273,N,10152.5986,W,1,06,1.6,994.3,M,-23.6,M,,*7C
$GPRMC,062910,A,3331.4273,N,10152.5986,W,0.0,277.8,220205,7.8,E,A*02
KC5ZRQ ,

GPS-11 GGA,GSA
GPS-12 GGA,VTG
GPS-13 RMC,GSA
GPS-14 RMC,VTG
GPS-15 GSA,VTG

GPS-16 GLL,GGA,RMC
$GPGLL,3331.4275,N,10152.5985,W,063208,A,A*5A
$GPGGA,063208,3331.4275,N,10152.5985,W,1,05,1.8,994.6,M,-23.6,M,,*7B
$GPRMC,063210,A,3331.4275,N,10152.5985,W,0.0,277.8,220205,7.8,E,A*0D
KC5ZRQ ,

GPS-17 GLL,GGA,GSA
GPS-18 GLL,GGA,VTG
GPS-19 GLL,RMC,GSA
GPS-20 GLL,RMC,VTG
GPS-21 GLL,GSA,VTG

GPS-22 GGA,RMC,GSA
$GPGGA,063408,3331.4276,N,10152.5985,W,1,05,1.7,1002.2,M,-23.6,M,,*42
$GPRMC,063410,A,3331.4276,N,10152.5985,W,0.0,277.8,220205,7.8,E,A*08
$GPGSA,A,3,01,,,,16,20,23,,25,,,,2.1,1.7,1.0*34
KC5ZRQ ,

GPS-23 GGA,RMC,VTG
GPS-24 GGA,GSA,VTG
GPS-25 RMC,GSA,VTG

__________________________________
Do you Yahoo!?
Read only the mail you want - Yahoo! Mail SpamGuard.
http://promotions.yahoo.com/new_mail
```

338. Re: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 16:32:02 UTC
From: Perry - K4PWO
Topic: 321 Message: 338

D-Star is a Icom proprietary digital voice and data transmission format based on a open standard originally developed by the JARL. It is NOT AX.25 packet. As I understand, Icom is the only vendor supplying radios with this format. Alinco's digital voice/data system is based on a different standard.

73 de Perry - K4PWO
----- Original Message -----
From: John Habbinga
To: agwpe_pro@yahoogroups.com
Sent: Wednesday, February 23, 2005 7:12 AM
Subject: RE: [agwpe_pro] D-Star IC-2200H Connection

You connect the GPS to the radio with a cable such as
this.

http://members.cox.net/ic-2200h/images/pcif.jpg

In the radio's menu you can choose the format of the
GPS sentence (1-25).

The radio adds to that sentence your callsign, which
is eight characters long.

Below is an example of some of the different sentence
formatters available on the D-Star radios.

First line is the description of the GPS sentence
format that I have added. The second line (sometimes
third and fourth) is the GPS sentence format. The
last line is my callsign. (It appears that it had a
problem creating a VTG formatted sentence from my
GPS.)

GPS-01 GLL
$GPGLL,3331.4277,N,10152.5989,W,061636,A,A*5F
KC5ZRQ ,

GPS-02 GGA
$GPGGA,061436,3331.4276,N,10152.5993,W,1,07,3.2,986.6,M,-23.6,M,,*7F
KC5ZRQ ,

GPS-03 RMC
$GPRMC,061836,A,3331.4276,N,10152.5991,W,0.0,277.8,220205,7.8,E,A*07
KC5ZRQ ,

GPS-04 GSA
$GPGSA,A,3,01,11,,16,20,,,25,,,,,2.1,1.8,1.0*3A
KC5ZRQ ,

```
GPS-05 VTG
Radio received signal, but no data was transferred

GPS-06 GLL,GGA
$GPGLL,3331.4270,N,10152.5993,W,062406,A,A*51
$GPGGA,062406,3331.4270,N,10152.5993,W,1,06,1.8,990.3,M,-23.6,M,,*72
KC5ZRQ ,

GPS-07 GLL,RMC
$GPGLL,3331.4271,N,10152.5990,W,062536,A,A*51
$GPRMC,062536,A,3331.4271,N,10152.5990,W,0.0,277.8,220205,7.8,E,A*0F
KC5ZRQ ,

GPS-08 GLL,GSA
$GPGLL,3331.4271,N,10152.5989,W,062636,A,A*5A
$GPGSA,A,3,01,11,,14,16,20,,,25,,,,2.3,1.9,1.0*3C
KC5ZRQ ,

GPS-09 GLL,VTG
$GPGLL,3331.4272,N,10152.5987,W,062808,A,A*54
KC5ZRQ ,

GPS-10 GGA,RMC
$GPGGA,062908,3331.4273,N,10152.5986,W,1,06,1.6,994.3,M,-23.6,M,,*7C
$GPRMC,062910,A,3331.4273,N,10152.5986,W,0.0,277.8,220205,7.8,E,A*02
KC5ZRQ ,

GPS-11 GGA,GSA
GPS-12 GGA,VTG
GPS-13 RMC,GSA
GPS-14 RMC,VTG
GPS-15 GSA,VTG

GPS-16 GLL,GGA,RMC
$GPGLL,3331.4275,N,10152.5985,W,063208,A,A*5A
$GPGGA,063208,3331.4275,N,10152.5985,W,1,05,1.8,994.6,M,-23.6,M,,*7B
$GPRMC,063210,A,3331.4275,N,10152.5985,W,0.0,277.8,220205,7.8,E,A*0D
KC5ZRQ ,

GPS-17 GLL,GGA,GSA
GPS-18 GLL,GGA,VTG
GPS-19 GLL,RMC,GSA
GPS-20 GLL,RMC,VTG
GPS-21 GLL,GSA,VTG

GPS-22 GGA,RMC,GSA
$GPGGA,063408,3331.4276,N,10152.5985,W,1,05,1.7,1002.2,M,-23.6,M,,*42
$GPRMC,063410,A,3331.4276,N,10152.5985,W,0.0,277.8,220205,7.8,E,A*08
$GPGSA,A,3,01,,,,16,20,23,,25,,,,2.1,1.7,1.0*34
KC5ZRQ ,

GPS-23 GGA,RMC,VTG
GPS-24 GGA,GSA,VTG
GPS-25 RMC,GSA,VTG
```

Do you Yahoo!?
Read only the mail you want - Yahoo! Mail SpamGuard.
http://promotions.yahoo.com/new_mail

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

339. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 16:37:31 UTC
From: Bill Bell
Topic: 321 Message: 339

Upon looking at the D-Star presentation on the Icom web site D-Star is Icom specific and not even close to APRS.

The IC-2200H will work with APRS but must be used in a conventional manner with external TNC and or Sound card software to do the encoding/decoding.

I am quite heavily into APRS and at this time I don't know of any APRS software that makes use of the D-Star format. Anything that uses the D-Star format would not be compatible with the rest of the worldwide APRS network.

As VE2AEY said below PEPRO is just a interface.

One of it neat features is you can use 1 TNC/Sound Card to feed multiple software programs at the same time. They must usually be using the same protocol however.

73's W9BEL

Bill Bell
http://www.w9bel.com

-----Original Message-----
From: Jean-Marie Houle [mailto:houle_jean_marie@...]
Sent: Wednesday, February 23, 2005 08:30
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] D-Star IC-2200H Connection

Le 2005-02-22 14:12 -0800, John Habbinga écrivait:

>Thank you Jean-Marie. I just did that and it does seem to be working.
>
>The limitation here is that it will only be effective for my station.
>If there are other D-Star users in the area then their GPS beacons
>would screw up my position.
>
>Look at the format of this GPRMC sentence:
>
>$GPRMC,061836,A,3331.4276,N,10152.5991,W,0.0,277.8,220205,7.8,E,A*07
>KC5ZRQ ,
>
>I would like a feature in PEPRO that would convert that sentence into
>an APRS formatted sentence. Notice that it is a standard RMC sentence
>format that places my callsign at the end. That callsign can be 8
>characters long. Example, KC5ZRQ15.

PEPRO is just an interface between the TNC/Radio and applications that use the data such as UI-View. It is not it's job to convert anything.

You either need the IC-2200h to send properly formatted data or another application that will do it.

73, Jean-Marie, VE2AEY

Yahoo! Groups Links

340. Re: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 17:16:35 UTC
From: John Habbinga
Topic: 321 Message: 340

> D-Star is a Icom proprietary digital voice and data
> transmission format based on a open standard
> originally developed by the JARL. It is NOT AX.25
> packet. As I understand, Icom is the only vendor
> supplying radios with this format. Alinco's digital
> voice/data system is based on a different standard.

Actually D-Star is not a proprietary format. It was
not developed by the JARL, it was developed by Icom
and others at the request of the JARL.

Yes, Icom is the only vendor with D-Star format at
this time.

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

341. RE: [agwpe_pro] D-Star IC-2200H Connection

Yahoo group: agwpe_pro
Date: 2005-02-23 21:48:20 UTC
From: John Habbinga
Topic: 321 Message: 341

> If it trasmits a frame, the frame can be received
> from other packet stations
> without 2200??
> If this is a Packet formatted frame then contains a
> fromCall (which is
> yours) and ToCall which should be something like
> Apxxxx(APRS etc)

George, the best way that I can explain the formatting
is to send you a screenshot of my computer that is
monitoring the GPS beacons with Windows HyperTerminal.

http://members.cox.net/ic-2200h/images/IC-2200H_HyperTerminal_ScreenShot.png

_____
Do you Yahoo!?
Yahoo! Mail - You care about security. So do we.
http://promotions.yahoo.com/new_mail

343. KPC-3 PROBLEM

Yahoo group: agwpe_pro
Date: 2005-02-28 19:35:57 UTC
From: John
Topic: 343 Message: 343

I am trying to get PE-Pro running with a KPC-3 non plus version 6.

Here are the facts.

Win XP Pro SP-2

TNC on COM 1

Works with

UI-View In terminal and KISS mode.
TelPac 1.7
Hyperterminal
WinPack

I get a: Can't open serial port error. Probably you specified an illegal port! etc.

Same thing happens with KPC-2, KPC-4, KPC-2400.

Any suggestions?

Please don't tell me that PE-Pro won't work with modern computers as this would be a very bad thing to find out only after spending $50.

344. RE: [agwpe_pro] KPC-3 PROBLEM

Yahoo group: agwpe_pro
Date: 2005-03-01 09:14:25 UTC
From: (SV2AGW)George Rossopoulos
Topic: 343 Message: 344

Hi John

For Packet Engine.pro redioport manager
Double click the KPC3+ line
In this Dialog you can switch from KISS to XKISS

Be sure that KPC3+ is in terminal mode and not in newuser mode.
From Hyperterminal enter the command INTFACE TERMINAL

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: John [mailto:bigjohn45@...]
Sent: Monday, February 28, 2005 9:36 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] KPC-3 PROBLEM

I am trying to get PE-Pro running with a KPC-3 non plus version 6.

Here are the facts.

Win XP Pro SP-2

TNC on COM 1

Works with

UI-View In terminal and KISS mode.
TelPac 1.7
Hyperterminal
WinPack

I get a: Can't open serial port error. Probably you specified an illegal
port! etc.

Same thing happens with KPC-2, KPC-4, KPC-2400.

Any suggestions?

Please don't tell me that PE-Pro won't work with modern computers as this would be a very bad thing to find out only after spending $50.

Yahoo! Groups Links

345. Hello

Yahoo group: agwpe_pro
Date: 2005-03-03 15:33:26 UTC
From: Rick
Topic: 345 Message: 345

Glad to see I'm not the only Packet sysop running Packet Engine Pro, I find this software very usable in many applications..I'm running digiplex/winpack/Telmanager,with great success..After some learning curves with the digiplex and telmanager software, I've been running a telnet,RF,crossport system with KPC-3's and Pacomm tnc's..all on one computer..Thanks for all your efforts,I'm looking for any tips or inprovements,More interest in packet radio is brewing! 73's Rick N1YHR..

346. Re: [agwpe_pro] Hello

Yahoo group: agwpe_pro
Date: 2005-03-03 18:46:16 UTC
From: kg4fcd@aol.com
Topic: 345 Message: 346

Rick N1yhr,
In December last year I started to setup Packet Pro and TELPAC. I ordered and paid for Packet Pro and then spent two different sessions in the hospital. In the mean time the 30 days for registration ran out. I have been working with George in Greece trying to get it registered.
I send him the key to send and he sends me the Keycode. I transfer it to the program as he tells me to but the program continues to stay unregistered and will not function.
Do you have any suggestions?

73
Virgil Gibbs Kg4fcd
Public Information Officer
Mentor Online EMCOM Study
Packet Mail Box Kg4fcd-1 24/7

[Non-text portions of this message have been removed]

347. Re: Hello

Yahoo group: agwpe_pro
Date: 2005-03-03 22:02:40 UTC
From: Rick
Topic: 345 Message: 347

Hello Virgil, You may have a problem with the registry in the computer, If you have tried to install and unistall the packetpro software the registry maybe maintaining either a incorrect registry key code or a prevous version keycode from prevous attempted installs.I would uninstall the software and run a registry cleanup software first and then reinstall the latest version of Packet pro plus.I have worked with George also as I installed a second copy of packet pro after a hard drive crash and he had to match that copy with a keycode which gratefully was at no extra cost..Hope this helps..73's Rick N1YHR

--- In agwpe_pro@yahoogroups.com, kg4fcd@a... wrote:
>
> Rick N1yhr,
> In December last year I started to setup Packet Pro and TELPAC. I ordered and
> paid for Packet Pro and then spent two different sessions in the hospital. In
> the mean time the 30 days for registration ran out. I have been working with
> George in Greece trying to get it registered.
> I send him the key to send and he sends me the Keycode. I transfer it to the
> program as he tells me to but the program continues to stay unregistered and
> will not function.
> Do you have any suggestions?
>
> 73
> Virgil Gibbs Kg4fcd
> Public Information Officer
> Mentor Online EMCOM Study
> Packet Mail Box Kg4fcd-1 24/7
>
>
> [Non-text portions of this message have been removed]

348. Re: [agwpe_pro] Re: Hello

Yahoo group: agwpe_pro
Date: 2005-03-03 23:17:00 UTC
From: kg4fcd@aol.com
Topic: 345 Message: 348

In a message dated 3/3/2005 5:13:06 PM Eastern Standard Time, n1yhr@...
writes:

> registry cleanup
> software first

Ok, You lost me on that one.
I am running a Dell ME where do I start.
73
Virgil Gibbs Kg4fcd
Public Information Officer
Mentor Online EMCOM Study
Packet Mail Box Kg4fcd-1 24/7

[Non-text portions of this message have been removed]

349. Re: Hello

Yahoo group: agwpe_pro
Date: 2005-03-03 23:49:15 UTC
From: Rick
Topic: 345 Message: 349

Ok virgil, we'll give it a try here, In add/Remove programs in the control pannel,on your computer find the Packetpro program, click on the program and hit the remove button..Overall you want to remove any copies of the Packet Pro you have off the computer.Then search the internet for a resonable registry cleanup software and install it on the computer,I have used a program called (Registry Mechanic), this may cost you but it's worth it if you don't feel comfortable manualy cleaning up or editing the registry,which I don't either.The registry is what maybe holding the incorrect keycode and is not removed when you unistall the program.so that might be why your software won't register if it's not the right keycode ..After cleanup, reinstall the latest version packet pro software and registry keycode. That's about the best I can offer to try,best of Luck..Rick N1YHR..

--- In agwpe_pro@yahoogroups.com, kg4fcd@a... wrote:
> In a message dated 3/3/2005 5:13:06 PM Eastern Standard Time, n1yhr@y...
> writes:
>
> > registry cleanup
> > software first
>
> Ok, You lost me on that one.
> I am running a Dell ME where do I start.
> 73
> Virgil Gibbs Kg4fcd
> Public Information Officer
> Mentor Online EMCOM Study
> Packet Mail Box Kg4fcd-1 24/7
>
>
> [Non-text portions of this message have been removed]

350. Re: [agwpe_pro] Re: Hello

Yahoo group: agwpe_pro
Date: 2005-03-04 01:31:12 UTC
From: Perry - K4PWO
Topic: 345 Message: 350

You might try the Microsoft free "RegClean". It's an "oldie but goodie"...
http://www.pcworld.com/downloads/file_description/0,fid,4666,00.asp
or from here...
http://www.download.com/3000-2094-881470.html?legacy=cnet
Better yet is the freeware "RegSeeker" from...
http://www.hoverdesk.net/freeware.htm
or from...
http://www.pcworld.com/downloads/file_description/0,fid,23783,00.asp

73 de Perry - K4PWO

----- Original Message -----
From: Rick
To: agwpe_pro@yahoogroups.com
Sent: Thursday, March 03, 2005 5:49 PM
Subject: [agwpe_pro] Re: Hello

Ok virgil, we'll give it a try here, In add/Remove programs in the
control pannel,on your computer find the Packetpro program, click on
the program and hit the remove button..Overall you want to remove
any copies of the Packet Pro you have off the computer.Then search
the internet for a resonable registry cleanup software and install it
on the computer,I have used a program called (Registry Mechanic),
this may cost you but it's worth it if you don't feel comfortable
manualy cleaning up or editing the registry,which I don't either.The
registry is what maybe holding the incorrect keycode and is not
removed when you unistall the program.so that might be why your
software won't register if it's not the right keycode ..After
cleanup, reinstall the latest version packet pro software and
registry keycode. That's about the best I can offer to try,best of
Luck..Rick N1YHR..

--- In agwpe_pro@yahoogroups.com, kg4fcd@a... wrote:
> In a message dated 3/3/2005 5:13:06 PM Eastern Standard Time,
n1yhr@y...
> writes:
>
> > registry cleanup
> > software first
>
> Ok, You lost me on that one.
> I am running a Dell ME where do I start.
> 73
> Virgil Gibbs Kg4fcd
> Public Information Officer
> Mentor Online EMCOM Study

> Packet Mail Box Kg4fcd-1 24/7
>
>
> [Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

351. wormholes with agw and digiplex?

Yahoo group: agwpe_pro
Date: 2005-03-07 03:56:29 UTC
From: kb9mma1996
Topic: 351 Message: 351

[JIM] Question
[JIM] will the registered version of tcp/ip for windows 2000 let me telnet from my computer to other bbs.
I have digiplex setup
This is also know is something called wormhole?
Help
Jim
Kb9mma

352. Re: wormholes with agw and digiplex?

Yahoo group: agwpe_pro
Date: 2005-03-07 14:53:55 UTC
From: Rick
Topic: 351 Message: 352

Hi Jim, Check out the Telmanager software that is off the same web site you found digiplex.works with agw and digiplex.I can access other telnet bbs's or connect from other computers to my site thru telmanager and go out over rf.. 73's Rick.

--- In agwpe_pro@yahoogroups.com, "kb9mma1996" <kb9mma@c...> wrote:
>
> [JIM] Question
> [JIM] will the registered version of tcp/ip for windows 2000 let me
> telnet from my computer to other bbs.
> I have digiplex setup
> This is also know is something called wormhole?
> Help
> Jim
> Kb9mma

353. Linux Wine/CodeWeavers

Yahoo group: agwpe_pro
Date: 2005-03-10 06:36:51 UTC
From: Ted G. Freitas
Topic: 353 Message: 353

I'm currently running Fedora as my workstation. I've successfully achieved to get UI-View to run under Linux with no issues. I am able to launch AGWPE_PRO and get it to run, however I am not able to add a new port to the application. Has anyone attempted this or have AGWPE_PRO working under Linux?

-Ted

354. lu7did axip and agwpe pro

Yahoo group: agwpe_pro
Date: 2005-03-09 21:33:45 UTC
From: Andre v Schayk
Topic: 354 Message: 354

I´m trying to connect 4 axudp links to another computer using lu4dud´s axipdrv.dll.
I can connect 1 link just fine but when I set up 4 links to the same computer (all 4 different udp ports) the trafic that is suposed to come in on port 1 is comming in on port 4 and no matter on what port I transmit no data is making it out, does anyone know what could be wrong?

73 de Andre PE1RDW

355. Re: Linux Wine/CodeWeavers

Yahoo group: agwpe_pro
Date: 2005-03-10 12:52:34 UTC
From: Andre v Schayk
Topic: 353 Message: 355

--- In agwpe_pro@yahoogroups.com, "Ted G. Freitas" <ke6yjc@k...>
wrote:
>
> I'm currently running Fedora as my workstation. I've successfully
> achieved to get UI-View to run under Linux with no issues. I am
able
> to launch AGWPE_PRO and get it to run, however I am not able to
add a
> new port to the application. Has anyone attempted this or have
> AGWPE_PRO working under Linux?
>
> -Ted

I could try, I run fedora core 3 on my server, it might be
problimatic because at least some parts hit the hardware in a
nonstandard way.
if you only want to hook ui-view to a soundcard modem or tnc you can
try to set it up in the kernel and hook that up to ui-view with
net2kiss and ptty's ofcourse that is no option if you need the other
options in agwpe too like portsharing remote access etc.

73 de Andre PE1RDW

356. RE: [agwpe_pro] Re: Linux Wine/CodeWeavers

Yahoo group: agwpe_pro
Date: 2005-03-10 21:32:06 UTC
From: (SV2AGW)George Rossopoulos
Topic: 353 Message: 356

Hi

Do you mean that if you get a valid ini file PEPRO will run??
I doubt because I am using very very Windows elements.....
But you can try setup PEPRO on a windows machine and then copy the ini files to Linux.
You need agwpe.ini and portxx.ini (xx is from 0 to up the radioports you have)

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Andre v Schayk [mailto:pe1rdw@...]
Sent: Thursday, March 10, 2005 2:53 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Linux Wine/CodeWeavers

--- In agwpe_pro@yahoogroups.com, "Ted G. Freitas" <ke6yjc@k...>
wrote:
>
> I'm currently running Fedora as my workstation. I've successfully
> achieved to get UI-View to run under Linux with no issues. I am
able
> to launch AGWPE_PRO and get it to run, however I am not able to
add a
> new port to the application. Has anyone attempted this or have
> AGWPE_PRO working under Linux?
>
> -Ted

I could try, I run fedora core 3 on my server, it might be problimatic
because at least some parts hit the hardware in a nonstandard way.
if you only want to hook ui-view to a soundcard modem or tnc you can try to
set it up in the kernel and hook that up to ui-view with net2kiss and ptty's

ofcourse that is no option if you need the other options in agwpe too like portsharing remote access etc.

73 de Andre PE1RDW

Yahoo! Groups Links

357. RE: [agwpe_pro] Re: wormholes with agw and digiplex?

Yahoo group: agwpe_pro
Date: 2005-03-11 23:16:34 UTC
From: Ralph Milnes
Topic: 351 Message: 357

Hi Rick,

I wonder if you could give me a little more info on TelMgr. I've been to Pedro's site but I'm not understanding how TelMgr is used. I've never worked with Telnet BBSs, so that may be my problem.

Could you give me a practical illustration of how/why you would use TelMgr with AGWPE? Is RF packet involved at all or is stricly a TCP/IP connection?

Thanks

Ralph

From: Rick [mailto:n1yhr@...]
Sent: Monday, March 07, 2005 9:54 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: wormholes with agw and digiplex?

Hi Jim, Check out the Telmanager software that is off the same web site you found digiplex.works with agw and digiplex.I can access other telnet bbs's or connect from other computers to my site thru telmanager and go out over rf.. 73's Rick.

--- In agwpe_pro@yahoogroups.com, "kb9mma1996" <kb9mma@c...> wrote:
>
> [JIM] Question
> [JIM] will the registered version of tcp/ip for windows 2000 let me
> telnet from my computer to other bbs.
> I have digiplex setup
> This is also know is something called wormhole?
> Help
> Jim
> Kb9mma

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://us.ard.yahoo.com/SIG=1295mmqt2/M=298184.6018725.7038619.3001176/D=groups/S=1705063108:HM/EXP=1110308903/A=2593423/R=0/SIG=11el9gslf/*http://www.netflix.com/Default?mqso=60190075> click here
Web Bug from
http://us.adserver.yahoo.com/l?M=298184.6018725.7038619.3001176/D=groups/S=:HM/A=2593423/rand=943121101

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

358. Re: wormholes with agw and digiplex?

Yahoo group: agwpe_pro
Date: 2005-03-13 01:28:53 UTC
From: Rick
Topic: 351 Message: 358

Hi Ralph, sent you some more info on Telmanager at your email address.Step by step input is kinda hard to explain, but maybe if others try and have question,I'll be watching the group msgs to respond..73's Rick.N1YHR

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...> wrote:
> Hi Rick,
>
> I wonder if you could give me a little more info on TelMgr. I've been to
> Pedro's site but I'm not understanding how TelMgr is used. I've never worked
> with Telnet BBSs, so that may be my problem.
>
> Could you give me a practical illustration of how/why you would use TelMgr
> with AGWPE? Is RF packet involved at all or is stricly a TCP/IP connection?
>
> Thanks
>
> Ralph
>
>
> _____
>
> From: Rick [mailto:n1yhr@y...]
> Sent: Monday, March 07, 2005 9:54 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: wormholes with agw and digiplex?
>
>
>
> Hi Jim, Check out the Telmanager software that is off the same web
> site you found digiplex.works with agw and digiplex.I can access
> other telnet bbs's or connect from other computers to my site thru
> telmanager and go out over rf.. 73's Rick.
>
> --- In agwpe_pro@yahoogroups.com, "kb9mma1996" <kb9mma@c...> wrote:
> >
> > [JIM] Question
> > [JIM] will the registered version of tcp/ip for windows 2000 let me

> > telnet from my computer to other bbs.
> > I have digiplex setup
> > This is also know is something called wormhole?
> > Help
> > Jim
> > Kb9mma
>
>
>
>
>
> Yahoo! Groups Sponsor
>
> ADVERTISEMENT
>
>
<http://us.ard.yahoo.com/SIG=1295mmqt2/M=298184.6018725.7038619.30011
76/D=gr
>
oups/S=1705063108:HM/EXP=1110308903/A=2593423/R=0/SIG=11el9gslf/*http
://www.
> netflix.com/Default?mqso=60190075> click here
> Web Bug from
> http://us.adserver.yahoo.com/l?
M=298184.6018725.7038619.3001176/D=groups/S=:
> HM/A=2593423/rand=943121101
>
>
> _____
>
> Yahoo! Groups Links
>
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/agwpe_pro/
>
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service
> <http://docs.yahoo.com/info/terms/> .
>
>
>
>
> [Non-text portions of this message have been removed]

359. Email problem

Yahoo group: agwpe_pro
Date: 2005-03-17 09:39:08 UTC
From: (SV2AGW)George Rossopoulos
Topic: 359 Message: 359

Hi

Due to server changes, I had an email problem and some emails were lost
If you sent me email and have not received a reply yet, resend it
Sorry for the trouble but Murphy always strikes!!!

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

360. AGWTracker New cersion (2005.317)

Yahoo group: agwpe_pro
Date: 2005-03-17 09:50:19 UTC
From: (SV2AGW)George Rossopoulos
Topic: 360 Message: 360

Hi

New AGWTracker Version (2005.317)
Added Overlay Maps.
Added weather station support.
At last the APRS server works ok.
Many other changes.....

www.elcom.gr/sv2agw/tracker.htm

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

361. On WinXP system YAM does not initialize

Yahoo group: agwpe_pro
Date: 2005-03-20 10:35:44 UTC
From: Nilesh Malpekar
Topic: 361 Message: 361

Hi All,

I was using AGWPro on Win2K laptop and it worked fine.
I recently installed AGWPro on WinXP machine and the YAM does not initialize on the new setup. I receive following error

Internal agwYAM.sys Failed!

Does anyone know the reason for the same? Thanks for your help in advance.

The details are as follows:
COM1, 2400, 8, N, 1, Hardware

Using 1200bps packet with yam

rgds,

Nilesh

362. Remote connection from Linux to AGWPro port

Yahoo group: agwpe_pro
Date: 2005-03-27 20:12:55 UTC
From: Brian
Topic: 362 Message: 362

Has anyone had any luck remotly connecting to a shared AGWPro port from a Linux workstation? It seems to try and work specifing the port number but is not a clean connection.

Just wondering if anyone else has gone down this path.

Thanks
Brian
KC8ZBC

363. Re: Remote connection from Linux to AGWPro port

Yahoo group: agwpe_pro
Date: 2005-03-27 22:26:36 UTC
From: Andre v Schayk
Topic: 362 Message: 363

--- In agwpe_pro@yahoogroups.com, "Brian" <brian@5...> wrote:
>
>
> Has anyone had any luck remotly connecting to a shared AGWPro port
> from a Linux workstation? It seems to try and work specifing the port
> number but is not a clean connection.
>
> Just wondering if anyone else has gone down this path.
>
> Thanks
> Brian
> KC8ZBC
I haven´t tried the remote port but I did connect just fine with axudp
using xglue.
you might want to edit the ax25ipd to remove the callsign filtering
but other then that it works fine.
Still haven´t had a lot of succes connecting more then one link to
linux using the axip dll driver for agwpe.
both xglue and the axip dll are on http://www.qsl.net/lu7did/

73 de Andre PE1RDW

364. RE: [agwpe_pro] AGWTracker New cersion (2005.317)

Yahoo group: agwpe_pro
Date: 2005-03-28 11:16:32 UTC
From: Manos Darkadakis
Topic: 360 Message: 364

?? eft?a?e? ?a t? ????s???e;

by the way, p?te ?e t? ?a?? ?a pa????e ?a?e?a ????at?;

Manos G. Darkadakis
SV1IW
President
Radio Amateur Association of Greece
National Society - Member of International Amateur Radio Union (IARU) from
1959.

Visit www.raag.org
-----Original Message-----
From: (SV2AGW)George Rossopoulos [mailto:sv2agw@...]
Sent: Thursday, March 17, 2005 11:50 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWTracker New cersion (2005.317)

Hi

New AGWTracker Version (2005.317)
Added Overlay Maps.
Added weather station support.
At last the APRS server works ok.
Many other changes.....

www.elcom.gr/sv2agw/tracker.htm

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB
and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

365. Re: AGW Pro LPT1 PTT problem

Yahoo group: agwpe_pro
Date: 2005-03-28 21:17:50 UTC
From: Ron
Topic: 312 Message: 365

Has the new install package been uploaded? Both of my serial ports
are in use on my windows 2000 machine and need to use the parallel
port for PTT.

73
Ron
KC8YVF

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
<sv2agw@r...> wrote:
> Hi
>
> I made an error and I put in the installation package the BAD driver.
> I will upload during this week a new version with the right prallel port
> driver.
> Among others the new version will have a better 1200/300b soundcard
modem
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with
USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: n8fau15 [mailto:n8fau@w...]
> Sent: Thursday, January 27, 2005 12:19 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW Pro LPT1 PTT problem
>
>
>
>
> Hello all:

>
> I'm running AGW pro with Win2000 operating system. So far I've not
been able
> to get the PTT interface working.
>
> This is what I've checked:
>
> The circuit will key the rig with a +5V applied to Pin 2 and pin 25
> (gnd) of the interface I built.
>
> LPT1 is selected in the program.
>
> So... I'm running out of ideas...
>
> Any help will be appriciated
>
> 73
>
> Bob
> N8FAU
> Saranac, MI
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links

366. Re: Remote connection from Linux to AGWPro port

Yahoo group: agwpe_pro
Date: 2005-04-01 01:32:05 UTC
From: Ted G. Freitas
Topic: 362 Message: 366

No, but I have been able to connect to AGWPro running on a windows box.

I setup UI-View (running through wine) to connect my main box running
AGWPro. Have not had any issues so far.

--- In agwpe_pro@yahoogroups.com, "Brian" <brian@5...> wrote:
>
>
> Has anyone had any luck remotly connecting to a shared AGWPro port
> from a Linux workstation? It seems to try and work specifing the port
> number but is not a clean connection.
>
> Just wondering if anyone else has gone down this path.
>
> Thanks
> Brian
> KC8ZBC

367. RE: [agwpe_pro] Remote connection from Linux to AGWPro port

Yahoo group: agwpe_pro
Date: 2005-04-01 07:19:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 362 Message: 367

Hi Brian

This is possible but.....
Tht protocoll is proprietary.Read the API reference in the develop.zip to
see how it works.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: Brian [mailto:brian@...]
Sent: Sunday, March 27, 2005 11:13 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Remote connection from Linux to AGWPro port

Has anyone had any luck remotly connecting to a shared AGWPro port from a
Linux workstation? It seems to try and work specifing the port number but is
not a clean connection.

Just wondering if anyone else has gone down this path.

Thanks
Brian
KC8ZBC

Yahoo! Groups Links

368. RE: [agwpe_pro] Remote connection from Linux to AGWPro port

Yahoo group: agwpe_pro
Date: 2005-04-01 11:27:40 UTC
From: Brian L. Chaffins
Topic: 362 Message: 368

Thanks, I'll do that. Being a linux user the only thing I found missing
with AGWPE was a Linux Client. :-)

Brian
KC8ZBC

On Fri, 2005-04-01 at 10:19 +0300, (SV2AGW)George Rossopoulos wrote:
> Hi Brian
>
> This is possible but.....
> Tht protocoll is proprietary.Read the API reference in the develop.zip to
> see how it works.
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: Brian [mailto:brian@...]
> Sent: Sunday, March 27, 2005 11:13 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Remote connection from Linux to AGWPro port
>
>
>
>
> Has anyone had any luck remotly connecting to a shared AGWPro port from a
> Linux workstation? It seems to try and work specifing the port number but is
> not a clean connection.
>
> Just wondering if anyone else has gone down this path.
>
> Thanks

> Brian
> KC8ZBC
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

369. Re: [agwpe_pro] Email problem

Yahoo group: agwpe_pro
Date: 2005-03-05 17:10:13 UTC
From: John
Topic: 359 Message: 369

At 04:39 AM 3/17/05, you wrote:
>Subject: [agwpe_pro] Email problem
>
> Hi
>
>Due to server changes, I had an email problem and some emails were lost
>If you sent me email and have not received a reply yet, resend it
>Sorry for the trouble but Murphy always strikes!!!
>
>73
Perhaps this is why I have not been able to get a reply to my request for a code that will allow me to use AGWPE PRO on another computer.

The key to send is

;75iiD953:b2o/:6j<4e9@1852269f=<@ba6

Thanks John KC4ZGQ

[Non-text portions of this message have been removed]

370. RE: [agwpe_pro] Email problem

Yahoo group: agwpe_pro
Date: 2005-04-05 17:37:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 359 Message: 370

Hi John

Yes I had a problem with emails and I lost some of them
Your keycode is
A85di:7908c7k224hB/d8A9.22379f=<@ba6

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: John [mailto:bigjohn45@...]
Sent: Saturday, March 05, 2005 7:10 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Email problem

At 04:39 AM 3/17/05, you wrote:
>Subject: [agwpe_pro] Email problem
>
> Hi
>
>Due to server changes, I had an email problem and some emails were lost
>If you sent me email and have not received a reply yet, resend it Sorry
>for the trouble but Murphy always strikes!!!
>
>73
Perhaps this is why I have not been able to get a reply to my request for a
code that will allow me to use AGWPE PRO on another computer.

The key to send is

;75iiD953:b2o/:6j<4e9@1852269f=<@ba6

Thanks John KC4ZGQ

[Non-text portions of this message have been removed]

Yahoo! Groups Links

371. RE: [agwpe_pro] Email problem

Yahoo group: agwpe_pro
Date: 2005-04-05 17:40:10 UTC
From: (SV2AGW)George Rossopoulos
Topic: 359 Message: 371

Hi

As you may noticed also the www.raag.org/sv2agw site had problems.
The site has passed the download limit and was temporarily turned off.
Now is ok, I changed the path to point to www.elcom.gr
The download traffic is about 50Gb per month, depends, if there are updates
etc.

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: John [mailto:bigjohn45@...]
Sent: Saturday, March 05, 2005 7:10 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Email problem

At 04:39 AM 3/17/05, you wrote:
>Subject: [agwpe_pro] Email problem
>
> Hi
>
>Due to server changes, I had an email problem and some emails were lost
>If you sent me email and have not received a reply yet, resend it Sorry
>for the trouble but Murphy always strikes!!!
>
>73
Perhaps this is why I have not been able to get a reply to my request for a
code that will allow me to use AGWPE PRO on another computer.

The key to send is

;75iiD953:b2o/:6j<4e9@1852269f=<@ba6

Thanks John KC4ZGQ

[Non-text portions of this message have been removed]

Yahoo! Groups Links

372. sv2agw@elcom not working

Yahoo group: agwpe_pro
Date: 2005-04-13 14:54:02 UTC
From: n6cks4roy
Topic: 372 Message: 372

Hello George,
I am sorry I could not gey back to you any other way. After receiving your confirmation I tried to send you an e-mail with the information you requested, but the e-mail was returned 'Temporarily not deliverable'. So, knowing that you watch this thread (bless you!), here is the info you requested...

Callsign: N6CKS
Key To Send: 26ei?<j>361dk/=><74=9?b8i;he8;@6>1f0

I am extremely happy with the wonderful work you have done on PE Pro, it is a marvelous program!

73 my friend!

Rory Bowers, N6CKS

373. Packet Engine pro

Yahoo group: agwpe_pro
Date: 2005-04-17 00:48:41 UTC
From: Scott McDowell
Topic: 373 Message: 373

I can't get packet engine pro to recognize my sound card. After
going through the setup procedure with the radio ports, the
port statis icon doesn't show any input from my receiver.
I checked the receiver and there is input.
Other digital modes work fine with the sound card, such as
Rtty and psk-31.
Anyone have any ideas?
N5SM

374. New AGWMonitor update

Yahoo group: agwpe_pro
Date: 2005-04-20 13:06:07 UTC
From: (SV2AGW)George Rossopoulos
Topic: 373 Message: 374

Hi

There is an update for AGWMonitor (the New one).
There was a problem, the program displayed only Unproto frames.
Fixed and now displays all frame kinds (Connected, supervisory etc)

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

375. AGW PRO and FBB

Yahoo group: agwpe_pro
Date: 2005-04-19 12:33:17 UTC
From: gabtrop
Topic: 375 Message: 375

Hello George and all I am new with AGW Packet Engine Pro , only a question, I have a FBB running and want use with this AGW PE Pro , its compatible both to work together?

Thanks

Gabriel Medinas
YV5KXE
www.yv5kxe.org

376. agwmonitor-new

Yahoo group: agwpe_pro
Date: 2005-05-04 05:54:44 UTC
From: Bill Hosking W7JSW
Topic: 376 Message: 376

George, I downloaded your new agwmonitor - it works great on one computer, not at all on other.

I run Telpac/AGWPEpro on a 1.7G Celeron with XPPro. The new monitor works just fine on that.

I loaded it onto my laptop (a 750Mhz P3 with Win2000). I run Paclink and AGWPEpro on the laptop for winlink mobile. It will not run at all on the win2000 machine. It starts up and then gets an error message and shuts down.

Any ideas on what the problem might be.

thanks
Bill W7JSW

377. RE: [agwpe_pro] agwmonitor-new

Yahoo group: agwpe_pro
Date: 2005-05-04 06:08:38 UTC
From: Brian Davies
Topic: 376 Message: 377

Hi Bill

If it helps to put your mind at rest I run PE Pro on an old 200MHz laptop under W2k with no problem.

It would help if you could let us know what the error message says in detail.

73

Brian G3OYU

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Bill Hosking W7JSW
Sent: Wednesday, 04 May, 2005 06:55
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] agwmonitor-new

George, I downloaded your new agwmonitor - it works great on one computer, not at all on other.

I run Telpac/AGWPEpro on a 1.7G Celeron with XPPro. The new monitor works just fine on that.

I loaded it onto my laptop (a 750Mhz P3 with Win2000). I run Paclink and AGWPEpro on the laptop for winlink mobile. It will not run at all on the win2000 machine. It starts up and then gets an error message and shuts down.

Any ideas on what the problem might be.

thanks
Bill W7JSW

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

378. Re: agwmonitor-new

Yahoo group: agwpe_pro
Date: 2005-05-04 23:32:42 UTC
From: Bill Hosking W7JSW
Topic: 376 Message: 378

--- In agwpe_pro@yahoogroups.com, "Brian Davies" <briang3oyu@t...> wrote:

>
>
> It would help if you could let us know what the error message says in
> detail.

All it tells me is that it is creating an error log and I can't find
the d__n thing. More if I ever find it.

bill

379. Re: [agwpe_pro] Re: agwmonitor-new

Yahoo group: agwpe_pro
Date: 2005-05-07 12:25:20 UTC
From: (SV2AGW) George Rossopoulos
Topic: 376 Message: 379

Hi

download the latest version.
It will work. First version had a problem.

73
microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "Bill Hosking W7JSW" <hoskingb@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Thursday, May 05, 2005 2:32 AM
Subject: [agwpe_pro] Re: agwmonitor-new

> --- In agwpe_pro@yahoogroups.com, "Brian Davies" <briang3oyu@t...> wrote:
>
>>
>>
>> It would help if you could let us know what the error message says in
>> detail.
>
> All it tells me is that it is creating an error log and I can't find
> the d__n thing. More if I ever find it.
>
> bill
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

380. Baycom BP-2 w/Win98

Yahoo group: agwpe_pro
Date: 2005-05-08 16:08:02 UTC
From: Eric Hutchins
Topic: 380 Message: 380

Hi all...

I need the driver for the Baycom serial port modem. I keep getting the error "Baycom driver not installed, Hook failed".

I have seen it mentioned here, but it is not in the files section or anything.

Thanks in advance...

Eric Hutchins
K7ELH

381. Squelch, open or closed?

Yahoo group: agwpe_pro
Date: 2005-05-09 16:37:17 UTC
From: ka0wfi
Topic: 381 Message: 381

I see references that, for soundcard use, ARWPE (and Pro?) requires an open squelch. There is also an indication that when using the Baycom BP-2M, an open squelch is required.

What is the necessay squelch condition when using either a Kantronics or a MFJ modem? The Kantronics has the CD command which allows setting carrier detect for "software", enabling operation with unsquelched audio. The MFJ does not seem to have a similar capability.

If AGWPE can be used with the MFJ 1270 series, how do both need to be set up?

382. RE: [agwpe_pro] Squelch, open or closed?

Yahoo group: agwpe_pro
Date: 2005-05-10 15:08:48 UTC
From: (SV2AGW)George Rossopoulos
Topic: 381 Message: 382

Hi

SQUELCH operation has to do with the TNC not Packet Engine.
MFJ needs muted audio otherwise it will not transmit.
Packet Engine Soundcard modem(TNC) needs SQUELCH open otherwise it will not transmit.
KANTRONICS if set to SOFTDCD needs SQUELCH open.
So set the Squelch as the TNC manufacturer says...
That's all.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ka0wfi
Sent: Monday, May 09, 2005 7:37 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Squelch, open or closed?

I see references that, for soundcard use, ARWPE (and Pro?) requires an open squelch. There is also an indication that when using the Baycom BP-2M, an open squelch is required.

What is the necessay squelch condition when using either a Kantronics or a MFJ modem? The Kantronics has the CD command which allows setting carrier detect for "software", enabling operation with unsquelched audio. The MFJ does not seem to have a similar capability.

If AGWPE can be used with the MFJ 1270 series, how do both need to be set up?

Yahoo! Groups Links

383. Version

Yahoo group: agwpe_pro
Date: 2005-05-15 23:33:27 UTC
From: Henry McDuffie
Topic: 383 Message: 383

What is the latest version number for Packet Engine Pro?

384. Disabling a RadioPort

Yahoo group: agwpe_pro
Date: 2005-05-16 11:28:43 UTC
From: jpalaima
Topic: 384 Message: 384

The status screen for the Virtual RadioPorts has a status of Enable
Is there a way to disable it without deleting the port?

Id like to use the same radio for 1200/9600 baud packet but not at the same time.. So i wondered if there was a way to create two virtual ports connected to the same radio and disable the one i wasnt using at the time...

Tried thumbing through the webmanual and it didnt mention this.. i figured if you right clicked on the Enable status it would give you the option to disable it while leaving the settings avalible.

-John

385. RE: [agwpe_pro] Disabling a RadioPort

Yahoo group: agwpe_pro
Date: 2005-05-16 15:37:06 UTC
From: (SV2AGW)George Rossopoulos
Topic: 384 Message: 385

Hi John

Can you be more specific??
Describe exactly what you wish to do.
I am preparing the new release.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jpalaima
Sent: Monday, May 16, 2005 2:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Disabling a RadioPort

The status screen for the Virtual RadioPorts has a status of Enable Is there a way to disable it without deleting the port?

Id like to use the same radio for 1200/9600 baud packet but not at the same time.. So i wondered if there was a way to create two virtual ports connected to the same radio and disable the one i wasnt using at the time...

Tried thumbing through the webmanual and it didnt mention this.. i figured if you right clicked on the Enable status it would give you the option to disable it while leaving the settings avalible.

-John

Yahoo! Groups Links

386. RE: [agwpe_pro] Version

Yahoo group: agwpe_pro
Date: 2005-05-16 18:55:36 UTC
From: Ralph Milnes
Topic: 383 Message: 386

>What is the latest version number for Packet Engine Pro?

As of May 16, 2005 it is: 2004.703 (July 2004)

387. Wrong Call Sign

Yahoo group: agwpe_pro
Date: 2005-05-20 23:38:44 UTC
From: nq5l
Topic: 387 Message: 387

A friend installed the Winlink 2K software including AGW Packet Engine PRO and set it up with his call sign. I have tried uninstalling and re-installing but couldn't get the call sign to change. Deleted all references in the registry relating to any of the software after uninstalling again. How can I get the correct call sign? Or does AGWPro set it or get it from Packlink AGW?

Thanks.

Jim
NQ5L

388. RE: [agwpe_pro] Wrong Call Sign

Yahoo group: agwpe_pro
Date: 2005-05-21 09:27:10 UTC
From: (SV2AGW)George Rossopoulos
Topic: 387 Message: 388

Hi

Packet Engine has no Callsign!!!
Each packet Application adds its call.
UNLESS you are using the "TCPIP Over Radio" in that case change it from
left menu "Other/TCPIP Over Radio"

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of nq5l
Sent: Saturday, May 21, 2005 2:39 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Wrong Call Sign

A friend installed the Winlink 2K software including AGW Packet Engine PRO
and set it up with his call sign. I have tried uninstalling and
re-installing but couldn't get the call sign to change. Deleted all
references in the registry relating to any of the software after
uninstalling again. How can I get the correct call sign? Or does AGWPro
set it or get it from Packlink AGW?

Thanks.

Jim
NQ5L

Yahoo! Groups Links

389. AGWUIDigi Update

Yahoo group: agwpe_pro
Date: 2005-05-24 16:43:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 389 Message: 389

Hi

There is an update. Now AGWUIDigi supports "New WIDEn-N Paradigm".
Some old Bugs Fixed and added
MAXHOP Limit. If you set for instance MAXHope to 4 any path with more than 4 Hops will be digipeated as DIGICALL,QRT* just to notify the user.

The Digi has Cross Port capabilities.
Have a look at www.elcom.gr/sv2agw/agwundigi.htm . There are screen shots of the program configuration to see how the digi and the cross digi can be configured.
It has unlimited number of Radioports and unlimited number of cross digi combinations, but still very easy to configure.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

390. S-unit signal for decoding packets

Yahoo group: agwpe_pro
Date: 2005-05-31 15:48:28 UTC
From: kernsd2001
Topic: 390 Message: 390

Greetings,

What is the lowest S-unit signal AGWPE Pro will decode, given a properly set up system?

Mine will decode 1200 at about S-8 and above, but doesn't cope with lower signals than that.

Is that about right?

I'm needing S-9 ++ for 9600.

What are other people's experiences?

Thanks,

-Donald

391. RE: [agwpe_pro] S-unit signal for decoding packets

Yahoo group: agwpe_pro
Date: 2005-06-01 12:15:44 UTC
From: rbowers
Topic: 390 Message: 391

Don,
I'm having a hard time with using S units as a reference; S units are very subjective. Signal level in dBm is a much better reference. There are several factors that can influence analog data recovery... What is the sensitivity of the receiver? What is the receivers bandpass characteristics? Are you pulling the receive audio off at the discriminator or post amplifier? At the transmitter are you modulating at the Mic input or direct to the modulator? Mic amplifiers have a tendency to roll off in passband regions needed in high speed analog data. How long (in ms) does it take your transmitter to stabilize after your modem keys it? Keep in mind that if it is not dead on frequency after key up you may lose part of the start of each packet due to phase shift. You are right about one thing, to get the faster rates using an analog receiver you need excellent S/N (at least 30 dB). Keep in mind that at the higher data rates one little noise pop can equal several data level shifts. You will want your path to be as quiet as possible. You will also find that the two radios must be very close in frequency and very stable. Slight differences in frequency will result in phase twist which also produces data recovery errors. I hope this has helped!

Rory Bowers, N6CKS

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kernsd2001
> Sent: Tuesday, May 31, 2005 15:48
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] S-unit signal for decoding packets
>
> Greetings,
>
> What is the lowest S-unit signal AGWPE Pro will decode, given
> a properly set up system?
>
> Mine will decode 1200 at about S-8 and above, but doesn't
> cope with lower signals than that.
>
> Is that about right?
>
> I'm needing S-9 ++ for 9600.
>
> What are other people's experiences?
>
> Thanks,
>

> -Donald
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

392. Registration code.

Yahoo group: agwpe_pro
Date: 2005-06-01 13:38:20 UTC
From: John KC4ZGQ
Topic: 392 Message: 392

```
>Hello George,
>
>I am working on a new Telpac box and the key code is
>
>7:6:@m753e72>/:6j<4fA?b85242;=m4ja3c
>
>

73 de John F. Kraus II KC4ZGQ
DIGITAL_COMMS_GA@...
GA-ARES DEC for Digital Communications

Sent to sv2agw@... on 5/22/2005 with no response. Trying here.

[Non-text portions of this message have been removed]
```

393. RE: [agwpe_pro] Registration code.

Yahoo group: agwpe_pro
Date: 2005-06-01 18:11:16 UTC
From: (SV2AGW)George Rossopoulos
Topic: 392 Message: 393

Hi John

Pse use sv2agw@... the raag mail server filters many messages.....
The Keycode is
=;65@c590c87:224hB/e@@j.2253;=m4ja3c

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of John KC4ZGQ
Sent: Wednesday, June 01, 2005 4:38 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration code.

>Hello George,
>
>I am working on a new Telpac box and the key code is
>
>7:6:@m753e72>/:6j<4fA?b85242;=m4ja3c
>
>

73 de John F. Kraus II KC4ZGQ
DIGITAL_COMMS_GA@...
GA-ARES DEC for Digital Communications

Sent to sv2agw@... on 5/22/2005 with no response. Trying here.

[Non-text portions of this message have been removed]

Yahoo! Groups Links

394. RE: [agwpe_pro] S-unit signal for decoding packets

Yahoo group: agwpe_pro
Date: 2005-06-01 18:18:57 UTC
From: (SV2AGW)George Rossopoulos
Topic: 390 Message: 394

Hi

Indeed sUnits is not an indication. What is matter is how clean is the signal from phase shift.
Here with my setup I can decode very well S5 signals and have no success with S8 signal because of phse shift.
You may try to optimize receiving doing the follow
1.Use open Squelch (the FM Hisssss must be heard always).
2.Use if possible the special packet plug the tranceiver may have. If not then adjust volume control so that the packet is heard not so loud.
3.Check your cables for ground loops. You may hear a Hummm while receiving, from computer speakers. With open Squelch hear the FM Hissss from your computer speakers. The sound must be clear without hummmm or other noises.
5.Adjust the soundcard recording level from recording mixer. The Volume control must be lower than half of its full length.
6.Mute other input sources especially the mic in.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of rbowers
Sent: Wednesday, June 01, 2005 3:16 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] S-unit signal for decoding packets

Don,
I'm having a hard time with using S units as a reference; S units are very subjective. Signal level in dBm is a much better reference. There are several factors that can influence analog data recovery... What is the sensitivity of the receiver? What is the receivers bandpass characteristics? Are you pulling the receive audio off at the discriminator or post amplifier? At the transmitter are you modulating at

the Mic input or direct to the modulator? Mic amplifiers have a tendency to roll off in passband regions needed in high speed analog data. How long (in ms) does it take your transmitter to stabilize after your modem keys it? Keep in mind that if it is not dead on frequency after key up you may lose part of the start of each packet due to phase shift. You are right about one thing, to get the faster rates using an analog receiver you need excellent S/N (at least 30 dB). Keep in mind that at the higher data rates one little noise pop can equal several data level shifts. You will want your path to be as quiet as possible. You will also find that the two radios must be very close in frequency and very stable. Slight differences in frequency will result in phase twist which also produces data recovery errors. I hope this has helped!

Rory Bowers, N6CKS

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kernsd2001
> Sent: Tuesday, May 31, 2005 15:48
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] S-unit signal for decoding packets
>
> Greetings,
>
> What is the lowest S-unit signal AGWPE Pro will decode, given a
> properly set up system?
>
> Mine will decode 1200 at about S-8 and above, but doesn't cope with
> lower signals than that.
>
> Is that about right?
>
> I'm needing S-9 ++ for 9600.
>
> What are other people's experiences?
>
> Thanks,
>
> -Donald
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

>
>
>

Yahoo! Groups Links

395. Re: S-unit signal for decoding packets

Yahoo group: agwpe_pro
Date: 2005-06-01 15:57:18 UTC
From: kernsd2001
Topic: 390 Message: 395

--- In agwpe_pro@yahoogroups.com, rbowers <n6cks@d...> wrote:
> Don,
> I'm having a hard time with using S units as a reference; S units
> are very subjective.

I _know_ :) But's it's what I have at the moment... hi

> Signal level in dBm is a much better reference. There
> are several factors that can influence analog data recovery... What
is the
> sensitivity of the receiver?

Yaesu FT-8800 or 7800 nominally 0.2 uV 12 dB SINAD

> What is the receivers bandpass
> characteristics?

Clueless. How can I find out?

> Are you pulling the receive audio off at the
> discriminator or post amplifier?

Discriminator I believe, it is the 9600 connection on the mini-DIN 6
pin thing.

> At the transmitter are you modulating at
> the Mic input or direct to the modulator? Mic amplifiers have a
tendency to
> roll off in passband regions needed in high speed analog data.

Input on the mini-DIN thing. But I'm mostly concerned with receive at
this point. (Receiving balloon telemetry at 9600)

> How long (in
> ms) does it take your transmitter to stabilize after your modem
keys it?

Clueless, how can I find out?

> You are right about
> one thing, to get the faster rates using an analog receiver you need
> excellent S/N (at least 30 dB).

Cool, thanks for the confirmation.

> You will want
> your path to be as quiet as possible.

I'll have a discussion with the air over Silicon Valley and see if I can get it to pipe down a bit when I'm trying to receive... ;-)

The main question that I'm trying to answer is...

"Is my set up OK, or does needing S-8 signals (or higher) indicate a problem with my set up?"

One of the folks I'm dealing with is arguing:

"I can't really use the 12dB SINAD value for sensitivity.
The real sensitivity is the signal level at which the
BER (bit error rate) is either 10^5 (US) or 10^6 (EU).
Typical is approx 4 to 6dB worse RX sensitivity for
9600 as for for 1200 baud, which is usually close to
the 12dB SINAD value. "

But the 12 dB value seems REALLY low to me. Particuliarlly if I need 30+ dB S/N.

Anyway, I'm hoping for somebody to chime in saying "No, S-8 is about the best I can do AGWPE Pro too" or "No way, I decode signals at S-2 with AGWPE Pro all the time."

73,

-Donald

>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
> > [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kernsd2001
> > Sent: Tuesday, May 31, 2005 15:48
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] S-unit signal for decoding packets
> >
> > Greetings,
> >
> > What is the lowest S-unit signal AGWPE Pro will decode, given
> > a properly set up system?
> >
> > Mine will decode 1200 at about S-8 and above, but doesn't
> > cope with lower signals than that.
> >
> > Is that about right?
> >
> > I'm needing S-9 ++ for 9600.
> >
> > What are other people's experiences?

396. RE: [agwpe_pro] Re: S-unit signal for decoding packets

Yahoo group: agwpe_pro
Date: 2005-06-05 17:03:09 UTC
From: rbowers
Topic: 390 Message: 396

Hi Donald,
I think you may have answered several questions about the radio's performance by clarifying that the radio is "Data Ready". You might want to double check that the manufacturers specs make it clear that the radio IS 9600 baud (air rate) and not 1200 only. By meeting the 9600 baud air rate spec and a direct RS-232 data connection between the radio and your TNC the only remaining issue is path, signal strength, and TNC setup related. There are some strange path related anomalies that can effect data at higher rates, but those usually only occur over very long paths that are not line of sight. These anomalies occur as a result of multi path phase cancellations caused by bounces off of natural and man made reflectors that cause the transmitted data to arrive at the receiver out of phase (phase distortion) or in phase from multiple paths (phase cancellation). Your best bet is short paths, line of sight, directional antennas, and noise free signal quality. Anything less will result in lots of retries and occasional time outs. Keep plugging away at it... You might try backing it down to 4800 baud and see if your problems persist or improve. One of the other questions that I should have asked but did not is if you are using a shared frequency? Working primarily in commercial data communication, I have a tendency to forget that exclusive channels are not always a possibility in Ham radio. I know that typically shared use frequencies with 1200 baud packet and 9600 baud packet will not co-exist politely. The Packet protocol requires the data rates to be the same for a shared channel. If you are using a channel with 1200 baud systems you undoubtedly have data collisions... This will degrade your 9600 baud performance even more.

Rory Bowers, N6CKS

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kernsd2001
> Sent: Wednesday, June 01, 2005 15:57
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: S-unit signal for decoding packets
>
> --- In agwpe_pro@yahoogroups.com, rbowers <n6cks@d...> wrote:
> > Don,
> > I'm having a hard time with using S units as a
> reference; S units are
> > very subjective.
>
>
> I _know_ :) But's it's what I have at the moment... hi
>
> > Signal level in dBm is a much better reference. There are several

> > factors that can influence analog data recovery... What
> is the
> > sensitivity of the receiver?
>
>
> Yaesu FT-8800 or 7800 nominally 0.2 uV 12 dB SINAD
>
> > What is the receivers bandpass
> > characteristics?
>
>
> Clueless. How can I find out?
>
> > Are you pulling the receive audio off at the discriminator or post
> > amplifier?
>
>
> Discriminator I believe, it is the 9600 connection on the
> mini-DIN 6 pin thing.
>
> > At the transmitter are you modulating at the Mic input or
> direct to
> > the modulator? Mic amplifiers have a
> tendency to
> > roll off in passband regions needed in high speed analog data.
>
>
> Input on the mini-DIN thing. But I'm mostly concerned with
> receive at this point. (Receiving balloon telemetry at 9600)
>
> > How long (in
> > ms) does it take your transmitter to stabilize after your modem
> keys it?
>
>
> Clueless, how can I find out?
>
> > You are right about
> > one thing, to get the faster rates using an analog receiver
> you need
> > excellent S/N (at least 30 dB).
>
> Cool, thanks for the confirmation.
>
> > You will want
> > your path to be as quiet as possible.
>
> I'll have a discussion with the air over Silicon Valley and
> see if I can get it to pipe down a bit when I'm trying to
> receive... ;-)

>
>
> The main question that I'm trying to answer is...
>
> "Is my set up OK, or does needing S-8 signals (or higher)
> indicate a problem with my set up?"
>
> One of the folks I'm dealing with is arguing:
>
> "I can't really use the 12dB SINAD value for sensitivity.
> The real sensitivity is the signal level at which the BER
> (bit error rate) is either 10^5 (US) or 10^6 (EU).
> Typical is approx 4 to 6dB worse RX sensitivity for 9600 as
> for for 1200 baud, which is usually close to the 12dB SINAD value. "
>
> But the 12 dB value seems REALLY low to me. Particuliarlly if I need
> 30+ dB S/N.
>
>
> Anyway, I'm hoping for somebody to chime in saying "No, S-8
> is about the best I can do AGWPE Pro too" or "No way, I
> decode signals at S-2 with AGWPE Pro all the time."
>
> 73,
>
> -Donald
>

397. Re: S-unit signal for decoding packets

Yahoo group: agwpe_pro
Date: 2005-06-10 05:24:08 UTC
From: kernsd2001
Topic: 390 Message: 397

--- In agwpe_pro@yahoogroups.com, rbowers <n6cks@d...> wrote:
> Hi Donald,
> I think you may have answered several questions about the radio's
> performance by clarifying that the radio is "Data Ready". You might
want to
> double check that the manufacturers specs make it clear that the
radio IS
> 9600 baud (air rate) and not 1200 only.

The spec is definately 1200 and 9600 as there are menu setting for
both. However there is no "data" output. Their "data" jack is a
misnomer, as it has both discriminator (9600) and post--filtered
(1200) audio and NO data.

By meeting the 9600 baud air rate
> spec and a direct RS-232 data connection between the radio and your
TNC the
> only remaining issue is path, signal strength, and TNC setup
related. There
> are some strange path related anomalies that can effect data at
higher
> rates, but those usually only occur over very long paths that are
not line
> of sight. These anomalies occur as a result of multi path phase
> cancellations caused by bounces off of natural and man made
reflectors that
> cause the transmitted data to arrive at the receiver out of phase
(phase
> distortion) or in phase from multiple paths (phase cancellation).

The path in question was from Lick Observatory on Mt Hamilton above
Silicon Valley to Skyline Blvd (Hwy 35) on the west side of the
valley. I'm guessing something like 20 miles line of sight, but with
plenty of opportunity for multipath.

I discovered my first problem. Silly me, I assumed a telemetry
downlink for a balloon would be vertically polarized.

Nope, those WILD and CRAZY college students had bolted a horizontal
dipole to the TOP of their payload.

Cross-polarization: "-10 to 30 dB, Game Over, thanks for playing."

Didn't discover that little fact until they sent me a link to photos
of their set up. I just about fell out of my chair. Particularlly
since I had asked "I assume we're vertically polarized" on the ops
frequency and nobody told me otherwise...

Your best
> bet is short paths, line of sight, directional antennas, and noise
free
> signal quality. Anything less will result in lots of retries and
occasional
> time outs. Keep plugging away at it... You might try backing it
down to
> 4800 baud and see if your problems persist or improve.

As a telemetry receive only station I didn't have the option of
reducing the rate.

One of the other
> questions that I should have asked but did not is if you are using a
shared
> frequency?

No, we were on the special balloon frequency, no other traffic.

You probably didn't know that there was a special balloon frequency
did you? There is in the N. California 2m digital bandplan.

Don't worry, neither did I.

>If you are
> using a channel with 1200 baud systems you undoubtedly have data
> collisions... This will degrade your 9600 baud performance even
more.

They were using one 9600 baud packet per second with a 1200 baud
packet every five minutes.

That's OK, they successfully launched, then lost telemetry seven
seconds after launch. It's coming up on a week and they're still
waiting for news of where the payload came down...

Perhaps next semester's effort will be better.

73,

-Donald

398. Transfer From Desk To Laptop.

Yahoo group: agwpe_pro
Date: 2005-06-13 11:05:34 UTC
From: jg05ullivan
Topic: 398 Message: 398

Hi,

How may I transfer my Packet Engine Pro. from my desk top to laptop?
I made the mistake of downloading and registering it on the computer
at
home and it will not serve the purpose for which I purchased it. I am
the ARES EC for Middlesex County, Virginia, and I need the software
on
my laptop.

Whome must I contact to correct my oversight?

Thanks,

73

Jim, AD4RG

399. RE: [agwpe_pro] Transfer From Desk To Laptop.

Yahoo group: agwpe_pro
Date: 2005-06-13 17:06:19 UTC
From: Ralph Milnes
Topic: 398 Message: 399

Jim,

According to George SV2AGW, you can run PE Pro on both your desktop and laptop for the same price (as long as both computers are owned by the same person)..

However, each installation will need a unique "registration key code" from George.

Write him at sv2agw@...

Explain the situation and include the "key to send" number from the laptop installation (go to the PE Pro top menu, OTHER: REGISTRATION).

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jg05ullivan
Sent: Monday, June 13, 2005 7:06 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Transfer From Desk To Laptop.

Hi,

How may I transfer my Packet Engine Pro. from my desk top to laptop?
I made the mistake of downloading and registering it on the computer at
home and it will not serve the purpose for which I purchased it. I am
the ARES EC for Middlesex County, Virginia, and I need the software on
my laptop.

Whome must I contact to correct my oversight?

Thanks,

73

Jim, AD4RG

Yahoo! Groups Links

* To visit your group on the web, go to:
http://groups.yahoo.com/group/agwpe_pro/

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

400. Registration

Yahoo group: agwpe_pro
Date: 2005-06-14 02:01:31 UTC
From: n3xpd
Topic: 245 Message: 400

I recently changed operating systems on my laptop PC.
After entering my keycode for registration the Packet Engine Pro
continues to indicate unregisterd copy with 30 days remaining.

Thank you,
Mike Warner
N3XPD

401. RE: [agwpe_pro] Registration

Yahoo group: agwpe_pro
Date: 2005-06-14 10:13:29 UTC
From: (SV2AGW)George Rossopoulos
Topic: 245 Message: 401

Hi

You need new registration code.
Send me (private) the new "Key To Send" to send you back the keycode

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n3xpd
Sent: Tuesday, June 14, 2005 5:02 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration

I recently changed operating systems on my laptop PC.
After entering my keycode for registration the Packet Engine Pro continues to indicate unregisterd copy with 30 days remaining.

Thank you,
Mike Warner
N3XPD

Yahoo! Groups Links

402. Help needed regarding the performance of AGWPE

Yahoo group: agwpe_pro
Date: 2005-06-27 14:42:59 UTC
From: usmanarif_pk
Topic: 402 Message: 402

Hi all!

I have successfully configured AGWPE at 1200 baud rate with one radio port using internal Sound Card as TNC.

Now, i want to use AGWPE to connect a video conferencing application, e.g OhPhone/OpenPhone. When i try it, no video/audio is transferred. what may be its reason?

how can i improve/configure Packet Engine to get audio/video transferred successfully?

Thanks

Usman Arif

403. Unknown packet data.

Yahoo group: agwpe_pro
Date: 2005-07-21 22:34:00 UTC
From: wr1abb
Topic: 403 Message: 403

Hi, George. I purchased and installed packet pro. It works just fine for amateur radio 1200 baud vhf. I am trying to use it to identify an unknown sporadic packet on one of our aircraft frequencies. It is very intermittent. I tried it out today and received one packet burst while I was monitoring, but the program didn't decode it. Is packet pro able to accomplish something like this? If so I would appreciate any suggestions. Thanks.

Gerry Ceccarini
FAA

404. Re: [agwpe_pro] Unknown packet data.

Yahoo group: agwpe_pro
Date: 2005-07-22 16:39:44 UTC
From: Perry - K4PWO
Topic: 403 Message: 404

There is (was?) a messaging system, who's name escapes me, that is used by airlines. As I recall, it is not AX25 compatible. Some of the "multimode" TNCs (KAM?) could decode it with special host software. This is from my experiences 10 years ago so YMMV!
----- Original Message -----
From: wr1abb
To: agwpe_pro@yahoogroups.com
Sent: Thursday, July 21, 2005 5:34 PM
Subject: [agwpe_pro] Unknown packet data.

Hi, George. I purchased and installed packet pro. It works just fine for amateur radio 1200 baud vhf. I am trying to use it to identify an unknown sporadic packet on one of our aircraft frequencies. It is very intermittent. I tried it out today and received one packet burst while I was monitoring, but the program didn't decode it. Is packet pro able to accomplish something like this? If so I would appreciate any suggestions. Thanks.

Gerry Ceccarini
FAA

YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

405. Re: Unknown packet data.

Yahoo group: agwpe_pro
Date: 2005-07-22 17:46:09 UTC
From: Andre v Schayk
Topic: 403 Message: 405

You can try wacars, it is designed to decode that message system,
http://www.geocities.com/CapeCanaveral/Cockpit/9870/wacars/intro.html
You don´t need a special tnc for that, it uses the soundcard.

I´m not sure when the last update on that program was but the acars
listeners always seemed to like that one.

73 de Andre PE1RDW
--- In agwpe_pro@yahoogroups.com, "Perry - K4PWO" <k4pwo@c...> wrote:
> There is (was?) a messaging system, who's name escapes me, that is
used by airlines. As I recall, it is not AX25 compatible. Some of
the "multimode" TNCs (KAM?) could decode it with special host
software. This is from my experiences 10 years ago so YMMV!
> ----- Original Message -----
> From: wr1abb
> To: agwpe_pro@yahoogroups.com
> Sent: Thursday, July 21, 2005 5:34 PM
> Subject: [agwpe_pro] Unknown packet data.
>
>
> Hi, George. I purchased and installed packet pro. It works just fine
> for amateur radio 1200 baud vhf. I am trying to use it to identify an
> unknown sporadic packet on one of our aircraft frequencies. It is
very
> intermittent. I tried it out today and received one packet burst
while
> I was monitoring, but the program didn't decode it. Is packet pro
able
> to accomplish something like this? If so I would appreciate any
> suggestions. Thanks.
>
> Gerry Ceccarini
> FAA
>
>
>
>
>
>
>
>
>

> YAHOO! GROUPS LINKS
>

> a.. Visit your group "agwpe_pro" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>

>
>
>
> [Non-text portions of this message have been removed]

406. Re: [agwpe_pro] Unknown packet data.

Yahoo group: agwpe_pro
Date: 2005-07-22 18:58:45 UTC
From: John Habbinga
Topic: 403 Message: 406

What frequency?

--- wr1abb <pikeys@...> wrote:

> Hi, George. I purchased and installed packet pro. It
> works just fine
> for amateur radio 1200 baud vhf. I am trying to use
> it to identify an
> unknown sporadic packet on one of our aircraft
> frequencies. It is very
> intermittent. I tried it out today and received one
> packet burst while
> I was monitoring, but the program didn't decode it.
> Is packet pro able
> to accomplish something like this? If so I would
> appreciate any
> suggestions. Thanks.
>
> Gerry Ceccarini
> FAA
>
>
>
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

407. Re: Unknown packet data.

Yahoo group: agwpe_pro
Date: 2005-07-24 10:36:43 UTC
From: wr1abb
Topic: 403 Message: 407

Thanks, guys. It's not ACARS because it is very infrequent. I do use WACARS software for that and activity is very heavy here in the Boston area. The freq. is 128.750. Used for arrivals and departures out of boston. I have a pk-900 that I am going to try to see if it helps.

Gerry

--- In agwpe_pro@yahoogroups.com, John Habbinga <habbox@y...> wrote:
> What frequency?
>
> --- wr1abb <pikeys@h...> wrote:
>
> > Hi, George. I purchased and installed packet pro. It
> > works just fine
> > for amateur radio 1200 baud vhf. I am trying to use
> > it to identify an
> > unknown sporadic packet on one of our aircraft
> > frequencies. It is very
> > intermittent. I tried it out today and received one
> > packet burst while
> > I was monitoring, but the program didn't decode it.
> > Is packet pro able
> > to accomplish something like this? If so I would
> > appreciate any
> > suggestions. Thanks.
> >
> > Gerry Ceccarini
> > FAA
> >
> >
> >
> >
> >
> >
> >
>
>
> _____
> Do You Yahoo!?
> Tired of spam? Yahoo! Mail has the best spam protection around
> http://mail.yahoo.com

408. Improvement suggestion

Yahoo group: agwpe_pro
Date: 2005-08-01 19:06:32 UTC
From: Art
Topic: 408 Message: 408

George,

I am wondrring if it were possible to make a slight improvement to your program in a future release.
What I have in mind has to do with the "Autostart Other Programs" feature.
Would it be possible to include a timer statement so that programs are started one after another instead of all at the same time. To get an idea, Ui-View has a schedule editor. You can have various programs start at timed intervals by adding a value of +1, +2, ect, ect so that the program starts only after a set amount of time elapses.
I have now several programs starting on windows boot-up, ui-view and with your AGW Pro. I would like to organize all so that AGW Pro starts on boot up, and then sequentually have the other programs start from AGW Pro, allowing time between each one to load up and establish itself.
Appreciate your thought on this!
Art, N9ZZK

409. Beacon not showing up

Yahoo group: agwpe_pro
Date: 2005-08-19 02:01:54 UTC
From: jay_kruckenberg
Topic: 409 Message: 409

Our amateur radio group is running a digi using a GE MVS VHF radio, AGW PE Pro and UI-View. The problem we are having is that the digi hears stations but doesn't seem to be relaying them on. Also the beacon for the dig never shows up in UI-View, even though our home station hears the transmitted beacon. I am also wondering if we have the setting in UI-View correct to make it act as a digi. We totally guessed at the settings as there is not really any good information as to what the settings are for and how to set them for best performance. Most of what we found just said set them this way and gave no explanation of the setting. This also could be a AGW PR problem. Does anyone have any suggestions or is anyone running this configuration, except maybe the radio? Any help would be appreciated.

Jay - K5GUD

410. Re: Beacon not showing up

Yahoo group: agwpe_pro
Date: 2005-08-19 09:50:08 UTC
From: Art
Topic: 409 Message: 410

Good day Jay,
Ui=View and AGW work very well hand-in-hand. From what you are saying, it would appear that you have AGW and UI-View effectively set up. The problem you are describing sounds like it could be what you have set up as your Unproto address in the Ui-View/Setup/Station Set up regarding your beacon not showing up. Try setting your unproto path to APRS,WIDE2-2 to begin and see if that gets your station placed on the map..

Regarding the digi settings. Not being familiar with your area, there are several things that should be brought into consideration before enabling the digipeater function. Are there any other digi's in your area? Here in the States, there has been a recent effort to
reduce QRM and a new set of guidelines have been issued regarding digipeater settings. Path staements such as RELAY, WIDE, and TRACE are being phased out and being replaced with a more effective WIDEn-n
setting. I know that may sound confusing to somebody just begining with APRS but I only point it out to make you aware that it would be prudent to educate yourself a bit with digipeater operations and understand how it works. It is a bit of a learning curve.

Fortunately, U--View is easily configured to this "new paradigm" of
digi settings. I would encourage you to join the Ui-View user group nad post your questions regarding set up to that group. In all likelyhood, there are folks in this group from your area that can more
ably guide you thru your set up. Here is a link to that group:
http://groups.yahoo.com/group/ui-view/

Once you have joined that group, in the Files section of the group,
you will find a very excellent digipeater set up guide for US operations, written by Hasan Scheirs, N0AN. This ".ini" file conforms
to the "new paradigm" path settings Here is a link to the Files section of Ui_View:
http://groups.yahoo.com/group/ui-view/files/

Also, there is much referance material available regarding digipeater operations from Bob Brunigas web site. There is alot to take in here but understanding will come. Here is that web page:
http://web.usna.navy.mil/~bruninga/aprs/fix14439.html

Good luck with you set up and don't get discouraged. If I can be of any assistance to you, please contact me directly.

Art, N9ZZK

--- In agwpe_pro@yahoogroups.com, "jay_kruckenberg" <k5gud@c...> wrote:
> Our amateur radio group is running a digi using a GE MVS VHF radio,
> AGW PE Pro and UI-View. The problem we are having is that the digi
> hears stations but doesn't seem to be relaying them on. Also the
> beacon for the dig never shows up in UI-View, even though our home
> station hears the transmitted beacon. I am also wondering if we have
> the setting in UI-View correct to make it act as a digi. We totally
> guessed at the settings as there is not really any good information as
> to what the settings are for and how to set them for best performance.
> Most of what we found just said set them this way and gave no
> explanation of the setting. This also could be a AGW PR problem. Does
> anyone have any suggestions or is anyone running this configuration,
> except maybe the radio? Any help would be appreciated.
>
> Jay - K5GUD

411. Radioport Sharing

Yahoo group: agwpe_pro
Date: 2005-08-25 04:05:11 UTC
From: Bruce W. Harris
Topic: 411 Message: 411

I need some guidance in what I might be doing incorrectly with AGWPEPro and Telpac/Paclink, all softwares the latest verions.

Two computers, a desktop using Win2K and a laptop using WinXPSP2. Both computers running AGWPEPro and talking to each other as server/client. The server has a radioport and shares it with the laptop.

My problem is that with a radioport on the server and a radioport on the client, PePro shows both ports on the server, keeping the laptop from cnnnecting. If I delete the port on the laptop(client). I can connect to the server radioport and transmit OK.

Since I am running the radio from the client, I expected to be able to add a channel in PaclinkAGW on the client, however I cannot do this as there is no AGWport to assign it to, since I deleted it.

I hope I have explained my problem sufficiently.

Thanks for any help you might give.

73 de Bruce, W5HCS

412. New Problem????

Yahoo group: agwpe_pro
Date: 2005-08-29 22:00:07 UTC
From: Bill Hosking W7JSW
Topic: 412 Message: 412

I am running a two port Telpac Gateway using AGWPE Pro with a KPC9612. It is all on a 1.7Ghz Celeron with plenty of RAM and running Windows XP Pro. I have been running the setup for almost a year with few problems and those usually with Telpac, not AGWPE Pro.

This new problem happened a while back and I dismissed it as a glitch. I run Netscape 7.1 typically. I was doing a search using a US West search engine when, all of a sudden, I got an error message from windown for a "buffer underrun" in AGWE Pro and it was being shut down.

As I recall, the first time this happened I tweaked George and he had no idea.

I thought someone out might have run across the same thing.

73
Bill W7JSW

413. Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2005-09-03 18:02:28 UTC
From: Scott McDowell
Topic: 1 Message: 413

Had to replace my hard drive, and since then Pepro won't
allow me to add a radio port. When I click on RadioPort manager
the proper page comes up. Then when I click on New Tnc(port),
nothing happens.
I first thought it might be the sound card, but it works fine
with Ritty by K6sti.
Anyone have any ideas?
N5SM

414. RE: [agwpe_pro] Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2005-09-03 18:37:32 UTC
From: rbowers
Topic: 1 Message: 414

Yup,
I suspect that you lost your registration when you lost your hard drive. You should be hearing from George soon, he will get you fixed up with a new registration code, he is a very understanding fellow.

Rory Bowers, N6CKS

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Scott McDowell
> Sent: Saturday, September 03, 2005 18:02
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro
>
> Had to replace my hard drive, and since then Pepro won't
> allow me to add a radio port. When I click on RadioPort
> manager the proper page comes up. Then when I click on New
> Tnc(port), nothing happens.
> I first thought it might be the sound card, but it works fine
> with Ritty by K6sti.
> Anyone have any ideas?
> N5SM
>
>
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ----------------------~--> Get fast access to your favorite
> Yahoo! Groups. Make Yahoo! your home page
> http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
> ---
> -------~->
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

415. Re: Improvement suggestion

Yahoo group: agwpe_pro
Date: 2005-09-03 06:48:23 UTC
From: Frank
Topic: 408 Message: 415

--- In agwpe_pro@yahoogroups.com, "Art" <abertheaume@s...> wrote:

> Would it be possible to include a timer statement so that
> programs are started one after another instead of all at the same
> time. To get an idea, Ui-View has a schedule editor. You can have
> various programs start at timed intervals by adding a value of +1, +2,
> ect, ect so that the program starts only after a set amount of time
> elapses.
> Appreciate your thought on this!
> Art, N9ZZK

with Win XP you can always do this using the SCHEDULER np.
just set up a sequence and start it manually or automatic !

416. Re: [agwpe_pro] Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2005-09-04 15:02:29 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1 Message: 416

Hi Scott

are you sure that have not expired the trial period??
If you changed the hard disk the keycode has been changed.
If you still have problems delete all ini files
(agwpe.ini,port0.ini...portxx.ini)

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "Scott McDowell" <wsm@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Saturday, September 03, 2005 9:02 PM
Subject: [agwpe_pro] Packet Engine Pro

> Had to replace my hard drive, and since then Pepro won't
> allow me to add a radio port. When I click on RadioPort manager
> the proper page comes up. Then when I click on New Tnc(port),
> nothing happens.
> I first thought it might be the sound card, but it works fine
> with Ritty by K6sti.
> Anyone have any ideas?
> N5SM
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

417. Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2005-09-05 10:51:41 UTC
From: in3vvk
Topic: 1 Message: 417

Hello from IN3VVK, I would like ask a question about to use of Paralell Port with Packet Engine Pro.
I had download a trial version of Packet engine pro and I try to use with Paralell Port but it doesn't work.
With Serial is Ok al 100% but not with parallel port.
I connect on PIN3 and PIN18 for ground into parallel port but nothing.
I try to modify also on BIOS change setting parallel port on SPP ECP etc. without obtain good result.
I tried also on another PC and the result is the same "nothing to do".
My software is WINXP PRO with Service Pack2.
Anybody have a suggestion?
Thanks a lot de in3vvk Paolo

Mail to: in3vvk@...

418. Re: [agwpe_pro] Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2005-09-06 17:33:30 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1 Message: 418

Hi

there is the wrong parallel driver in the distrubition package.
I will send it to you by email as soon as possible.

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "in3vvk" <in3vvk@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Monday, September 05, 2005 1:51 PM
Subject: [agwpe_pro] Packet Engine Pro

> Hello from IN3VVK, I would like ask a question about to use of Paralell
> Port with Packet Engine Pro.
> I had download a trial version of Packet engine pro and I try to use
> with Paralell Port but it doesn't work.
> With Serial is Ok al 100% but not with parallel port.
> I connect on PIN3 and PIN18 for ground into parallel port but nothing.
> I try to modify also on BIOS change setting parallel port on SPP ECP
> etc. without obtain good result.
> I tried also on another PC and the result is the same "nothing to do".
> My software is WINXP PRO with Service Pack2.
> Anybody have a suggestion?
> Thanks a lot de in3vvk Paolo
>
> Mail to: in3vvk@...
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>

>
>
>
>

419. Rif: Re: [agwpe_pro] Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2005-09-06 21:24:44 UTC
From: Paolo Emanuelli
Topic: 419 Message: 419

Ok George, I will wait to receive this drive to testing the parallel port.
Thanks a lot 73.... Paolo

-------Messaggio originale-------

Da: \(SV2AGW\) George Rossopoulos
Data: 09/06/05 19:34:22
A: agwpe_pro@yahoogroups.com
Oggetto: Re: [agwpe_pro] Packet Engine Pro

Hi

there is the wrong parallel driver in the distrubition package.
I will send it to you by email as soon as possible.

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "in3vvk" <in3vvk@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Monday, September 05, 2005 1:51 PM
Subject: [agwpe_pro] Packet Engine Pro

> Hello from IN3VVK, I would like ask a question about to use of Paralell
> Port with Packet Engine Pro.
> I had download a trial version of Packet engine pro and I try to use
> with Paralell Port but it doesn't work.
> With Serial is Ok al 100% but not with parallel port.
> I connect on PIN3 and PIN18 for ground into parallel port but nothing.
> I try to modify also on BIOS change setting parallel port on SPP ECP
> etc. without obtain good result.
> I tried also on another PC and the result is the same "nothing to do".
> My software is WINXP PRO with Service Pack2.
> Anybody have a suggestion?
> Thanks a lot de in3vvk Paolo
>
> Mail to: in3vvk@...
>
>
>
>
>

>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio

YAHOO! GROUPS LINKS

Visit your group "agwpe_pro" on the web.

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

420. SOLUTION to LPT on AGWPRO

Yahoo group: agwpe_pro
Date: 2005-09-26 01:04:49 UTC
From: faryd1
Topic: 420 Message: 420

Encontre un metodo para poder usar el puerto paralelo en el AGWPRO, primero se necesita descargar lo siguiente:
www.beyondlogic.org/porttalk/porttalk22.zip
Aqui vamos a encontrar un programa ejecutable llamado allowio.exe, que funciona de la siguiente manera:

allowio.exe Packet Engine Pro.exe /a

allowio.exe = permite cargar un programa determinado pasando por alto las restricciones que impone el sistema operativo win xp.

Packet Engine Pro.exe = es el programa que queremos ejecutar

/a = es el parametro que se le pasa al allowio.exe para que el agwpro pueda usar cualquier puerto (todos los puertos serie y paralelos)

Ahora lo primero que hay que hacer es ejecutar allowio.exe por primera vez para que se instale un driver (se necesitan permisos de admin) una vez instalado, se puede ejecutar por cualquier tipo de usuario.
Finalmente se puede crear un acceso directo de la siguiente manera:

"C:\Archivos de programa\AGWSoft\Packet Engine Pro\AllowIo.exe" packet Engine Pro.exe /a

Cualquier duda, consultenme.
gonzas@...
Saludos
LU5EEE

I found a metod to be able to use the parallel port in the AGWPRO, first is needed to download the following thing:
www.beyondlogic.org/porttalk/porttalk22.zip
Here we are going to find a program called allowio.exe, that works of the following way:

allowio.exe Packet Engine Pro.exe /a

allowio.exe = allows to load a certain program ignoring the restrictions that the operating system imposes win xp.

Packet Engine Pro.exe = is the program that we want to execute

/a = is parametr that it goes to him to allowio.exe so that agwpro can now use any port (all the ports series and parallels)

first that there is to do is to execute allowio.exe so that it install
a driver (permissions are needed is admin) once installed, is
possible for the first time to be executed by any type of user.
Finally a direct access of the following way can be created:
"C:\Archivos of programa\AGWSoft\Packet Engine Pro\AllowIo.exe" packet
Engine Pro.exe/to
Any doubt, Just ask me.
Greetings LU5EEE.

421. Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-18 10:31:04 UTC
From: Art
Topic: 421 Message: 421

I have Mixw emulating out to com 6. I now want AGWPE to have this data. Which TNC type do I choose in AGW to get this data?
Art, N9ZZK

422. RE: [agwpe_pro] Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-19 11:36:36 UTC
From: (SV2AGW)George Rossopoulos
Topic: 421 Message: 422

Hi

Don't think that will work....
Does this TNC is in KISS mode??
If yes select TNC2

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Art
Sent: Tuesday, October 18, 2005 1:31 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Mixw TNC emulator

I have Mixw emulating out to com 6. I now want AGWPE to have this data.
Which TNC type do I choose in AGW to get this data?
Art, N9ZZK

Yahoo! Groups Links

423. Re: Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-20 09:12:21 UTC
From: Art
Topic: 421 Message: 423

Thx George,
No, the interface is a soundcard. I haven't been able to get
Mixw to work with my TNC correctly. I was going to use Mixw as a
tuning aide. I am using the tuning aide you have incorporated in
AGWPE and that works good. The advantage of Mixw is that a click of
the mouse, one can change digital modes.
I am still experimenting but right now, if i try to monitor
signals with MixW, I get the error message that the soundcard is
already in use. Any work arounds for that?
N9ZZK

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
<sv2agw@r...> wrote:
>
> Hi
>
> Don't think that will work....
> Does this TNC is in KISS mode??
> If yes select TNC2
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of Art
> Sent: Tuesday, October 18, 2005 1:31 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Mixw TNC emulator
>

> I have Mixw emulating out to com 6. I now want AGWPE to have this
data.
> Which TNC type do I choose in AGW to get this data?
> Art, N9ZZK
>
>
>
>
>
>
>
> Yahoo! Groups Links
>

424. RE: [agwpe_pro] Re: Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-20 11:36:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 421 Message: 424

Hi Art

If you are running Packet Engine then MIXW cannot access Soundcard since it is dedicated to Packet Engine.

A simple and cheap solution is to gen anither Soundcard(!!!). The first for AGW and the second for MIXw

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Art
Sent: Thursday, October 20, 2005 12:12 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Mixw TNC emulator

Thx George,
No, the interface is a soundcard. I haven't been able to get Mixw to work with my TNC correctly. I was going to use Mixw as a tuning aide. I am using the tuning aide you have incorporated in AGWPE and that works good. The advantage of Mixw is that a click of the mouse, one can change digital modes.
I am still experimenting but right now, if i try to monitor signals with MixW, I get the error message that the soundcard is already in use. Any work arounds for that?
N9ZZK

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@r...> wrote:
>
> Hi
>
> Don't think that will work....

> Does this TNC is in KISS mode??
> If yes select TNC2
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of Art
> Sent: Tuesday, October 18, 2005 1:31 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Mixw TNC emulator
>
> I have Mixw emulating out to com 6. I now want AGWPE to have this
data.
> Which TNC type do I choose in AGW to get this data?
> Art, N9ZZK
>
>
>
>
>
>
>
> Yahoo! Groups Links
>

---------- Yahoo! Groups Sponsor ----------~--> Get
fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

425. Re: Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-20 11:45:46 UTC
From: Andre v Schayk
Topic: 421 Message: 425

I think there is a bit of a confusion here.
Mixw2 can take the data it recieves on the soundcard and output it as a kiss stream to a com port, this can be both a real and a software loopback comport.

If you get the error that the soundcard is already in use then you are using another directx program at the same time as mixw (maybe a soundcard modem in agwpe?)

What you would need to use mixw as a modem for agwpe is setting up the tnc emulator on a software loopback comport and connect agwpe to the other side of that software loopback comport using for exsample the tnc2 setting, it would not realy matter as the tnc (mixw) is already in kiss mode.

http://www.mixw.net/related.htm has a lot of info on this

73 de Andre PE1RDW
--- In agwpe_pro@yahoogroups.com, "Art" <abertheaume@s...> wrote:
>
> Thx George,
> No, the interface is a soundcard. I haven't been able to get
> Mixw to work with my TNC correctly. I was going to use Mixw as a
> tuning aide. I am using the tuning aide you have incorporated in
> AGWPE and that works good. The advantage of Mixw is that a click of
> the mouse, one can change digital modes.
> I am still experimenting but right now, if i try to monitor
> signals with MixW, I get the error message that the soundcard is
> already in use. Any work arounds for that?
> N9ZZK
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
> <sv2agw@r...> wrote:
> >
> > Hi
> >
> > Don't think that will work....
> > Does this TNC is in KISS mode??
> > If yes select TNC2
> >
> > 73
> >
> >
> > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
> with USB and
> > battery for portable operation)

> > www.elcom.gr
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@e...
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf
> > Of Art
> > Sent: Tuesday, October 18, 2005 1:31 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Mixw TNC emulator
> >
> > I have Mixw emulating out to com 6. I now want AGWPE to have this
> data.
> > Which TNC type do I choose in AGW to get this data?
> > Art, N9ZZK
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
>

426. Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-20 16:44:16 UTC
From: Bill Hosking
Topic: 426 Message: 426

I need help with an odd happening. I asked George (AGW) off-line and he could not duplicate it.

First the setup. I run concurrent Telpac Nodes with AGWPE Pro and a KPC9612 TNC 24/7. The setup is Windows XP Pro running on a 1.7G Celeron with 736M of ram. I have a full time cable type internet connection and the computer is my main machine for email and web access(whence comes the problem).

The problem happens in a very specific web usage and happens with both Netscape (7.1) and IE. The problem is this. When I load 'foodtv.com' (don't laugh - I download recipes for my wife) it blows away AGWPE with the following error.....

[Buffer overrun detected!

Program:...GWsoft\Packet Engine Pro\Packet Engine Pro.exe

A buffer overrun has been detected which has corrupted the program's internal state. The program cannot safely continue execution and must be terminated.]

After clicking on the 'ok' button AGWPE shuts down, of course forcing my two nodes off the air. As far as I can determine so far, this is the only web site that causes the failure. I suspect the link between Telpac and AGWPE and this is why....If I run AGWPE by itself with the Telpacs not activated, the crash does not occur. Then activating the first instance of Telpac, I call up foodtv and a few seconds into the download of the page, it crashes as indicated above.

Unfortunately, I'm not enough of a Windows expert to have a real clue of what is going on or how to solve it. I'm hoping with these two groups being big users of AGWPE someone might know what is going on.

Thanks all ahead of time!!

Bill Hosking, W7JSW
Scottsdale, Arizona
480-947-8426
hoskingb@...
W7JSW@...
W7JSW@...

427. RE: [agwpe_pro] Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-20 19:12:44 UTC
From: (SV2AGW)George Rossopoulos
Topic: 426 Message: 427

Hi Bill

Just try the follow.
Run AGWTerminal and agwmonitor but not TELPAC
Then go the known site and check if still AGWPE exits.

This will help.

I include also a more detailed explanation of the buffer overrun problem. Packet Engine Pro has a build in security protection from attacts on the TCPIP interface to other programs. If a program tries to attack the sytem sending too much data to the tcpip port (8000) the program aborts with the above message. I could eliminate the message and stop of execution of the program but think is better to display the message 1.The user is notified about it, so can search and find what cause the problem 2.The tcpip connection had to terminated. So the result is about the same.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Bill Hosking
Sent: Thursday, October 20, 2005 7:44 PM
To: wl2kemcomm@yahoogroups.com; AGWPE Pro Group
Subject: [agwpe_pro] Need a Windows expert help

I need help with an odd happening. I asked George (AGW) off-line and he could not duplicate it.

First the setup. I run concurrent Telpac Nodes with AGWPE Pro and a KPC9612 TNC 24/7. The setup is Windows XP Pro running on a 1.7G Celeron with 736M of ram. I have a full time cable type internet connection and the computer is my main machine for email and web access(whence comes the problem).

The problem happens in a very specific web usage and happens with both Netscape (7.1) and IE. The problem is this. When I load 'foodtv.com' (don't laugh - I download recipes for my wife) it blows away AGWPE with the following error.....

[Buffer overrun detected!

Program:...GWsoft\Packet Engine Pro\Packet Engine Pro.exe

A buffer overrun has been detected which has corrupted the program's internal state. The program cannot safely continue execution and must be terminated.]

After clicking on the 'ok' button AGWPE shuts down, of course forcing my two nodes off the air. As far as I can determine so far, this is the only web site that causes the failure. I suspect the link between Telpac and AGWPE and this is why....If I run AGWPE by itself with the Telpacs not activated, the crash does not occur. Then activating the first instance of Telpac, I call up foodtv and a few seconds into the download of the page, it crashes as indicated above.

Unfortunately, I'm not enough of a Windows expert to have a real clue of what is going on or how to solve it. I'm hoping with these two groups being big users of AGWPE someone might know what is going on.

Thanks all ahead of time!!

Bill Hosking, W7JSW
Scottsdale, Arizona
480-947-8426
hoskingb@...
W7JSW@...
W7JSW@...

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

428. RE: [agwpe_pro] Re: Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-21 23:41:28 UTC
From: Ralph Milnes
Topic: 421 Message: 428

I have some info on my website that might be of value:

http://www.patmedia.net/ralphmilnes/soundcardpacket/7MixW.htm

I've never actually coupled MixW and AGWPE.... most of what is written on my site was take from info that others have published.

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Art
Sent: Thursday, October 20, 2005 5:12 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Mixw TNC emulator

Thx George,
No, the interface is a soundcard. I haven't been able to get Mixw to work with my TNC correctly. I was going to use Mixw as a tuning aide. I am using the tuning aide you have incorporated in AGWPE and that works good. The advantage of Mixw is that a click of the mouse, one can change digital modes.
I am still experimenting but right now, if i try to monitor signals with MixW, I get the error message that the soundcard is already in use. Any work arounds for that?
N9ZZK

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@r...> wrote:
>
> Hi
>
> Don't think that will work....
> Does this TNC is in KISS mode??
> If yes select TNC2
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...

> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of Art
> Sent: Tuesday, October 18, 2005 1:31 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Mixw TNC emulator
>
> I have Mixw emulating out to com 6. I now want AGWPE to have this
data.
> Which TNC type do I choose in AGW to get this data?
> Art, N9ZZK
>
>
>
>
>
>
>
> Yahoo! Groups Links
>

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=Sz
5ebNg-ZsVyHTzaR4PnAg> and craft supply Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4kQCK4PEN_
MzUUBx-hQ> hobby Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+s
upply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=J-__6L
1W_lZQ58dekNdHLA> and crafts
Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-gq6h7guAF
s73WsoQ> radio

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

429. RE: [agwpe_pro] Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-22 00:17:51 UTC
From: Ralph Milnes
Topic: 426 Message: 429

Bill,

Given what George has said, you might try reconfiguring PE Pro so that it uses a port other than 8000, say 8001(Setup: Network TCPIP Settings). Remember to reconfigure TelPac for the new port, too.

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW)George Rossopoulos
Sent: Thursday, October 20, 2005 3:13 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Need a Windows expert help

Hi Bill

Just try the follow.
Run AGWTerminal and agwmonitor but not TELPAC
Then go the known site and check if still AGWPE exits.

This will help.

I include also a more detailed explanation of the buffer overrun problem. Packet Engine Pro has a build in security protection from attacts on the TCPIP interface to other programs. If a program tries to attack the sytem sending too much data to the tcpip port (8000) the program aborts with the above message. I could eliminate the message and stop of execution of the program but think is better to display the message 1.The user is notified about it, so can search and find what cause the problem 2.The tcpip connection had to terminated. So the result is about the same.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Bill Hosking
Sent: Thursday, October 20, 2005 7:44 PM
To: wl2kemcomm@yahoogroups.com; AGWPE Pro Group
Subject: [agwpe_pro] Need a Windows expert help

I need help with an odd happening. I asked George (AGW) off-line and he could not duplicate it.

First the setup. I run concurrent Telpac Nodes with AGWPE Pro and a KPC9612 TNC 24/7. The setup is Windows XP Pro running on a 1.7G Celeron with 736M of ram. I have a full time cable type internet connection and the computer is my main machine for email and web access(whence comes the problem).

The problem happens in a very specific web usage and happens with both Netscape (7.1) and IE. The problem is this. When I load 'foodtv.com' (don't laugh - I download recipes for my wife) it blows away AGWPE with the following error.....

[Buffer overrun detected!

Program:...GWsoft\Packet Engine Pro\Packet Engine Pro.exe

A buffer overrun has been detected which has corrupted the program's internal state. The program cannot safely continue execution and must be terminated.]

After clicking on the 'ok' button AGWPE shuts down, of course forcing my two nodes off the air. As far as I can determine so far, this is the only web site that causes the failure. I suspect the link between Telpac and AGWPE and this is why....If I run AGWPE by itself with the Telpacs not activated, the crash does not occur. Then activating the first instance of Telpac, I call up foodtv and a few seconds into the download of the page, it crashes as indicated above.

Unfortunately, I'm not enough of a Windows expert to have a real clue of what is going on or how to solve it. I'm hoping with these two groups being big users of AGWPE someone might know what is going on.

Thanks all ahead of time!!

Bill Hosking, W7JSW
Scottsdale, Arizona
480-947-8426
hoskingb@...
W7JSW@...
W7JSW@...

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

430. Re: Mixw TNC emulator

Yahoo group: agwpe_pro
Date: 2005-10-22 12:36:06 UTC
From: Art
Topic: 421 Message: 430

George/Andre/Ralph,

Thank you all for replying. Ralph, I had read the info regarding from your web site. I obtained the virtual port software by following links from your web site.. Thank you.

Following Andres suggestion. Some more detail on the set up here. I am using Win98SE. My intention was to use MixW as a tuning aide for tuning in my HF port of the F6FBBe. After setting the configuration of the virtual port to com2/com5. Then trying to set AGWPE to tap the data on com 5, I get the "invalid port" message.

This is not a significant problem. just something I have been fooling atound with. I am able to tune the radio with the tuning aide George has within AGWPE.

I am not sure if I have F6FBB properlyconfigured to AGW. I have two ports set up, a 232MBX on VHF and the soundcard on HF. I receive all transmisions from both ports and when it does transmit on the port its is supposed to. But using the monitor window of F6FBB, all activity is displayed as coming in on port 1. It has to be an F6FBB thing becausewhen monitoring activity from the terminal window in Ui-View, the proper port in which the data is received is displayed. Just strange to me to see data from port 2 be displayed as coming from port 1.

As mentioned, the software is behaving correctly for transmitting, that is the intended port to use is functioning, but if anybody has any ideaas or if this is the norm with F6FBB I would like to hear from you.

Thank you again!,
Art

--- In agwpe_pro@yahoogroups.com, "Art" <abertheaume@s...> wrote:
>
> Thx George,
> No, the interface is a soundcard. I haven't been able to get
> Mixw to work with my TNC correctly. I was going to use Mixw as a
> tuning aide. I am using the tuning aide you have incorporated in
> AGWPE and that works good. The advantage of Mixw is that a click
of
> the mouse, one can change digital modes.
> I am still experimenting but right now, if i try to monitor
> signals with MixW, I get the error message that the soundcard is
> already in use. Any work arounds for that?
> N9ZZK

>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
> <sv2agw@r...> wrote:
> >
> > Hi
> >
> > Don't think that will work....
> > Does this TNC is in KISS mode??
> > If yes select TNC2
> >
> > 73
> >
> >
> > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
> with USB and
> > battery for portable operation)
> > www.elcom.gr
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@e...
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com]
> On Behalf
> > Of Art
> > Sent: Tuesday, October 18, 2005 1:31 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Mixw TNC emulator
> >
> > I have Mixw emulating out to com 6. I now want AGWPE to have
this
> data.
> > Which TNC type do I choose in AGW to get this data?
> > Art, N9ZZK
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >

>

431. Re: Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-22 21:22:17 UTC
From: Bill Hosking W7JSW
Topic: 426 Message: 431

That sounds like an eminently simple solution Ralph (which makes me immediately suspicious). I am aware of, but not knowledgeable about the multitude of tcp/ip ports. I think 8000 is a common use one but is 8001 normally unused?

I sent George a log file of one of the failures. I think I'll wait on his response before introducing another variable with a new port.

I did some experimenting and found that IE and Netscape cause the problem but Firefox does not and I have no clue why since all three bring up the offending web page just fine.

For the moment, if wife wants a recipe, I'll just have to remember to use Firefox instead of Netscape.

One wit on here suggested that I needed to cease downloading high calorie recipes since I have obviously exceeded the Calorie limit of my computer :-)

73 and thanks to all
Bill W7JSW

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...> wrote:
>
> Bill,
>
> Given what George has said, you might try reconfiguring PE Pro so
that it
> uses a port other than 8000, say 8001(Setup: Network TCPIP Settings).
> Remember to reconfigure TelPac for the new port, too.
>
> Ralph KC2RLM
>
>
> _____

432. RE: [agwpe_pro] Re: Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-22 21:34:08 UTC
From: (SV2AGW)George Rossopoulos
Topic: 426 Message: 432

Hi Bill

Pse wait I think I found something, but need to check it a bit further.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Bill Hosking W7JSW
Sent: Sunday, October 23, 2005 12:22 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Need a Windows expert help

That sounds like an eminently simple solution Ralph (which makes me immediately suspicious). I am aware of, but not knowledgeable about the multitude of tcp/ip ports. I think 8000 is a common use one but is 8001 normally unused?

I sent George a log file of one of the failures. I think I'll wait on his response before introducing another variable with a new port.

I did some experimenting and found that IE and Netscape cause the problem but Firefox does not and I have no clue why since all three bring up the offending web page just fine.

For the moment, if wife wants a recipe, I'll just have to remember to use Firefox instead of Netscape.

One wit on here suggested that I needed to cease downloading high calorie recipes since I have obviously exceeded the Calorie limit of my computer :-)

73 and thanks to all
Bill W7JSW

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...> wrote:
>
> Bill,
>
> Given what George has said, you might try reconfiguring PE Pro so
that it
> uses a port other than 8000, say 8001(Setup: Network TCPIP Settings).
> Remember to reconfigure TelPac for the new port, too.
>
> Ralph KC2RLM
>
>
> _____

---------- Yahoo! Groups Sponsor ----------~--> Get
fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

433. Re: [agwpe_pro] Re: Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-22 21:36:49 UTC
From: Perry - K4PWO
Topic: 426 Message: 433

I would try 8010 as many programs will allocate ports in pairs. You have about 64,000 (I think its a 16-bit number from my dusty memory) ports to choose from, so don't fear experimenting. If something "breaks" just change it back. There are lists of common port allocations which a Google will lead you to. You will see many gaps in the list where the adventurous can play.

73 de Perry - K4PWO

----- Original Message -----
From: Bill Hosking W7JSW
To: agwpe_pro@yahoogroups.com
Sent: Saturday, October 22, 2005 4:22 PM
Subject: [agwpe_pro] Re: Need a Windows expert help

That sounds like an eminently simple solution Ralph (which makes me immediately suspicious). I am aware of, but not knowledgeable about the multitude of tcp/ip ports. I think 8000 is a common use one but is 8001 normally unused?

I sent George a log file of one of the failures. I think I'll wait on his response before introducing another variable with a new port.

I did some experimenting and found that IE and Netscape cause the problem but Firefox does not and I have no clue why since all three bring up the offending web page just fine.

For the moment, if wife wants a recipe, I'll just have to remember to use Firefox instead of Netscape.

One wit on here suggested that I needed to cease downloading high calorie recipes since I have obviously exceeded the Calorie limit of my computer :-)

73 and thanks to all
Bill W7JSW

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...> wrote:
>
> Bill,
>
> Given what George has said, you might try reconfiguring PE Pro so
that it
> uses a port other than 8000, say 8001(Setup: Network TCPIP Settings).
> Remember to reconfigure TelPac for the new port, too.
>
> Ralph KC2RLM
>

>
> _____

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio

YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

434. Re: Need a Windows expert help

Yahoo group: agwpe_pro
Date: 2005-10-22 23:37:09 UTC
From: Bill Hosking W7JSW
Topic: 426 Message: 434

I should have read Georges post before yours :-)

Not that it hurts anything but I experimented and changed the AGW and Telpac ports to 8010. Everything found itself and initialized just fine. both AGW and Telpac working.
Fired up foodtv - bang! there went agwpe. Same error as before.
I probably won't change back to 8000 unless someone gives me a good reason.

bill

--- In agwpe_pro@yahoogroups.com, "Perry - K4PWO" <k4pwo@c...> wrote:
>
> I would try 8010 as many programs will allocate ports in pairs. You have about 64,000 (I think its a 16-bit number from my dusty memory)

435. Problem between AGWPE_PRO and UI-View

Yahoo group: agwpe_pro
Date: 2005-10-23 23:00:13 UTC
From: n8fau15
Topic: 435 Message: 435

Hello All:

I've beeb running AGWPE_PRO and UI-View for months without any problems. Out of the blue I now have problems....

My system has UI-View on one computer (OS XP) and AGWPE_PRO on another computer (OS Win2k). I can see activity on Port 1. I receive all inbound (received) packets from Port 1 and see them both on AGWPE and UI-View.

Sending packets is where the problem lies. I can tell the UI-View machine to send an ID and it shows up on UI-View, but nothing happens on AGWPE. If it's time to beacon, the system works.

If I send a message it send it but nothing happens at the AGWPE.

So far I've tried installing the upgrade software over the existing versions of both AGWPE and UI-View... Didn't do anything.

Is there anything else I can look at to figure out what went wrong?

Thanks and I'll be posting this on the UI-View list too....

Bob
n8fau15@...

436. RE: [agwpe_pro] Problem between AGWPE_PRO and UI-View

Yahoo group: agwpe_pro
Date: 2005-10-24 15:27:20 UTC
From: Ralph Milnes
Topic: 435 Message: 436

Bob,

To confirm, are you saying that it does work OK "if it's time to beacon"? The beacon in UI-View? But that other outgoing UI-View transmissions won't go?

(Is there a difference between a UI-View "beacon" and "ID"? I thought they were the same.)

Also to confirm, "nothing happens at AGWPE" means you don't get the red pixel blink in the AGWPE TNC icon in the system tray?

Does everything work OK if you use AGWTerm instead of UI-View on the XP machine?

Any changes in your firewall programs or settings lately?

Any changes in the AGWPE settings in UI-View lately, such as "port mask"?

Any chance the radio squelch has been turned up and AGWPE can't hear the noise on the channel?

Are you using sound card mode or a real TNC? Interface type?

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n8fau15
Sent: Sunday, October 23, 2005 7:00 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Problem between AGWPE_PRO and UI-View

Hello All:

I've beeb running AGWPE_PRO and UI-View for months without any problems. Out of the blue I now have problems....

My system has UI-View on one computer (OS XP) and AGWPE_PRO on another computer (OS Win2k). I can see activity on Port 1. I receive all inbound (received) packets from Port 1 and see them both on AGWPE and UI-View.

Sending packets is where the problem lies. I can tell the UI-View machine to send an ID and it shows up on UI-View, but nothing happens on AGWPE. If it's time to beacon, the system works.

If I send a message it send it but nothing happens at the AGWPE.

So far I've tried installing the upgrade software over the existing versions of both AGWPE and UI-View... Didn't do anything.

Is there anything else I can look at to figure out what went wrong?

Thanks and I'll be posting this on the UI-View list too....

Bob
n8fau15@...

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=Sz5ebNg-ZsVyHTzaR4PnAg> and craft supply Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4kQCK4PEN_MzUUBx-hQ> hobby Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=J-__6L1W_lZQ58dekNdHLA> and crafts
Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-gq6h7guAFs73WsoQ> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

437. Re: Problem between AGWPE_PRO and UI-View

Yahoo group: agwpe_pro
Date: 2005-10-25 03:14:26 UTC
From: n8fau15
Topic: 435 Message: 437

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@p...> wrote:
>
> Bob,
>
> To confirm, are you saying that it does work OK "if it's time to
beacon"?
> The beacon in UI-View? But that other outgoing UI-View transmissions
won't
> go?
>
> (Is there a difference between a UI-View "beacon" and "ID"? I
thought they
> were the same.)
>
> Also to confirm, "nothing happens at AGWPE" means you don't get the red
> pixel blink in the AGWPE TNC icon in the system tray?
>
> Does everything work OK if you use AGWTerm instead of UI-View on the XP
> machine?
>
> Any changes in your firewall programs or settings lately?
>
> Any changes in the AGWPE settings in UI-View lately, such as "port
mask"?
>
> Any chance the radio squelch has been turned up and AGWPE can't hear the
> noise on the channel?
>
> Are you using sound card mode or a real TNC? Interface type?
>
>
> Ralph KC2RLM
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of n8fau15
> Sent: Sunday, October 23, 2005 7:00 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Problem between AGWPE_PRO and UI-View
>
>
>
> Hello All:
>

> I've beeb running AGWPE_PRO and UI-View for months without any
> problems. Out of the blue I now have problems....
>
> My system has UI-View on one computer (OS XP) and AGWPE_PRO on another
> computer (OS Win2k). I can see activity on Port 1. I receive all
> inbound (received) packets from Port 1 and see them both on AGWPE and
> UI-View.
>
> Sending packets is where the problem lies. I can tell the UI-View
> machine to send an ID and it shows up on UI-View, but nothing happens
> on AGWPE. If it's time to beacon, the system works.
>
> If I send a message it send it but nothing happens at the AGWPE.
>
> So far I've tried installing the upgrade software over the existing
> versions of both AGWPE and UI-View... Didn't do anything.
>
> Is there anything else I can look at to figure out what went wrong?
>
> Thanks and I'll be posting this on the UI-View list too....
>
> Bob
> n8fau15@g...
>
>
>
>
>
>
> SPONSORED LINKS
> Hobby
>
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
>
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=Sz
> 5ebNg-ZsVyHTzaR4PnAg> and craft supply Craft
>
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
>
2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4kQCK4PEN_
> MzUUBx-hQ> hobby Hobbies
>
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+s
>
upply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=J-__6L
> 1W_lZQ58dekNdHLA> and crafts
> Ham
>
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
>

Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-gq6h7guAF
> s73WsoQ> radio
>
> _____
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "agwpe_pro
> <http://groups.yahoo.com/group/agwpe_pro> " on the web.
>
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
> <http://docs.yahoo.com/info/terms/> .
>
>
> _____
>
>
>
>
> [Non-text portions of this message have been removed]
>
Ralph:

I'll look closely for the red pixel blink. If I force a beacon... It
doesn't transmit it. If it's time for a beacon it does transmit it.

I can also send messages and I receive them, but it doesn't send an
ack back to the sending station.

I haven't made any other changes to my system.

Might need to just do a fresh install.....

Thanks for helping....

73
Bob
N8FAU
Saranac, MI

438. Automatic Updates

Yahoo group: agwpe_pro
Date: 2005-10-29 03:08:14 UTC
From: Steve
Topic: 435 Message: 438

Hi,
I have tried to use the update button, it seems to make contact,
check the software, it says there is an update and then fails.

Any one have any suggestions on what I can check?

Thanks

Steve N0FPF

439. Re: [agwpe_pro] Digest Number 225

Yahoo group: agwpe_pro
Date: 2005-10-30 19:58:09 UTC
From: Jim OSullivan
Topic: 439 Message: 439

Hi,

AD4RG here. I am also having that problem. I thought it was only me. I will be interested in finding out the solution to this challenge.

73

Jim, AD4RG

agwpe_pro@yahoogroups.com wrote:

There is 1 message in this issue.

Topics in this digest:

1. Automatic Updates
From: Steve

Message: 1
Date: Fri, 28 Oct 2005 20:08:14 -0700
From: Steve
Subject: Automatic Updates

Hi,
I have tried to use the update button, it seems to make contact,
check the software, it says there is an update and then fails.

Any one have any suggestions on what I can check?

Thanks

Steve N0FPF

Yahoo! Groups Links

Yahoo! FareChase - Search multiple travel sites in one click.

[Non-text portions of this message have been removed]

440. Error: Copyright Violation

Yahoo group: agwpe_pro
Date: 2005-11-01 09:27:17 UTC
From: w7rsw
Topic: 440 Message: 440

I'm running AGWPE Pro and have started getting a problem on program startup. The program will start to boot, then a small error box is displayed saying Copyright Violation. I click ok, the program goes away. I then restart the program and it runs fun.

Any suggestions for the solution of the problem. The program is registered for a long time.

73,

Scott W7RSW

441. RE: [agwpe_pro] Error: Copyright Violation

Yahoo group: agwpe_pro
Date: 2005-11-01 14:07:04 UTC
From: Ralph Milnes
Topic: 440 Message: 441

The AGWPE.SYS file is missing from your AGWPE folder. You can reinstall the entire program from the zip file or just the AGWPE.SYS file. (The AGWPE.SYS file has the date of the program, so don't use the AGWPE.SYS file from another version. It will display the wrong version date when you start the program.)

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf Of w7rsw
Sent: Tuesday, November 01, 2005 4:27 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Error: Copyright Violation

I'm running AGWPE Pro and have started getting a problem on program startup. The program will start to boot, then a small error box is displayed saying Copyright Violation. I click ok, the program goes away. I then restart the program and it runs fun.

Any suggestions for the solution of the problem. The program is registered for a long time.

73,

Scott W7RSW

SPONSORED LINKS
Hobby and craft supply
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=Sz5ebNg-ZsVyHTzaR4PnAg> Craft hobby
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4kQCK4PEN_MzUUBx-hQ> Hobbies and crafts
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=J-__6L1W_lZQ58dekNdHLA>
Ham radio
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-gq6h7guAFs73WsoQ>

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

---

442. Re: Error: Copyright Violation

Yahoo group: agwpe_pro
Date: 2005-11-02 14:07:26 UTC
From: w7rsw
Topic: 440 Message: 442

Thank you for the quick answer Ralph.

I have agwpe.sys in my program folder, it's dated 6/5/2003. Is this
the current file and if not, how do I extract the single file from the
MS Installer file?

Thanks,

Scott W7RSW

"Ralph Milnes" <ralphmilnes@p...> wrote:
>
> The AGWPE.SYS file is missing from your AGWPE folder. You can
reinstall the
> entire program from the zip file or just the AGWPE.SYS file. (The
AGWPE.SYS
> file has the date of the program, so don't use the AGWPE.SYS file from
> another version. It will display the wrong version date when you
start the
> program.)
>

443. RE: [agwpe_pro] Re: Error: Copyright Violation

Yahoo group: agwpe_pro
Date: 2005-11-02 17:49:48 UTC
From: Ralph Milnes
Topic: 440 Message: 443

Whoops .. sorry, Scott. I didn't read carefully that you were running the Pro version. My advice was for the free version.

For the Pro version, what about uninstalling and reinstalling the program? Make sure you copy down the registration key code that George sent you before you uninstall. You may need it for the re-install.

I do believe it's some problem with the AGWPE.SYS file. Mine is also dated 6/5/2003 and is 443 Kb (exact size may be important).

If I rename this .SYS file, I too get the copyright violation message, but AGWPE Pro will *never* start without it being correct. It's strange that yours would start on the second try. If you're starting from a "shortcut" icon, make sure the "Start In" directory (in the icon's properties) is correct (not sure if that would make any difference however).

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w7rsw
Sent: Wednesday, November 02, 2005 9:07 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Error: Copyright Violation

Thank you for the quick answer Ralph.

I have agwpe.sys in my program folder, it's dated 6/5/2003. Is this the current file and if not, how do I extract the single file from the MS Installer file?

Thanks,

Scott W7RSW

"Ralph Milnes" <ralphmilnes@p...> wrote:
>
> The AGWPE.SYS file is missing from your AGWPE folder. You can reinstall the
> entire program from the zip file or just the AGWPE.SYS file. (The AGWPE.SYS
> file has the date of the program, so don't use the AGWPE.SYS file from
> another version. It will display the wrong version date when you start the
> program.)
>

I'm running AGWPE Pro and have started getting a problem on program startup. The program will start to boot, then a small error box is displayed saying Copyright Violation. I click ok, the program goes away. I then restart the program and it runs fun.

Any suggestions for the solution of the problem. The program is registered for a long time.

73,

Scott W7RSW

[Non-text portions of this message have been removed]

444. RE: [agwpe_pro] Re: Error: Copyright Violation

Yahoo group: agwpe_pro
Date: 2005-11-03 18:12:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 440 Message: 444

Hi

If you have the agwpe.sys file this is a bad indication...
Be carefull sys files are system files that virus attack them.
The "copyright violation" is an indication that someone has changed the file.
You better do a virus check with recent virus list.

PSE inform us if is ok now.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Wednesday, November 02, 2005 7:50 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Error: Copyright Violation

Whoops .. sorry, Scott. I didn't read carefully that you were running the Pro version. My advice was for the free version.

For the Pro version, what about uninstalling and reinstalling the program? Make sure you copy down the registration key code that George sent you before you uninstall. You may need it for the re-install.

I do believe it's some problem with the AGWPE.SYS file. Mine is also dated 6/5/2003 and is 443 Kb (exact size may be important).

If I rename this .SYS file, I too get the copyright violation message, but AGWPE Pro will *never* start without it being correct. It's strange that yours would start on the second try. If you're starting from a "shortcut" icon, make sure the "Start In" directory (in the icon's properties) is correct (not sure if that would make any difference however).

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w7rsw
Sent: Wednesday, November 02, 2005 9:07 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Error: Copyright Violation

Thank you for the quick answer Ralph.

I have agwpe.sys in my program folder, it's dated 6/5/2003. Is this the current file and if not, how do I extract the single file from the MS Installer file?

Thanks,

Scott W7RSW

"Ralph Milnes" <ralphmilnes@p...> wrote:
>
> The AGWPE.SYS file is missing from your AGWPE folder. You can reinstall the
> entire program from the zip file or just the AGWPE.SYS file. (The AGWPE.SYS
> file has the date of the program, so don't use the AGWPE.SYS file from
> another version. It will display the wrong version date when you start the
> program.)
>

I'm running AGWPE Pro and have started getting a problem on program startup. The program will start to boot, then a small error box is displayed saying Copyright Violation. I click ok, the program goes away. I then restart the program and it runs fun.

Any suggestions for the solution of the problem. The program is registered for a long time.

73,

Scott W7RSW

[Non-text portions of this message have been removed]

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

445. Need someone to Test

Yahoo group: agwpe_pro
Date: 2005-11-03 21:52:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 440 Message: 445

Hi

Is there anyone in the list who run PEPRO 24/7?
I found a possible BUG I am not sure that may affect the stability if PEPRO runs for many days.
I changed the code and need someone to test it and tell me if there is any difference in performance.

PSE contact me at sv2agw@...

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

446. Re: Need someone to Test

Yahoo group: agwpe_pro
Date: 2005-11-04 02:24:46 UTC
From: Rick
Topic: 440 Message: 446

Hi George, I leave my copy of agwpepro Running 24/7 for the systems here. I can do the test if u would like.Just let me know what the next step is..73's Rick N1YHR

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@r...> wrote:
>
> Hi
>
> Is there anyone in the list who run PEPRO 24/7?
> I found a possible BUG I am not sure that may affect the stability if PEPRO
> runs for many days.
> I changed the code and need someone to test it and tell me if there is any
> difference in performance.
>
> PSE contact me at sv2agw@e...
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

447. Re: [agwpe_pro] Automatic Updates

Yahoo group: agwpe_pro
Date: 2005-11-03 06:33:12 UTC
From: Steve
Topic: 435 Message: 447

any thoughts???

At 07:08 PM 10/28/2005, you wrote:

>Hi,
>I have tried to use the update button, it seems to make contact,
>check the software, it says there is an update and then fails.
>
>Any one have any suggestions on what I can check?
>
>Thanks
>
>Steve N0FPF
>

448. Re: Error: Copyright Violation

Yahoo group: agwpe_pro
Date: 2005-11-03 10:19:00 UTC
From: w7rsw
Topic: 440 Message: 448

"Ralph Milnes" wrote:
>
> Whoops .. sorry, Scott. I didn't read carefully that you were
running the
> Pro version. My advice was for the free version.
>
> For the Pro version, what about uninstalling and reinstalling the
program?
> Make sure you copy down the registration key code that George sent you
> before you uninstall. You may need it for the re-install.
>
> I do believe it's some problem with the AGWPE.SYS file. Mine is also
dated
> 6/5/2003 and is 443 Kb (exact size may be important).
>
> If I rename this .SYS file, I too get the copyright violation
message, but
> AGWPE Pro will *never* start without it being correct. It's strange that
> yours would start on the second try. If you're starting from a
"shortcut"
> icon, make sure the "Start In" directory (in the icon's properties) is
> correct (not sure if that would make any difference however).
>
> Ralph KC2RLM

No problem on the version mixups Ralph. Your suggestion to check the
shortcut revealed a stray quote (") on the Start In directory which
was causing the problem.

I must have done that the last time I reinstalled.

I've never had any luck using the same registration key on a reinstall
after an uninstall. I've had to request a new key.

I don't don't how the program would run after a restart following the
error, maybe the programming fairy having pity on me :-) Can you tell
I have no clue about programing??

Thanks again for your help.

73,

Scott, W7RSW

449. Re: Automatic Updates

Yahoo group: agwpe_pro
Date: 2005-11-03 01:04:22 UTC
From: Duane Brophy
Topic: 435 Message: 449

```
--- In agwpe_pro@yahoogroups.com, Steve <s.monsey@a...> wrote:
>
> Hi,
> I have tried to use the update button, it seems to make contact,
> check the software, it says there is an update and then fails.
>
> Any one have any suggestions on what I can check?
>
> Thanks
>
> Steve N0FPF
>
```

Hi Steve.

The same thing happens to me.

73 de Mack N9NTB

450. RE: [agwpe_pro] Automatic Updates

Yahoo group: agwpe_pro
Date: 2005-11-04 07:44:16 UTC
From: (SV2AGW)George Rossopoulos
Topic: 435 Message: 450

Hi

It's a bug which has been corrected in the upcoming update.
Among others new version will have automatic Registration Keycodes from my site. There will be no need to send me emails for new keycodes.

For the moment the new version is under test. Hope to release it till the end of November

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Steve
Sent: Thursday, November 03, 2005 8:33 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Automatic Updates

any thoughts???

At 07:08 PM 10/28/2005, you wrote:

>Hi,
>I have tried to use the update button, it seems to make contact, check
>the software, it says there is an update and then fails.
>
>Any one have any suggestions on what I can check?
>
>Thanks
>
>Steve N0FPF
>

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

451. Re: [agwpe_pro] Need someone to Test

Yahoo group: agwpe_pro
Date: 2005-11-04 15:24:37 UTC
From: hasan schiers
Topic: 440 Message: 451

I run pepro 24/7 for months and months, use it remotely, control 3 ports, aprs/iss/pcsat/uiview32/uiss/agwmonitor....etc.

It is my most important piece of ax.25 software.

...hasan, N0AN
----- Original Message -----
From: "(SV2AGW)George Rossopoulos" <sv2agw@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Thursday, November 03, 2005 3:52 PM
Subject: [agwpe_pro] Need someone to Test

> Hi
>
> Is there anyone in the list who run PEPRO 24/7?
> I found a possible BUG I am not sure that may affect the stability if
> PEPRO
> runs for many days.
> I changed the code and need someone to test it and tell me if there is any
> difference in performance.
>
> PSE contact me at sv2agw@...
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB
> and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
>
>
>
>
>
>
> Yahoo! Groups Links

```
>
>
>
>
>
>
>
>
> --
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.1.362 / Virus Database: 267.12.7/160 - Release Date: 11/3/2005
>
```

452. Telpac instability with Paclink/AGW

Yahoo group: agwpe_pro
Date: 2005-11-13 18:26:35 UTC
From: Alan Isaachsen
Topic: 452 Message: 452

Has anyone else observed fatal errors in Telpac under heavy load?

During a stress test of a new Telpac, I have seen many fatal errors using Paclink to repeatedly poll the Telpac. The fatal errors occur after a random number of connections ☐ in the tests, the number of polls to produce the errors have been 20, 50, 75, 100, 120, 150, 200.

The fatal error message always says it occurs in tnt50.ocx, the Telnet activeX file (page fault and dump)

I have not observed this event when polling Telpac with Airmail, even after 500 polls!

(I guess I should try more times, in case this is a coincidence!)

VARIABLES?

- the AGW version used is PE Pro

- The latest Paclink versions are used on the polling station

- The Telpac is a direct connect (KPC3 TNC) using the latest version Telpac

- a slightly later version of tnt50.ocx does not change the results

- a different network adapter does not change the results

- is it a function of the Telpac PC being used? (Dell latitude on Win98SE) Your experience would be valuable! Will also try heavy polling of other local Telpacs to check this out.

One other local Telpac experienced instability about 6 months ago under heavy load when connected simultaneously to 2 stations, one of them being a Paclink.

For a remote located Telpac, stability and reliability is critical!

During emergency conditions:

- traffic loads will be heavy, with concurrent connections

- there will be a mix of Paclink, Airmail etc

- access will be limited for restarting Telpac (both physical access and remote access)

Is this a Telpac problem? An AGW PEPro problem? A Paclink problem? Or my particular PC?

Both your experience and thoughts would be very welcome!!

Alan

Yahoo! FareChase - Search multiple travel sites in one click.

[Non-text portions of this message have been removed]

453. Re: [agwpe_pro] Telpac instability with Paclink/AGW

Yahoo group: agwpe_pro
Date: 2005-11-14 18:18:03 UTC
From: Perry - K4PWO
Topic: 452 Message: 453

I would also consider Win98SE as a source of the problem. Win98 was notorious about its limited resource stack (only 64 Kbytes) and I had many programs I wrote bomb when I hit a system stack ceiling. Try using Win2K or WinXP with 256 Mbytes or more of memory. That may cure the problem.

----- Original Message -----
From: Alan Isaachsen
To: wl2kemcomm@yahoogroups.com ; agwpe_pro@yahoogroups.com
Sent: Sunday, November 13, 2005 12:26 PM
Subject: [agwpe_pro] Telpac instability with Paclink/AGW

Has anyone else observed fatal errors in Telpac under heavy load?

During a stress test of a new Telpac, I have seen many fatal errors using Paclink to repeatedly poll the Telpac. The fatal errors occur after a random number of connections - in the tests, the number of polls to produce the errors have been 20, 50, 75, 100, 120, 150, 200.

The fatal error message always says it occurs in tnt50.ocx, the Telnet activeX file (page fault and dump)

I have not observed this event when polling Telpac with Airmail, even after 500 polls!

(I guess I should try more times, in case this is a coincidence!)

VARIABLES?

- the AGW version used is PE Pro

- The latest Paclink versions are used on the polling station

- The Telpac is a direct connect (KPC3 TNC) using the latest version Telpac

- a slightly later version of tnt50.ocx does not change the results

- a different network adapter does not change the results

- is it a function of the Telpac PC being used? (Dell latitude on Win98SE) Your experience would be valuable! Will also try heavy polling of other local Telpacs to check this out.

One other local Telpac experienced instability about 6 months ago under heavy load when connected simultaneously to 2 stations, one of them being a Paclink.

For a remote located Telpac, stability and reliability is critical!

During emergency conditions:

- traffic loads will be heavy, with concurrent connections

- there will be a mix of Paclink, Airmail etc

- access will be limited for restarting Telpac (both physical access and remote access)

Is this a Telpac problem? An AGW PEPro problem? A Paclink problem? Or my particular PC?

Both your experience and thoughts would be very welcome!!

Alan

Yahoo! FareChase - Search multiple travel sites in one click.

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

454. Re: Telpac instability with Paclink/AGW

Yahoo group: agwpe_pro
Date: 2005-11-15 20:51:28 UTC
From: Alan Isaachsen
Topic: 452 Message: 454

Thanks, Perry. You are correct!
I changed over to XP Pro and that has solved the problem, so Win98SE must have been the culprit.

Alan

--- In agwpe_pro@yahoogroups.com, "Perry - K4PWO" <k4pwo@c...> wrote:
>
> I would also consider Win98SE as a source of the problem. Win98 was notorious about its limited resource stack (only 64 Kbytes) and I had many programs I wrote bomb when I hit a system stack ceiling. Try using Win2K or WinXP with 256 Mbytes or more of memory. That may cure the problem.
>
>
> ----- Original Message -----
> From: Alan Isaachsen
> To: wl2kemcomm@yahoogroups.com ; agwpe_pro@yahoogroups.com
> Sent: Sunday, November 13, 2005 12:26 PM
> Subject: [agwpe_pro] Telpac instability with Paclink/AGW
>
>
>
> Has anyone else observed fatal errors in Telpac under heavy load?
>
>
>
> During a stress test of a new Telpac, I have seen many fatal errors using Paclink to repeatedly poll the Telpac. The fatal errors occur after a random number of connections - in the tests, the number of polls to produce the errors have been 20, 50, 75, 100, 120, 150, 200.
>
>
>
> The fatal error message always says it occurs in tnt50.ocx, the Telnet activeX file (page fault and dump)
>
>
>
> I have not observed this event when polling Telpac with Airmail, even after 500 polls!
>
> (I guess I should try more times, in case this is a coincidence!)
>

>
>
> VARIABLES?
>
> - the AGW version used is PE Pro
>
> - The latest Paclink versions are used on the polling
station
>
> - The Telpac is a direct connect (KPC3 TNC) using the
latest version Telpac
>
> - a slightly later version of tnt50.ocx does not change
the results
>
> - a different network adapter does not change the results
>
> - is it a function of the Telpac PC being used? (Dell
latitude on Win98SE) Your experience would be valuable! Will also
try heavy polling of other local Telpacs to check this out.
>
>
>
> One other local Telpac experienced instability about 6 months
ago under heavy load when connected simultaneously to 2 stations,
one of them being a Paclink.
>
>
>
> For a remote located Telpac, stability and reliability is
critical!
>
> During emergency conditions:
>
> - traffic loads will be heavy, with concurrent
connections
>
> - there will be a mix of Paclink, Airmail etc
>
> - access will be limited for restarting Telpac (both
physical access and remote access)
>
>
>
> Is this a Telpac problem? An AGW PEPro problem? A Paclink
problem? Or my particular PC?
>
>
>
> Both your experience and thoughts would be very welcome!!

>
> Alan
>
>
>
>
>
>
>
>
> ---
> Yahoo! FareChase - Search multiple travel sites in one click.
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> ---

> YAHOO! GROUPS LINKS
>
> a.. Visit your group "agwpe_pro" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms
of Service.
>
>
> ---

>
>
>
> [Non-text portions of this message have been removed]
>

455. RE: [agwpe_pro] Telpac instability with Paclink/AGW

Yahoo group: agwpe_pro
Date: 2005-11-16 16:52:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 452 Message: 455

Hi

Packet Engine Pro under win2000 and winXP uses a special windows operation that cleans the stack from unused memory blocks.
WIN98 does not support it.
But I add a new algorithm that prevent stack fragmentation even under win98.
I will release during this week a beta version for those who like to test it.
That version will be really stable for many months of operation

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Perry - K4PWO
Sent: Monday, November 14, 2005 8:18 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Telpac instability with Paclink/AGW

I would also consider Win98SE as a source of the problem. Win98 was notorious about its limited resource stack (only 64 Kbytes) and I had many programs I wrote bomb when I hit a system stack ceiling. Try using Win2K or WinXP with 256 Mbytes or more of memory. That may cure the problem.

----- Original Message -----
From: Alan Isaachsen
To: wl2kemcomm@yahoogroups.com ; agwpe_pro@yahoogroups.com
Sent: Sunday, November 13, 2005 12:26 PM
Subject: [agwpe_pro] Telpac instability with Paclink/AGW

Has anyone else observed fatal errors in Telpac under heavy load?

During a stress test of a new Telpac, I have seen many fatal errors using Paclink to repeatedly poll the Telpac. The fatal errors occur after a random

number of connections - in the tests, the number of polls to produce the errors have been 20, 50, 75, 100, 120, 150, 200.

The fatal error message always says it occurs in tnt50.ocx, the Telnet activeX file (page fault and dump)

I have not observed this event when polling Telpac with Airmail, even after 500 polls!

(I guess I should try more times, in case this is a coincidence!)

VARIABLES?

- the AGW version used is PE Pro

- The latest Paclink versions are used on the polling station

- The Telpac is a direct connect (KPC3 TNC) using the latest version Telpac

- a slightly later version of tnt50.ocx does not change the results

- a different network adapter does not change the results

- is it a function of the Telpac PC being used? (Dell latitude on Win98SE) Your experience would be valuable! Will also try heavy polling of other local Telpacs to check this out.

One other local Telpac experienced instability about 6 months ago under heavy load when connected simultaneously to 2 stations, one of them being a Paclink.

For a remote located Telpac, stability and reliability is critical!

During emergency conditions:

- traffic loads will be heavy, with concurrent connections

- there will be a mix of Paclink, Airmail etc

- access will be limited for restarting Telpac (both physical access and remote access)

Is this a Telpac problem? An AGW PEPro problem? A Paclink problem? Or my particular PC?

Both your experience and thoughts would be very welcome!!

Alan

Yahoo! FareChase - Search multiple travel sites in one click.

[Non-text portions of this message have been removed]

--
YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

---------- Yahoo! Groups Sponsor ----------~--> Get
fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

456. XP Pro Transmit Stuck

Yahoo group: agwpe_pro
Date: 2005-11-20 01:56:14 UTC
From: gigtech1989
Topic: 456 Message: 456

I am having a problem with transmit stuck on (High Signal) on both Com and LPT. Same exact buxcomm unit works fine on older win98 notebook, but not newer XP. Have tried removing port, Running hsoff100 utility, no success. Any other suggestions?

457. Re: XP Pro Transmit Stuck

Yahoo group: agwpe_pro
Date: 2005-11-20 13:49:16 UTC
From: np3od
Topic: 456 Message: 457

--- In agwpe_pro@yahoogroups.com, "gigtech1989" <kb0lrs@m...> wrote:
>
> I am having a problem with transmit stuck on (High Signal) on both Com
> and LPT. Same exact buxcomm unit works fine on older win98 notebook,
> but not newer XP. Have tried removing port, Running hsoff100 utility,
> no success. Any other suggestions?
>

Hi,

First check that you do not have any program installed that takes control of the Com Port. Also check the Systems Resources that the Com port is not sharing an IRQ (specially with another Com port).

In one machine using XP I had a similar problem. In that machine when I put the Rascal unit, it will always be activating the PPT (High Signal), but put that same unit to other XP or Win2K machine and the unit worked fine. It turned out I have a program that is taking control of my Com 2 port. And I can not uninstall it. Problem "resolved" so far, I still have my Com 1; but it was also high. Checking resources, I found that com 1 and com 2 both were using the same IRQ (assigned automatic by plug and pray; i mean plug and play). I manually changed the IRQ and problem fixed in Com 1, now I can use Com 1.

Francisco Diaz
NP3OD

458. Re: XP Pro Transmit Stuck

Yahoo group: agwpe_pro
Date: 2005-11-21 01:47:51 UTC
From: gigtech1989
Topic: 456 Message: 458

Only Com1 using IRQ4, no other programs running that i can see. Any other suggestions?

--- In agwpe_pro@yahoogroups.com, "np3od" <np3od@y...> wrote:
>
> --- In agwpe_pro@yahoogroups.com, "gigtech1989" <kb0lrs@m...> wrote:
> >
> > I am having a problem with transmit stuck on (High Signal) on both Com
> > and LPT. Same exact buxcomm unit works fine on older win98 notebook,
> > but not newer XP. Have tried removing port, Running hsoff100 utility,
> > no success. Any other suggestions?
> >
>
>
> Hi,
>
> First check that you do not have any program installed that takes
> control of the Com Port. Also check the Systems Resources that the
> Com port is not sharing an IRQ (specially with another Com port).
>
> In one machine using XP I had a similar problem. In that machine when
> I put the Rascal unit, it will always be activating the PPT (High
> Signal), but put that same unit to other XP or Win2K machine and the
> unit worked fine. It turned out I have a program that is taking
> control of my Com 2 port. And I can not uninstall it. Problem
> "resolved" so far, I still have my Com 1; but it was also high.
> Checking resources, I found that com 1 and com 2 both were using the
> same IRQ (assigned automatic by plug and pray; i mean plug and play).
> I manually changed the IRQ and problem fixed in Com 1, now I can use
> Com 1.
>
>
>
>
> Francisco Diaz
> NP3OD

>

459. Re: XP Pro Transmit Stuck

Yahoo group: agwpe_pro
Date: 2005-11-22 08:15:02 UTC
From: np3od
Topic: 456 Message: 459

--- In agwpe_pro@yahoogroups.com, "gigtech1989" <kb0lrs@m...> wrote:
>
> Only Com1 using IRQ4, no other programs running that i can see. Any
> other suggestions?
>

Make sure you do not have any service (software that runs in operating system background) that use or try the com port, like a UPS Battery control service.

Francisco Diaz
NP3OD

460. registration

Yahoo group: agwpe_pro
Date: 2005-11-26 12:08:46 UTC
From: kenwood1995
Topic: 460 Message: 460

Hi.
AGW Packet Engine Pro suddenly tells me that my trial period has
expired and will not let me do anything. It's a registered version.
Anyone had this?
VE9MB

461. RE: [agwpe_pro] registration

Yahoo group: agwpe_pro
Date: 2005-11-26 19:51:05 UTC
From: (SV2AGW)George Rossopoulos
Topic: 460 Message: 461

Hi

Send me the "Key To Send" to send you a new Keycode.
Don't forget to copy/paste and login windows as administrator

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kenwood1995
Sent: Saturday, November 26, 2005 2:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] registration

Hi.
AGW Packet Engine Pro suddenly tells me that my trial period has expired and will not let me do anything. It's a registered version.
Anyone had this?
VE9MB

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

462. RE: [agwpe_pro] Re: XP Pro Transmit Stuck

Yahoo group: agwpe_pro
Date: 2005-11-26 19:53:01 UTC
From: (SV2AGW)George Rossopoulos
Topic: 456 Message: 462

Hi

Does hyperterminal open the srial port??
If not check also if you have any printer on this serial
port.....I thought mine was dead due to such a printer.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of np3od
Sent: Tuesday, November 22, 2005 10:15 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: XP Pro Transmit Stuck

--- In agwpe_pro@yahoogroups.com, "gigtech1989" <kb0lrs@m...> wrote:
>
> Only Com1 using IRQ4, no other programs running that i can see. Any
> other suggestions?
>

Make sure you do not have any service (software that runs in operating
system background) that use or try the com port, like a UPS Battery control
service.

Francisco Diaz
NP3OD

---------- Yahoo! Groups Sponsor ----------~--> Get
fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
~---~-->

Yahoo! Groups Links

463. Multiple Ports

Yahoo group: agwpe_pro
Date: 2005-12-01 01:26:35 UTC
From: Ron Wenig
Topic: 463 Message: 463

Hi,

I have the uTNT on port 1 and UIView running on port 2. Port 1 works ok. I can connect to a Telpac gateway using Paclink. Port 2 receives positions in UIView but when it transmits positions it is transmitting on Port 1 which of course is a different frequency.

73, Ron ny3j@...

464. RE: [agwpe_pro] Multiple Ports

Yahoo group: agwpe_pro
Date: 2005-12-01 11:15:15 UTC
From: Gerhard
Topic: 463 Message: 464

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On
> Behalf Of Ron Wenig
> Sent: Thursday, December 01, 2005 2:27 AM
> To: AGWPE
> Subject: [agwpe_pro] Multiple Ports

> I have the uTNT on port 1 and UIView running on port 2.
> Port 1 works ok. I can connect to a Telpac gateway using
> Paclink. Port 2 receives positions in UIView but when it
> transmits positions it is transmitting on Port 1 which of
> course is a different frequency.

Ron,

Did you select "Unproto port 2" in UI-View "Station Setup" ?

--
73 de Gerhard, F5VAG / DL7MW
france.aprs2.net

465. RE: [agwpe_pro] Multiple Ports

Yahoo group: agwpe_pro
Date: 2005-12-01 11:50:45 UTC
From: Ron Wenig
Topic: 463 Message: 465

Gerhard,

That did the trick. I guess like they say read the help section :-) It's working great now. I have port 1 on Paclink with the usb uTNT and port 2 with the PK-96 serial connected tnc on UIView. Thanks Gerhard for your help.

73, Ron ny3j
-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of Gerhard
Sent: Thursday, December 01, 2005 6:15 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Multiple Ports

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On
> Behalf Of Ron Wenig
> Sent: Thursday, December 01, 2005 2:27 AM
> To: AGWPE
> Subject: [agwpe_pro] Multiple Ports

> I have the uTNT on port 1 and UIView running on port 2.
> Port 1 works ok. I can connect to a Telpac gateway using
> Paclink. Port 2 receives positions in UIView but when it
> transmits positions it is transmitting on Port 1 which of
> course is a different frequency.

Ron,

Did you select "Unproto port 2" in UI-View "Station Setup" ?

--
73 de Gerhard, F5VAG / DL7MW
france.aprs2.net

--
YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

466. AGWTracker new Version

Yahoo group: agwpe_pro
Date: 2005-12-08 15:35:34 UTC
From: (SV2AGW)George Rossopoulos
Topic: 463 Message: 466

Hi

I have just uploaded AGWTracker new Version.
Among others it has
1.Shape (Vector) file support for maps
2.Virtual Earth online mapping
3.Google Maps online Mapping
4.Radar View
5.APRS IGATE filter builder
6.Legen Panel to change/Edit map properties
7.Multiple Layer Maps

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

467. Flow control?

Yahoo group: agwpe_pro
Date: 2005-12-19 22:42:13 UTC
From: Alan Isaachsen
Topic: 467 Message: 467

Is it important what the flow control is set to in the COM port when running AGWPEPro?
Hardware or none or Xon/Xoff etc?

Thanks
Alan

468. Error Message

Yahoo group: agwpe_pro
Date: 2005-12-20 22:06:18 UTC
From: bigtyme30
Topic: 468 Message: 468

All,

Recently, I've been getting an error message upon immediate startup of my registered AGW Packet Engine Pro application stating: "Packet engine Pro Shuts Down Abnormaly. It is recommended to restart your computer." I tried repairing the application by doing a reinstall, but that didn't help.

Any help on a solution will be greatly appreciated.

Tnx,

Jim H. - K3JH

469. RE: [agwpe_pro] Error Message

Yahoo group: agwpe_pro
Date: 2005-12-21 06:49:17 UTC
From: (SV2AGW)George Rossopoulos
Topic: 468 Message: 469

Hi

Probably is corrupted the configuration file.
Delete all ini files *.ini AGWPE.ini and Portxx.ini file

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of bigtyme30
Sent: Wednesday, December 21, 2005 12:06 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Error Message

All,

Recently, I've been getting an error message upon immediate startup of my registered AGW Packet Engine Pro application stating: "Packet engine Pro Shuts Down Abnormaly. It is recommended to restart your computer." I tried repairing the application by doing a reinstall, but that didn't help.

Any help on a solution will be greatly appreciated.

Tnx,

Jim H. - K3JH

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

470. RE: [agwpe_pro] Flow control?

Yahoo group: agwpe_pro
Date: 2005-12-21 06:49:57 UTC
From: (SV2AGW)George Rossopoulos
Topic: 467 Message: 470

Hi

The program does not use Flow Control

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Alan Isaachsen
Sent: Tuesday, December 20, 2005 12:42 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Flow control?

Is it important what the flow control is set to in the COM port when running AGWPEPro?
Hardware or none or Xon/Xoff etc?

Thanks
Alan

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

471. Re: Error Message

Yahoo group: agwpe_pro
Date: 2005-12-21 23:50:42 UTC
From: bigtyme30
Topic: 468 Message: 471

Thanks George,

Deleting the corrupted .ini files solved the problem.

CU,

JH

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos"
<sv2agw@r...> wrote:
>
> Hi
>
> Probably is corrupted the configuration file.
> Delete all ini files *.ini AGWPE.ini and Portxx.ini file
>
> 73
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@e...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of bigtyme30
> Sent: Wednesday, December 21, 2005 12:06 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Error Message
>
> All,
>
> Recently, I've been getting an error message upon immediate
startup of my
> registered AGW Packet Engine Pro application stating: "Packet

engine Pro
> Shuts Down Abnormaly. It is recommended to restart your
computer." I tried
> repairing the application by doing a reinstall, but that didn't
help.
>
> Any help on a solution will be greatly appreciated.
>
> Tnx,
>
> Jim H. - K3JH
>
>
>
>
>
> ---------- Yahoo! Groups Sponsor ----------
~--> Get
> fast access to your favorite Yahoo! Groups. Make Yahoo! your home
page
> http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
> ---
-~->
>
>
> Yahoo! Groups Links
>

472. Tracker

Yahoo group: agwpe_pro
Date: 2005-12-25 19:57:52 UTC
From: kenwood1995
Topic: 472 Message: 472

Hello gang.
In GW Tracker when a station appears on my map and I put my mouse cursor on it I get the popup bubble, however in the bubble where it shows the distance, the number shown is always the same as the azimuth.
Anyone?
VE9MB

473. RE: [agwpe_pro] Tracker

Yahoo group: agwpe_pro
Date: 2005-12-26 08:25:53 UTC
From: Brian Davies
Topic: 472 Message: 473

Hi

I've just had a look at that and agree with your observation. It would appear that something is wrong. No doubt George will advise in due course. There is an upgrade coming in the immediate future so this might change then.

Incidentally there is a Yahoo group dedicated to the AGW Tracker program that you may care to join.

To join send an email to AGWTracker-subscribe@yahoogroups.com with the word subscribe in the subject line.

73

Brian G3OYU

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kenwood1995
Sent: Sunday, 25 December, 2005 19:58
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Tracker

Hello gang.
In GW Tracker when a station appears on my map and I put my mouse cursor on it I get the popup bubble, however in the bubble where it shows the distance, the number shown is always the same as the azimuth.
Anyone?
VE9MB

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

474. RE: [agwpe_pro] Tracker

Yahoo group: agwpe_pro
Date: 2005-12-27 08:56:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 472 Message: 474

Hi

Thank you for the error report.
It is a BUG.....

I will fix it in next version which will be available next week.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kenwood1995
Sent: Sunday, December 25, 2005 9:58 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Tracker

Hello gang.
In GW Tracker when a station appears on my map and I put my mouse cursor on it I get the popup bubble, however in the bubble where it shows the distance, the number shown is always the same as the azimuth.
Anyone?
VE9MB

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

475. APRSPoint holiday special

Yahoo group: agwpe_pro
Date: 2005-12-28 09:07:13 UTC
From: hxc98
Topic: 475 Message: 475

APRSPoint is a complete APRS package with integrated street-level maps. It works with AGWPE as well serial TNC and internet connections. We are offerring a holiday special right now. You can get APRSPoint license plus MapPoint 2004 for more than 30% off the regular price. Please visit http://www.aprspoint.com/ for details. Thanks.

476. TX issues... Connector Problems

Yahoo group: agwpe_pro
Date: 2005-12-30 04:28:13 UTC
From: Mew200000
Topic: 476 Message: 476

Dear sir or madam,

I am having an annoying problem using packet radio with my Kenwood TM-G707A. My setup uses the sound card as a TNC using your software. I believe everything is set up and connected right (transciever speaker out to computer line in, data cable connected to computer) but I am still not able to receive packets. At the setup menu when I push the TX button to test the settings my radio does not transmit, even on the other channel. I am hooking the cable (DATA to D25 serial) from the DATA out on the transciever to a D25-to-D9 adapter and then hooking THAT to a serial-to-USB adapter into the computer. My setting is like this, basically.

transciever--------[D25 to D9 adapter]---[D9 to USB adapter]--computer

I had to wire it this way because my computer doesn't have a d25 or d9 serial port.

The USB-to-Serial driver has been installed and recognized on COM1 but I cannot transmit! Please help!

Best regards,
Steven KG6ZVG

477. RE: [agwpe_pro] TX issues... Connector Problems

Yahoo group: agwpe_pro
Date: 2006-01-01 21:03:23 UTC
From: (SV2AGW)George Rossopoulos
Topic: 476 Message: 477

Hi

Are you sure that the USB<-->Setial converter supports rts/cts/dtr??
What is the brand name of it??

Also eliminate all the adapters do not use db25 to db9,

Happy the new Year

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Mew200000
Sent: Friday, December 30, 2005 6:28 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] TX issues... Connector Problems

Dear sir or madam,

I am having an annoying problem using packet radio with my Kenwood TM-G707A.
My setup uses the sound card as a TNC using your software.
I believe everything is set up and connected right (transciever speaker out
to computer line in, data cable connected to computer) but I am still not
able to receive packets. At the setup menu when I push the TX button to
test the settings my radio does not transmit, even on the other channel. I
am hooking the cable (DATA to D25 serial) from the DATA out on the
transciever to a D25-to-D9 adapter and then hooking THAT to a serial-to-USB
adapter into the computer. My setting is like this, basically.

transciever--------[D25 to D9 adapter]---[D9 to USB adapter]--computer

I had to wire it this way because my computer doesn't have a d25 or d9
serial port.

The USB-to-Serial driver has been installed and recognized on COM1 but I
cannot transmit! Please help!

Best regards,
Steven KG6ZVG

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

478. RE: [agwpe_pro] TX issues... Connector Problems

Yahoo group: agwpe_pro
Date: 2006-01-05 15:52:08 UTC
From: Ralph Milnes
Topic: 476 Message: 478

Steven,

"Receiving" packets won't be inpacted by the TX setup (USB-to-serial adapter, etc).

Although you are using AGWPE Pro, you might find some helpful hints about receiving problems at my AGWPE (std) site, specifically:
http://www.patmedia.net/ralphmilnes/soundcardpacket/5probrx.htm

In the left margin of that page, you will also find links to "TX" problem solving.

73

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Mew200000
Sent: Thursday, December 29, 2005 11:28 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] TX issues... Connector Problems

Dear sir or madam,

I am having an annoying problem using packet radio with my Kenwood TM-G707A. My setup uses the sound card as a TNC using your software. I believe everything is set up and connected right (transciever speaker out to computer line in, data cable connected to computer) but I am still not able to receive packets. At the setup menu when I push the TX button to test the settings my radio does not transmit, even on the other channel. I am hooking the cable (DATA to D25 serial) from the DATA out on the transciever to a D25-to-D9 adapter and then hooking THAT to a serial-to-USB adapter into the computer. My setting is like this, basically.

transciever--------[D25 to D9 adapter]---[D9 to USB adapter]--computer

I had to wire it this way because my computer doesn't have a d25 or d9 serial port.

The USB-to-Serial driver has been installed and recognized on COM1 but I cannot transmit! Please help!

Best regards,
Steven KG6ZVG

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

479. new version

Yahoo group: agwpe_pro
Date: 2006-01-05 16:58:08 UTC
From: Mitch
Topic: 476 Message: 479

Does anyone know if there is a new version to fix the auto update bug?

I think I read end of Nov it would be available?

Mitch
N2RGA
Asst. Emergency Coordinator Kings County ARES
Webmaster Kings County ARES
When all else fails.....
NYC ARES.....
We're There!!! ----> <http://www.aresnyc.org> http://www.aresnyc.org

WinLink 2000 Node

Telpac N2RGA-10

NYC Races

http://www.kc2ra.comWebmaster

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Thursday, January 05, 2006 10:52 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] TX issues... Connector Problems

Steven,

"Receiving" packets won't be inpacted by the TX setup (USB-to-serial adapter, etc).

Although you are using AGWPE Pro, you might find some helpful hints about receiving problems at my AGWPE (std) site, specifically:
http://www.patmedia.net/ralphmilnes/soundcardpacket/5probrx.htm

In the left margin of that page, you will also find links to "TX" problem solving.

73

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Mew200000
Sent: Thursday, December 29, 2005 11:28 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] TX issues... Connector Problems

Dear sir or madam,

I am having an annoying problem using packet radio with my Kenwood TM-G707A. My setup uses the sound card as a TNC using your software. I believe everything is set up and connected right (transciever speaker out to computer line in, data cable connected to computer) but I am still not able to receive packets. At the setup menu when I push the TX button to test the settings my radio does not transmit, even on the other channel. I am hooking the cable (DATA to D25 serial) from the DATA out on the transciever to a D25-to-D9 adapter and then hooking THAT to a serial-to-USB adapter into the computer. My setting is like this, basically.

transciever--------[D25 to D9 adapter]---[D9 to USB adapter]--computer

I had to wire it this way because my computer doesn't have a d25 or d9 serial port.

The USB-to-Serial driver has been installed and recognized on COM1 but I cannot transmit! Please help!

Best regards,
Steven KG6ZVG

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
> &k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply Craft
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> &k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby
Ham
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> &k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

480. RE: [agwpe_pro] new version

Yahoo group: agwpe_pro
Date: 2006-01-08 01:54:26 UTC
From: Mitch
Topic: 476 Message: 480

ANYONE?

Mitch
N2RGA
Asst. Emergency Coordinator Kings County ARES
Webmaster Kings County ARES
When all else fails.....
NYC ARES.....
We're There!!! ----> <http://www.aresnyc.org> http://www.aresnyc.org

WinLink 2000 Node

Telpac N2RGA-10

NYC Races

http://www.kc2ra.com Webmaster

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Mitch
Sent: Thursday, January 05, 2006 11:58 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] new version

Does anyone know if there is a new version to fix the auto update bug?

I think I read end of Nov it would be available?

Mitch
N2RGA
Asst. Emergency Coordinator Kings County ARES
Webmaster Kings County ARES
When all else fails.....
NYC ARES.....
We're There!!! ----> <http://www.aresnyc.org> http://www.aresnyc.org

WinLink 2000 Node

Telpac N2RGA-10

NYC Races

http://www.kc2ra.comWebmaster

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Thursday, January 05, 2006 10:52 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] TX issues... Connector Problems

Steven,

"Receiving" packets won't be inpacted by the TX setup (USB-to-serial adapter, etc).

Although you are using AGWPE Pro, you might find some helpful hints about receiving problems at my AGWPE (std) site, specifically:
http://www.patmedia.net/ralphmilnes/soundcardpacket/5probrx.htm

In the left margin of that page, you will also find links to "TX" problem solving.

73

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Mew200000
Sent: Thursday, December 29, 2005 11:28 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] TX issues... Connector Problems

Dear sir or madam,

I am having an annoying problem using packet radio with my Kenwood TM-G707A. My setup uses the sound card as a TNC using your software. I believe everything is set up and connected right (transciever speaker out to computer line in, data cable connected to computer) but I am still not able to receive packets. At the setup menu when I push the TX button to test the settings my radio does not transmit, even on the other channel. I am hooking the cable (DATA to D25 serial) from the DATA out on the transciever to a D25-to-D9 adapter and then hooking THAT to a serial-to-USB adapter into the computer. My setting is like this, basically.

transciever--------[D25 to D9 adapter]---[D9 to USB adapter]--computer

I had to wire it this way because my computer doesn't have a d25 or d9 serial port.

The USB-to-Serial driver has been installed and recognized on COM1 but I cannot transmit! Please help!

Best regards,
Steven KG6ZVG

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
> &k=Hobby+and+craft+supply&w1=Hobby+and+cra
> &k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply Craft
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> &k=Craft+hobby&w1=Hobby+and+craft+supply&w
> &k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby
Ham
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> &k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> &k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
> &k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> &k=Craft+hobby&w1=Hobby+and+craft+supply&w

2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> &k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

481. APRSPoint new version available !

Yahoo group: agwpe_pro
Date: 2006-01-09 06:11:31 UTC
From: hxc98
Topic: 481 Message: 481

```
APRSPoint 2.2 is released. New features include,
1. Added TNC data view and TNC data log,
2. Enabled auto connect for AGW packet engine,
3. Fixed a bug handling weather station data,
4. Ability to load a default map view at startup,
5. Restore TNC settings when program exits.

and many more. The holiday sale is also extended for 2 more days.
Visist http://www.aprspoint.com for details. Thanks.
```

482. Re: new version

Yahoo group: agwpe_pro
Date: 2006-01-18 19:08:03 UTC
From: Duane Brophy
Topic: 476 Message: 482

This is a continuing problem. I have never b een able to auto update my Packet Engine Pro. I always get an error message. Do other hams have this problem?

73 de Mack N9NTB

--- In agwpe_pro@yahoogroups.com, Mitch <mitch1206@y...> wrote:
>
> Does anyone know if there is a new version to fix the auto update bug?
>
> I think I read end of Nov it would be available?
>
>
>
>
>
> _____
>
> Mitch
> N2RGA
> Asst. Emergency Coordinator Kings County ARES
> Webmaster Kings County ARES
> When all else fails.....
> NYC ARES.....
> We're There!!! ----> <http://www.aresnyc.org> http://www.aresnyc.org
>
> WinLink 2000 Node
>
> Telpac N2RGA-10
>
> NYC Races
>
> http://www.kc2ra.comWebmaster
>
>
>
>
>
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of Ralph Milnes
> Sent: Thursday, January 05, 2006 10:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] TX issues... Connector Problems
>

>
>
> Steven,
>
> "Receiving" packets won't be inpacted by the TX setup (USB-to-serial
> adapter, etc).
>
> Although you are using AGWPE Pro, you might find some helpful hints about
> receiving problems at my AGWPE (std) site, specifically:
> http://www.patmedia.net/ralphmilnes/soundcardpacket/5probrx.htm
>
> In the left margin of that page, you will also find links to "TX" problem
> solving.
>
> 73
>
> Ralph KC2RLM
>
>
>
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of Mew200000
> Sent: Thursday, December 29, 2005 11:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] TX issues... Connector Problems
>
>
> Dear sir or madam,
>
> I am having an annoying problem using packet radio with my Kenwood
> TM-G707A. My setup uses the sound card as a TNC using your software.
> I believe everything is set up and connected right (transciever
> speaker out to computer line in, data cable connected to computer) but
> I am still not able to receive packets. At the setup menu when I push
> the TX button to test the settings my radio does not transmit, even on
> the other channel. I am hooking the cable (DATA to D25 serial) from
> the DATA out on the transciever to a D25-to-D9 adapter and then
> hooking THAT to a serial-to-USB adapter into the computer. My setting
> is like this, basically.
>
> transciever--------[D25 to D9 adapter]---[D9 to USB adapter]--computer
>
> I had to wire it this way because my computer doesn't have a d25 or d9
> serial port.
>
> The USB-to-Serial driver has been installed and recognized on COM1 but
> I cannot transmit! Please help!
>

> Best regards,
> Steven KG6ZVG
>
>
>
>
>
>
>
>
>
> SPONSORED LINKS
> Hobby
> <http://groups.yahoo.com/gads?t=ms
> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
> > &k=Hobby+and+craft+supply&w1=Hobby+and+cra
> ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
> and craft supply Craft
> <http://groups.yahoo.com/gads?t=ms
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> > &k=Craft+hobby&w1=Hobby+and+craft+supply&w
> 2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby
> Ham
> <http://groups.yahoo.com/gads?t=ms
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> > &k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio
>
> _____
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "agwpe_pro
> <http://groups.yahoo.com/group/agwpe_pro> " on the web.
>
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
> <http://docs.yahoo.com/info/terms/> .
>
>
> _____
>
>

>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> SPONSORED LINKS
>
>
> Hobby
> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
> ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
> and craft supply
>
> Craft
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> 2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby
>
> Ham
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio
>
>
>
> _____
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "agwpe_pro
> <http://groups.yahoo.com/group/agwpe_pro> " on the web.
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!
> <http://docs.yahoo.com/info/terms/> Terms of Service.
>
>
>
> _____
>
>
>
> [Non-text portions of this message have been removed]
>

483. TNC-7 Support

Yahoo group: agwpe_pro
Date: 2006-01-19 06:35:40 UTC
From: Steve
Topic: 481 Message: 483

It would be nice to see the TNC-7 in the supported TNC's list.

Just a suggestion for the next version.

Thanks!

Steve N0FPF

484. New AGW Tracker

Yahoo group: agwpe_pro
Date: 2006-01-21 23:46:34 UTC
From: kenwood1995
Topic: 484 Message: 484

Have a problem with the new Tracker version. When a station appears on the map there is a pop-up balloon with the info in it. When I put the mouse pointer on a station there is no balloon appearing and if I right click there is no "details" item to look at the station info, just the "zoom in" "zoom out" and a couple of other items. If I zoom in or out, I lose the stations on the map, even if I return to the previous zoom.
Murry VE9MB

485. RE: [agwpe_pro] New AGW Tracker

Yahoo group: agwpe_pro
Date: 2006-01-22 07:04:27 UTC
From: Brian Davies
Topic: 484 Message: 485

Hi Murry

You might find your answer on the new AGWTracker group.

Regards

Brian Davies G3OYU

<http://www.g3oyu.co.uk> www.g3oyu.co.uk

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kenwood1995
Sent: Saturday, 21 January 2006 23:47
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New AGW Tracker

Have a problem with the new Tracker version. When a station appears on the map there is a pop-up balloon with the info in it. When I put the mouse pointer on a station there is no balloon appearing and if I right click there is no "details" item to look at the station info, just the "zoom in" "zoom out" and a couple of other items. If I zoom in or out, I lose the stations on the map, even if I return to the previous zoom.
Murry VE9MB

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro <http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to: agwpe_pro-unsubscribe@yahoogroups.com <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! <http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

486. AGWTracker Update

Yahoo group: agwpe_pro
Date: 2006-01-25 19:00:32 UTC
From: (SV2AGW)George Rossopoulos
Topic: 484 Message: 486

Hi

New version Uploaded.
After first run of new version you will see the changes.
Most important
1.VirtualEarth now uses version2. Includes Great Britain etc (GoogleMaps has also version2 but has many bugs yet.I shall wait for a while..)
2.VirtualEart and GoogleMaps save/restore.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-

487. What is AGW monitor icon on toolbar?

Yahoo group: agwpe_pro
Date: 2006-01-22 22:27:26 UTC
From: John Davis
Topic: 487 Message: 487

What is the "lightning bolt" looking icon on the AGW Monitor toolbar?
It's the 5th icon from the left? It doesn't seem to be documented
anywhere.

John
WB4QDX

488. RE: [agwpe_pro] What is AGW monitor icon on toolbar?

Yahoo group: agwpe_pro
Date: 2006-01-27 10:35:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 487 Message: 488

Hi

Soryy I didn't add the tooltip.
It tries to reconnect to Packet Engine

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John Davis
Sent: Monday, January 23, 2006 12:27 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] What is AGW monitor icon on toolbar?

What is the "lightning bolt" looking icon on the AGW Monitor toolbar?
It's the 5th icon from the left? It doesn't seem to be documented anywhere.

John
WB4QDX

Yahoo! Groups Links

489. AGWTRacker Yahoo group email list

Yahoo group: agwpe_pro
Date: 2006-01-28 13:31:29 UTC
From: (SV2AGW)George Rossopoulos
Topic: 487 Message: 489

Hi

Pse for AGWTracker use this new list at
http://groups.yahoo.com/group/AGWTracker/

Among others you will be notified for beta versions

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

490. RE: [agwpe_pro] What is AGW monitor icon on toolbar? (Zaep Key: 51c5ec49.43db7199.0c548210)

Yahoo group: agwpe_pro
Date: 2006-01-28 13:49:02 UTC
From: jbecker
Topic: 490 Message: 490

Dear John,

Thanks for your email, but at this point I have NOT actually received your message because I have implemented a challenge-response based anti-spam solution. Before I can receive your message you must respond in ONE of the ways outlined below.

You will not have to do this again.

REPLY TO THIS MESSAGE

Simply reply to this email message ensuring the subject of your reply contains the subject of this message. When your reply arrives I will receive your ORIGINAL message and all FUTURE messages.

Or as an alternate method follow these instructions:

CLICK ON THE URL

Visit the following URL and follow the simple instructions. When you do this I will receive the message you sent and ALL future messages.

http://65.30.145.168:8081/?key=51c5ec49.43db7199.0c548210

If the above URL does not appear all on one line, copy and paste it into your browser's address bar.

PLEASE NOTE: If you receive an error message when attempting to visit the above URL, it is very likely that your network is not allowing you to visit my confirmation page. If this is the case, contact your network administrator for help, or contact me by telephone.

If you do not respond within 7 days, your message will be DELETED and I will not be able to receive messages from you in the future.

I apologize for this small one-time inconvenience, but I have been forced to implement this challenge-response based anti-spam solution to eliminate 100% of the spam I receive, and it really works!

To learn more about the software I am using to stop spam, please visit http://www.Zaep.com/. Zaep has stopped 100% of all the spam

messages I was receiving every day.

Thank you,

jbecker

491. AGW comparison

Yahoo group: agwpe_pro
Date: 2006-01-27 20:13:24 UTC
From: jay_kruckenberg
Topic: 491 Message: 491

Can anyone tell me the differences between AGWPE and Packet Engine Pro? Is one better than the other? I have AGWPE installed and it seems to work well. I am having getting the Pro version to install. I keep getting a message telling me that the configuration data is corrupt, or something like that. That's another post. I was wondering if there are enough improvements to the Pro version to make it work spending my money on it. Any information would be appreciated.

Jay

492. Re: [agwpe_pro] What is AGW monitor icon on toolbar? (Zaep Key: 51c5ec49.43db7199.0c548210)

Yahoo group: agwpe_pro
Date: 2006-01-30 08:29:21 UTC
From: Darren Long
Topic: 490 Message: 492

Hi,

Ironic isn't it, but by implementing something such as this, you are spamming the rest of the group.

That's not so good.

Darren, G0HWW

On 28 Jan 2006, at 13:49, jbecker wrote:

> Dear John,
>
> Thanks for your email, but at this point I have NOT actually received
> your message because I have implemented a challenge-response based
> anti-spam solution. Before I can receive your message you must
> respond in ONE of the ways outlined below.
>
> You will not have to do this again.
>
> ---
> REPLY TO THIS MESSAGE
> ---
> Simply reply to this email message ensuring the subject of your reply
> contains the subject of this message. When your reply arrives I will
> receive your ORIGINAL message and all FUTURE messages.
>
> Or as an alternate method follow these instructions:
>
> ---
> CLICK ON THE URL
> ---
> Visit the following URL and follow the simple instructions. When
> you do this I will receive the message you sent and ALL future
> messages.
>
> http://65.30.145.168:8081/?key=51c5ec49.43db7199.0c548210
>
> If the above URL does not appear all on one line, copy and paste it
> into your browser's address bar.
>
> PLEASE NOTE: If you receive an error message when attempting to
> visit the above URL, it is very likely that your network is not
> allowing you to visit my confirmation page. If this is the case,
> contact your network administrator for help, or contact me by

> telephone.
>
> If you do not respond within 7 days, your message will be
> DELETED and I will not be able to receive messages from you in the
> future.
>
> I apologize for this small one-time inconvenience, but I have been
> forced to implement this challenge-response based anti-spam solution
> to eliminate 100% of the spam I receive, and it really works!
>
> To learn more about the software I am using to stop spam, please
> visit http://www.Zaep.com/. Zaep has stopped 100% of all the spam
> messages I was receiving every day.
>
> Thank you,
>
> jbecker
>
>
>
>
>
> SPONSORED LINKS
> Hobby and craft supply Craft hobby Hobbies and crafts
> Ham radio
>
> YAHOO! GROUPS LINKS
>
> Visit your group "agwpe_pro" on the web.
>
> To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>
>

[Non-text portions of this message have been removed]

493. Re: [agwpe_pro] AGW comparison

Yahoo group: agwpe_pro
Date: 2006-01-30 12:55:19 UTC
From: Alan Isaachsen
Topic: 491 Message: 493

Go for the Pro version! It is worth it!
It has many features and more stability than the ordinary (old) version.

I use Paclink with the Pro version - the ordinary version is unstable.

Alan

jay_kruckenberg <k5gud@...> wrote:
Can anyone tell me the differences between AGWPE and Packet Engine Pro? Is one better than the other? I have AGWPE installed and it seems to work well. I am having getting the Pro version to install. I keep getting a message telling me that the configuration data is corrupt, or something like that. That's another post. I was wondering if there are enough improvements to the Pro version to make it work spending my money on it. Any information would be appreciated.

Jay

SPONSORED LINKS
Hobby and craft supply Craft hobby Hobbies and crafts Ham radio

---
YAHOO! GROUPS LINKS

Visit your group "agwpe_pro" on the web.

To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Bring words and photos together (easily) with
PhotoMail - it's free and works with Yahoo! Mail.

[Non-text portions of this message have been removed]

494. Trial

Yahoo group: agwpe_pro
Date: 2006-02-05 17:51:26 UTC
From: n9udo
Topic: 494 Message: 494

How can I get another trial version.

I installed the AGW PE PRO over a year ago and then uninstalled it.
I would like to evaluate it again.

Anyone know what hidden file is left on my machine/hard drive so I can
remove it? Then re-install it.

Thanks.
N9UDO

495. Understanding the PE Pro process

Yahoo group: agwpe_pro
Date: 2006-02-08 18:03:59 UTC
From: govna1986
Topic: 495 Message: 495

Hello, I am developing a GPS tracking system using two motorola MTS2000 radios, a TinyTrak3 Plus on the TX side, and my PC soundcard with the help of the PE Pro software on the RX side. I'm new to packet radio and the decoding process. I'm using AGWPE Pro on a trial version currently as a part of a senior design project. Because documentation is a priority before I physically incorporate the software into my system, I need to know the HOW of the software. My intent is not reverse engineer the software for my own benefit, but I must be able to effectively communicate to a review board of engineers that I understand quantitately how the PE Pro software manipulates a given soundcard to achieve the desired performance of a typical TNC. Ideally, a flow chart or at least any information revealing how the DSP algorithm(s) is/ are used to manipulate incoming audio signals and translate them to the proper data bits would be best. Access or reference to schematics or a block diagram with quantitative information would be greatly appreciated. Thank you.

496. APRSPoint 3.0 is available

Yahoo group: agwpe_pro
Date: 2006-03-18 06:34:33 UTC
From: hxc98
Topic: 496 Message: 496

A new version is available. New in 3.0,

1. Implemented APRS server filter setting,
2. Enabled auto connect for TCP connection,
3. Customization of track line width and style,
4. Numerous fixes and enhancements,

Please visit http://www.aprspoint.com for details. Thanks.

497. Problems using SCS PTC-II

Yahoo group: agwpe_pro
Date: 2006-03-17 17:24:29 UTC
From: jon_crisman
Topic: 497 Message: 497

I am trying to set up an SCS PTC-II with DSP packet module to run Paclink. I started using WinPack to set up the PTC for simple packet operation and the WinPack worked fine when I selected TF2.7b host mode and reset the Frack, Resptime, Slotttime, TxDelay, and INICmd's as recommended in the WinPack help. I then switched to AGW host mode and in Packet Engine Pro tried to set up a TNC port that would work. I've tried everything that looks like it might work - TAPR TNC2, TNC2 clone, WA8DED TNC2, Nord><LINK TNC2. Can't find one that works. Any suggestions? I understand that in order to use paclink I must use agwpe or agwpe_pro and we use the PTC-II for HF Airmail so want to also use it for VHF packlink.

498. Re: [agwpe_pro] Problems using SCS PTC-II

Yahoo group: agwpe_pro
Date: 2006-03-19 05:28:47 UTC
From: Jean-Marie Houle
Topic: 497 Message: 498

At 2006-03-17 12:24, you wrote:
>I am trying to set up an SCS PTC-II with DSP packet module to run
>Paclink. I started using WinPack to set up the PTC for simple packet
>operation and the WinPack worked fine when I selected TF2.7b host mode
>and reset the Frack, Resptime, Slotttime, TxDelay, and INICmd's as
>recommended in the WinPack help. I then switched to AGW host mode and
>in Packet Engine Pro tried to set up a TNC port that would work. I've
>tried everything that looks like it might work - TAPR TNC2, TNC2
>clone, WA8DED TNC2, Nord><LINK TNC2. Can't find one that works. Any
>suggestions? I understand that in order to use paclink I must use
>agwpe or agwpe_pro and we use the PTC-II for HF Airmail so want to
>also use it for VHF packlink.

agwpe or pe_pro work only with kiss mode TNCs.

up to now SCS PTC-II modems did not work in kiss mode.

But a beta version of the software that works in kiss mode is available.
http://www.scs-ptc.com/download/beta/

If you already use Airmail for HF, you could also use Airmail for VHF (Packet client). You will not have to switch applications. You could even use HF and VHF at the same time.

73, Jean-Marie, VE2AEY

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

499. RE: [agwpe_pro] Problems using SCS PTC-II

Yahoo group: agwpe_pro
Date: 2006-03-18 19:13:23 UTC
From: James K. Darrow (KB9MMC)
Topic: 497 Message: 499

I'd just reconfigure Airmail to use a packet port on the SCS Modem, but that's just me.

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of jon_crisman
Sent: Friday, March 17, 2006 11:24 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Problems using SCS PTC-II

I am trying to set up an SCS PTC-II with DSP packet module to run Paclink. I started using WinPack to set up the PTC for simple packet operation and the WinPack worked fine when I selected TF2.7b host mode and reset the Frack, Resptime, Slotttime, TxDelay, and INICmd's as recommended in the WinPack help. I then switched to AGW host mode and in Packet Engine Pro tried to set up a TNC port that would work. I've tried everything that looks like it might work - TAPR TNC2, TNC2 clone, WA8DED TNC2, Nord><LINK TNC2. Can't find one that works. Any suggestions? I understand that in order to use paclink I must use agwpe or agwpe_pro and we use the PTC-II for HF Airmail so want to also use it for VHF packlink.

Yahoo! Groups Links

500. Next Version

Yahoo group: agwpe_pro
Date: 2006-03-20 04:21:15 UTC
From: Steve
Topic: 497 Message: 500

Hi All,
Just wondering when to expect the next update to AGW Pro?

Steve N0FPF

501. RE: [agwpe_pro] Next Version

Yahoo group: agwpe_pro
Date: 2006-03-20 10:05:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 497 Message: 501

Hi Steve

I am thinking of it me too.
Unfortunately I need more work to complete the new version. So I decided to release an intermediate till the final.
Hope to do so during this week.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Steve
Sent: Monday, March 20, 2006 6:21 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Next Version

Hi All,
Just wondering when to expect the next update to AGW Pro?

Steve N0FPF

Yahoo! Groups Links

502. RE: [agwpe_pro] Next Version

Yahoo group: agwpe_pro
Date: 2006-03-21 01:33:40 UTC
From: Steve
Topic: 497 Message: 502

Hope to see some support for the TNC7....what do you suggest for modem for it?

At 02:05 AM 3/20/2006, you wrote:

>Hi Steve
>
>I am thinking of it me too.
>Unfortunately I need more work to complete the new version. So I decided to
>release an intermediate till the final.
>Hope to do so during this week.
>
>73
>
>
>
>micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
>battery for portable operation)
>www.elcom.gr
>
>(SV2AGW)George Rossopoulos
>sv2agw@...
>www.elcom.gr/sv2agw
>+306932465216
>George Rossopoulos
>Nikanoros 59
>54250,Thessaloniki
>Greece
>
>-----Original Message-----
>From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
>Of Steve
>Sent: Monday, March 20, 2006 6:21 AM
>To: agwpe_pro@yahoogroups.com
>Subject: [agwpe_pro] Next Version
>
>Hi All,
>Just wondering when to expect the next update to AGW Pro?
>
>Steve N0FPF
>
>
>
>
>
>

>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>----------
>YAHOO! GROUPS LINKS
>
> * Visit your group
> "<http://groups.yahoo.com/group/agwpe_pro>agwpe_pro" on the web.
> *
> * To unsubscribe from this group, send an email to:
> *
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>agwpe_pro-unsubscribe@
yahoogroups.com
>
> *
> * Your use of Yahoo! Groups is subject to the
> <http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>
>
>----------

503. RE: [agwpe_pro] Next Version

Yahoo group: agwpe_pro
Date: 2006-03-21 16:41:21 UTC
From: (SV2AGW)George Rossopoulos
Topic: 497 Message: 503

Hi

Think it is already supported. Use Nord-Link and will work

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Steve
Sent: Tuesday, March 21, 2006 3:34 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Next Version

Hope to see some support for the TNC7....what do you suggest for modem for
it?

At 02:05 AM 3/20/2006, you wrote:

>Hi Steve
>
>I am thinking of it me too.
>Unfortunately I need more work to complete the new version. So I
>decided to release an intermediate till the final.
>Hope to do so during this week.
>
>73
>
>
>
>micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with
>USB and battery for portable operation) www.elcom.gr
>
>(SV2AGW)George Rossopoulos
>sv2agw@...

>www.elcom.gr/sv2agw
>+306932465216
>George Rossopoulos
>Nikanoros 59
>54250,Thessaloniki
>Greece
>
>-----Original Message-----
>From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>Behalf Of Steve
>Sent: Monday, March 20, 2006 6:21 AM
>To: agwpe_pro@yahoogroups.com
>Subject: [agwpe_pro] Next Version
>
>Hi All,
>Just wondering when to expect the next update to AGW Pro?
>
>Steve N0FPF
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>----------
>YAHOO! GROUPS LINKS
>
> * Visit your group
> "<http://groups.yahoo.com/group/agwpe_pro>agwpe_pro" on the web.
> *
> * To unsubscribe from this group, send an email to:
> *
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>agwp
> e_pro-unsubscribe@yahoogroups.com
>
> *
> * Your use of Yahoo! Groups is subject to the
> <http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.
>

>
>----------

Yahoo! Groups Links

504. It must be simple but why is AutoConfigure not...

Yahoo group: agwpe_pro
Date: 2006-03-29 17:01:39 UTC
From: jimgee410
Topic: 504 Message: 504

Hi! Just purchased a copy of agwpro, put it on a Dell Inspiron 1100 (2+GHZ/500MB memory/Xp pro) with a SigmaTel sound card, and plugged in a SignaLink interface. Situation is while setting up a new radioport TRX receive level: squelch off,; 2Volts p-p noise on the scope at SignaLink output; the 'signal' also displayed in the Wizard window (Mic selected since the soundcard uses the Microphone input).
When 'AutoConfigure' button pushed, it insists on setting it to the Stereo Mixer input (sorry, no signal there). Why does it do this? Going further, the next step doesn't work at all (SoundCard Tx Volume Setup). I mean, nothing happens.
(Oh, I forgot to mention, in the previous step to set up the PTT, I selected 'SignalLink'. The 'Test PTT' button produced no effect.)

So is it just that PEpro is incompatible? Or is there some setup step to fix this?

jim ad7hv

505. Msg to Restart, PEPRO will not start

Yahoo group: agwpe_pro
Date: 2006-04-04 03:52:18 UTC
From: John Habbinga
Topic: 505 Message: 505

While reconfiguring a new TNC today, PEPRO would not start, instead an error prompt said something like, "Packet Engine did not shutdown properly. Restarting the computer recommended."

I have restarted the computer several times. I get the same error message and PEPRO will not start. Can anyone help?

506. RE: [agwpe_pro] Msg to Restart, PEPRO will not start

Yahoo group: agwpe_pro
Date: 2006-04-04 07:03:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 505 Message: 506

Hi

Delte the agwpe.ini and portxx.ini files

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John Habbinga
Sent: Tuesday, April 04, 2006 6:52 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Msg to Restart, PEPRO will not start

While reconfiguring a new TNC today, PEPRO would not start, instead an error prompt said something like, "Packet Engine did not shutdown properly. Restarting the computer recommended."

I have restarted the computer several times. I get the same error message and PEPRO will not start. Can anyone help?

Yahoo! Groups Links

507. AGW PE Pro and RigExpert interface?

Yahoo group: agwpe_pro
Date: 2006-04-08 19:36:00 UTC
From: alanbiddle70
Topic: 507 Message: 507

Hi,

I am interested in whether anyone has gotten this combination to work. There was a discussion a couple of years ago over on the AGW PE group, in which they could get it to transmit, but not receive data, using REaudio drivers 1.0.0.3

Alan
WA4SCA

508. Re: AGW PE Pro and RigExpert interface?

Yahoo group: agwpe_pro
Date: 2006-04-09 23:12:04 UTC
From: Alan Biddle
Topic: 507 Message: 508

Hi again,

With a bit of encouragement received ex-list, I gave it a try. At first, it did not seem to decode, as was previously noted. However, that turned out to be primarily due to my incorrectly setting the jumpers on the RX amplifiers in the RigExpert. Changing them to the highest gain cleared up the problem. MixW was working ok with the previous settings, but it is working much better now. Hi Hi. I am using the current REaudio 1.0.0.5 drivers.

73s,

Alan
WA4SCA

509. Packet Engine Pro and AWGPE errors

Yahoo group: agwpe_pro
Date: 2006-04-17 07:06:22 UTC
From: pebmich
Topic: 509 Message: 509

The execution programs in the AGWPE and Packet Engine Pro software packages will not execute. Even after being uninstalled and downloaded again three and four times to see if corrupted code is the cause of the problem these two programs still will not fire up and execute. .

What is the problem? My operating system is WIN 2000.

Ken nnn0lda.

[Non-text portions of this message have been removed]

510. RE: [agwpe_pro] Packet Engine Pro and AWGPE errors

Yahoo group: agwpe_pro
Date: 2006-04-17 18:47:09 UTC
From: Ralph Milnes
Topic: 509 Message: 510

How are you executing it? From a short cut? Any error messages?

This is most likely a Windows problem, not an AGWPE or PE Pro problem, so try to tell us more.

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of pebmich
Sent: Monday, April 17, 2006 3:06 AM
To: agwpe_pro@yahoogroups.com
Cc: Kenneth Johnson
Subject: [agwpe_pro] Packet Engine Pro and AWGPE errors

The execution programs in the AGWPE and Packet Engine Pro software packages will not execute. Even after being uninstalled and downloaded again three and four times to see if corrupted code is the cause of the problem these two programs still will not fire up and execute. .

What is the problem? My operating system is WIN 2000.

Ken nnn0lda.

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro <http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to: agwpe_pro-unsubscribe@yahoogroups.com <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! <http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

511. Soundcard Tuning

Yahoo group: agwpe_pro
Date: 2006-04-20 17:35:28 UTC
From: kenwood1995
Topic: 511 Message: 511

In the past I have used PEPro for 300baud on HF.
I set it up for 300 PK232 and worked fine on APRS and 14105 Network.
Now I am not decoding packets and if I right click on the port in the
Manager, and select Soundcard Tuning Aid, and use the Frequency
method, I notice the RX slot is off to the side as it looks like for
KAM and to receive I have to offset my receiver by .5
I have tried to get back to PK232 but can't seem to
I even deleted the port and started with new but can't get PK232
to function.
Is this me or what?
VE9MB

512. PK232

Yahoo group: agwpe_pro
Date: 2006-04-22 13:14:41 UTC
From: kenwood1995
Topic: 512 Message: 512

Hello, Hello.
Anyone using PEPro with soundcard and selecting PK232(300)?
Mine seems to keep coming up as KAM.
It still shows PK232(300) but I have to shift my RX frequency by .5 to receive packets.
Any solutions?

VE9MB

513. live update doesn't work...

Yahoo group: agwpe_pro
Date: 2006-04-24 15:20:15 UTC
From: wa6pxx
Topic: 513 Message: 513

I have PRO version 2004.703 and have registered it.

When I attempt to perform a live update, I get a message that says "There is an update. Do you wish to download it?". After pressing yes, it shows 0 of 2441720 downloaded, then a message "download failed."

I have an active high speed internet connection.

What's wrong?

David WA6PXX

514. TNC-X support....

Yahoo group: agwpe_pro
Date: 2006-04-24 15:24:45 UTC
From: wa6pxx
Topic: 514 Message: 514

I have a TNC-X and want to configure PRO to use it. There is no entry for TNC-X on the pulldown menu. Which to use? Will PRO be updated to include it? Any advice on how to integrate it?

David, WA6PXX

515. RE: [agwpe_pro] live update doesn't work...

Yahoo group: agwpe_pro
Date: 2006-04-24 22:00:01 UTC
From: Mitch
Topic: 513 Message: 515

This is a known problem.

We are all waiting on a new version

Mitch
N2RGA
Asst. Emergency Coordinator Kings County ARES
Webmaster Kings County ARES ----> http://www.kingscountyares.org
When all else fails.....
NYC ARES.....
We're There!!! ----> http://www.aresnyc.org
NYC Races ----> http://www.racesnyc.org

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of wa6pxx
Sent: Monday, April 24, 2006 11:20 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] live update doesn't work...

I have PRO version 2004.703 and have registered it.

When I attempt to perform a live update, I get a message that says
"There is an update. Do you wish to download it?". After pressing
yes, it shows 0 of 2441720 downloaded, then a message "download failed."

I have an active high speed internet connection.

What's wrong?

David WA6PXX

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

516. Load it on the Correct Computer

Yahoo group: agwpe_pro
Date: 2006-05-02 12:32:23 UTC
From: w3ce
Topic: 516 Message: 516

I made a big mistake. I loaded PRO on my 98SE laptop to be able to run Pacterm. Too late I found out that Pacterm requires XP. I deinstalled it on the laptop and tried to load it on my desktop XP. I need it to work on digital communications for our county's emergency management.

The big problem is that it takes a different code to activate it on the desktop. I sent George an email explaining everything, but no answer yet.

I hope I'm not out the $49. I really don't feel like buying a second license when the first one in not usable.

This is mainly advice to everyone to make sure you load it on the correct OS before you register.

73
AL w3ce

517. Re: [agwpe_pro] Load it on the Correct Computer

Yahoo group: agwpe_pro
Date: 2006-05-02 20:23:46 UTC
From: John Habbinga
Topic: 516 Message: 517

You're not out of luck. George will send you codes to make it work on your XP computer. Just keep in mind that he's on the other side of the world, probably sleeping. He'll get to your email within a reasonable amount of time.

John, KC5ZRQ

--- w3ce <w3ce@...> wrote:

> I made a big mistake. I loaded PRO on my 98SE laptop
> to be able to run
> Pacterm. Too late I found out that Pacterm requires
> XP. I deinstalled
> it on the laptop and tried to load it on my desktop
> XP. I need it to
> work on digital communications for our county's
> emergency management.
>
> The big problem is that it takes a different code to
> activate it on
> the desktop. I sent George an email explaining
> everything, but no
> answer yet.
>
> I hope I'm not out the $49. I really don't feel like
> buying a second
> license when the first one in not usable.
>
> This is mainly advice to everyone to make sure you
> load it on the
> correct OS before you register.
>
> 73
> AL w3ce

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

518. RE: [agwpe_pro] Load it on the Correct Computer

Yahoo group: agwpe_pro
Date: 2006-05-02 20:51:52 UTC
From: Ron Wenig
Topic: 516 Message: 518

Hi John,

This is Ron NY3J. I'm the digital coordinator for ARES in Bucks County. We are almost neighbors. I agree, George will supply you with the key for your XP machine. He may be a bit busy. I'm not sure why you need AGWPE for Pactor. The modems required for Pactor usually will interface directly to the computer. AGWPE would be needed for the Winlink 2000 program AGWPaclink. Also, if you don't know already, there is a great Yahoo group called WL2KEMCOMM that's worthwhile subscribing to. There are lots of information about Winlink 2000 and digital emergency communications. You can get lots of help there. Good luck with the digital communications for your county. Can't wait to hear your success stories.

73, Ron ny3j@...
-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of John Habbinga
Sent: Tuesday, May 02, 2006 4:24 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Load it on the Correct Computer

You're not out of luck. George will send you codes to make it work on your XP computer. Just keep in mind that he's on the other side of the world, probably sleeping. He'll get to your email within a reasonable amount of time.

John, KC5ZRQ

--- w3ce <w3ce@...> wrote:

> I made a big mistake. I loaded PRO on my 98SE laptop
> to be able to run
> Pacterm. Too late I found out that Pacterm requires
> XP. I deinstalled
> it on the laptop and tried to load it on my desktop
> XP. I need it to
> work on digital communications for our county's
> emergency management.
>
> The big problem is that it takes a different code to
> activate it on
> the desktop. I sent George an email explaining
> everything, but no
> answer yet.
>

> I hope I'm not out the $49. I really don't feel like
> buying a second
> license when the first one in not usable.
>
> This is mainly advice to everyone to make sure you
> load it on the
> correct OS before you register.
>
> 73
> AL w3ce

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio

--
YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

519. RE: [agwpe_pro] Load it on the Correct Computer

Yahoo group: agwpe_pro
Date: 2006-05-03 07:29:37 UTC
From: sv2agw
Topic: 516 Message: 519

Hi

Just a note for missed emails.
Some use spam filters. My email may be in "Junk e-mail". Others, need to go to html page, add your personal info and submit the form to allow the email to reach the destination. Of course I do NOT do this.... I know spam is very annoying but we have to learn to live with this. Is something like traffic jam we do not like it but we live with it every day.

Just a tip to avoid spam easily. Subscribe for an email account to yahoo or hot mail etc. Then use that email when ever asked for email address.
Configure your email program to send emails using this free account but in the reply address set your private email address.
After that configure your email program to put received emails from the free account to a separate folder.

Now you will have all spam to this folder. All programs that scan for email addresses use the sender account and NOT the reply address. That way your private account will be not "public".
On the other hand anyone who will send a reply to your email will actually send the email to the private account although your email has been sent from the public free account.
That way you will receive all important emails as usual and from time to time (say two times every week) open the spam folder and start delete messages. Just be careful because there will be also useful emails in there, at least for a while.
Another good thing to do is to create folders with the email lists, like this one, and then set a filter so that received emails from the list go to that folder.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf

Of Ron Wenig
Sent: Tuesday, May 02, 2006 11:52 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Load it on the Correct Computer

Hi John,

This is Ron NY3J. I'm the digital coordinator for ARES in Bucks County. We are almost neighbors. I agree, George will supply you with the key for your XP machine. He may be a bit busy. I'm not sure why you need AGWPE for Pactor. The modems required for Pactor usually will interface directly to the computer. AGWPE would be needed for the Winlink 2000 program AGWPaclink. Also, if you don't know already, there is a great Yahoo group called WL2KEMCOMM that's worthwhile subscribing to. There are lots of information about Winlink 2000 and digital emergency communications. You can get lots of help there. Good luck with the digital communications for your county. Can't wait to hear your success stories.

73, Ron ny3j@...
-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of John Habbinga
Sent: Tuesday, May 02, 2006 4:24 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Load it on the Correct Computer

You're not out of luck. George will send you codes to make it work on your XP computer. Just keep in mind that he's on the other side of the world, probably sleeping. He'll get to your email within a reasonable amount of time.

John, KC5ZRQ

--- w3ce <w3ce@...> wrote:

> I made a big mistake. I loaded PRO on my 98SE laptop
> to be able to run
> Pacterm. Too late I found out that Pacterm requires
> XP. I deinstalled
> it on the laptop and tried to load it on my desktop
> XP. I need it to
> work on digital communications for our county's
> emergency management.
>
> The big problem is that it takes a different code to
> activate it on
> the desktop. I sent George an email explaining
> everything, but no
> answer yet.
>
> I hope I'm not out the $49. I really don't feel like

> buying a second
> license when the first one in not usable.
>
> This is mainly advice to everyone to make sure you
> load it on the
> correct OS before you register.
>
> 73
> AL w3ce

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio

--
YAHOO! GROUPS LINKS

a.. Visit your group "agwpe_pro" on the web.

b.. To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

Yahoo! Groups Links

_____
http://www.freemail.gr - ?????? ???????? ??????????? ???????????.
http://www.freemail.gr - free email service for the Greek-speaking.

520. RE: [agwpe_pro] Load it on the Correct Computer

Yahoo group: agwpe_pro
Date: 2006-05-03 07:34:25 UTC
From: sv2agw
Topic: 516 Message: 520

Hi

Just sent your keycode.
Sorry for the delay but I was on Easter vacations and your email arrived
while packing. Now I am back and replied.
Sorry for the trouble.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

---
http://www.freemail.gr - ?????? ???????? ??????????? ???????????.
http://www.freemail.gr - free email service for the Greek-speaking.

521. Re: TNC-X support....

Yahoo group: agwpe_pro
Date: 2006-05-03 14:42:14 UTC
From: Andy Cooper
Topic: 514 Message: 521

I use the standard KISS option - works fine.

--- In agwpe_pro@yahoogroups.com, "wa6pxx" <wa6pxx@...> wrote:
>
>
> I have a TNC-X and want to configure PRO to use it. There is no
entry
> for TNC-X on the pulldown menu. Which to use? Will PRO be updated
to
> include it? Any advice on how to integrate it?
>
> David, WA6PXX
>

522. PacComm Handi Packet

Yahoo group: agwpe_pro
Date: 2006-05-14 20:17:27 UTC
From: n3dou
Topic: 522 Message: 522

Having trouble getting my Handi Packet to work with AGPE PRO Eval.

Using Hp ominibook 6100
XP Pro
Com 1

Have no problem talking to TNC with Hyperterm.

Thanks in advance.

Bill N3DOU

523. Re: Trial

Yahoo group: agwpe_pro
Date: 2006-05-27 15:53:27 UTC
From: n9udo
Topic: 494 Message: 523

Thanks for all the support, people!!???!!

When I first installed PEPRO over a year ago to try it, I was not
ready to pay for it. So I installed the free one.

Now I'm getting ready to try TCPIP over radio.
I cannot re-install PEPRO and make it work.
Program says trial expired.

Any insight as to getting this running WITHOUT wiping the hard drive.

I understand that there is a 30 day trial. I might have used it maybe
for 2 days when I first installed it.

--N9UDO

--- In agwpe_pro@yahoogroups.com, "n9udo" <n9udo@...> wrote:
>
> How can I get another trial version.
>
> I installed the AGW PE PRO over a year ago and then uninstalled it.
> I would like to evaluate it again.
>
> Anyone know what hidden file is left on my machine/hard drive so I can
> remove it? Then re-install it.
>
> Thanks.
> N9UDO
>

524. RE: [agwpe_pro] Re: Trial

Yahoo group: agwpe_pro
Date: 2006-05-27 15:59:55 UTC
From: Ralph Milnes
Topic: 494 Message: 524

Try deleting all *.ini files in the PE Pro directory. This forces a reset of the program (you will lose all configuration settings), and may allow a new trial period.

Ralph KC2RLM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n9udo
Sent: Saturday, May 27, 2006 11:53 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Trial

Thanks for all the support, people!!???!!

When I first installed PEPRO over a year ago to try it, I was not ready to pay for it. So I installed the free one.

Now I'm getting ready to try TCPIP over radio.
I cannot re-install PEPRO and make it work.
Program says trial expired.

Any insight as to getting this running WITHOUT wiping the hard drive.

I understand that there is a 30 day trial. I might have used it maybe for 2 days when I first installed it.

--N9UDO

--- In agwpe_pro@yahoogroups.com, "n9udo" <n9udo@...> wrote:
>
> How can I get another trial version.
>
> I installed the AGW PE PRO over a year ago and then uninstalled it.
> I would like to evaluate it again.
>
> Anyone know what hidden file is left on my machine/hard drive so I can
> remove it? Then re-install it.
>
> Thanks.
> N9UDO
>

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra

ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio

---

YAHOO! GROUPS LINKS

* Visit your group "agwpe_pro
<http://groups.yahoo.com/group/agwpe_pro> " on the web.

* To unsubscribe from this group, send an email to:
agwpe_pro-unsubscribe@yahoogroups.com
<mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

525. Re: Trial

Yahoo group: agwpe_pro
Date: 2006-05-29 22:59:14 UTC
From: n9udo
Topic: 494 Message: 525

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Try deleting all *.ini files in the PE Pro directory. This forces a
reset of
> the program (you will lose all configuration settings), and may
allow a new
> trial period.
>
>
>
> Ralph KC2RLM
>
>

Tried that already. Doesn't work.
I think there is a hidden file somewhere I can't find.

Clearing the registry of all PE and sv2agw, etc... instances does no
good either.

Thanks!

--N9UDO

>
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of n9udo
> Sent: Saturday, May 27, 2006 11:53 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Trial
>
>
>
> Thanks for all the support, people!!???!!
>
>
>
> When I first installed PEPRO over a year ago to try it, I was not
> ready to pay for it. So I installed the free one.
>
> Now I'm getting ready to try TCPIP over radio.
> I cannot re-install PEPRO and make it work.
> Program says trial expired.

>
> Any insight as to getting this running WITHOUT wiping the hard drive.
>
> I understand that there is a 30 day trial. I might have used it maybe
> for 2 days when I first installed it.
>
>
> --N9UDO
>
>
>
>
>
>
> --- In agwpe_pro@yahoogroups.com, "n9udo" <n9udo@> wrote:
> >
> > How can I get another trial version.
> >
> > I installed the AGW PE PRO over a year ago and then uninstalled it.
> > I would like to evaluate it again.
> >
> > Anyone know what hidden file is left on my machine/hard drive so I can
> > remove it? Then re-install it.
> >
> > Thanks.
> > N9UDO
> >
>
>
>
>
>
>
>
>
> SPONSORED LINKS
>
>
> Hobby
>
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
>
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1MAw>
> and craft supply
>
> Craft
>
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> 2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ> hobby
>

> Ham
>
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio
>
>
>
> _____
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "agwpe_pro
> <http://groups.yahoo.com/group/agwpe_pro> " on the web.
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!
> <http://docs.yahoo.com/info/terms/> Terms of Service.
>
>
>
> _____
>
>
>
> [Non-text portions of this message have been removed]
>

526. RE: [agwpe_pro] Re: Trial

Yahoo group: agwpe_pro
Date: 2006-05-30 05:30:08 UTC
From: sv2agw
Topic: 494 Message: 526

Hi

If you need a new trial period

Download the file www.elcom.gr/sv2agw/beta/pepro.zip
Is only the executable

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of n9udo
Sent: Tuesday, May 30, 2006 1:59 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Trial

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Try deleting all *.ini files in the PE Pro directory. This forces a
reset of
> the program (you will lose all configuration settings), and may
allow a new
> trial period.
>
>
>
> Ralph KC2RLM
>
>

Tried that already. Doesn't work.
I think there is a hidden file somewhere I can't find.

Clearing the registry of all PE and sv2agw, etc... instances does no good
either.

Thanks!

--N9UDO

>
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of n9udo
> Sent: Saturday, May 27, 2006 11:53 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Trial
>
>
>
> Thanks for all the support, people!!???!!
>
>
>
> When I first installed PEPRO over a year ago to try it, I was not
> ready to pay for it. So I installed the free one.
>
> Now I'm getting ready to try TCPIP over radio.
> I cannot re-install PEPRO and make it work.
> Program says trial expired.
>
> Any insight as to getting this running WITHOUT wiping the hard drive.
>
> I understand that there is a 30 day trial. I might have used it maybe
> for 2 days when I first installed it.
>
>
> --N9UDO
>
>
>
>
>
>
> --- In agwpe_pro@yahoogroups.com, "n9udo" <n9udo@> wrote:
> >
> > How can I get another trial version.
> >
> > I installed the AGW PE PRO over a year ago and then uninstalled it.
> > I would like to evaluate it again.
> >
> > Anyone know what hidden file is left on my machine/hard drive so I
> > can remove it? Then re-install it.

> >
> > Thanks.
> > N9UDO
> >
>
>
>
>
>
>
>
>
> SPONSORED LINKS
>
>
> Hobby
>
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
>
ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1M
ft+Aw>
> and craft supply
>
> Craft
>
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> 2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ>
> hobby
>
> Ham
>
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio
>
>
>
> _____
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "agwpe_pro
> <http://groups.yahoo.com/group/agwpe_pro> " on the web.
>
> * To unsubscribe from this group, send an email to:
> agwpe_pro-unsubscribe@yahoogroups.com
> <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!

> <http://docs.yahoo.com/info/terms/> Terms of Service.
>
>
>
> _____
>
>
>
> [Non-text portions of this message have been removed]
>

---------- Yahoo! Groups Sponsor ----------~-->
Everything you need is one click away. Make Yahoo! your home page now.
http://us.click.yahoo.com/AHchtC/4FxNAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

---

http://www.freemail.gr - δωρεάν υπηρεσία ηλεκτρονικού ταχυδρομείου.
http://www.freemail.gr - free email service for the Greek-speaking.

527. RE: [agwpe_pro] Re: Trial

Yahoo group: agwpe_pro
Date: 2006-05-30 14:49:59 UTC
From: Mitch
Topic: 494 Message: 527

Any word on the new version that fixes the, can't update on internet bug?

Mitch
N2RGA
Asst. Emergency Coordinator Kings County ARES
Webmaster Kings County ARES ----> http://www.kingscountyares.org
When all else fails.....
NYC ARES.....
We're There!!! ----> http://www.aresnyc.org
NYC Races ----> http://www.racesnyc.org

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of sv2agw
> Sent: Tuesday, May 30, 2006 1:30 AM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Re: Trial
>
> Hi
>
> If you need a new trial period
>
> Download the file www.elcom.gr/sv2agw/beta/pepro.zip
> Is only the executable
>
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB
> and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf
> Of n9udo
> Sent: Tuesday, May 30, 2006 1:59 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Trial
>
> --- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
> >
> > Try deleting all *.ini files in the PE Pro directory. This forces a
> reset of
> > the program (you will lose all configuration settings), and may
> allow a new
> > trial period.
> >
> >
> >
> > Ralph KC2RLM
> >
> >
>
>
> Tried that already. Doesn't work.
> I think there is a hidden file somewhere I can't find.
>
> Clearing the registry of all PE and sv2agw, etc... instances does no good
> either.
>
>
>
> Thanks!
>
> --N9UDO
>
>
> >
> > _____
> >
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf
> > Of n9udo
> > Sent: Saturday, May 27, 2006 11:53 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: Trial
> >
> >
> >
> > Thanks for all the support, people!!???!!

> >
> >
> >
> > When I first installed PEPRO over a year ago to try it, I was not
> > ready to pay for it. So I installed the free one.
> >
> > Now I'm getting ready to try TCPIP over radio.
> > I cannot re-install PEPRO and make it work.
> > Program says trial expired.
> >
> > Any insight as to getting this running WITHOUT wiping the hard drive.
> >
> > I understand that there is a 30 day trial. I might have used it maybe
> > for 2 days when I first installed it.
> >
> >
> > --N9UDO
> >
> >
> >
> >
> >
> >
> > --- In agwpe_pro@yahoogroups.com, "n9udo" <n9udo@> wrote:
> > >
> > > How can I get another trial version.
> > >
> > > I installed the AGW PE PRO over a year ago and then uninstalled it.
> > > I would like to evaluate it again.
> > >
> > > Anyone know what hidden file is left on my machine/hard drive so I
> > > can remove it? Then re-install it.
> > >
> > > Thanks.
> > > N9UDO
> > >
> >
> >
> >
> >
> >
> >
> >
> >
> > SPONSORED LINKS
> >
> >
> > Hobby
> >

> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+c
> ra
> >
> ft+supply&w2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=VNS2GOcGoMZrxDamai1M
> ft+Aw>
> > and craft supply
> >
> > Craft
> >
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply
> &w
> > 2=Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=t6kUOeGPog29_UzZXgXIXQ>
> > hobby
> >
> > Ham
> >
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w
> 2=
> > Craft+hobby&w3=Ham+radio&c=3&s=60&.sig=sXgSOsg2BLY7cRv8Fv8vyw> radio
> >
> >
> >
> > _____
> >
> > YAHOO! GROUPS LINKS
> >
> >
> >
> > * Visit your group "agwpe_pro
> > <http://groups.yahoo.com/group/agwpe_pro> " on the web.
> >
> > * To unsubscribe from this group, send an email to:
> > agwpe_pro-unsubscribe@yahoogroups.com
> > <mailto:agwpe_pro-unsubscribe@yahoogroups.com?subject=Unsubscribe>
> >
> > * Your use of Yahoo! Groups is subject to the Yahoo!
> > <http://docs.yahoo.com/info/terms/> Terms of Service.
> >
> >
> >
> > _____
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>

>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
> _____
> http://www.freemail.gr - δωρεάν υπηρεσία ηλεκτρονικού ταχυδρομείου.
> http://www.freemail.gr - free email service for the Greek-speaking.
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

528. Agwpe_pro with AXIP(External Dll) port

Yahoo group: agwpe_pro
Date: 2006-06-03 10:37:38 UTC
From: Keith Ray
Topic: 528 Message: 528

Hi
I have Agwpe 2004.1108 running fine with 1 axip (external Dll) port but
no way can I configure pro to do the same. Does it use the same
@...i file or does it just use the port configuration.

Keith G1GXB

529. Re: Agwpe_pro with AXIP(External Dll) port

Yahoo group: agwpe_pro
Date: 2006-06-03 14:17:25 UTC
From: Andy Cooper
Topic: 528 Message: 529

Hi Keith,

I have AXIP configured on AGWPE Pro to talk to my Linux box. My
@... has the following lines:

```
[AXIPDRV]
DEST_ADDR=192.168.1.105
DEST_PORT=93
DEST_HOST=
CALLSIGN=k3jse-14
UDP_PORT=93
DEBUG=
```

The Linux AXIP driver defaults to TCP so I had to change it to UDP.

Hope this helps.

73, K3JSE
Andy

--- In agwpe_pro@yahoogroups.com, "Keith Ray" <G1GXB@...> wrote:
>
> Hi
> I have Agwpe 2004.1108 running fine with 1 axip (external Dll) port but
> no way can I configure pro to do the same. Does it use the same
> @... file or does it just use the port configuration.
>
> Keith G1GXB
>

530. RE: [agwpe_pro] Re: Agwpe_pro with AXIP(External Dll) port

Yahoo group: agwpe_pro
Date: 2006-06-05 13:42:53 UTC
From: Keith Ray
Topic: 528 Message: 530

Hi Andy

My @... is very similar

[AXIPDRV]

DEST_ADDR=192.168.0.3

DEST_PORT=93

DEST_HOST=

CALLSIGN=g1gxb-11

UDP_PORT=93

DEBUG=1

It is exactly the same as the one I use successfully for AGWPE Ver 2004 .
1108

DEST_ADDR=192.168.0.3 is the address of Xrouter Node running on another
computer

I have progressed a little and AGWPE-PRO now when runs shows the Radio Port
as:

Tick 1 Port 1 with AXIP (External Dll on COM 1: Lan Link to SOTON) Enabled

But nothing RX or TX on port although TX frames are seen on Monitor they are
not received by Xrouter Node.

Can anyone explain the following error file for me

@10:50:24:437> AX25 COMMAND G1GXB-12

@10:50:24:437> RadioPort::PutTxQueu 1

@10:50:24:437> RadioPort::PutTxQueu 2

@10:50:37:250> AX25 COMMAND G1GXB-12

@10:50:37:250> RadioPort::PutTxQueu 1

@10:50:37:250> RadioPort::PutTxQueu 2

@10:50:37:468> AGWDSKTP::ONCLOSE

@10:50:37:468> AGWDSKTP::ONCLOSE1

@10:50:37:468> ~KISS::KISS

@10:50:37:468> DELETE KISS

@10:50:37:468> InterPEServer flushthread

@10:50:40:468> sockserver flushthread

@10:50:40:468> FLUSH THREAD numevents=3

@10:50:40:468> FLUSH THREAD END

@10:50:40:468> Exit loop sockserver

@10:50:40:468> SERIALPORT::FLUSHTHREAD

@10:50:40:468> SERIALPORT::FLUSHTHREAD END

@10:50:43:468> SOCKWIN::~SOCKWIN()

@10:50:43:468> ~SOCKSERVER

@10:50:43:484> ~SerialPort

@10:50:43:484> ~SerialPort END

@10:50:43:484> stframe::~stframe()

@10:50:43:484> stframe::~stframe()

@10:50:43:484> stframe::~stframe()

@10:50:43:484> ~InterPEServer

@10:50:43:484> ~DDEML

@10:50:43:484> ~CONVMANAGER

@10:50:43:484> ~CONVMANAGER end

@10:50:43:484> ~AX25MANAGER

@10:50:43:484> KILL AX25 MANAGER

@10:50:43:484> AX25 COMMAND G1GXB-12

@10:50:43:484> RadioPort::PutTxQueu 1

@10:50:43:484> ~AX25MANAGER END

@10:50:49:953> ~AGWDSKTP

@10:50:49:968> ~dsktp

Regards Keith G1GXB @ GB7SOU

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf

Of Andy Cooper
Sent: 03 June 2006 15:17
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Agwpe_pro with AXIP(External Dll) port

Hi Keith,

I have AXIP configured on AGWPE Pro to talk to my Linux box. My

@... has the following lines:

[AXIPDRV]

DEST_ADDR=192.168.1.105

DEST_PORT=93

DEST_HOST=

CALLSIGN=k3jse-14

UDP_PORT=93

DEBUG=

The Linux AXIP driver defaults to TCP so I had to change it to UDP.

Hope this helps.

73, K3JSE

Andy

[Non-text portions of this message have been removed]

531. RE: [agwpe_pro] Re: Agwpe_pro with AXIP(External Dll) port

Yahoo group: agwpe_pro
Date: 2006-06-06 14:33:12 UTC
From: Keith Ray
Topic: 528 Message: 531

Hi all

Problem solved. I had made out the @... file incorrectly and had used
my HAM IP address for Dest_Host entry. Deleted it and Hay presto all working
fine. Now the hard part, digging in my pocket for the Registration Fee.
Only joking, I don't mind paying for all Georges hard work at all.

Keith G1GXB @ GB7SOU

532. http errors with agwpe_pro

Yahoo group: agwpe_pro
Date: 2006-06-07 06:22:58 UTC
From: Andrea
Topic: 532 Message: 532

Hello,
I seed that in http folder there are not the web page tcpip.html, general.html (and other).
When i recall the relative web page i receive an error.

Can you help me?

Bye

533. agwpe_pro updates

Yahoo group: agwpe_pro
Date: 2006-06-07 06:27:40 UTC
From: Andrea
Topic: 533 Message: 533

```
hello,
which are the last updates for the agwpe_pro programs?
Thanks
```

534. RE: [agwpe_pro] http errors with agwpe_pro

Yahoo group: agwpe_pro
Date: 2006-06-07 16:15:29 UTC
From: Ralph Milnes
Topic: 532 Message: 534

Andrea,

These pages were never written for AGWPE or PE Pro. It is an incomplete feature. Everyone gets the same error. There is no solution. Nothing is wrong.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Andrea
Sent: Wednesday, June 07, 2006 2:23 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] http errors with agwpe_pro

Hello,
I seed that in http folder there are not the web page tcpip.html, general.html (and other).
When i recall the relative web page i receive an error.

Can you help me?

Bye

Yahoo! Groups Links

535. RE: [agwpe_pro] agwpe_pro updates

Yahoo group: agwpe_pro
Date: 2006-06-07 16:21:50 UTC
From: Ralph Milnes
Topic: 533 Message: 535

The last version is dated:

03 JUL 2004 or 2004.703

On the AGWPE Pro website it is listed as 07 JUL 2004 but it is really 03 JUL 2004

Ralph KC2RLM

-----Original Message-----

hello,
which are the last updates for the agwpe_pro programs?
Thanks

536. AGWUIDigi and AGWTRacker Release

Yahoo group: agwpe_pro
Date: 2006-06-09 09:16:18 UTC
From: sv2agw
Topic: 533 Message: 536

Hi

Have just uploaded AGWUIDigi and AGWTRacker new versions.

AGWUIDigi now has full support for new WIDEN-n and also can be used as
Internet APRS GateWay.

AGWTRacker now supports not just English but also Italian, Chinese, Greek
and Bulgarian. If you wish to translate it drop me an email, you will get
free registrations for Packet Engine Pro and AGWTracker.

AGWTracker new version has full support for online maps (Virtual Earth and
Goggle Maps) Both have details to street level, worldwide.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

---
http://www.freemail.gr - ?????? ???????? ??????????? ???????????.
http://www.freemail.gr - free email service for the Greek-speaking.

537. Paclink error returned when...

Yahoo group: agwpe_pro
Date: 2006-07-11 11:31:34 UTC
From: jg05ullivan
Topic: 537 Message: 537

When I send a CONNECT with Paclink AGW, I keep getting the following message:

"Disconnected from AGW Packet Engine
*** Autoforwarding started at 2006/07/09 00:08:43
*** Trying forwarding on channel aa4hq-10 at 2006/07/09 00:08:43
Connecting to AGW Packet Engine. Host: Localhost Port: 8000
Login to AGWPE OK, Version: 2004.703
***Registration of AD4RG-10 failed! Call sign may be in use.
*** Autoforwarding ended at 2006/07/09 00:08:44"

What causes me to get the:"***Registration of AD4RG-10 failed! Call sign may be in use." in the above message? How/where do I go to correct this?

Thanks,
Jim, AD4RG

538. Re: Paclink error returned when...

Yahoo group: agwpe_pro
Date: 2006-07-11 15:30:48 UTC
From: ralphmilnes
Topic: 537 Message: 538

Jim,

The problem is with the WinLink system, not AGWPE Pro("Login to AGWPE OK")

Perhaps the TelPac node or the WinLink system thinks you are still connected from a previous connection session, ie. "Call sign may be in use".

I would ask the question on the WinLink 2000 EmComm Yahoo group. Someone there will be probably solve it quickly.

Ralph KC2RLM

--- In agwpe_pro@yahoogroups.com, "jg05ullivan" <josullivan@...> wrote:
>
> When I send a CONNECT with Paclink AGW, I keep getting the following
> message:
>
> "Disconnected from AGW Packet Engine
> *** Autoforwarding started at 2006/07/09 00:08:43
> *** Trying forwarding on channel aa4hq-10 at 2006/07/09 00:08:43
> Connecting to AGW Packet Engine. Host: Localhost Port: 8000
> Login to AGWPE OK, Version: 2004.703
> ***Registration of AD4RG-10 failed! Call sign may be in use.
> *** Autoforwarding ended at 2006/07/09 00:08:44"
>
> What causes me to get the:"***Registration of AD4RG-10 failed! Call
> sign may be in use." in the above message? How/where do I go to correct
> this?
>
> Thanks,
> Jim, AD4RG
>

539. updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-07-16 16:39:16 UTC
From: kb9mma1996
Topic: 539 Message: 539

My auto update on pe pro is failing...
it sayws 2004.703
it says there is an update but it is not working

I did try and repair/install a install from georges site (update) it is still same version.
jim

540. Re: [agwpe_pro] updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-07-16 17:24:06 UTC
From: Perry - K4PWO
Topic: 539 Message: 540

Last I heard, auto update doesn't work (yet) and the notice about the update is a bug.

73 de Perry - K4PWO

----- Original Message -----
From: kb9mma1996
To: agwpe_pro@yahoogroups.com
Sent: Sunday, July 16, 2006 11:39 AM
Subject: [agwpe_pro] updates on pe_poro

My auto update on pe pro is failing...
it sayws 2004.703
it says there is an update but it is not working

I did try and repair/install a install from georges site (update) it
is still same version.
jim

[Non-text portions of this message have been removed]

541. Re: [agwpe_pro] updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-07-16 17:37:19 UTC
From: Alan Isaachsen
Topic: 539 Message: 541

A week ago, George confirmed in an answer to me that:
- This is the latest version
- the auto update does not work right now
- he expects to have an update available in the next month or so.

Cheers
Alan

kb9mma1996 <kb9mma@...> wrote:
My auto update on pe pro is failing...
it sayws 2004.703
it says there is an update but it is not working

I did try and repair/install a install from georges site (update) it
is still same version.
jim

Talk is cheap. Use Yahoo! Messenger to make PC-to-Phone calls. Great rates starting at
1¢/min.

[Non-text portions of this message have been removed]

542. message No AGWPE Host Sessions available

Yahoo group: agwpe_pro
Date: 2006-07-16 17:44:41 UTC
From: kb9mma1996
Topic: 542 Message: 542

No AGWPE Host Sessions available

i get this connecting to sally via agw pe .
what doe sthis mean?
jim

543. RE: [agwpe_pro] message No AGWPE Host Sessions available

Yahoo group: agwpe_pro
Date: 2006-07-17 16:20:37 UTC
From: Ralph Milnes
Topic: 542 Message: 543

It sounds like Sally can't find AGWPE - Assuming AGWPE is running, a setting must be amiss, maybe in Sally?

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kb9mma1996
Sent: Sunday, July 16, 2006 1:45 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] message No AGWPE Host Sessions available

No AGWPE Host Sessions available

i get this connecting to sally via agw pe .
what doe sthis mean?
jim

Yahoo! Groups Links

544. registration problems

Yahoo group: agwpe_pro
Date: 2006-07-20 19:18:52 UTC
From: w4vpi
Topic: 544 Message: 544

Any one having problems getting AGWPro registered? I sent in my money
(by Credit Card) a week ago but have had no response.
SV2agw wont return my emails...
At this point, I cant recommend this company or the program.

545. RE: [agwpe_pro] registration problems

Yahoo group: agwpe_pro
Date: 2006-07-20 21:50:48 UTC
From: Keith Ray
Topic: 544 Message: 545

Hi

I have just registered AGWpe-pro and found the opposite. The same day as I registered I had a e-mail from SV2AVG requesting my details

Hi Keith

Thank you for the registration.

I need your callsign and the "Key To Send" from Packet Engine's Pro Registration dialog to generate your keycodes.

73

HYPERLINK "http://www.elcom.gr/"I replied immediately and the next day I had the registration details. Don?t think you can improve on that.

73 de Keith G1GXB

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w4vpi
Sent: 20 July 2006 20:19
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] registration problems

Any one having problems getting AGWPro registered? I sent in my money (by Credit Card) a week ago but have had no response.
SV2agw wont return my emails...
At this point, I cant recommend this company or the program.

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date: 19/07/2006

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date: 19/07/2006

[Non-text portions of this message have been removed]

546. Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-21 22:02:58 UTC
From: w4vpi
Topic: 544 Message: 546

Great Keith! I love success stories.
I was, however, looking for hams who have had registration
Difficulties.
Sorry if I wasn't clear on that point.

--- In agwpe_pro@yahoogroups.com, "Keith Ray" <G1GXB@...> wrote:
>
> Hi
>
>
>
> I have just registered AGWpe-pro and found the opposite. The same
day as I
> registered I had a e-mail from SV2AVG requesting my details
>
>
>
> Hi Keith
>
> Thank you for the registration.
>
> I need your callsign and the "Key To Send" from Packet Engine's Pro
> Registration dialog to generate your keycodes.
>
> 73
>
> HYPERLINK "http://www.elcom.gr/"I replied immediately and the next
day I had
> the registration details. Don't think you can improve on that.
>
>
>
> 73 de Keith G1GXB
>
>
>
> -----
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of w4vpi
> Sent: 20 July 2006 20:19
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] registration problems
>

>
>
> Any one having problems getting AGWPro registered? I sent in my
money
> (by Credit Card) a week ago but have had no response.
> SV2agw wont return my emails...
> At this point, I cant recommend this company or the program.
>
>
>
>
> --
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
19/07/2006
>
>
>
> --
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
19/07/2006
>
>
>
> [Non-text portions of this message have been removed]
>

547. RE: [agwpe_pro] Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-22 14:11:49 UTC
From: sv2agw
Topic: 544 Message: 547

Hi

I sent you a couple of emails but this is the response

****
****
Hi. This is the qmail-send program at mail01c.rapidsite.net.
I'm afraid I wasn't able to deliver your message to the following addresses.
This is a permanent error; I've given up. Sorry it didn't work out.

<w4vpi@...>:
208.45.133.107 does not like recipient.
Remote host said: 554 Service unavailable; Client host [131.103.218.141]
blocked using blackholes.excite.com; Your message could not be delivered.
See http://blackholes.excite.com/ Error: WS-05
Giving up on 208.45.133.107.

--- Below this line is a copy of the message.

****
****
73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of w4vpi
Sent: Saturday, July 22, 2006 1:03 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: registration problems

Great Keith! I love success stories.
I was, however, looking for hams who have had registration Difficulties.
Sorry if I wasn't clear on that point.

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"Keith Ray" <G1GXB@...> wrote:
>
> Hi
>
>
>
> I have just registered AGWpe-pro and found the opposite. The same
day as I
> registered I had a e-mail from SV2AVG requesting my details
>
>
>
> Hi Keith
>
> Thank you for the registration.
>
> I need your callsign and the "Key To Send" from Packet Engine's Pro
> Registration dialog to generate your keycodes.
>
> 73
>
> HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I replied
> immediately and the next
day I had
> the registration details. Don't think you can improve on that.
>
>
>
> 73 de Keith G1GXB
>
>
>
> _____
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
>]
On Behalf
> Of w4vpi
> Sent: 20 July 2006 20:19
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] registration problems
>
>
>
> Any one having problems getting AGWPro registered? I sent in my
money
> (by Credit Card) a week ago but have had no response.
> SV2agw wont return my emails...
> At this point, I cant recommend this company or the program.

>
>
>
>
> --
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
19/07/2006
>
>
>
> --
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
19/07/2006
>
>
>
> [Non-text portions of this message have been removed]
>

---
http://www.freemail.gr - ?????? ???????? ??????????? ???????????.
http://www.freemail.gr - free email service for the Greek-speaking.

548. Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-22 18:16:20 UTC
From: Jim Egerton
Topic: 544 Message: 548

Hello, I am new to this group and new to winlink. I have a problem with registration. I have both the key to send and the registration key. At first I just typed my reg. key in and hit ok. My agwpro still says unregistered. I emailed George and he advised me to copy and paste the number which I did. I hit ok and still says unregistered. So I hit the registration button and it sends me to the software distributor BMT's web site, but I can find no place to send the reg. key. George has told me to resend to him my key to send. I don't know when I hit ok and everything is just right that bells and whistles go off and I got a registered copy or what. Of course I could have made a mistake originally in copying the key so I will send over again.

This is not a criticism it is just a matter of frustration. I am not a computer whiz or radio whiz. I need this program and about four others to run wl2k. I am trying to offer hospitals through ARES EMS radio last mile connects for emails.

Thanks for any comments you have. Jim W6SST 7 3

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> I sent you a couple of emails but this is the response
>
>
****
******
> **********
> Hi. This is the qmail-send program at mail01c.rapidsite.net.
> I'm afraid I wasn't able to deliver your message to the following addresses.
> This is a permanent error; I've given up. Sorry it didn't work out.
>
> <w4vpi@...>:
> 208.45.133.107 does not like recipient.
> Remote host said: 554 Service unavailable; Client host [131.103.218.141]
> blocked using blackholes.excite.com; Your message could not be delivered.
> See http://blackholes.excite.com/ Error: WS-05
> Giving up on 208.45.133.107.
>
> --- Below this line is a copy of the message.
>

>
****
******
> **********
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of w4vpi
> Sent: Saturday, July 22, 2006 1:03 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: registration problems
>
> Great Keith! I love success stories.
> I was, however, looking for hams who have had registration
Difficulties.
> Sorry if I wasn't clear on that point.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com> ,
> "Keith Ray" <G1GXB@> wrote:
> >
> > Hi
> >
> >
> >
> > I have just registered AGWpe-pro and found the opposite. The same
> day as I
> > registered I had a e-mail from SV2AVG requesting my details
> >
> >
> >
> > Hi Keith

> >
> > Thank you for the registration.
> >
> > I need your callsign and the "Key To Send" from Packet Engine's
Pro
> > Registration dialog to generate your keycodes.
> >
> > 73
> >
> > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I replied
> > immediately and the next
> day I had
> > the registration details. Don't think you can improve on that.
> >
> >
> >
> > 73 de Keith G1GXB
> >
> >
> >
> > _____
> >
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> >]
> On Behalf
> > Of w4vpi
> > Sent: 20 July 2006 20:19
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] registration problems
> >
> >
> >
> > Any one having problems getting AGWPro registered? I sent in my
> money
> > (by Credit Card) a week ago but have had no response.
> > SV2agw wont return my emails...
> > At this point, I cant recommend this company or the program.
> >
> >
> >
> >
> > --
> > No virus found in this incoming message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >

> >
> >
> > --
> > No virus found in this outgoing message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
>
> _____
> http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý ôá÷ïäñïìåßïõ.
> http://www.freemail.gr - free email service for the Greek-speaking.
>

549. Re: [agwpe_pro] Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-22 20:57:38 UTC
From: Alan Isaachsen
Topic: 544 Message: 549

Jim
- copy and paste is definitely the way to do it!!
- don't click on the "Register" button....click on "OK"
(don't click on Register as you have already paid)
- you will have to restart the program for the registration to show in the program

AGW PEPro is great for ARES Winlink stations at message centers like your hospitals! You'll like it! You can run telpac & paclink & the AGWDigi all at once and it is reliable!

Alan

Jim Egerton <w6sst@...> wrote:
Hello, I am new to this group and new to winlink. I have a problem with registration. I have both the key to send and the registration key. At first I just typed my reg. key in and hit ok. My agwpro still says unregistered. I emailed George and he advised me to copy and paste the number which I did. I hit ok and still says unregistered. So I hit the registration button and it sends me to the software distributor BMT's web site, but I can find no place to send the reg. key. George has told me to resend to him my key to send. I don't know when I hit ok and everything is just right that bells and whistles go off and I got a registered copy or what. Of course I could have made a mistake originally in copying the key so I will send over again.

This is not a criticism it is just a matter of frustration. I am not a computer whiz or radio whiz. I need this program and about four others to run wl2k. I am trying to offer hospitals through ARES EMS radio last mile connects for emails.

Thanks for any comments you have. Jim W6SST 7 3

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> I sent you a couple of emails but this is the response
>
>
****
******
> **********
> Hi. This is the qmail-send program at mail01c.rapidsite.net.
> I'm afraid I wasn't able to deliver your message to the following addresses.
> This is a permanent error; I've given up. Sorry it didn't work out.

>
> <w4vpi@...>:
> 208.45.133.107 does not like recipient.
> Remote host said: 554 Service unavailable; Client host
[131.103.218.141]
> blocked using blackholes.excite.com; Your message could not be
delivered.
> See http://blackholes.excite.com/ Error: WS-05
> Giving up on 208.45.133.107.
>
> --- Below this line is a copy of the message.
>
>
****
******
> **********
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of w4vpi
> Sent: Saturday, July 22, 2006 1:03 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: registration problems
>
> Great Keith! I love success stories.
> I was, however, looking for hams who have had registration
Difficulties.
> Sorry if I wasn't clear on that point.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com> ,
> "Keith Ray" <G1GXB@> wrote:

> >
> > Hi
> >
> >
> >
> > I have just registered AGWpe-pro and found the opposite. The same
> day as I
> > registered I had a e-mail from SV2AVG requesting my details
> >
> >
> >
> > Hi Keith
> >
> > Thank you for the registration.
> >
> > I need your callsign and the "Key To Send" from Packet Engine's
Pro
> > Registration dialog to generate your keycodes.
> >
> > 73
> >
> > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I replied
> > immediately and the next
> day I had
> > the registration details. Don't think you can improve on that.
> >
> >
> >
> > 73 de Keith G1GXB
> >
> >
> >
> > _____
> >
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> >]
> On Behalf
> > Of w4vpi
> > Sent: 20 July 2006 20:19
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] registration problems
> >
> >
> >
> > Any one having problems getting AGWPro registered? I sent in my
> money
> > (by Credit Card) a week ago but have had no response.

> > SV2agw wont return my emails...
> > At this point, I cant recommend this company or the program.
> >
> >
> >
> >
> > --
> > No virus found in this incoming message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >
> > --
> > No virus found in this outgoing message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
>
> _____
> http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý ôá÷ôäñïìåßïõ.
> http://www.freemail.gr - free email service for the Greek-speaking.
>

Talk is cheap. Use Yahoo! Messenger to make PC-to-Phone calls. Great rates starting at 1¢/min.

[Non-text portions of this message have been removed]

550. Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-23 19:01:20 UTC
From: w4vpi
Topic: 544 Message: 550

That's interesting.
Strange though, that there was no problem getting my payment to you, and there has been no shortage of emails to me from your US agent, BMT... I think a little more effort on your part could have solved this problem. (It IS easy to give up when there is a problem.)

Based on my experience, I can not recommend this company or its products.

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> I sent you a couple of emails but this is the response
>
>
****
******
> **********
> Hi. This is the qmail-send program at mail01c.rapidsite.net.
> I'm afraid I wasn't able to deliver your message to the following addresses.
> This is a permanent error; I've given up. Sorry it didn't work out.
>
> <w4vpi@...>:
> 208.45.133.107 does not like recipient.
> Remote host said: 554 Service unavailable; Client host [131.103.218.141]
> blocked using blackholes.excite.com; Your message could not be delivered.
> See http://blackholes.excite.com/ Error: WS-05
> Giving up on 208.45.133.107.
>
> --- Below this line is a copy of the message.
>
>
****
******
> **********
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and

> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of w4vpi
> Sent: Saturday, July 22, 2006 1:03 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: registration problems
>
> Great Keith! I love success stories.
> I was, however, looking for hams who have had registration
Difficulties.
> Sorry if I wasn't clear on that point.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com> ,
> "Keith Ray" <G1GXB@> wrote:
> >
> > Hi
> >
> >
> >
> > I have just registered AGWpe-pro and found the opposite. The same
> day as I
> > registered I had a e-mail from SV2AVG requesting my details
> >
> >
> >
> > Hi Keith
> >
> > Thank you for the registration.
> >
> > I need your callsign and the "Key To Send" from Packet Engine's
Pro
> > Registration dialog to generate your keycodes.
> >
> > 73
> >
> > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I replied

> > immediately and the next
> day I had
> > the registration details. Don't think you can improve on that.
> >
> >
> >
> > 73 de Keith G1GXB
> >
> >
> >
> > _____
> >
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> >]
> On Behalf
> > Of w4vpi
> > Sent: 20 July 2006 20:19
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] registration problems
> >
> >
> >
> > Any one having problems getting AGWPro registered? I sent in my
> money
> > (by Credit Card) a week ago but have had no response.
> > SV2agw wont return my emails...
> > At this point, I cant recommend this company or the program.
> >
> >
> >
> >
> > --
> > No virus found in this incoming message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >
> > --
> > No virus found in this outgoing message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >

> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
>
> _____
> http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý ôá÷õäñïìåßïõ.
> http://www.freemail.gr - free email service for the Greek-speaking.
>

551. Re: [agwpe_pro] Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-24 22:14:36 UTC
From: Alan Isaachsen
Topic: 544 Message: 551

You are too harsh!

Quite the opposite, I have found that the products perform extremely well and the service that George has provided has been very prompt and to the point.

Alan

w4vpi <w4vpi@...> wrote:
That's interesting.
Strange though, that there was no problem getting my payment to you,
and there has been no shortage of emails to me from your US agent,
BMT... I think a little more effort on your part could have solved
this problem. (It IS easy to give up when there is a problem.)

Based on my experience, I can not recommend this company or its
products.

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> I sent you a couple of emails but this is the response
>
>
****
******
> **********
> Hi. This is the qmail-send program at mail01c.rapidsite.net.
> I'm afraid I wasn't able to deliver your message to the following
addresses.
> This is a permanent error; I've given up. Sorry it didn't work out.
>
> <w4vpi@...>:
> 208.45.133.107 does not like recipient.
> Remote host said: 554 Service unavailable; Client host
[131.103.218.141]
> blocked using blackholes.excite.com; Your message could not be
delivered.
> See http://blackholes.excite.com/ Error: WS-05
> Giving up on 208.45.133.107.
>
> --- Below this line is a copy of the message.
>
>
****
******

> **********
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of w4vpi
> Sent: Saturday, July 22, 2006 1:03 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: registration problems
>
> Great Keith! I love success stories.
> I was, however, looking for hams who have had registration
Difficulties.
> Sorry if I wasn't clear on that point.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com> ,
> "Keith Ray" <G1GXB@> wrote:
> >
> > Hi
> >
> >
> >
> > I have just registered AGWpe-pro and found the opposite. The same
> day as I
> > registered I had a e-mail from SV2AVG requesting my details
> >
> >
> >
> > Hi Keith
> >
> > Thank you for the registration.
> >

> > I need your callsign and the "Key To Send" from Packet Engine's
Pro
> > Registration dialog to generate your keycodes.
> >
> > 73
> >
> > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I replied
> > immediately and the next
> day I had
> > the registration details. Don't think you can improve on that.
> >
> >
> >
> > 73 de Keith G1GXB
> >
> >
> >
> > _____
> >
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> >]
> On Behalf
> > Of w4vpi
> > Sent: 20 July 2006 20:19
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] registration problems
> >
> >
> >
> > Any one having problems getting AGWPro registered? I sent in my
> money
> > (by Credit Card) a week ago but have had no response.
> > SV2agw wont return my emails...
> > At this point, I cant recommend this company or the program.
> >
> >
> >
> >
> > --
> > No virus found in this incoming message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >
> > --

> > No virus found in this outgoing message.
> > Checked by AVG Free Edition.
> > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> 19/07/2006
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
>
> _____
> http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý ôá÷ôäñïìåßïô.
> http://www.freemail.gr - free email service for the Greek-speaking.
>

Do you Yahoo!?
Next-gen email? Have it all with the all-new Yahoo! Mail Beta.

[Non-text portions of this message have been removed]

552. Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-25 00:12:38 UTC
From: w4vpi
Topic: 544 Message: 552

Sorry Alan, I can't agree with you on this one. George and his US
agent have had ample time to get this resolved.
I must go by my experience - I simply cannot, in good faith,
recommend this company or its products.

--- In agwpe_pro@yahoogroups.com, Alan Isaachsen <kb2wf@...> wrote:
>
> You are too harsh!
>
> Quite the opposite, I have found that the products perform
extremely well and the service that George has provided has been very
prompt and to the point.
>
> Alan
>
> w4vpi <w4vpi@...> wrote:
> That's interesting.
> Strange though, that there was no problem getting my payment to
you,
> and there has been no shortage of emails to me from your US agent,
> BMT... I think a little more effort on your part could have solved
> this problem. (It IS easy to give up when there is a problem.)
>
> Based on my experience, I can not recommend this company or its
> products.
>
> --- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@> wrote:
> >
> > Hi
> >
> > I sent you a couple of emails but this is the response
> >
> >
>
****
> ******
> > **********
> > Hi. This is the qmail-send program at mail01c.rapidsite.net.
> > I'm afraid I wasn't able to deliver your message to the following
> addresses.
> > This is a permanent error; I've given up. Sorry it didn't work
out.
> >
> > <w4vpi@>:
> > 208.45.133.107 does not like recipient.

> > Remote host said: 554 Service unavailable; Client host
> [131.103.218.141]
> > blocked using blackholes.excite.com; Your message could not be
> delivered.
> > See http://blackholes.excite.com/ Error: WS-05
> > Giving up on 208.45.133.107.
> >
> > --- Below this line is a copy of the message.
> >
> >
>
****
> ******
> > **********
> > 73
> >
> >
> >
> > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
> with USB and
> > battery for portable operation)
> > www.elcom.gr
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com]
> On Behalf
> > Of w4vpi
> > Sent: Saturday, July 22, 2006 1:03 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: registration problems
> >
> > Great Keith! I love success stories.
> > I was, however, looking for hams who have had registration
> Difficulties.
> > Sorry if I wasn't clear on that point.
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> 40yahoogroups.com> ,
> > "Keith Ray" <G1GXB@> wrote:
> > >

> > > Hi
> > >
> > >
> > >
> > > I have just registered AGWpe-pro and found the opposite. The
same
> > day as I
> > > registered I had a e-mail from SV2AVG requesting my details
> > >
> > >
> > >
> > > Hi Keith
> > >
> > > Thank you for the registration.
> > >
> > > I need your callsign and the "Key To Send" from Packet Engine's
> Pro
> > > Registration dialog to generate your keycodes.
> > >
> > > 73
> > >
> > > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I
replied
> > > immediately and the next
> > day I had
> > > the registration details. Don't think you can improve on that.
> > >
> > >
> > >
> > > 73 de Keith G1GXB
> > >
> > >
> > >
> > > _____
> > >
> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> 40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> 40yahoogroups.com>
> > >]
> > On Behalf
> > > Of w4vpi
> > > Sent: 20 July 2006 20:19
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
40yahoogroups.com>
> > > Subject: [agwpe_pro] registration problems
> > >
> > >
> > >
> > > Any one having problems getting AGWPro registered? I sent in my

> > money
> > > (by Credit Card) a week ago but have had no response.
> > > SV2agw wont return my emails...
> > > At this point, I cant recommend this company or the program.
> > >
> > >
> > >
> > >
> > > --
> > > No virus found in this incoming message.
> > > Checked by AVG Free Edition.
> > > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> > 19/07/2006
> > >
> > >
> > >
> > > --
> > > No virus found in this outgoing message.
> > > Checked by AVG Free Edition.
> > > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> > 19/07/2006
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
> >
> >
> >
> >
> >
> > _____
> > http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý
ôá÷ôäñïìåßïõ.
> > http://www.freemail.gr - free email service for the Greek-
speaking.
> >
>
>
>
>
>
>
>
>
> ----------
> Do you Yahoo!?
> Next-gen email? Have it all with the all-new Yahoo! Mail Beta.
>

> [Non-text portions of this message have been removed]
>

553. Registration fee...

Yahoo group: agwpe_pro
Date: 2006-07-25 18:50:52 UTC
From: Henk Pit [pd5dp]
Topic: 553 Message: 553

Hi all,

As the moderator of this Group I would like to close this subject PSE.

I only can say to man with the bad experiences that something can go wrong, but we hear hardly ever that problems are not solved promptly. Most of the time if something goes wrong George will solve the problem very quickly. We never hear such bad experiences before.

Maybe it is a better idea to contact George on o more personal level to solve the problems.

73, Henk [pd5dp]

WEBSITES

HYPERLINK "http://pd5dp.ham-radio.ch"http://pd5dp.ham-radio.ch

HYPERLINK "http://resources4.ham-radio.ch"http://resources4.ham-radio.ch (only Dutch / alleen Nederlands)

HYPERLINK "http://www.qsl.net/pd5dp"http://www.qsl.net/pd5dp (old WebSite)

EMAIL

HYPERLINK "mailto:pd5dp@..."pd5dp@...

HYPERLINK "mailto:pd5dp@..."pd5dp@...

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w4vpi
Sent: dinsdag 25 juli 2006 2:13
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: registration problems

Sorry Alan, I can't agree with you on this one. George and his US agent have had ample time to get this resolved.
I must go by my experience - I simply cannot, in good faith, recommend this company or its products.

--- In HYPERLINK "mailto:agwpe_pro%40yahoogroups.com"agwpe_pro@..., Alan Isaachsen <kb2wf@...> wrote:
>
> You are too harsh!
>
> Quite the opposite, I have found that the products perform

extremely well and the service that George has provided has been very
prompt and to the point.
>
> Alan
>
> w4vpi <w4vpi@...> wrote:
> That's interesting.
> Strange though, that there was no problem getting my payment to
you,
> and there has been no shortage of emails to me from your US agent,
> BMT... I think a little more effort on your part could have solved
> this problem. (It IS easy to give up when there is a problem.)
>
> Based on my experience, I can not recommend this company or its
> products.
>

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.0.394 / Virus Database: 268.10.4/396 - Release Date: 24-7-2006

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.0.394 / Virus Database: 268.10.4/396 - Release Date: 24-7-2006

[Non-text portions of this message have been removed]

554. REGISTRATION PROBLEM

Yahoo group: agwpe_pro
Date: 2006-07-25 15:19:46 UTC
From: Jim Egerton
Topic: 554 Message: 554

Hello Everyone I sent George my "Key to Send" and my "Registration Key" There was an error in the Registration Key. George sent me the correction and I am now Registered. Probably some stupid thing I did. Very pleased.
Jim W6SST 7 3

555. Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-25 13:14:01 UTC
From: np3od
Topic: 544 Message: 555

I can tell you that I have always had good service from george and usually responds to my problems in a reasonable amount of time. At least up until today I have had good service from george and I would recommend his products.

Francisco
NP3OD

--- In agwpe_pro@yahoogroups.com, "w4vpi" <w4vpi@...> wrote:
>
> Sorry Alan, I can't agree with you on this one. George and his US
> agent have had ample time to get this resolved.
> I must go by my experience - I simply cannot, in good faith,
> recommend this company or its products.
>
>
> --- In agwpe_pro@yahoogroups.com, Alan Isaachsen <kb2wf@> wrote:
> >
> > You are too harsh!
> >
> > Quite the opposite, I have found that the products perform
> extremely well and the service that George has provided has been very
> prompt and to the point.
> >
> > Alan
> >
> > w4vpi <w4vpi@> wrote:
> > That's interesting.
> > Strange though, that there was no problem getting my payment to
> you,
> > and there has been no shortage of emails to me from your US agent,
> > BMT... I think a little more effort on your part could have solved
> > this problem. (It IS easy to give up when there is a problem.)
> >
> > Based on my experience, I can not recommend this company or its
> > products.
> >
> > --- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@> wrote:
> > >
> > > Hi
> > >
> > > I sent you a couple of emails but this is the response
> > >
> > >
> >

> **********
> > ******
> > > **********
> > > Hi. This is the qmail-send program at mail01c.rapidsite.net.
> > > I'm afraid I wasn't able to deliver your message to the following
> > addresses.
> > > This is a permanent error; I've given up. Sorry it didn't work
> out.
> > >
> > > <w4vpi@>:
> > > 208.45.133.107 does not like recipient.
> > > Remote host said: 554 Service unavailable; Client host
> > [131.103.218.141]
> > > blocked using blackholes.excite.com; Your message could not be
> > delivered.
> > > See http://blackholes.excite.com/ Error: WS-05
> > > Giving up on 208.45.133.107.
> > >
> > > --- Below this line is a copy of the message.
> > >
> > >
> >
> **********
> > ******
> > > **********
> > > 73
> > >
> > >
> > >
> > > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
> > with USB and
> > > battery for portable operation)
> > > www.elcom.gr
> > >
> > > (SV2AGW)George Rossopoulos
> > > sv2agw@
> > > www.elcom.gr/sv2agw
> > > +306932465216
> > > George Rossopoulos
> > > Nikanoros 59
> > > 54250,Thessaloniki
> > > Greece
> > >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com]
> > On Behalf
> > > Of w4vpi
> > > Sent: Saturday, July 22, 2006 1:03 AM
> > > To: agwpe_pro@yahoogroups.com

> > > Subject: [agwpe_pro] Re: registration problems
> > >
> > > Great Keith! I love success stories.
> > > I was, however, looking for hams who have had registration
> > Difficulties.
> > > Sorry if I wasn't clear on that point.
> > >
> > > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> > 40yahoogroups.com> ,
> > > "Keith Ray" <G1GXB@> wrote:
> > > >
> > > > Hi
> > > >
> > > >
> > > >
> > > > I have just registered AGWpe-pro and found the opposite. The
> same
> > > day as I
> > > > registered I had a e-mail from SV2AVG requesting my details
> > > >
> > > >
> > > >
> > > > Hi Keith
> > > >
> > > > Thank you for the registration.
> > > >
> > > > I need your callsign and the "Key To Send" from Packet Engine's
> > Pro
> > > > Registration dialog to generate your keycodes.
> > > >
> > > > 73
> > > >
> > > > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I
> replied
> > > > immediately and the next
> > > day I had
> > > > the registration details. Don't think you can improve on that.
> > > >
> > > >
> > > >
> > > > 73 de Keith G1GXB
> > > >
> > > >
> > > >
> > > > _____
> > > >
> > > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> > 40yahoogroups.com>
> > > > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> > 40yahoogroups.com>

> > > >]
> > > On Behalf
> > > > Of w4vpi
> > > > Sent: 20 July 2006 20:19
> > > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%
> 40yahoogroups.com>
> > > > Subject: [agwpe_pro] registration problems
> > > >
> > > >
> > > >
> > > > Any one having problems getting AGWPro registered? I sent in my
> > > money
> > > > (by Credit Card) a week ago but have had no response.
> > > > SV2agw wont return my emails...
> > > > At this point, I cant recommend this company or the program.
> > > >
> > > >
> > > >
> > > >
> > > > --
> > > > No virus found in this incoming message.
> > > > Checked by AVG Free Edition.
> > > > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> > > 19/07/2006
> > > >
> > > >
> > > >
> > > > --
> > > > No virus found in this outgoing message.
> > > > Checked by AVG Free Edition.
> > > > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> > > 19/07/2006
> > > >
> > > >
> > > >
> > > > [Non-text portions of this message have been removed]
> > > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > _____
> > > http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý
> ôá÷ôäñïìåßïõ.
> > > http://www.freemail.gr - free email service for the Greek-
> speaking.
> > >
> >

> >
> >
> >
> >
> >
> >
> >
> > ---
> > Do you Yahoo!?
> > Next-gen email? Have it all with the all-new Yahoo! Mail Beta.
> >
> > [Non-text portions of this message have been removed]
> >
>

556. MY REGISTRATION PROBLEM SOLVED

Yahoo group: agwpe_pro
Date: 2006-07-26 03:22:43 UTC
From: Jim Egerton
Topic: 556 Message: 556

I had a problem registering the Pro. I reported on this forum. George immediately responded with instructions. I sent him my two key number series and he corrected one and sent them back to me. WALLA!! I have now got a registered program. So whats the fuss. The wonderful thing about all this is we are doing this accross 10's of thousands of miles at the speed of light and accross national,.. political and sociological boundries. What's the problem with the WTO. Thanks George. Jim W6SST 7 3

557. RE: [agwpe_pro] Re: registration problems

Yahoo group: agwpe_pro
Date: 2006-07-25 12:40:31 UTC
From: Mitch
Topic: 544 Message: 557

I have found his replies fast and registration fast also.

The only problem I have is the auto update feature is broken and has not
been fixed yet. Last November he said by the end of the month.

Mitch
N2RGA
Asst. Emergency Coordinator Kings County ARES
Webmaster Kings County ARES ----> http://www.kingscountyares.org
When all else fails.....
NYC ARES.....
We're There!!! ----> http://www.aresnyc.org
NYC Races ----> http://www.racesnyc.org

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of w4vpi
Sent: Monday, July 24, 2006 8:13 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: registration problems

Sorry Alan, I can't agree with you on this one. George and his US
agent have had ample time to get this resolved.
I must go by my experience - I simply cannot, in good faith,
recommend this company or its products.

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , Alan
Isaachsen <kb2wf@...> wrote:
>
> You are too harsh!
>
> Quite the opposite, I have found that the products perform
extremely well and the service that George has provided has been very
prompt and to the point.
>
> Alan
>
> w4vpi <w4vpi@...> wrote:
> That's interesting.
> Strange though, that there was no problem getting my payment to
you,
> and there has been no shortage of emails to me from your US agent,
> BMT... I think a little more effort on your part could have solved
> this problem. (It IS easy to give up when there is a problem.)
>

> Based on my experience, I can not recommend this company or its
> products.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"sv2agw" <sv2agw@> wrote:
> >
> > Hi
> >
> > I sent you a couple of emails but this is the response
> >
> >
>
****
> ******
> > **********
> > Hi. This is the qmail-send program at mail01c.rapidsite.net.
> > I'm afraid I wasn't able to deliver your message to the following
> addresses.
> > This is a permanent error; I've given up. Sorry it didn't work
out.
> >
> > <w4vpi@>:
> > 208.45.133.107 does not like recipient.
> > Remote host said: 554 Service unavailable; Client host
> [131.103.218.141]
> > blocked using blackholes.excite.com; Your message could not be
> delivered.
> > See http://blackholes.excite.com/ Error: WS-05
> > Giving up on 208.45.133.107.
> >
> > --- Below this line is a copy of the message.
> >
> >
>
****
> ******
> > **********
> > 73
> >
> >
> >
> > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi
> with USB and
> > battery for portable operation)
> > www.elcom.gr
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@
> > www.elcom.gr/sv2agw
> > +306932465216

> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > Of w4vpi
> > Sent: Saturday, July 22, 2006 1:03 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Re: registration problems
> >
> > Great Keith! I love success stories.
> > I was, however, looking for hams who have had registration
> Difficulties.
> > Sorry if I wasn't clear on that point.
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro% <mailto:agwpe_pro%25%0b>
> 40yahoogroups.com> ,
> > "Keith Ray" <G1GXB@> wrote:
> > >
> > > Hi
> > >
> > >
> > >
> > > I have just registered AGWpe-pro and found the opposite. The
same
> > day as I
> > > registered I had a e-mail from SV2AVG requesting my details
> > >
> > >
> > >
> > > Hi Keith
> > >
> > > Thank you for the registration.
> > >
> > > I need your callsign and the "Key To Send" from Packet Engine's
> Pro
> > > Registration dialog to generate your keycodes.
> > >
> > > 73
> > >
> > > HYPERLINK "http://www.elcom.gr/ <http://www.elcom.gr/> "I
replied
> > > immediately and the next
> > day I had
> > > the registration details. Don't think you can improve on that.

> > >
> > >
> > >
> > > 73 de Keith G1GXB
> > >
> > >
> > >
> > > _____
> > >
> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro% <mailto:agwpe_pro%25%0b>
> 40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%
> 40yahoogroups.com>
> > >]
> > On Behalf
> > > Of w4vpi
> > > Sent: 20 July 2006 20:19
> > > To: agwpe_pro@...m <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro% <mailto:agwpe_pro%25%0b40yahoogroups.com>
40yahoogroups.com>
> > > Subject: [agwpe_pro] registration problems
> > >
> > >
> > >
> > > Any one having problems getting AGWPro registered? I sent in my
> > money
> > > (by Credit Card) a week ago but have had no response.
> > > SV2agw wont return my emails...
> > > At this point, I cant recommend this company or the program.
> > >
> > >
> > >
> > >
> > > --
> > > No virus found in this incoming message.
> > > Checked by AVG Free Edition.
> > > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> > 19/07/2006
> > >
> > >
> > >
> > > --
> > > No virus found in this outgoing message.
> > > Checked by AVG Free Edition.
> > > Version: 7.1.394 / Virus Database: 268.10.2/393 - Release Date:
> > 19/07/2006
> > >
> > >

> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
> >
> >
> >
> >
> >
> > _____
> > http://www.freemail.gr - äùñåÜí õðçñåóßá çëåêôñïíéêïý
ôá÷ôäñïìåßïõ.
> > http://www.freemail.gr - free email service for the Greek-
speaking.
> >
>
>
>
>
>
>
>
>
> ----------
> Do you Yahoo!?
> Next-gen email? Have it all with the all-new Yahoo! Mail Beta.
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

558. Autostart delays?

Yahoo group: agwpe_pro
Date: 2006-07-29 14:29:35 UTC
From: Alan Isaachsen
Topic: 558 Message: 558

I would like to build in a delay between auto-starting several programs. Is there any way to do this?

I have several instances of telpac in the autostart box. They open OK as instances 1 and 2 but do not initialize within the telpac program. It seems like they do not have time to initialize before the next program opens. With a manual start of the 2 telpac programs, they initialize OK.

(It seems that the order of opening of programs in the Autostart box follows alphabetical order of the filenames, not the order in the Autostart box. I thought that I might be able to start some other program in between the 2 telpacs, but could not.)

Any recommendations?

Thanks
Alan

How low will we go? Check out Yahoo! Messenger□s low PC-to-Phone call rates.

[Non-text portions of this message have been removed]

559. RE: [agwpe_pro] Autostart delays?

Yahoo group: agwpe_pro
Date: 2006-07-29 14:45:59 UTC
From: James K. Darrow (KB9MMC)
Topic: 558 Message: 559

Alan,

I use a program called Autostart Delayer.... Its a free program, and it works well. I have it set so that the AGWPE starts first then Autostart program waits about 5 seconds and then starts up my other programs that run off of AGWPE (Telpac, Sally UI-View). You can find the program at this website http://www.r2.com.au/software.php?page=2&cat=5&catname=Network

I hope that helps.....

73's Jim KB9MMC

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of Alan Isaachsen
Sent: Saturday, July 29, 2006 14:30
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Autostart delays?

I would like to build in a delay between auto-starting several programs. Is there any way to do this?

I have several instances of telpac in the autostart box. They open OK as instances 1 and 2 but do not initialize within the telpac program. It seems like they do not have time to initialize before the next program opens. With a manual start of the 2 telpac programs, they initialize OK.

(It seems that the order of opening of programs in the Autostart box follows alphabetical order of the filenames, not the order in the Autostart box. I thought that I might be able to start some other program in between the 2 telpacs, but could not.)

Any recommendations?

Thanks
Alan

How low will we go? Check out Yahoo! Messenger□s low PC-to-Phone call rates.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

560. Update of AGW

Yahoo group: agwpe_pro
Date: 2006-08-06 22:55:45 UTC
From: Steve
Topic: 558 Message: 560

Hate to ask....

George, what is the time line of AGW PRO? What new features should we be expecting?
Last one was July of 2004.

Steve N0FPF

561. Help! TNC7multi + AGW = ??

Yahoo group: agwpe_pro
Date: 2006-08-31 06:34:31 UTC
From: wa6pxx
Topic: 561 Message: 561

Our group is using TNC7multi TNC's for 9600 baud operation, with Winlink being the intended application.

The TNC7's (version 1.22) work fine with Paxon (version 1.00.1042) working in the host mode (TNC position 9.6k and 2, software mode f=3).

However, TNC7's + AGW operating in the KISS Simple mode do not receive every frame reliably. The TNC7+AGW transmit the frames correctly (as observed by Paxon on a third station), but the receiving station seems to miss ~ every other frame. We have noted similar problems after experimenting extensively with parameter and other settings including:

AGWPE Pro (2004.703) and free version (2004.1108)
Delay times
Mute time on TNC7
Com port settings (USB vs RS232, data rate, buffer size, latency)
Power levels, drive levels
TNC types used in AGW (Tapr 2, clone, Nordlink)
Soft DCD on/off, etc.
Paxon to AGW, AGW to AGW
XP and Windows 2000 (running on fast modern computers)

We have AGWMonitor files and Paxon files which demonstrate the missing received packet phenomenon. Again, Paxon receives everything, and Paxon ☐ Paxon communications work perfectly using the TNC7's.

Questions:
1. What's wrong?
2. How do we fix it so that TNC7+AGW work reliably?
3. Is there a way to use Paxon or some other host or Flexnet mode software to interface to the TNC7, then interface to AGW (e.g. by TCP/IP) and hence Telpac and/or Paclink?

E.g.: TNC7 <---> X <---> AGWPE <--> Telpac or Paclink

Where X = AXIP, or TF2AGW, or WA8DED, or ??

Please help ☐ I'm over my head on this one. /David WA6PXX

562. EUROPEAN AMPLITUDE MODULATION AMATEUR RADIO GROUP

Yahoo group: agwpe_pro
Date: 2006-09-08 14:32:19 UTC
From: gvastianos
Topic: 562 Message: 562

EUROPEAN AMPLITUDE MODULATION AMATEUR RADIO GROUP

NEW YAHOO GROUP: http://groups.yahoo.com/group/eamarg/

This is a group for licenced amateur radio operators (HAMs) who are interested in the AMPLITUDE MODULATION (AM) mode of communications. The group exists to promote the AM operation in the HAM bands and provide information about operating events and technical matters.

EAMARG encourages regional AM activity insuring there is AM available somewhere on the amateur bands. Based on the fact that the majority of the AM calling frequencies in USA belong outside the european HF bandplans... one of the EAMARG main goals is to help in the establishment of AM calling frequencies that will be compatible with the HF bandplans of the european countries.

EAMARG future plans including the sponsorship of operating events and contests that will promote the use Amplitude Modulation.

In order to join this group you must be a licenced radio amateur.

563. pk-88

Yahoo group: agwpe_pro
Date: 2006-10-07 21:07:12 UTC
From: miguy48642
Topic: 563 Message: 563

Hi!

Need help ,can not get my pk-88 to work with AGW Packet Engine PRO ?
It work good with my mj-1270b,and p&p sound card . but just not
working with my pk-88.
Thanks Bernie

564. Re: pk-88

Yahoo group: agwpe_pro
Date: 2006-10-08 11:21:53 UTC
From: Rick
Topic: 563 Message: 564

Try putting the PK-88 into Kiss mode first via a terminal program.
using the same computer. It's the only way I could get agw to see my pk
88... 73's Rick N1YHR..

--- In agwpe_pro@yahoogroups.com, "miguy48642" <catman99@...> wrote:
>
> Hi!
>
> Need help ,can not get my pk-88 to work with AGW Packet Engine PRO ?
> It work good with my mj-1270b,and p&p sound card . but just not
> working with my pk-88.
> Thanks Bernie
>

565. setup

Yahoo group: agwpe_pro
Date: 2006-11-06 17:50:44 UTC
From: David Childress
Topic: 565 Message: 565

I just downloaded pepro and on the setup chose tnc (kpc3). I am using my usb port (recognized as com 4). When I get to about the 4th step the test is nothing but dots. In other words no written info. The program says it can only detect com port 1 and 2 but in the detect mode it did pick up com 4 w/ 1200 bps. where do I go from here?

566. Re: [agwpe_pro] setup

Yahoo group: agwpe_pro
Date: 2006-11-07 08:49:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 565 Message: 566

Hi

for sure the baudrate is not 1200. Try first with 9600 and then 19200.
Inform us if ok.

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "David Childress" <david@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Monday, November 06, 2006 7:50 PM
Subject: [agwpe_pro] setup

I just downloaded pepro and on the setup chose tnc (kpc3). I am using
my usb port (recognized as com 4). When I get to about the 4th step
the test is nothing but dots. In other words no written info. The
program says it can only detect com port 1 and 2 but in the detect
mode it did pick up com 4 w/ 1200 bps. where do I go from here?

567. Re: [agwpe_pro] setup

Yahoo group: agwpe_pro
Date: 2006-11-10 01:54:31 UTC
From: david childress
Topic: 565 Message: 567

Working through it slowly did change the tnc to 9600 now working on simple kiss config.
Thanks for the help.
----- Original Message -----
From: (SV2AGW) George Rossopoulos
To: agwpe_pro@yahoogroups.com
Sent: Tuesday, November 07, 2006 2:49 AM
Subject: Re: [agwpe_pro] setup

Hi

for sure the baudrate is not 1200. Try first with 9600 and then 19200.
Inform us if ok.

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "David Childress" <david@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Monday, November 06, 2006 7:50 PM
Subject: [agwpe_pro] setup

I just downloaded pepro and on the setup chose tnc (kpc3). I am using
my usb port (recognized as com 4). When I get to about the 4th step
the test is nothing but dots. In other words no written info. The
program says it can only detect com port 1 and 2 but in the detect
mode it did pick up com 4 w/ 1200 bps. where do I go from here?

[Non-text portions of this message have been removed]

568. registering again

Yahoo group: agwpe_pro
Date: 2006-11-12 03:20:16 UTC
From: kd8cbj
Topic: 568 Message: 568

d24i8<>63;97j/=<<<4fmie8:8f669n:;b79.Do I have to go through this every time I have to reload my computer?Isn't there one register number I can use over again,I paid for it.

KD8CBJ

569. Re: updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-11-12 19:06:24 UTC
From: Duane Brophy
Topic: 539 Message: 569

As of 11 Nov it still will not update.
73 de Mack N9NTB

--- In agwpe_pro@yahoogroups.com, Alan Isaachsen <kb2wf@...> wrote:
>
> A week ago, George confirmed in an answer to me that:
> - This is the latest version
> - the auto update does not work right now
> - he expects to have an update available in the next month or so.
>
> Cheers
> Alan
>
> kb9mma1996 <kb9mma@...> wrote:
> My auto update on pe pro is failing...
> it sayws 2004.703
> it says there is an update but it is not working
>
> I did try and repair/install a install from georges site (update)
it
> is still same version.
> jim
>
>
>
>
>
>
>
>
> ---
> Talk is cheap. Use Yahoo! Messenger to make PC-to-Phone calls.
Great rates starting at 1¢/min.
>
> [Non-text portions of this message have been removed]
>

570. Re: [agwpe_pro] registering again

Yahoo group: agwpe_pro
Date: 2006-11-12 19:16:58 UTC
From: (SV2AGW) George Rossopoulos
Topic: 568 Message: 570

Hi

PSE send emails for registartion keycodes directly to me.
the keycode is
j34d82<:09:<f25::B/eljm.78g769n:;b79

The registration keycode is computer sensitive, so it is necessary to get a new one each time you change computer. Although for HAMs the registration fee covers all the computers you use.

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...

----- Original Message -----
From: "kd8cbj" <KD8CBJ@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Sunday, November 12, 2006 5:20 AM
Subject: [agwpe_pro] registering again

d24i8<>63;97j/=<<<4fmie8:8f669n:;b79.Do I have to go through this every time I have to reload my computer?Isn't there one register number I can use over again,I paid for it.

KD8CBJ

571. RE: [agwpe_pro] Re: updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-11-15 16:26:25 UTC
From: sv2agw
Topic: 539 Message: 571

Hi

Update is ready. Just searching a new way to bypass the registration procedure.
For the moment I have two options either by using only letters and numbers or using a web based service.

Perhaps I will release just the update and leave the registration procedure for later. The challenge is to be easy and most important compatible with the current procedure.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Duane Brophy
Sent: Sunday, November 12, 2006 9:06 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: updates on pe_poro

As of 11 Nov it still will not update.
73 de Mack N9NTB

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , Alan Isaachsen <kb2wf@...> wrote:
>
> A week ago, George confirmed in an answer to me that:
> - This is the latest version
> - the auto update does not work right now
> - he expects to have an update available in the next month or so.
>
> Cheers
> Alan
>

> kb9mma1996 <kb9mma@...> wrote:
> My auto update on pe pro is failing...
> it sayws 2004.703
> it says there is an update but it is not working
>
> I did try and repair/install a install from georges site (update)
it
> is still same version.
> jim
>
>
>
>
>
>
>
>
> ---
> Talk is cheap. Use Yahoo! Messenger to make PC-to-Phone calls.
Great rates starting at 1¢/min.
>
> [Non-text portions of this message have been removed]
>

572. need new key

Yahoo group: agwpe_pro
Date: 2006-11-15 19:33:23 UTC
From: kd8cbj
Topic: 572 Message: 572

```
d24i8<>63;97j/=<<<4fmie8:8f669n:;b79
KD8CBJ
```

573. Re: updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-11-16 22:53:38 UTC
From: aarhus_ca
Topic: 539 Message: 573

Hi George

I like your program very much - but as you know, I am one who has been annoyed with the registration process as I regularly change computers... A suggestion - since it is HAM software - tie the registration to the call sign - there is always the chance for pirates - but pirating a call sign would add a degree of security ... just a thought

cheers and 73

John VE3NFK

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> Update is ready. Just searching a new way to bypass the registration
> procedure.
> For the moment I have two options either by using only letters and
numbers
> or using a web based service.
>
> Perhaps I will release just the update and leave the registration
procedure
> for later. The challenge is to be easy and most important compatible
with
> the current procedure.
>
> 73
>
>
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with
USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of Duane Brophy
> Sent: Sunday, November 12, 2006 9:06 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: updates on pe_poro
>
> As of 11 Nov it still will not update.
> 73 de Mack N9NTB
>
> --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com> , Alan
> Isaachsen <kb2wf@> wrote:
> >
> > A week ago, George confirmed in an answer to me that:
> > - This is the latest version
> > - the auto update does not work right now
> > - he expects to have an update available in the next month or so.
> >
> > Cheers
> > Alan
> >
> > kb9mma1996 <kb9mma@> wrote:
> > My auto update on pe pro is failing...
> > it sayws 2004.703
> > it says there is an update but it is not working
> >
> > I did try and repair/install a install from georges site (update)
> it
> > is still same version.
> > jim
> >
> >
> >
> >
> >
> >
> >
> >
> > ----------
> > Talk is cheap. Use Yahoo! Messenger to make PC-to-Phone calls.
> Great rates starting at 1¢/min.
> >
> > [Non-text portions of this message have been removed]
> >
>

574. Re: [agwpe_pro] Re: updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-11-17 16:02:39 UTC
From: Steve
Topic: 539 Message: 574

It is an interesting problem because of the
switching of computers. What if your doing
emergency operations and you want to outfit a
couple of computers with AGW. You got an issue.

Steve N0FPF

At 02:53 PM 11/16/2006, you wrote:

>Hi George
>
>I like your program very much - but as you know, I am one who has been
>annoyed with the registration process as I regularly change computers...
>A suggestion - since it is HAM software - tie the registration to the
>call sign - there is always the chance for pirates - but pirating a
>call sign would add a degree of security ... just a thought
>
>cheers and 73
>
>John VE3NFK
>
>--- In
><mailto:agwpe_pro%40yahoogroups.com>agwpe_pro@yahoogroups.com,
>"sv2agw" <sv2agw@...> wrote:
> >
> > Hi
> >
> > Update is ready. Just searching a new way to bypass the registration
> > procedure.
> > For the moment I have two options either by using only letters and
>numbers
> > or using a web based service.
> >
> > Perhaps I will release just the update and leave the registration
>procedure
> > for later. The challenge is to be easy and most important compatible
>with
> > the current procedure.
> >
> > 73
> >
> >
> >
> > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with
>USB and
> > battery for portable operation)

> > www.elcom.gr
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@...
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> > -----Original Message-----
> > From:
> <mailto:agwpe_pro%40yahoogroups.com>agwpe_pro@...m
> [mailto:agwpe_pro@yahoogroups.com]
>On Behalf
> > Of Duane Brophy
> > Sent: Sunday, November 12, 2006 9:06 PM
> > To: <mailto:agwpe_pro%40yahoogroups.com>agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: updates on pe_poro
> >
> > As of 11 Nov it still will not update.
> > 73 de Mack N9NTB
> >
> > --- In <mailto:agwpe_pro%40yahoogroups.com>agwpe_pro@yahoogroups.com
><mailto:agwpe_pro%40yahoogroups.com> , Alan
> > Isaachsen <kb2wf@> wrote:
> > >
> > > A week ago, George confirmed in an answer to me that:
> > > - This is the latest version
> > > - the auto update does not work right now
> > > - he expects to have an update available in the next month or so.
> > >
> > > Cheers
> > > Alan
> > >
> > > kb9mma1996 <kb9mma@> wrote:
> > > My auto update on pe pro is failing...
> > > it sayws 2004.703
> > > it says there is an update but it is not working
> > >
> > > I did try and repair/install a install from georges site (update)
> > it
> > > is still same version.
> > > jim
> > >
> > >
> > >
> > >
> > >

> > >
> > >
> > >
> > > ---
> > > Talk is cheap. Use Yahoo! Messenger to make PC-to-Phone calls.
> > Great rates starting at 1¢/min.
> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
>
>

575. Re: [agwpe_pro] Re: updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-11-17 11:49:23 UTC
From: KD8CBJ@aol.com
Topic: 539 Message: 575

I agree with John VE3NFK,love the program,but-----I recently had to reload my computer,and has sent a few e-mails requesting a new key.It's not fun watching the "30day"counter tick a way.I went a head and bought the pro version because I believe in the program.Am I (and others)going to have to just reinstall every 30day?The main reason I purchased the pro version is for the TCP/IP over radio,should I go back to the free version and try to fit my TCP/IP into blockes of 45mins.I use WinPac,and UI-VIEW,and have registration num.for them,so reloading them is a snap.

73 KD8CBJ G.D. EN63NL

[Non-text portions of this message have been removed]

576. Re: [agwpe_pro] Re: updates on pe_poro

Yahoo group: agwpe_pro
Date: 2006-11-17 20:04:45 UTC
From: KD8CBJ@aol.com
Topic: 539 Message: 576

I concur here also.Too good of a program to have a tick at the end

73 KD8CBJ

[Non-text portions of this message have been removed]

577. Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2006-11-22 18:28:03 UTC
From: sv2agw
Topic: 539 Message: 577

Hi

www.elcom.gr/sv2agw/beta/pepro_beta.zip

Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet Engine Pro).
You can rename the old file Packet Engine Pro.exe and AGWPE.sys to Packet Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to previous version.

Just a step before final release.
A lot of changes
1.Fixed some bugs on serial kiss tncs
2.Improved Soundcard modem for 1200
3.updated internal structure
4.Runs faster on any windows version

Other improvements.
Changed a bit the registration dialog and now the "Key To Send" is in comprehensive format

I am working on a web site for automatic registration (get the Registration serial number) directly from registration dialog.

PSE any comments here.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

578. RE: [agwpe_pro] Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2006-11-22 20:53:49 UTC
From: Gerhard F5VAG
Topic: 539 Message: 578

Hi George,

I have just made a PE_Pro installation from scratch,
verified that it works correctly, and then exchanged
the two files in the new beta release.

The program starts with the following error message
pop-up
http://f5vag.eu/pepro_error.gif
and then exits.

--
73 de Gerhard, F5VAG / DL7MW
f5vag.eu, france.aprs2.net

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On
> Behalf Of sv2agw
> Sent: Wednesday, November 22, 2006 7:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro Beta Release
>
>
> Hi
>
> www.elcom.gr/sv2agw/beta/pepro_beta.zip
>
> Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet
> Engine Pro).
> You can rename the old file Packet Engine Pro.exe and AGWPE.sys to Packet
> Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to
> previous version.
>
> Just a step before final release.
> A lot of changes
> 1.Fixed some bugs on serial kiss tncs
> 2.Improved Soundcard modem for 1200
> 3.updated internal structure
> 4.Runs faster on any windows version
>
> Other improvements.
> Changed a bit the registration dialog and now the "Key To Send" is in
> comprehensive format
>
> I am working on a web site for automatic registration (get the Registration
> serial number) directly from registration dialog.

>
> PSE any comments here.
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

579. Re: Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2006-11-22 21:57:27 UTC
From: la2mv
Topic: 539 Message: 579

```
--- sv2agw wrote:
> 4.Runs faster on any windows version

Runs with no problem, and faster! :-)
```

580. New Beta (fixed problem with win2000 And win98

Yahoo group: agwpe_pro
Date: 2006-11-23 00:35:24 UTC
From: sv2agw
Topic: 539 Message: 580

Hi Gerhard

Thank you for the report.Fixed the problem.
I am using a special XP function.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Gerhard F5VAG
Sent: Wednesday, November 22, 2006 10:54 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro Beta Release

Hi George,

I have just made a PE_Pro installation from scratch,
verified that it works correctly, and then exchanged
the two files in the new beta release.

The program starts with the following error message
pop-up
http://f5vag.eu/pepro_error.gif <http://f5vag.eu/pepro_error.gif>
and then exits.

--
73 de Gerhard, F5VAG / DL7MW
f5vag.eu, france.aprs2.net

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]On
> Behalf Of sv2agw
> Sent: Wednesday, November 22, 2006 7:28 PM

> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Packet Engine Pro Beta Release
>
>
> Hi
>
> www.elcom.gr/sv2agw/beta/pepro_beta.zip
>
> Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet
> Engine Pro).
> You can rename the old file Packet Engine Pro.exe and AGWPE.sys to Packet
> Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to
> previous version.
>
> Just a step before final release.
> A lot of changes
> 1.Fixed some bugs on serial kiss tncs
> 2.Improved Soundcard modem for 1200
> 3.updated internal structure
> 4.Runs faster on any windows version
>
> Other improvements.
> Changed a bit the registration dialog and now the "Key To Send" is in
> comprehensive format
>
> I am working on a web site for automatic registration (get the
Registration
> serial number) directly from registration dialog.
>
> PSE any comments here.
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB
and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@... <mailto:sv2agw%40elcom.gr>
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
>
>
>

>
> Yahoo! Groups Links
>
>
>
>

581. RE: [agwpe_pro] New Beta (fixed problem with win2000 And win98

Yahoo group: agwpe_pro
Date: 2006-11-23 01:41:14 UTC
From: Gerhard F5VAG
Topic: 539 Message: 581

Thanks George.

Now it runs without problem.

--
73 de Gerhard, F5VAG / DL7MW
f5vag.eu, france.aprs2.net

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On
> Behalf Of sv2agw
> Sent: Thursday, November 23, 2006 1:35 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Beta (fixed problem with win2000 And win98
>
>
>
> Hi Gerhard
>
> Thank you for the report.Fixed the problem.
> I am using a special XP function.
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of Gerhard F5VAG
> Sent: Wednesday, November 22, 2006 10:54 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Packet Engine Pro Beta Release
>
> Hi George,
>

> I have just made a PE_Pro installation from scratch,
> verified that it works correctly, and then exchanged
> the two files in the new beta release.
>
> The program starts with the following error message
> pop-up
> http://f5vag.eu/pepro_error.gif <http://f5vag.eu/pepro_error.gif>
> and then exits.
>
> --
> 73 de Gerhard, F5VAG / DL7MW
> f5vag.eu, france.aprs2.net
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]On
> > Behalf Of sv2agw
> > Sent: Wednesday, November 22, 2006 7:28 PM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Packet Engine Pro Beta Release
> >
> >
> > Hi
> >
> > www.elcom.gr/sv2agw/beta/pepro_beta.zip
> >
> > Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet
> > Engine Pro).
> > You can rename the old file Packet Engine Pro.exe and AGWPE.sys to Packet
> > Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to
> > previous version.
> >
> > Just a step before final release.
> > A lot of changes
> > 1.Fixed some bugs on serial kiss tncs
> > 2.Improved Soundcard modem for 1200
> > 3.updated internal structure
> > 4.Runs faster on any windows version
> >
> > Other improvements.
> > Changed a bit the registration dialog and now the "Key To Send" is in
> > comprehensive format
> >
> > I am working on a web site for automatic registration (get the
> Registration
> > serial number) directly from registration dialog.
> >
> > PSE any comments here.
> >
> > 73

> >
> > micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB
> and
> > battery for portable operation)
> > www.elcom.gr
> >
> > (SV2AGW)George Rossopoulos
> > sv2agw@... <mailto:sv2agw%40elcom.gr>
> > www.elcom.gr/sv2agw
> > +306932465216
> > George Rossopoulos
> > Nikanoros 59
> > 54250,Thessaloniki
> > Greece
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

582. Re: Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2006-11-23 02:02:43 UTC
From: aarhus_ca
Topic: 539 Message: 582

Hi George

It works - and is faster - but the Receive volume reverts to full vol
when you close the tuning control - nothing helps - it always goes
back to full volume...
I look forward to the web based registration solution.

73

john VE3NFK

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> www.elcom.gr/sv2agw/beta/pepro_beta.zip
>
> Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet
> Engine Pro).
> You can rename the old file Packet Engine Pro.exe and AGWPE.sys to
Packet
> Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to
> previous version.
>
> Just a step before final release.
> A lot of changes
> 1.Fixed some bugs on serial kiss tncs
> 2.Improved Soundcard modem for 1200
> 3.updated internal structure
> 4.Runs faster on any windows version
>
> Other improvements.
> Changed a bit the registration dialog and now the "Key To Send" is in
> comprehensive format
>
> I am working on a web site for automatic registration (get the
Registration
> serial number) directly from registration dialog.
>
> PSE any comments here.
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with
USB and
> battery for portable operation)

> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

583. RE: [agwpe_pro] Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2006-11-25 06:48:51 UTC
From: David Giuliani
Topic: 539 Message: 583

Thanks for doing this, George, and all you do for ham radio. We were happy to help with the TNC7multi bug discovery.

David WA6PXX
Mercer Island, WA

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of sv2agw
Sent: Wednesday, November 22, 2006 10:28 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine Pro Beta Release

Hi

www.elcom.gr/sv2agw/beta/pepro_beta.zip

Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet Engine Pro).
You can rename the old file Packet Engine Pro.exe and AGWPE.sys to Packet Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to previous version.

Just a step before final release.
A lot of changes
1.Fixed some bugs on serial kiss tncs
2.Improved Soundcard modem for 1200
3.updated internal structure
4.Runs faster on any windows version

Other improvements.
Changed a bit the registration dialog and now the "Key To Send" is in comprehensive format

I am working on a web site for automatic registration (get the Registration
serial number) directly from registration dialog.

PSE any comments here.

73

micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with USB and
battery for portable operation)
www.elcom.gr

(SV2AGW)George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

[Non-text portions of this message have been removed]

584. Re: Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2006-11-28 12:57:14 UTC
From: Francisco Diaz
Topic: 539 Message: 584

Hi George,

I have been testing the agwpe pro for couple of days. So far seems to
work fine.

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi
>
> www.elcom.gr/sv2agw/beta/pepro_beta.zip
>
> Unzip and drop the file in pepro directory (Program files/AGWSoft/Packet
> Engine Pro).
> You can rename the old file Packet Engine Pro.exe and AGWPE.sys to
Packet
> Engine Pro.exe.old and agwpe.sys.old in case you need to roll back to
> previous version.
>
> Just a step before final release.
> A lot of changes
> 1.Fixed some bugs on serial kiss tncs
> 2.Improved Soundcard modem for 1200
> 3.updated internal structure
> 4.Runs faster on any windows version
>
> Other improvements.
> Changed a bit the registration dialog and now the "Key To Send" is in
> comprehensive format
>
> I am working on a web site for automatic registration (get the
Registration
> serial number) directly from registration dialog.
>
> PSE any comments here.
>
> 73
>
> micro USB TNT (A pocket TNC with Build in Tracker and APRS digi with
USB and
> battery for portable operation)
> www.elcom.gr
>
> (SV2AGW)George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw

> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>

585. Moving PRO-beta to a new computer?

Yahoo group: agwpe_pro
Date: 2006-12-12 11:37:48 UTC
From: Alan Biddle
Topic: 585 Message: 585

I will be moving everything to a new computer soon, and wondered what the procedure is with the new beta? Move, and then email as before for a new activation number, or ???

73s,

Alan
WA4SCA

586. New to packet need assist

Yahoo group: agwpe_pro
Date: 2006-12-27 03:37:56 UTC
From: easydogct
Topic: 586 Message: 586

I have just tried to download and install the PRO software. What I am running into is that Last year I downloaded 2004.703 and I can't install the new version because I keep getting the msg "Trial period expired, install a new version and get another 30 day trial period"..

I'am a little confussed.. There are a lot of different programs listed tracker Pro monitor etc.. I also see an upgrade for winXP would someone pse give be what prog files to down load and how I might get around the previous version as far as uninstaling it..

Tnx

Ed Schaff Pensacola, FL KR6N

587. Re: [agwpe_pro] New to packet need assist

Yahoo group: agwpe_pro
Date: 2006-12-27 19:38:36 UTC
From: kb1chu@aol.com
Topic: 586 Message: 587

delete the old version(control panel,uninstall programs,agw,uninstall..) and install a new copy. I have had great luck with the new version

happy new year KB1CHU
-----Original Message-----
From: easydogct@...
To: agwpe_pro@yahoogroups.com
Sent: Tue, 26 Dec 2006 10:37 PM
Subject: [agwpe_pro] New to packet need assist

I have just tried to download and install the PRO software. What I am running into is that Last year I downloaded 2004.703 and I can't install the new version because I keep getting the msg "Trial period expired, install a new version and get another 30 day trial period"..

I'am a little confussed.. There are a lot of different programs listed tracker Pro monitor etc.. I also see an upgrade for winXP would someone pse give be what prog files to down load and how I might get around the previous version as far as uninstaling it..

Tnx

Ed Schaff Pensacola, FL KR6N

_____
Check out the new AOL. Most comprehensive set of free safety and security tools, free access to millions of high-quality videos from across the web, free AOL Mail and more.

[Non-text portions of this message have been removed]

588. Re: New to packet need assist

Yahoo group: agwpe_pro
Date: 2006-12-27 23:35:44 UTC
From: easydogct
Topic: 586 Message: 588

Tnx KB1CHU,
I did that uninstal steps and no cigar !! I think there still may be something hanging on in there. There are no agw related titles in the populated program listing in add/remove. Hope don't have to edit the registry to get the old one out. Anything else I can try.. The new versoin does give an option to "Repair" or "Remove" the new version, but apparently doesnt "Remove" any previous versions. ?
Ed Pensacola, FL KR6N

--- In agwpe_pro@yahoogroups.com, kb1chu@... wrote:
>
> delete the old version(control panel,uninstall programs,agw,uninstall..) and install a new copy. I have had great luck with the new version
>
> happy new year KB1CHU
> -----Original Message-----
> From: easydogct@...
> To: agwpe_pro@yahoogroups.com
> Sent: Tue, 26 Dec 2006 10:37 PM
> Subject: [agwpe_pro] New to packet need assist
>
>
> I have just tried to download and install the PRO software. What I am
> running into is that Last year I downloaded 2004.703 and I can't
> install the new version because I keep getting the msg "Trial period
> expired, install a new version and get another 30 day trial period"..
>
> I'am a little confussed.. There are a lot of different programs
> listed tracker Pro monitor etc.. I also see an upgrade for
> winXP would someone pse give be what prog files to down load and
> how I might get around the previous version as far as uninstaling it..
>
> Tnx
>
> Ed Schaff Pensacola, FL KR6N
>
>
>
>

> Check out the new AOL. Most comprehensive set of free safety and
security tools, free access to millions of high-quality videos from
across the web, free AOL Mail and more.
>
>
> [Non-text portions of this message have been removed]
>

589. Re: New to packet need assist

Yahoo group: agwpe_pro
Date: 2006-12-28 20:08:23 UTC
From: easydogct
Topic: 586 Message: 589

-
Exactly where is the NEW packet Pro program that I can download ??
On the sv2agw download site all i see is
"Packet Pro 7 Jul 2004 5MB" ... I have uninstalled the previous
version and when I download this one. I still get msg that the free
trial period has expired, download a new version to get another 30-
day trial period"
Ed Pensacola, FL KR6N

-- In agwpe_pro@yahoogroups.com, "easydogct" <easydogct@...> wrote:
>
> Tnx KB1CHU,
> I did that uninstal steps and no cigar !! I think there still
may
> be something hanging on in there. There are no agw related titles
> in the populated program listing in add/remove. Hope don't have
to
> edit the registry to get the old one out. Anything else I can
> try.. The new versoin does give an option to "Repair"
or "Remove"
> the new version, but apparently doesnt "Remove" any previous
> versions. ?
> Ed Pensacola, FL KR6N
>
>
>
>
>
>
>
> --- In agwpe_pro@yahoogroups.com, kb1chu@ wrote:
> >
> > delete the old version(control panel,uninstall
> programs,agw,uninstall..) and install a new copy. I have had great
> luck with the new version
> >
> > happy new year KB1CHU
> > -----Original Message-----
> > From: easydogct@
> > To: agwpe_pro@yahoogroups.com
> > Sent: Tue, 26 Dec 2006 10:37 PM
> > Subject: [agwpe_pro] New to packet need assist
> >
> >
> > I have just tried to download and install the PRO software. What

I
> am
> > running into is that Last year I downloaded 2004.703 and I can't
> > install the new version because I keep getting the msg "Trial
> period
> > expired, install a new version and get another 30 day trial
> period"..
> >
> > I'am a little confussed.. There are a lot of different programs
> > listed tracker Pro monitor etc.. I also see an upgrade for
> > winXP would someone pse give be what prog files to down load and
> > how I might get around the previous version as far as
uninstaling
> it..
> >
> > Tnx
> >
> > Ed Schaff Pensacola, FL KR6N
> >
> >
> >
> >
>

> ___
> > Check out the new AOL. Most comprehensive set of free safety
and
> security tools, free access to millions of high-quality videos
from
> across the web, free AOL Mail and more.
> >
> >
> > [Non-text portions of this message have been removed]
> >
>

590. RE: [agwpe_pro] New to packet need assist

Yahoo group: agwpe_pro
Date: 2006-12-28 23:04:07 UTC
From: Ralph Milnes
Topic: 586 Message: 590

I have an archived message (3Feb06) that suggests you may have been able to get a new trial period just by erasing the AGWPE.INI and all port_.ini files in the Program files/AGWSOft/Packet Engine Pro folder, or wherever you have PE Pro installed.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of easydogct
Sent: Tuesday, December 26, 2006 10:38 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New to packet need assist

I have just tried to download and install the PRO software. What I am running into is that Last year I downloaded 2004.703 and I can't install the new version because I keep getting the msg "Trial period expired, install a new version and get another 30 day trial period"..

I'am a little confussed.. There are a lot of different programs listed tracker Pro monitor etc.. I also see an upgrade for winXP would someone pse give be what prog files to down load and how I might get around the previous version as far as uninstaling it..

Tnx

Ed Schaff Pensacola, FL KR6N

Yahoo! Groups Links

591. Re: [agwpe_pro] New to packet need assist

Yahoo group: agwpe_pro
Date: 2006-12-30 08:56:24 UTC
From: (SV2AGW) George Rossopoulos
Topic: 586 Message: 591

Hi

to have another month you must get a new version.
Download the www.elcom.gr/sv2agw/beta/pepro_beta.zip and replacethe two
files

73

microUSB TNT the New Agw TNC (www.elcom.gr)
AGWTracker the APRS Client (www.elcom.gr/sv2agw)
(SV2AGW)George Rossopoulos
www.elcom.gr/sv2agw
sv2agw@...
----- Original Message -----
From: "Ralph Milnes" <ralphmilnes@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Friday, December 29, 2006 1:04 AM
Subject: RE: [agwpe_pro] New to packet need assist

>I have an archived message (3Feb06) that suggests you may have been able to
> get a new trial period just by erasing the AGWPE.INI and all port_.ini
> files
> in the Program files/AGWSOft/Packet Engine Pro folder, or wherever you
> have
> PE Pro installed.
>
> Ralph KC2RLM
>
>
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf
> Of easydogct
> Sent: Tuesday, December 26, 2006 10:38 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New to packet need assist
>
> I have just tried to download and install the PRO software. What I am
> running into is that Last year I downloaded 2004.703 and I can't
> install the new version because I keep getting the msg "Trial period
> expired, install a new version and get another 30 day trial period"..
>
> I'am a little confussed.. There are a lot of different programs
> listed tracker Pro monitor etc.. I also see an upgrade for
> winXP would someone pse give be what prog files to down load and

> how I might get around the previous version as far as uninstaling it..
>
> Tnx
>
> Ed Schaff Pensacola, FL KR6N
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

592. Problem with AGWPE Pro and RigExpert on new machine.

Yahoo group: agwpe_pro
Date: 2007-01-06 01:26:04 UTC
From: Alan Biddle
Topic: 592 Message: 592

I am in the process of moving to a newer computer, and am a bit stumped on getting AGWPE Pro working again. The old computer was an elderly Micron 1 GHz unit with WINXP Home. The newer machine is an HP 2.4 GHz dual core unit with WINXP Pro. I have tried this with both the release version of AGWPE Pro, and the betas which were released recently.

I am using a RixExpert SD for the sound card, using the REAudio sound card emulation. It works perfectly on the old machine with AGWPE Pro and programs such as WINPSKse which do NOT use the native mode RigExpert drivers. It also works perfectly with the new machine with these same programs, except for AGWPE Pro. It even works with MixW set up to use the RigExpert as a standard sound card. In that mode, I can see the normal APRS traffic.

On the new machine, AGWPE Pro appears to be working as far as getting the audio from the radio. The tuning aid shows a normal signal for 1200 baud packet, the DCD indicator responds, but it does not decode anything. The stations heard list and monitor screen are blank, and if I fire up AGWTerm, nothing shows up. Also, it does not transmit from AGWTerm, or UI-VIEW32. There is plenty of activity on the frequency. Switching the USB cable to the old machine results in normal behavior.

I have compared the settings on the old and new machines, side by side, and they are identical so far as I can see. Any suggestions on what might be causing the discrepancy? While I of course did a clean install of all the programs on the new machine, I experimented with copying all the INI files over, but with no success. With luck, it is something simple/stupid.

Alan
WA4SCA

593. RE: [agwpe_pro] Problem with AGWPE Pro and RigExpert on new machine.

Yahoo group: agwpe_pro
Date: 2007-01-06 02:47:21 UTC
From: Ralph Milnes
Topic: 592 Message: 593

Hi Alan,

I'm not familiar with the RigExpert SD, but it looks like it has its own sound card.

I don't have a suggestion for you, but I do have a question. In the old installation, how did you configure PE Pro, specifically what did you tell PE Pro to use for a device type for RigExpert SD? An external modem? I didn't notice an option in PE Pro for the RigExpert.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Alan Biddle
Sent: Friday, January 05, 2007 8:26 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Problem with AGWPE Pro and RigExpert on new machine.

I am in the process of moving to a newer computer, and am a bit stumped on getting AGWPE Pro working again. The old computer was an elderly Micron 1 GHz unit with WINXP Home. The newer machine is an HP 2.4 GHz dual core unit with WINXP Pro. I have tried this with both the release version of AGWPE Pro, and the betas which were released recently.

I am using a RixExpert SD for the sound card, using the REAudio sound card emulation. It works perfectly on the old machine with AGWPE Pro and programs such as WINPSKse which do NOT use the native mode RigExpert drivers. It also works perfectly with the new machine with these same programs, except for AGWPE Pro. It even works with MixW set up to use the RigExpert as a standard sound card. In that mode, I can see the normal APRS traffic.

On the new machine, AGWPE Pro appears to be working as far as getting the audio from the radio. The tuning aid shows a normal signal for 1200 baud packet, the DCD indicator responds, but it does not decode anything. The stations heard list and monitor screen are blank, and if I fire up AGWTerm, nothing shows up. Also, it does not transmit from AGWTerm, or UI-VIEW32. There is plenty of activity on the frequency. Switching the USB cable to the old machine results in normal behavior.

I have compared the settings on the old and new machines, side by side, and they are identical so far as I can see. Any suggestions on what might be causing the discrepancy? While I of course did a clean install of all the programs on the new machine, I experimented with copying all the INI files over, but with no success. With luck, it is something simple/stupid.

Alan
WA4SCA

Yahoo! Groups Links

594. RE: [agwpe_pro] Problem with AGWPE Pro and RigExpert on new machine.

Yahoo group: agwpe_pro
Date: 2007-01-06 03:09:45 UTC
From: Ralph Milnes
Topic: 592 Message: 594

Disregard the previous posting. I now see that the Real Audio emulation creates a virtual sound card for PE Pro to hook to.

When you say "no decode", does that mean that the little green pixel in the PE Pro modem icon (lower right of your screen) does not flash at all when packets are received? If the pixel blinks, then you know PE Pro is decoding, but there's a problem linking to applications. If it doesn't blink, then it would appear there's something wrong with the audio that reaches PE Pro, e.g. noise, portions of the packet dropped, etc. despite that fact that the Tuning Aid display appears OK.

Does the PE Pro modem icon blink red when a transmit signal is sent by AGWTerm or UI-View?

A failure for client programs to hook to PE Pro might indicate a TCP/IP problem. Is it possible you now have a software firewall that is blocking TCP/IP exchanges with PE Pro? If so, turn off the firewall temporarily.

And the TCP/IP interface option in PE Pro should be on (it's the default, so it should be on). Check on the menu under "Network TCPIP".

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Alan Biddle
Sent: Friday, January 05, 2007 8:26 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Problem with AGWPE Pro and RigExpert on new machine.

I am in the process of moving to a newer computer, and am a bit stumped on getting AGWPE Pro working again. The old computer was an elderly Micron 1 GHz unit with WINXP Home. The newer machine is an HP 2.4 GHz dual core unit with WINXP Pro. I have tried this with both the release version of AGWPE Pro, and the betas which were released recently.

I am using a RixExpert SD for the sound card, using the REAudio sound card emulation. It works perfectly on the old machine with AGWPE Pro and programs such as WINPSKse which do NOT use the native mode RigExpert drivers. It also works perfectly with the new machine with these same programs, except for AGWPE Pro. It even works with MixW set up to use the RigExpert as a standard sound card. In that mode, I can see the normal APRS traffic.

On the new machine, AGWPE Pro appears to be working as far as getting the audio from the radio. The tuning aid shows a normal signal for 1200 baud packet, the DCD indicator responds, but it does not decode anything. The stations heard list and monitor screen are blank, and if I fire up AGWTerm, nothing shows up. Also, it does not transmit from AGWTerm, or UI-VIEW32. There is plenty of activity on the frequency. Switching the USB cable to the old machine results in normal behavior.

I have compared the settings on the old and new machines, side by side, and they are identical so far as I can see. Any suggestions on what might be causing the discrepancy? While I of course did a clean install of all the programs on the new machine, I experimented with copying all the INI files over, but with no success. With luck, it is something simple/stupid.

Alan
WA4SCA

Yahoo! Groups Links

595. Re: Problem with AGWPE Pro and RigExpert on new machine.

Yahoo group: agwpe_pro
Date: 2007-01-06 12:30:50 UTC
From: Alan Biddle
Topic: 592 Message: 595

Working now! After a good sleep, I remembered a note in the REAudio documentation about needing to set the default virtual port to 57.6k or 115.2k, and some specific transfer sizes if you get a spectrum, but no decode. I was aware of that, but as it worked on most programs, I didn't think to try changing it.

Odd that it should be a factor in some programs, and machines, but not others. My old machine worked fine with the default 9.6k, but the new one wants 57.6k. I really like the RigExpert hardware, and it works great with MixW using its native mode drivers, but the driver which sits on top of that to emulate a standard audio card is clunky, and in some ways poorly documented.

Alan
WA4SCA

596. Re-registration

Yahoo group: agwpe_pro
Date: 2007-01-09 10:47:17 UTC
From: Keith Ray
Topic: 596 Message: 596

Hi George

Due to finger problems on my behalf I have lost all the info on my hard drive and have had to reformat the hard drive and reload all my programmes. Please could you resend my registration key.

gh5jl>g93d77=/=f>e4e<868k3:fhfkf8730

Keith Ray
G1GXB
g1gxb@...

597. New user with packet decode problems

Yahoo group: agwpe_pro
Date: 2007-01-18 19:04:33 UTC
From: John Watkins
Topic: 597 Message: 597

Hello all, think I am close...but no packets yet decoded. Setup is FT-847 using the mini-audio jack on back that takes and receives audio from transceiver. Computer is Dell Inspiron 1505 with Sigma Tel audio hardware.

Am using audio isolation transformers in my audio patch cables. I am seeing audio packets from the xceiver, but no decode. Have adjusted the volume per instructions with regard to volume etc. My sine waves look nice and I don't think I have any rf in the audio or ground loop distortion.

Dispite all attempts from my ordinary human brain cannot get packets decoded. Hoping that someone can give me just the right clue to track down the problem.

I am using outside antenna and have S8 to 30 over packets coming in all the time.

Thanks in advance, John N0EVH

598. Re: New user with packet decode problems

Yahoo group: agwpe_pro
Date: 2007-01-18 22:14:59 UTC
From: Alan Biddle
Topic: 597 Message: 598

John,

If you are using the stereo audio jack, you are using the wrong connection for FM packet. You need to be using the PKT 1200 baud connection. A careful reading of the manual may suggest otherwise, but this is nevertheless true. Using that jack should work ok for RX though, but see below.

Second, the output from the FT-847 has an unusually high impedance, and the audio levels are a bit low compared to most other rigs. The result is that some circuits will load down the RX audio to the point where recovery is dicey. The best way to check this, if you have a scope, is to look at the output level with and without.

Alan
WA4SCA

599. RE: [agwpe_pro] New user with packet decode problems

Yahoo group: agwpe_pro
Date: 2007-01-18 22:21:03 UTC
From: Ralph Milnes
Topic: 597 Message: 599

John,

It sounds like you are using the correct jack on the radio, but just to be sure: the Yaesu FT-847 has a Data In/Out stereo plug jack for HF modes and a 6 pin mini-DIN jack for packet. Audio from the HF jack will be too weak for packet.

Is DSP processing "off" in the radio?

What about the connection to the laptop -- is there a LINE IN plug or are you using the MIC in? For MIC use you should have a mono plug and the volume sliders normally need to be far down, since it is easily overloaded.

Even though your sine waves look nice, try unplugging the power supply from the laptop to make sure there is no interference.

I have more suggestions at:
http://www.patmedia.net/ralphmilnes/soundcardpacket/

It may look similar to PE Pro's help (since I wrote both), but maybe there's something different that might help.

Finally, can you swap out either the radio or the computer with another -- to help determine which component is the trouble spot? For receive testing, it should be fairly easy to hook up a simple, one-line cord with the correct connectors for radio and PC.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John Watkins
Sent: Thursday, January 18, 2007 2:05 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New user with packet decode problems

Hello all, think I am close...but no packets yet decoded. Setup is FT-847 using the mini-audio jack on back that takes and receives audio from transceiver. Computer is Dell Inspiron 1505 with Sigma Tel audio hardware.

Am using audio isolation transformers in my audio patch cables. I am seeing audio packets from the xceiver, but no decode. Have adjusted the volume per instructions with regard to volume etc. My sine waves look nice and I don't think I have any rf in the audio or ground loop distortion.

Dispite all attempts from my ordinary human brain cannot get packets decoded. Hoping that someone can give me just the right clue to track down the problem.

I am using outside antenna and have S8 to 30 over packets coming in all the time.

Thanks in advance, John N0EVH

600. Re: [agwpe_pro] New user with packet decode problems

Yahoo group: agwpe_pro
Date: 2007-01-18 20:36:59 UTC
From: George Sansom
Topic: 597 Message: 600

Any chance you have chosen the wrong Com Port?

On 1/18/07, John Watkins <n0evh@...> wrote:
>
> Hello all, think I am close...but no packets yet decoded. Setup is FT-
> 847 using the mini-audio jack on back that takes and receives audio
> from transceiver. Computer is Dell Inspiron 1505 with Sigma Tel audio
> hardware.
>
> Am using audio isolation transformers in my audio patch cables. I am
> seeing audio packets from the xceiver, but no decode. Have adjusted
> the volume per instructions with regard to volume etc. My sine waves
> look nice and I don't think I have any rf in the audio or ground loop
> distortion.
>
> Dispite all attempts from my ordinary human brain cannot get packets
> decoded. Hoping that someone can give me just the right clue to track
> down the problem.
>
> I am using outside antenna and have S8 to 30 over packets coming in
> all the time.
>
> Thanks in advance, John N0EVH
>
>
>

[Non-text portions of this message have been removed]

601. Update on new user with packet decode problems

Yahoo group: agwpe_pro
Date: 2007-01-19 01:32:25 UTC
From: John Watkins
Topic: 597 Message: 601

Thanks for the fast replies.

I had an older PC with Win98 and sound card. So turned it on and loaded the pro engine. Within 5 minutes it was decoding packets with ease using the same transceiver and interface cable.

Soooo, still leaves questions for me as to why the brand new Dell laptop is not working where the old Gateway functions. So am following the other helpful hints from the list.

Do have a new question. I did a shared port on the Win98 and then pointed the pro engine on the laptop to the port. I hooked up right away. When I launch UI-View it finds the port just fine and then gives an error. Error says I need to be using AGWPE 2000.15 to use TCPIP.

Where do I find this 2000.15? I have looked around the downloads with no luck so far.

Thanks for the great help today. John

602. Initialising problem with TCPIP over Radio NDIS driver

Yahoo group: agwpe_pro
Date: 2007-01-19 09:50:24 UTC
From: Keith Ray
Topic: 602 Message: 602

Hi

I am using AGWpe Pro to link 2 Computers packet wise over a LAN.
The PC using AGWpe Pro (Windows XP Pro SP2) is used to monitor my
packet node SOTON (XROUTER software) on a computer running Windows
98 SE. Originally I set it up with no problem and all worked well for
a couple of years until a problem occurred on the Windows XP machine
resulting in me having to renew the Hard drive and reinstall
everything. I have re-installed the TCPIP over Radio NDIS Adaptor and
manually configured it as :-

Local Area Connection 2
Connected, firewalled
SV2AVG TCPIP over Radio NDIS Driver
IP Address 192.168.0.16
Sub Mask 225.225.255.0
Manually configured
Default Gateway 192.168.0.1 ? Default gateway of router

I loaded AGWpe Pro and generated a AXIP (External DLL) port

```
[TNC]
TYPE=AXIP (External Dll)
KISSSUBTYPE=KISS
INITKISS1=
INITKISS2=192.168.0.16
INITKISS3=G1GXB-16
EXITKISS=1
KISSID=0
FREQUENCY=LAN Link to SOTON
KISSIDPORT2=0
KISSIDPORT3=0
KISSIDPORT4=0
ONAIR=0
MULTIPORT=1
[COMMUNICATION]
PORT=COM2:
BAUD=9600
```

When restarted I am getting the Status IDLE (Error ini) and I cannot
remember how I set it up last time nor can I find ant help files in
this area. Any idea's.

Keith G1GXB

Xrouter Node G1GXB-3 : SOTON
IP Address 192.168.0.3

```
Sub Mask 225.225.255.0
Port 23
```

603. RE: [agwpe_pro] Update on new user with packet decode problems

Yahoo group: agwpe_pro
Date: 2007-01-19 16:36:58 UTC
From: Ralph Milnes
Topic: 597 Message: 603

John,

I think the message means to use version 2000.15 *at a minimum*. Newer versions should work fine. What version are you running? The latest (2004.1108) is at:

http://www.elcom.gr/sv2agw/agwpe.zip

This page may help:

http://www.patmedia.net/ralphmilnes/soundcardpacket/7uiview.htm

AGWPE should work OK with UI-View, providing AGWPE's WinSock (TCPIP) link is enabled (the default; not to be confused with the TCP Over radio feature, which is not normally needed).

When you finally get this resolved, please write me back with the exact error message you received (if you can get it) and what you did to resolve the issue. I'd like to add it to my website, if you'd be so kind.

By the way, if you have PE Pro, you can run it on both machines for one fee. Explain your setup to the program author, and he will send you an unlocking key for the second machine (it will be different from the first) based on the "key to send" from that machine (it will be different from the first).

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John Watkins
Sent: Thursday, January 18, 2007 8:32 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Update on new user with packet decode problems

Thanks for the fast replies.

I had an older PC with Win98 and sound card. So turned it on and loaded the pro engine. Within 5 minutes it was decoding packets with ease using the same transceiver and interface cable.

Soooo, still leaves questions for me as to why the brand new Dell laptop is not working where the old Gateway functions. So am following the other helpful hints from the list.

Do have a new question. I did a shared port on the Win98 and then pointed the pro engine on the laptop to the port. I hooked up right away. When I launch UI-View it finds the port just fine and then gives an error. Error says I need to be using AGWPE 2000.15 to use

TCPIP.

Where do I find this 2000.15? I have looked around the downloads with no luck so far.

Thanks for the great help today. John

Yahoo! Groups Links

604. RE: [agwpe_pro] Initialising problem with TCPIP over Radio NDIS driver

Yahoo group: agwpe_pro
Date: 2007-01-19 16:56:49 UTC
From: Ralph Milnes
Topic: 602 Message: 604

Hi Keith,

I don't have any experience in what you are trying to do == sounds interesting == so these suggestions may be off=the=wall:

Are AGWPE and its TCPIP NDIS driver also running on the Win98 machine -- or are you connecting directly to SOTON using TCP/IP (I'm unfamiliar with this software)?

Perhaps there is an addressing problem, specifically using the 192.168.x.x convention between the two SV2AGW drivers (the 192. series is managed by your router). Would renaming both to different 44.x.x.x addresses help?

Do you have any software firewalls running? They may be blocking exchanges. By the way, if you use 44.x.x.x addresses your router's firewall might start blocking 44.x.x.x exchanges if not configured to let them pass.

Providing SOTON can "link" to PE Pro (can it?) running on the Win98 machine, PE Pro's port sharing feature may be easier and faster than using the TCP/IP over radio feature. As I just mentioned in another posting, you can run PE Pro on both machines for one fee. Explain your setup to the program author, and he will send you an unlocking key for the second machine (it will be different from the first) based on the "key to send" from that machine (it will be different from the first).

Still learning,

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Keith Ray
Sent: Friday, January 19, 2007 4:50 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Initialising problem with TCPIP over Radio NDIS driver

Hi

I am using AGWpe Pro to link 2 Computers packet wise over a LAN.
The PC using AGWpe Pro (Windows XP Pro SP2) is used to monitor my packet node SOTON (XROUTER software) on a computer running Windows 98 SE. Originally I set it up with no problem and all worked well for a couple of years until a problem occurred on the Windows XP machine resulting in me having to renew the Hard drive and reinstall everything. I have re-installed the TCPIP over Radio NDIS Adaptor and manually configured it as :-

Local Area Connection 2
Connected, firewalled
SV2AVG TCPIP over Radio NDIS Driver
IP Address 192.168.0.16
Sub Mask 225.225.255.0
Manually configured
Default Gateway 192.168.0.1 ? Default gateway of router

I loaded AGWpe Pro and generated a AXIP (External DLL) port

[TNC]
TYPE=AXIP (External Dll)
KISSSUBTYPE=KISS
INITKISS1=
INITKISS2=192.168.0.16
INITKISS3=G1GXB-16
EXITKISS=1
KISSID=0
FREQUENCY=LAN Link to SOTON
KISSIDPORT2=0
KISSIDPORT3=0
KISSIDPORT4=0
ONAIR=0
MULTIPORT=1
[COMMUNICATION]
PORT=COM2:
BAUD=9600

When restarted I am getting the Status IDLE (Error ini) and I cannot remember how I set it up last time nor can I find ant help files in this area. Any idea's.

Keith G1GXB

Xrouter Node G1GXB-3 : SOTON
IP Address 192.168.0.3
Sub Mask 225.225.255.0
Port 23

Yahoo! Groups Links

605. RE: [agwpe_pro] Initializing problem with TCPIP over Radio NDIS driver

Yahoo group: agwpe_pro
Date: 2007-01-19 17:45:47 UTC
From: Keith Ray
Topic: 602 Message: 605

Hi Ralph

No. Xrouter runs on this computer. I don?t think there is any problems with this computer as nothing has changed that end

I am not knowledgeable on this subject but believe Xrouter TX frames as AX25 wrapped in TCPIP UDP to send over the LAN

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: 19 January 2007 16:57
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Initialising problem with TCPIP over Radio NDIS driver

Hi Keith,

I don't have any experience in what you are trying to do == sounds interesting == so these suggestions may be off=the=wall:

Are AGWPE and its TCPIP NDIS driver also running on the Win98 machine -- or are you connecting directly to SOTON using TCP/IP (I'm unfamiliar with this software)?

No. Xrouter runs on this computer. I don?t think there is any problems with this computer as nothing has changed that end

I am not knowledgeable on this subject but believe Xrouter TX frames as AX25 wrapped in TCPIP UDP to send over the LAN

Perhaps there is an addressing problem, specifically using the 192.168.x.x convention between the two SV2AGW drivers (the 192. series is managed by your router). Would renaming both to different 44.x.x.x addresses help?

Was using 192 addresses before and it all worked. Not to sure as to what address to use on the AGWpro Port configuration nor the adaptor itself but have tried every one I can think off.

Do you have any software firewalls running? They may be blocking exchanges. By the way, if you use 44.x.x.x addresses your router's firewall might start blocking 44.x.x.x exchanges if not configured to let them pass.

Only changes made is to the windows Firewall on re-installation but AGWpe Pro is shown as an exception.

Providing SOTON can "link" to PE Pro (can it?) running on the Win98 machine, When it does problem solved

PE Pro's port sharing feature may be easier and faster than using the TCP/IP over radio feature. As I just mentioned in another posting, you can run PE Pro on both machines for one fee. Explain your setup to the program author, and he will send you an unlocking key for the second machine (it will be different from the first) based on the "key to send" from that machine (it will be different from the first).

Still learning,

Ralph KC2RLM

Tell you one thing Ralph, I will be saving money on haircuts when this is all finished

Keith Ray G1GXB

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.432 / Virus Database: 268.17.0/639 - Release Date: 18/01/2007 18:47

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.432 / Virus Database: 268.17.0/639 - Release Date: 18/01/2007 18:47

[Non-text portions of this message have been removed]

606. External Dll port Idle (Error Ini)

Yahoo group: agwpe_pro
Date: 2007-01-27 13:35:30 UTC
From: Keith Ray
Topic: 606 Message: 606

Hi George
I think it is called old age but no way can I figure out my error but cannot get PEPRO to run again. Well actually it runs and the TNC appears in the task bar but I am getting the "1 Port 1 AXIP (External Dll>Com 2 :IDLE Idle (Error Ini). Xrouter Link is the extracted configuration of the relevant interfaces / ports I am trying to connect to on Xrouter.
Can you see where I am going wrong.

```
PORT 0
[TNC]
TYPE=AXIP (External Dll)
KISSSUBTYPE=KISS
INITKISS1=
INITKISS2=@...
INITKISS3=
EXITKISS=1
KISSID=0
FREQUENCY=LAN Link to SOTON
KISSIDPORT2=0
KISSIDPORT3=0
KISSIDPORT4=0
ONAIR=0
MULTIPORT=1
AUTO=1
PERSIST=128
SLOTIME=15
TXTAIL=4
TXDELAY=25
RETRIES=10
MAXFRAME=6
TIMER1=4
TIMER2=5
TIMER3=120
SOFTDCD=0
FULLDUPLEX=0
SDCDTHRESHOLD=64
DAMASUPPORT=0
EAX25SUPPORT=0
[COMMUNICATION]
PORT=COM2:
BAUD=56000

@...
[AXIPDRV]
```

```
DEST_ADDR=192.168.0.3
DEST_PORT=93
DEST_HOST=
CALLSIGN=g1gxb-16
UDP_PORT=93
DEBUG=1

Xrouter Config
INTERFACE=7
TYPE=EXTERNAL
PROTOCOL=ETHER
MTU=1600
INTNUM=125
ENDINTERFACE
;
INTERFACE=8
TYPE=AXUDP
MTU=256
ENDINTERFACE
:
PORT=5
ID=AXUDP link to PMS
INTERFACENUM=8
UDPLOCAL=93
UDPREMOTE=93
IPLINK=192.168.0.15 : Ethernet Card Win XP M/C
: 192.168.0.16 NDIS Adaptor
MINQUAL=10
FRACK 2000
RESPTIME=200
RFBAUDS=56000 ; controls TCP window/nodes broadcasts
QUALITY=0 ; disable all L3/L4 on this port
NODESINTERVAL=60
CFLAGS=15 ; allow up/down links/stop L3RTT
MAXHOPS=0 ; limits time domain horizon to 2 hops
MAXTT=0 ; limits time domain horizon
PROXY=GB7SOU,BBSSOU
MHEARD=10
SYSOP=1
ENDPORT

PORT=7
ID=Ethernet LAN
INTERFACENUM=7
CHANNEL=A ; Ignored
RFBAUDS=128000
FRACK=1000
RESPTIME=200
MAXFRAME=7
MINQUAL=10
NODESINTERVAL=60
PACLEN=240
```

```
IPADDRESS=192.168.0.3
ENDPORT
```

Regards Keith G1GXB @ GB7SOU

607. Registration problem

Yahoo group: agwpe_pro
Date: 2007-01-30 22:48:39 UTC
From: kb3gzw
Topic: 607 Message: 607

I got my registration key and my tcpip code and I can enter my registration key, but when I try to click on the tcpip word it gives me a page that says "packet engine pro shuts down abnormaly. It is strong recommend to restart your computer." Then it shuts down the program. What should I do?

Dorian (KB3GZW)

608. RE: [agwpe_pro] Registration problem

Yahoo group: agwpe_pro
Date: 2007-01-31 07:28:57 UTC
From: (SV2AGW)George Rossopoulos
Topic: 607 Message: 608

Hi

your ini files are corrupted.
Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)

73

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of kb3gzw
Sent: Wednesday, January 31, 2007 12:49 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration problem

I got my registration key and my tcpip code and I can enter my registration
key, but when I
try to click on the tcpip word it gives me a page that says "packet engine
pro shuts down
abnormaly. It is strong recommend to restart your computer." Then it shuts
down the
program. What should I do?

Dorian (KB3GZW)

609. 9600 baud Packe issues

Yahoo group: agwpe_pro
Date: 2007-01-31 17:52:38 UTC
From: Richard Barrett
Topic: 609 Message: 609

Hi All,

I was wondering if anybody had any issues trying to achieve 9600 baud packet when using KPC-9612s. I am using two KPC-9612s with 9600 baud capable radios.

I can get the two stations to connect to each other when the TNCs are in terminal mode, but when using PE-Pro on the receiving station, the receiving station will not respond.

Any thoughts?

Thanks
Rick Barrett, KE6DKF

610. PK-88

Yahoo group: agwpe_pro
Date: 2007-01-31 23:37:54 UTC
From: chuckmint
Topic: 610 Message: 610

Just down loaded AGW pro. First step was a stop. The wizzard does not have a listing for pk-88 (there are a lot of them around the country).If I select something like the pk-232 the following window does not recognize the pk-88 in the baud recognition window.
Where do I go from here? is this the end of the line for my little pk-88?

Sort of new to packet. Very new to this.

611. Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-01 20:52:19 UTC
From: kb3gzw
Topic: 607 Message: 611

I don't have any of the .ini files and I downloaded a new version of PE pro and it still does
not work. I am a die hard Mac user and am not very acquainted with windows computers.

--- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos" <sv2agw@...>
wrote:
>
> Hi
>
> your ini files are corrupted.
> Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
>
> 73
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of kb3gzw
> Sent: Wednesday, January 31, 2007 12:49 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration problem
>
> I got my registration key and my tcpip code and I can enter my registration
> key, but when I
> try to click on the tcpip word it gives me a page that says "packet engine
> pro shuts down
> abnormaly. It is strong recommend to restart your computer." Then it shuts
> down the
> program. What should I do?
>
> Dorian (KB3GZW)
>

612. Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-04 15:33:46 UTC
From: kb3gzw
Topic: 607 Message: 612

Can someone help because as of now I spent 50 bucks on something that
I can't even use.

--- In agwpe_pro@yahoogroups.com, "kb3gzw" <KB3GZW@...> wrote:
>
> I don't have any of the .ini files and I downloaded a new version
of PE pro and it still does
> not work. I am a die hard Mac user and am not very acquainted with
windows computers.
>
>
>
> --- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos"
<sv2agw@>
> wrote:
> >
> > Hi
> >
> > your ini files are corrupted.
> > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> >
> > 73
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com] On Behalf
> > Of kb3gzw
> > Sent: Wednesday, January 31, 2007 12:49 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Registration problem
> >
> > I got my registration key and my tcpip code and I can enter my
registration
> > key, but when I
> > try to click on the tcpip word it gives me a page that
says "packet engine
> > pro shuts down
> > abnormaly. It is strong recommend to restart your computer." Then
it shuts
> > down the
> > program. What should I do?
> >
> > Dorian (KB3GZW)
> >
>

613. Re: [agwpe_pro] Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-04 19:18:36 UTC
From: Perry - K4PWO
Topic: 607 Message: 613

Are you trying to run it on a Mac in OS X? Won't work that way... If you have a "dual boot" configuration on a Intel Mac, you can boot into Windows and install the software there. If you are trying to run a Windows session in OS X under "Parallels", the software may not work as the hardware sound card is mapped into Windows from OS X.

----- Original Message -----
From: kb3gzw
To: agwpe_pro@yahoogroups.com
Sent: Sunday, February 04, 2007 9:33 AM
Subject: [agwpe_pro] Re: Registration problem

Can someone help because as of now I spent 50 bucks on something that
I can't even use.

--- In agwpe_pro@yahoogroups.com, "kb3gzw" <KB3GZW@...> wrote:
>
> I don't have any of the .ini files and I downloaded a new version
of PE pro and it still does
> not work. I am a die hard Mac user and am not very acquainted with
windows computers.
>
>
>
> --- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos"
<sv2agw@>
> wrote:
> >
> > Hi
> >
> > your ini files are corrupted.
> > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> >
> > 73
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com] On Behalf
> > Of kb3gzw
> > Sent: Wednesday, January 31, 2007 12:49 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Registration problem
> >
> > I got my registration key and my tcpip code and I can enter my
registration
> > key, but when I
> > try to click on the tcpip word it gives me a page that

says "packet engine
> > pro shuts down
> > abnormaly. It is strong recommend to restart your computer." Then
it shuts
> > down the
> > program. What should I do?
> >
> > Dorian (KB3GZW)
> >
>

[Non-text portions of this message have been removed]

614. Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-04 21:02:17 UTC
From: kb3gzw
Topic: 607 Message: 614

I am running it on a windows computer, and I am using XP.

--- In agwpe_pro@yahoogroups.com, "Perry - K4PWO" <k4pwo@...> wrote:
>
> Are you trying to run it on a Mac in OS X? Won't work that way...
If you have a "dual boot" configuration on a Intel Mac, you can boot
into Windows and install the software there. If you are trying to
run a Windows session in OS X under "Parallels", the software may not
work as the hardware sound card is mapped into Windows from OS X.
>
> ----- Original Message -----
> From: kb3gzw
> To: agwpe_pro@yahoogroups.com
> Sent: Sunday, February 04, 2007 9:33 AM
> Subject: [agwpe_pro] Re: Registration problem
>
>
> Can someone help because as of now I spent 50 bucks on something
that
> I can't even use.
>
> --- In agwpe_pro@yahoogroups.com, "kb3gzw" <KB3GZW@> wrote:
> >
> > I don't have any of the .ini files and I downloaded a new
version
> of PE pro and it still does
> > not work. I am a die hard Mac user and am not very acquainted
with
> windows computers.
> >
> >
> >
> > --- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos"
> <sv2agw@>
> > wrote:
> > >
> > > Hi
> > >
> > > your ini files are corrupted.
> > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> > >
> > > 73
> > >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com

> [mailto:agwpe_pro@yahoogroups.com] On Behalf
> > > Of kb3gzw
> > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > To: agwpe_pro@yahoogroups.com
> > > Subject: [agwpe_pro] Registration problem
> > >
> > > I got my registration key and my tcpip code and I can enter
my
> registration
> > > key, but when I
> > > try to click on the tcpip word it gives me a page that
> says "packet engine
> > > pro shuts down
> > > abnormaly. It is strong recommend to restart your computer."
Then
> it shuts
> > > down the
> > > program. What should I do?
> > >
> > > Dorian (KB3GZW)
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

615. RE: [agwpe_pro] Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-05 07:59:45 UTC
From: (SV2AGW)George Rossopoulos
Topic: 607 Message: 615

Hi

can you describe the problem in details?
What do you mean when I press the tcpip word? Where?
Don't worry about the money, any time if you wish I can ask BMT to refund
you.

73

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of kb3gzw
Sent: Sunday, February 04, 2007 11:02 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Registration problem

I am running it on a windows computer, and I am using XP.

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"Perry - K4PWO" <k4pwo@...> wrote:
>
> Are you trying to run it on a Mac in OS X? Won't work that way...
If you have a "dual boot" configuration on a Intel Mac, you can boot
into Windows and install the software there. If you are trying to
run a Windows session in OS X under "Parallels", the software may not
work as the hardware sound card is mapped into Windows from OS X.
>
> ----- Original Message -----
> From: kb3gzw
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Sent: Sunday, February 04, 2007 9:33 AM
> Subject: [agwpe_pro] Re: Registration problem
>
>
> Can someone help because as of now I spent 50 bucks on something
that
> I can't even use.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"kb3gzw" <KB3GZW@> wrote:
> >
> > I don't have any of the .ini files and I downloaded a new
version
> of PE pro and it still does
> > not work. I am a die hard Mac user and am not very acquainted
with

> windows computers.
> >
> >
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"(SV2AGW)George Rossopoulos"
> <sv2agw@>
> > wrote:
> > >
> > > Hi
> > >
> > > your ini files are corrupted.
> > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> > >
> > > 73
> > >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
On Behalf
> > > Of kb3gzw
> > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Registration problem
> > >
> > > I got my registration key and my tcpip code and I can enter
my
> registration
> > > key, but when I
> > > try to click on the tcpip word it gives me a page that
> says "packet engine
> > > pro shuts down
> > > abnormaly. It is strong recommend to restart your computer."
Then
> it shuts
> > > down the
> > > program. What should I do?
> > >
> > > Dorian (KB3GZW)
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

616. Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-06 00:30:30 UTC
From: kb3gzw
Topic: 607 Message: 616

I am trying to delete the .ini files and the only one I have is the AGWPE.ini (I have no port ini files. when I try to run PE pro again it makes another AGWPE.ini file and it still does not register my key code. The program still says that my 30 days are up and I have to register although I already did. I copy and pasted the key code so I know its right.

--- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> can you describe the problem in details?
> What do you mean when I press the tcpip word? Where?
> Don't worry about the money, any time if you wish I can ask BMT to refund
> you.
>
> 73
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of kb3gzw
> Sent: Sunday, February 04, 2007 11:02 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Registration problem
>
> I am running it on a windows computer, and I am using XP.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "Perry - K4PWO" <k4pwo@> wrote:
> >
> > Are you trying to run it on a Mac in OS X? Won't work that way...
> If you have a "dual boot" configuration on a Intel Mac, you can boot
> into Windows and install the software there. If you are trying to
> run a Windows session in OS X under "Parallels", the software may not
> work as the hardware sound card is mapped into Windows from OS X.
> >
> > ----- Original Message -----
> > From: kb3gzw
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Sent: Sunday, February 04, 2007 9:33 AM
> > Subject: [agwpe_pro] Re: Registration problem
> >

> >
> > Can someone help because as of now I spent 50 bucks on something
> that
> > I can't even use.
> >
> > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com> ,
> "kb3gzw" <KB3GZW@> wrote:
> > >
> > > I don't have any of the .ini files and I downloaded a new
> version
> > of PE pro and it still does
> > > not work. I am a die hard Mac user and am not very acquainted
> with
> > windows computers.
> > >
> > >
> > >
> > > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com> ,
> "(SV2AGW)George Rossopoulos"
> > <sv2agw@>
> > > wrote:
> > > >
> > > > Hi
> > > >
> > > > your ini files are corrupted.
> > > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> > > >
> > > > 73
> > > >
> > > > -----Original Message-----
> > > > From: agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > > > Of kb3gzw
> > > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > > To: agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> > > > Subject: [agwpe_pro] Registration problem
> > > >
> > > > I got my registration key and my tcpip code and I can enter
> my
> > registration
> > > > key, but when I
> > > > try to click on the tcpip word it gives me a page that
> > says "packet engine
> > > > pro shuts down

> > > > abnormaly. It is strong recommend to restart your computer."
> Then
> > it shuts
> > > > down the
> > > > program. What should I do?
> > > >
> > > > Dorian (KB3GZW)
> > > >
> > >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>

617. RE: [agwpe_pro] Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-06 14:01:06 UTC
From: (SV2AGW)George Rossopoulos
Topic: 607 Message: 617

Hi

Run pepro a couple of times and check the "Key TO Send" if it remains the same.
If every time changes then login windows as administrator and run PEPRO once.

Send me the "Key TO Send" to send you back a new keycode.
Every "Key TO Send" needs a matching Keycode.

73

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kb3gzw
Sent: Tuesday, February 06, 2007 2:31 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Registration problem

I am trying to delete the .ini files and the only one I have is the AGWPE.ini (I have no port ini files. when I try to run PE pro again it makes another AGWPE.ini file and it still does not register my key code. The program still says that my 30 days are up and I have to register although I already did. I copy and pasted the key code so I know its right.

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , "(SV2AGW)George Rossopoulos"
<sv2agw@...> wrote:
>
> Hi
>
> can you describe the problem in details?
> What do you mean when I press the tcpip word? Where?
> Don't worry about the money, any time if you wish I can ask BMT to refund
> you.
>
> 73
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On Behalf
> Of kb3gzw
> Sent: Sunday, February 04, 2007 11:02 PM

> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Re: Registration problem
>
> I am running it on a windows computer, and I am using XP.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com> ,
> "Perry - K4PWO" <k4pwo@> wrote:
> >
> > Are you trying to run it on a Mac in OS X? Won't work that way...
> If you have a "dual boot" configuration on a Intel Mac, you can boot
> into Windows and install the software there. If you are trying to
> run a Windows session in OS X under "Parallels", the software may not
> work as the hardware sound card is mapped into Windows from OS X.
> >
> > ----- Original Message -----
> > From: kb3gzw
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> > Sent: Sunday, February 04, 2007 9:33 AM
> > Subject: [agwpe_pro] Re: Registration problem
> >
> >
> > Can someone help because as of now I spent 50 bucks on something
> that
> > I can't even use.
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com> ,
> "kb3gzw" <KB3GZW@> wrote:
> > >
> > > I don't have any of the .ini files and I downloaded a new
> version
> > of PE pro and it still does
> > > not work. I am a die hard Mac user and am not very acquainted
> with
> > windows computers.
> > >
> > >
> > >
> > > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com> ,
> "(SV2AGW)George Rossopoulos"
> > <sv2agw@>
> > > wrote:
> > > >
> > > > Hi
> > > >
> > > > your ini files are corrupted.
> > > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)

> > > >
> > > > 73
> > > >
> > > > -----Original Message-----
> > > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

<mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > > > Of kb3gzw
> > > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> > > > Subject: [agwpe_pro] Registration problem
> > > >
> > > > I got my registration key and my tcpip code and I can enter
> my
> > registration
> > > > key, but when I
> > > > try to click on the tcpip word it gives me a page that
> > says "packet engine
> > > > pro shuts down
> > > > abnormaly. It is strong recommend to restart your computer."
> Then
> > it shuts
> > > > down the
> > > > program. What should I do?
> > > >
> > > > Dorian (KB3GZW)
> > > >
> > >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>

618. Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-07 02:36:00 UTC
From: kb3gzw
Topic: 607 Message: 618

I checked and the key to send stays the same.
My key to send is: fc:8lp9>3fdck/=iid4e:n18>49f;>;7l985

Dorian
--- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos"
<sv2agw@...> wrote:
>
> Hi
>
> Run pepro a couple of times and check the "Key TO Send" if it
remains the
> same.
> If every time changes then login windows as administrator and run PEPRO
> once.
>
> Send me the "Key TO Send" to send you back a new keycode.
> Every "Key TO Send" needs a matching Keycode.
>
> 73
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of kb3gzw
> Sent: Tuesday, February 06, 2007 2:31 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Registration problem
>
> I am trying to delete the .ini files and the only one I have is the
> AGWPE.ini (I have no port ini files. when I try to run PE pro again it
> makes another AGWPE.ini file and it still does not register my key
> code. The program still says that my 30 days are up and I have to
> register although I already did. I copy and pasted the key code so I
> know its right.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "(SV2AGW)George Rossopoulos"
> <sv2agw@> wrote:
> >
> > Hi
> >
> > can you describe the problem in details?
> > What do you mean when I press the tcpip word? Where?
> > Don't worry about the money, any time if you wish I can ask BMT to
> refund

> > you.
> >
> > 73
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > Of kb3gzw
> > Sent: Sunday, February 04, 2007 11:02 PM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Re: Registration problem
> >
> > I am running it on a windows computer, and I am using XP.
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "Perry - K4PWO" <k4pwo@> wrote:
> > >
> > > Are you trying to run it on a Mac in OS X? Won't work that way...
> > If you have a "dual boot" configuration on a Intel Mac, you can boot
> > into Windows and install the software there. If you are trying to
> > run a Windows session in OS X under "Parallels", the software may not
> > work as the hardware sound card is mapped into Windows from OS X.
> > >
> > > ----- Original Message -----
> > > From: kb3gzw
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Sent: Sunday, February 04, 2007 9:33 AM
> > > Subject: [agwpe_pro] Re: Registration problem
> > >
> > >
> > > Can someone help because as of now I spent 50 bucks on something
> > that
> > > I can't even use.
> > >
> > > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "kb3gzw" <KB3GZW@> wrote:
> > > >
> > > > I don't have any of the .ini files and I downloaded a new
> > version
> > > of PE pro and it still does
> > > > not work. I am a die hard Mac user and am not very acquainted
> > with
> > > windows computers.
> > > >
> > > >

> > > >
> > > > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "(SV2AGW)George Rossopoulos"
> > > <sv2agw@>
> > > > wrote:
> > > > >
> > > > > Hi
> > > > > >
> > > > > your ini files are corrupted.
> > > > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> > > > > >
> > > > > 73
> > > > > >
> > > > > -----Original Message-----
> > > > > From: agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>]
> > On Behalf
> > > > > Of kb3gzw
> > > > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > > > To: agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > > > Subject: [agwpe_pro] Registration problem
> > > > > >
> > > > > I got my registration key and my tcpip code and I can enter
> > my
> > > registration
> > > > > key, but when I
> > > > > try to click on the tcpip word it gives me a page that
> > > says "packet engine
> > > > > pro shuts down
> > > > > abnormaly. It is strong recommend to restart your computer."
> > Then
> > > it shuts
> > > > > down the
> > > > > program. What should I do?
> > > > > >
> > > > > Dorian (KB3GZW)
> > > > > >
> > > > >
> > >
> > >
> > >

> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
>

619. RE: [agwpe_pro] Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-08 04:59:56 UTC
From: (SV2AGW)George Rossopoulos
Topic: 607 Message: 619

Hi

the keycode is
ld:3lf7B0dehg25ggj/d9o9.;4:g;>;7l985

use copy/paste if you still have problem then PSE download and use the beta
version from www.elcom.gr/sv2agw/beta/pepro_beta.zip
It has a better registration procedure

73

(SV2AGW) George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of kb3gzw
Sent: Wednesday, February 07, 2007 4:36 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Registration problem

I checked and the key to send stays the same.
My key to send is: fc:8lp9>3fdck/=iid4e:n18>49f;>;7l985

Dorian
--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"(SV2AGW)George Rossopoulos"
<sv2agw@...> wrote:
>
> Hi
>
> Run pepro a couple of times and check the "Key TO Send" if it
remains the
> same.
> If every time changes then login windows as administrator and run PEPRO
> once.
>
> Send me the "Key TO Send" to send you back a new keycode.
> Every "Key TO Send" needs a matching Keycode.
>
> 73

>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
On Behalf
> Of kb3gzw
> Sent: Tuesday, February 06, 2007 2:31 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Re: Registration problem
>
> I am trying to delete the .ini files and the only one I have is the
> AGWPE.ini (I have no port ini files. when I try to run PE pro again it
> makes another AGWPE.ini file and it still does not register my key
> code. The program still says that my 30 days are up and I have to
> register although I already did. I copy and pasted the key code so I
> know its right.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com> ,
> "(SV2AGW)George Rossopoulos"
> <sv2agw@> wrote:
> >
> > Hi
> >
> > can you describe the problem in details?
> > What do you mean when I press the tcpip word? Where?
> > Don't worry about the money, any time if you wish I can ask BMT to
> refund
> > you.
> >
> > 73
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > Of kb3gzw
> > Sent: Sunday, February 04, 2007 11:02 PM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Re: Registration problem
> >
> > I am running it on a windows computer, and I am using XP.
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "Perry - K4PWO" <k4pwo@> wrote:

> > >
> > > Are you trying to run it on a Mac in OS X? Won't work that way...
> > If you have a "dual boot" configuration on a Intel Mac, you can boot
> > into Windows and install the software there. If you are trying to
> > run a Windows session in OS X under "Parallels", the software may not
> > work as the hardware sound card is mapped into Windows from OS X.
> > >
> > > ----- Original Message -----
> > > From: kb3gzw
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Sent: Sunday, February 04, 2007 9:33 AM
> > > Subject: [agwpe_pro] Re: Registration problem
> > >
> > >
> > > Can someone help because as of now I spent 50 bucks on something
> > that
> > > I can't even use.
> > >
> > > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "kb3gzw" <KB3GZW@> wrote:
> > > >
> > > > I don't have any of the .ini files and I downloaded a new
> > version
> > > of PE pro and it still does
> > > > not work. I am a die hard Mac user and am not very acquainted
> > with
> > > windows computers.
> > > >
> > > >
> > > >
> > > > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "(SV2AGW)George Rossopoulos"
> > > <sv2agw@>
> > > > wrote:
> > > > >
> > > > > Hi
> > > > >
> > > > > your ini files are corrupted.
> > > > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> > > > >
> > > > > 73
> > > > >
> > > > > -----Original Message-----

> > > > > From: agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>]
> > On Behalf
> > > > > Of kb3gzw
> > > > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > > > Subject: [agwpe_pro] Registration problem
> > > > >
> > > > > I got my registration key and my tcpip code and I can enter
> > my
> > > registration
> > > > > key, but when I
> > > > > try to click on the tcpip word it gives me a page that
> > > says "packet engine
> > > > > pro shuts down
> > > > > abnormaly. It is strong recommend to restart your computer."
> > Then
> > > it shuts
> > > > > down the
> > > > > program. What should I do?
> > > > >
> > > > > Dorian (KB3GZW)
> > > > >
> > > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
>

620. Re: Registration problem

Yahoo group: agwpe_pro
Date: 2007-02-08 23:38:32 UTC
From: kb3gzw
Topic: 607 Message: 620

Everything is good. It now says I have a registered copy and it works like a beauty.Thanks for everything.

Dorian

--- In agwpe_pro@yahoogroups.com, "(SV2AGW)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> the keycode is
> ld:3lf7B0dehg25ggj/d9o9.;4:g;>;7l985
>
> use copy/paste if you still have problem then PSE download and use the beta
> version from www.elcom.gr/sv2agw/beta/pepro_beta.zip
> It has a better registration procedure
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> sv2agw@...
> www.elcom.gr/sv2agw
> +306932465216
> George Rossopoulos
> Nikanoros 59
> 54250,Thessaloniki
> Greece
>
>
>
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of kb3gzw
> Sent: Wednesday, February 07, 2007 4:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Registration problem
>
> I checked and the key to send stays the same.
> My key to send is: fc:8lp9>3fdck/=iid4e:n18>49f;>;7l985
>
> Dorian

> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "(SV2AGW)George Rossopoulos"
> <sv2agw@> wrote:
> >
> > Hi
> >
> > Run pepro a couple of times and check the "Key TO Send" if it
> remains the
> > same.
> > If every time changes then login windows as administrator and run
PEPRO
> > once.
> >
> > Send me the "Key TO Send" to send you back a new keycode.
> > Every "Key TO Send" needs a matching Keycode.
> >
> > 73
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > Of kb3gzw
> > Sent: Tuesday, February 06, 2007 2:31 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Re: Registration problem
> >
> > I am trying to delete the .ini files and the only one I have is the
> > AGWPE.ini (I have no port ini files. when I try to run PE pro again it
> > makes another AGWPE.ini file and it still does not register my key
> > code. The program still says that my 30 days are up and I have to
> > register although I already did. I copy and pasted the key code so I
> > know its right.
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com> ,
> > "(SV2AGW)George Rossopoulos"
> > <sv2agw@> wrote:
> > >
> > > Hi
> > >
> > > can you describe the problem in details?
> > > What do you mean when I press the tcpip word? Where?
> > > Don't worry about the money, any time if you wish I can ask BMT to
> > refund
> > > you.
> > >
> > > 73
> > >
> > > -----Original Message-----

> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>]
> > On Behalf
> > > Of kb3gzw
> > > Sent: Sunday, February 04, 2007 11:02 PM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Re: Registration problem
> > >
> > > I am running it on a windows computer, and I am using XP.
> > >
> > > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com> ,
> > > "Perry - K4PWO" <k4pwo@> wrote:
> > > >
> > > > Are you trying to run it on a Mac in OS X? Won't work that way...
> > > If you have a "dual boot" configuration on a Intel Mac, you can
boot
> > > into Windows and install the software there. If you are trying to
> > > run a Windows session in OS X under "Parallels", the software
may not
> > > work as the hardware sound card is mapped into Windows from OS X.
> > > >
> > > > ----- Original Message -----
> > > > From: kb3gzw
> > > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > > > Sent: Sunday, February 04, 2007 9:33 AM
> > > > Subject: [agwpe_pro] Re: Registration problem
> > > >
> > > >
> > > > Can someone help because as of now I spent 50 bucks on something
> > > that
> > > > I can't even use.
> > > >
> > > > --- In agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com> ,
> > > "kb3gzw" <KB3GZW@> wrote:
> > > > >
> > > > > I don't have any of the .ini files and I downloaded a new
> > > version
> > > > of PE pro and it still does
> > > > > not work. I am a die hard Mac user and am not very acquainted

> > > with
> > > > windows computers.
> > > > >
> > > > >
> > > > >
> > > > > --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com> ,
> > > "(SV2AGW)George Rossopoulos"
> > > > <sv2agw@>
> > > > > wrote:
> > > > > >
> > > > > > Hi
> > > > > >
> > > > > > your ini files are corrupted.
> > > > > > Delete all ini files (agwpe.ini,agwtcpip.ini,portxx.ini)
> > > > > >
> > > > > > 73
> > > > > >
> > > > > > -----Original Message-----
> > > > > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> >
> > <mailto:agwpe_pro%40yahoogroups.com>
> > > > [mailto:agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>]
> > > On Behalf
> > > > > > Of kb3gzw
> > > > > > Sent: Wednesday, January 31, 2007 12:49 AM
> > > > > > To: agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > > > > > Subject: [agwpe_pro] Registration problem
> > > > > >
> > > > > > I got my registration key and my tcpip code and I can enter
> > > my
> > > > registration
> > > > > > key, but when I
> > > > > > try to click on the tcpip word it gives me a page that
> > > > says "packet engine
> > > > > > pro shuts down
> > > > > > abnormaly. It is strong recommend to restart your computer."
> > > Then

> > > > it shuts
> > > > > > down the
> > > > > > program. What should I do?
> > > > > >
> > > > > > Dorian (KB3GZW)
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > [Non-text portions of this message have been removed]
> > > > >
> > >
> >
>

621. registration and reinstallation

Yahoo group: agwpe_pro
Date: 2007-02-13 12:31:15 UTC
From: kg2af
Topic: 621 Message: 621

The trial period for PEPro has passed on my computer. I have registered but not yet received anything other than confirmation of registration and a receipt. I have not received a registration key. I am not sure at what point the "key to send" comes into play. Can I uninstall PEPro at this point, delete the entire folder, then reinstall. I don't know if this will generate a new "key to send" and if so will it affect my registration at this point or is that something that comes into play after I receive the registration key. Or is it totally impossible for me to reinstall at all and I should just wait for the key. WHEW! I hope that makes sense to somebody. I think I just confused myself. Thanks for any help. 73.

622. Anyone using AGWPEPro + NDIS Adaptor to talk to another computer over a LAN

Yahoo group: agwpe_pro
Date: 2007-02-15 14:52:17 UTC
From: Keith Ray
Topic: 622 Message: 622

HI

I am using AGWPE Pro with the NDIS Adaptor to connect over a LAN to another Computer running Win 98 se/Xrouter/FBB. AGWPE Pro and the NDIS Adaptor is a new installation on a new hard drive on a WinXPsp2 PC. All use to work fine until the hard drive was renewed due to total loss off original so the error must be in my configuration of AGW or the adaptor. Anyone using a similar configuration and could explain how they done it or send me there PORT.INI and other related files. At present using Winpack in Telnet host mode to talk to the other computer but it is no where near as convenient.

Regards Keith G1GXB@GB7SOU

623. Re: registration and reinstallation

Yahoo group: agwpe_pro
Date: 2007-02-15 14:05:17 UTC
From: kg2af
Topic: 621 Message: 623

--- In agwpe_pro@yahoogroups.com, "kg2af" <kg2af@...> wrote:
>
> The trial period for PEPro has passed on my computer. I have
> registered but not yet received anything other than confirmation of
> registration and a receipt. I have not received a registration key.
> I am not sure at what point the "key to send" comes into play. Can I
> uninstall PEPro at this point, delete the entire folder, then
> reinstall. I don't know if this will generate a new "key to send" and
> if so will it affect my registration at this point or is that
> something that comes into play after I receive the registration key.
> Or is it totally impossible for me to reinstall at all and I should
> just wait for the key. WHEW! I hope that makes sense to somebody. I
> think I just confused myself. Thanks for any help. 73.
>

George sent me the registration number making this post moot. Thank
you George! A great program.! Sorry for any confusion. 73.

Mike

624. RE: [agwpe_pro] Anyone using AGWPEPro + NDIS Adaptor to talk to another computer over a LAN

Yahoo group: agwpe_pro
Date: 2007-02-15 16:13:52 UTC
From: Ralph Milnes
Topic: 622 Message: 624

Keith,

The PE Pro Help file has some info under "TCP/IP Over Radio". Perhaps that may give you a lead on what is amiss.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Keith Ray
Sent: Thursday, February 15, 2007 9:52 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Anyone using AGWPEPro + NDIS Adaptor to talk to another computer over a LAN

HI

I am using AGWPE Pro with the NDIS Adaptor to connect over a LAN to another Computer running Win 98 se/Xrouter/FBB. AGWPE Pro and the NDIS Adaptor is a new installation on a new hard drive on a WinXPsp2 PC. All use to work fine until the hard drive was renewed due to total loss off original so the error must be in my configuration of AGW or the adaptor. Anyone using a similar configuration and could explain how they done it or send me there PORT.INI and other related files. At present using Winpack in Telnet host mode to talk to the other computer but it is no where near as convenient.

Regards Keith G1GXB@GB7SOU

Yahoo! Groups Links

625. AGWPE Pro over a LAN

Yahoo group: agwpe_pro
Date: 2007-02-22 13:39:19 UTC
From: Keith Ray
Topic: 625 Message: 625

Hi All

Old age is not helping my brain powers, having read all the help files my lack of knowledge on the subject and the terminology has got me lost. To use AGWpe Pro on a computer to allow Sally Packet programme to communicate over a LAN to Xrouter running on another computer do you need to set up a SV2AGW TCPIP Over Radio NDIS Driver Adaptor? If so what ports do you have to set up, a AXIP Port or a TNC Port or both. I think I do not require the Adaptor and only need A TNC Port (TAPR TNC2) with the Network TCP/IP Application Interface enabled. If I am right, what COM Port do you set the TNC up for and do you use a @... file in the iniKiss2 box to set up your parameters?
When I first set this up and had it working well over 2 years ago I received great help from Renzo I think his name was, if he is still about I would much appreciate the config files he sent me then.

Regards Keith G1GXB

626. pse sendme my code

Yahoo group: agwpe_pro
Date: 2007-03-13 14:45:38 UTC
From: CE3SOC Raul Romero
Topic: 626 Message: 626

greorge my pc crash for virus pse you

sendme again my code

876::?h>32c3k/=8l<4fkA18;2c44=@j;3b4

tnx george

CE3SOC
Raul Romero

[Non-text portions of this message have been removed]

627. Fw: pse sendme my code

Yahoo group: agwpe_pro
Date: 2007-03-14 19:13:01 UTC
From: CE3SOC Raul Romero
Topic: 627 Message: 627

```
----- Original Message -----
From: CE3SOC Raul Romero
To: agwpe_pro@yahoogroups.com
Cc: sv2agw@...
Sent: Tuesday, March 13, 2007 10:45 AM
Subject: pse sendme my code

greorge my pc crash for virus pse you

sendme again my code

876::?h>32c3k/=8l<4fkA18;2c44=@j;3b4

tnx george

CE3SOC
Raul Romero

[Non-text portions of this message have been removed]
```

628. RE: [agwpe_pro] Fw: pse sendme my code

Yahoo group: agwpe_pro
Date: 2007-03-19 15:46:45 UTC
From: (SV2AGW)George Rossopoulos
Topic: 627 Message: 628

Hi Raul

sent it already 4 times.....
Have you received it??

73

(SV2AGW) George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of CE3SOC Raul Romero
Sent: Wednesday, March 14, 2007 9:13 PM
To: agwpe_pro@yahoogroups.com
Cc: sv2agw@...
Subject: [agwpe_pro] Fw: pse sendme my code

----- Original Message -----
From: CE3SOC Raul Romero
To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
Cc: sv2agw@... <mailto:sv2agw%40freemail.gr>
Sent: Tuesday, March 13, 2007 10:45 AM
Subject: pse sendme my code

greorge my pc crash for virus pse you

sendme again my code

876::?h>32c3k/=8l<4fkA18;2c44=@j;3b4

tnx george

CE3SOC
Raul Romero

[Non-text portions of this message have been removed]

629. Help

Yahoo group: agwpe_pro
Date: 2007-03-19 18:10:02 UTC
From: Stew Bracken
Topic: 629 Message: 629

Sorry I failed to mention the 8.0 fiormware.

630. Help

Yahoo group: agwpe_pro
Date: 2007-03-19 18:08:59 UTC
From: Stew Bracken
Topic: 629 Message: 630

I am running into a wall when setting up AGWPE. When using the New TNC Wizard I get as far as the test function and then do not get expected results.

I have a KAM+ connected to COM1 of a 1.3 Gig Win2000 Pro box.

The KAM+ is found OK. The Kantronics spalsh info is returned OK. When the test is invoked the tuning indicator goes to the far left but the sta and con leds do not flash the required 3 times. The KISS parameter are set at the defaults.

What am I doing wrong?

73 Stew N4JSB

631. Software Updates

Yahoo group: agwpe_pro
Date: 2007-03-20 16:13:04 UTC
From: Eric Gildersleeve
Topic: 631 Message: 631

I was wondering if there are any updates to the software scheduled. Since Microsoft released the new Day Light Savings Patch I am unable to get my Packet Engine Pro to work with WinAPRS+SA or WinPack. I figured at first it was one of the other programs, but since both of them failed I figured it had to do with the clocks not talking to each other through this software.

I know the latest update was in 2003, but are there any plans for a new update?

Thanks,

Eric - KD7CAO

632. RE: [agwpe_pro] Help

Yahoo group: agwpe_pro
Date: 2007-03-20 18:09:15 UTC
From: (SV2AGW)George Rossopoulos
Topic: 629 Message: 632

Hi

Kantronics does not flash the Leds.....
So just ignore it and continue.
Be aware that you must set first from Hyperterminam the TNC to Terminal mode.
the command is INTFACE TERM

73

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Stew Bracken
Sent: Monday, March 19, 2007 8:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Help

I am running into a wall when setting up AGWPE. When using the New TNC Wizard I get as far as the test function and then do not get expected results.

I have a KAM+ connected to COM1 of a 1.3 Gig Win2000 Pro box.

The KAM+ is found OK. The Kantronics spalsh info is returned OK. When the test is invoked the tuning indicator goes to the far left but the sta and con leds do not flash the required 3 times. The KISS parameter are set at the defaults.

What am I doing wrong?

73 Stew N4JSB

633. RE: [agwpe_pro] Software Updates

Yahoo group: agwpe_pro
Date: 2007-03-20 18:06:58 UTC
From: (SV2AGW)George Rossopoulos
Topic: 631 Message: 633

Hi

download and try the beta version from
www.elcom.gr/sv2agw/beta/pepro_beta.zip just replace the two files

73

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Eric Gildersleeve
Sent: Tuesday, March 20, 2007 6:13 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Software Updates

I was wondering if there are any updates to the software scheduled.
Since Microsoft released the new Day Light Savings Patch I am unable to
get my Packet Engine Pro to work with WinAPRS+SA or WinPack. I figured
at first it was one of the other programs, but since both of them
failed I figured it had to do with the clocks not talking to each other
through this software.

I know the latest update was in 2003, but are there any plans for a new
update?

Thanks,

Eric - KD7CAO

634. Re: [agwpe_pro] Help

Yahoo group: agwpe_pro
Date: 2007-03-20 14:32:54 UTC
From: i6kzr
Topic: 629 Message: 634

HI, Stew
KAM Plus do not FLASH 3 times sta and con leds!!!

The TNC is in KISS mode!

If you exit AGWpe, you can see that the tuning indicator goes to the far left to reset KAMplus in cmd mode.

Ciao 73,

I6KZR, Renzo

Stew Bracken ha scritto:

> sta and con leds do not flash the required 3 times.
>
> What am I doing wrong?
>
> 73 Stew N4JSB

635. TCP/IP

Yahoo group: agwpe_pro
Date: 2007-03-21 02:32:26 UTC
From: Barry
Topic: 635 Message: 635

Just order the pro tonite waiting for my registation info,
will be settin up tcp-ip looks like i may be needing some help
so hope some one is out there that can help.

Cheer's, K8TKF

636. No Registration

Yahoo group: agwpe_pro
Date: 2007-03-23 11:23:36 UTC
From: Barry
Topic: 636 Message: 636

Does anyone know how long it may take i ordered PE Pro on Tuesday
and havet received a Key yet.

Thanks K8TKF

637. RE: [agwpe_pro] No Registration

Yahoo group: agwpe_pro
Date: 2007-03-23 13:43:03 UTC
From: (SV2AGW)George Rossopoulos
Topic: 636 Message: 637

Hi Barry

already sent you 2 emails, pse let my emails reach you. If you havent
receibed anything I will post your keycodes here

73

(SV2AGW) George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Barry
Sent: Friday, March 23, 2007 1:24 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] No Registration

Does anyone know how long it may take i ordered PE Pro on Tuesday
and havet received a Key yet.

Thanks K8TKF

638. Re: New Key

Yahoo group: agwpe_pro
Date: 2007-03-23 14:53:51 UTC
From: Barry
Topic: 636 Message: 638

Hi George,
Got the second keycode but not the first one i sent her is the keystring

672<lq>;3g7f@/=5gd4=:938g4365k?j@cfc

Not sure whats up with the email deal.

Barry - K8TKF

639. Re: New Key

Yahoo group: agwpe_pro
Date: 2007-03-24 18:12:13 UTC
From: Barry
Topic: 636 Message: 639

Need KeyCode for
672<lq>;3g7f@/=5gd4=:938g4365k?j@cfc

I got one keycode for one pc but need
this one, thanks...

Barry - K8TKF

640. TCP-IP Key Question ?

Yahoo group: agwpe_pro
Date: 2007-03-25 02:49:30 UTC
From: Barry
Topic: 640 Message: 640

George, will my keycode you gave me work with the free agwpe?
I am going back to it, i dont want to have to bother you everytime
i want to reformat my system or get another machine which i do alot
with what i do. So i will use agwpe and i will leave it up to you i
do want the TCP-IP over Radio Keycode that you gave me if it will work
with this edition and it cost $28 bucks so if you want to send me back
$21 bucks for the difference thats up to you, but i will go back to
the free edition what i have been using. Thanks Let me know about the
TCP-IP Keycode...

73 K8TKF

641. Key Code

Yahoo group: agwpe_pro
Date: 2007-03-28 03:44:30 UTC
From: Bruce W. Harris
Topic: 641 Message: 641

Hello George,

I lost another HD. Here is the registration code key:

4c9<:l==355c9/=9>84e>n985e:h5:<7m9a9

Please send me the corresponding code key.

Thank you very much!

73, de Bruce Harris, W5HCS

642. RE: [agwpe_pro] Key Code

Yahoo group: agwpe_pro
Date: 2007-03-28 17:59:45 UTC
From: MAURICIO BERALDO
Topic: 641 Message: 642

hello mister harris.

this code key don?t work with my agw-pro.

i put this and the agw send a error message.

do you have other key to unlock agw pro ?

thank?s

MAURICIO BERALDO PY4MAB
BRAZIL

>From: "Bruce W. Harris" <bruce-bonnie@...>
>Reply-To: agwpe_pro@yahoogroups.com
>To: agwpe_pro@yahoogroups.com
>Subject: [agwpe_pro] Key Code
>Date: Wed, 28 Mar 2007 03:44:30 -0000
>
>Hello George,
>
>I lost another HD. Here is the registration code key:
>
>
>4c9<:l==355c9/=9>84e>n985e:h5:<7m9a9
>
> Please send me the corresponding code key.
>
>Thank you very much!
>
>
>73, de Bruce Harris, W5HCS
>
>
>

Verifique j? a seguran?a do seu PC com o Verificador de Seguran?a do Windows
Live OneCare! http://onecare.live.com/site/pt-br/default.htm

643. Need New Key

Yahoo group: agwpe_pro
Date: 2007-03-30 17:00:32 UTC
From: Barry
Topic: 643 Message: 643

Hello George, we must of got my lines crossed some were.
I paid for Pro a week or so ago and some how emails werent gettin
to your or to me which ever, Once i get this key i will have another
one for you but im going to do one at a time so nothing gets mess up.

I need a keycode for this string
d:6m9A=936:a=/=8hg4<@kc8:hg7ikmih8c4

Thanks Barry - K8TKF

644. sound card problem

Yahoo group: agwpe_pro
Date: 2007-04-10 23:16:29 UTC
From: aarhus_ca
Topic: 644 Message: 644

Hi

Hope someone can help... just got a new usb to rig unit with built in USB Codec.... this sound device ALWAYS is the LAST sound device on the list - and AGW doesn't like it (it is the 6th device as I have M-Audio Delta 44 (4 devices), Virtual Audio and the motherboard audio).

AGWPro when transmitting gives repetitive PTT and cannot be released - I have to kill the program.

Any ideas? (my other sound programs work fine except for JVComm32 - it is unfortunate that the 2 'registered, paid-for' programs are the 2 that don't work.)

73 John VE3NFK

646. Using Loopback for Radio Mirror

Yahoo group: agwpe_pro
Date: 2007-04-15 23:09:44 UTC
From: Steve
Topic: 646 Message: 646

Hi,
I would like to use the old program called RadioMirror. RadioMirror wants to see a KISS TNC on a com port. Is there a way for the data to be redirected to a AGW port? Have the RadioMirror program talk to a virtual port, say com 10 and have it magically appear on AGW port 2. It looks like the AGW loopback function might do this. Am I on the right track? Has anyone done this before?

Thanks!

Steve N0FPF - Sunny Seattle....for a change....

647. RE: [agwpe_pro] Key Code Not Received

Yahoo group: agwpe_pro
Date: 2007-04-24 14:01:55 UTC
From: (SV2AGW)George Rossopoulos
Topic: 647 Message: 647

Hi Mack

the keycode is
PTUDU-PCBNI-6V6ND-GNXXV-QNTXH-S7WEM-5EH3Y-Y4MT2-G66DG-PT3PX-WVS2T-UGAAB

73

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Duane Brophy
Sent: Friday, April 13, 2007 11:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Key Code Not Received

Good afternoon George.

In case you did not receive my other message, here is a duplicate
request for a new Key Code.

I tranferred my Winlink Packet Engine Pro files from my laptop to my
desktop but it did not transfer the Key Code.

I need the Key Code for:
N3TVU-QKBPS-7VWN5-INTVD-YM37H-28V2P-DFH7Y-GKQB5-G65VE-PT3PX-WVS2T-
UGAAB

Please send to: dmbrophy@... <mailto:dmbrophy%40hotmail.com>

Thanks.

73 de Mack N9NTB

648. What an I missing

Yahoo group: agwpe_pro
Date: 2007-05-13 10:00:55 UTC
From: Phillip
Topic: 648 Message: 648

Hi,
I am running AGWPE Pro 2004-703 in RX only 300 Baud on a WIN 98 se
Cyrix M II-300 PC which is currently up to date with all the Win updates ..
Probably not up to date with AGWPE pro.

Ui View / AGWPE Pro

The sound card is a C-Media CM18738/C3DX. PCI using the Mic input as there
is No line in .

HF Rig is a Kenwood TS 140-s signals are taken from the Data socket on the
rear via the standard AGWPE interface using the Audio transformer. I have
had signals inputted from 0 to full volume , Mic boost on and off .

Before I moved and then moved again this worked on HF , nothing was changed
the PC was shut down Dec 9th 2005 and restarted July 16 2006 in the same
location it was never unplugged or moved , I have only just started to get
back and carry on where I left off..

Over recent weeks I have been trying to sort out why I don't have the DCD
lights show up on the Modem Icon, in the Sound card tuning aid I have what i
consider a reasonable sine wave and the DCD light flashes here but not on
the Modem Icon.

I have checked my levels and used another radio to check that there is audio
available I get the audio through the Sound card Speakers it sound ok also
in the Water fall window I have it reasonable right.

Also when I use the add TNC / Soundcard I use the Auto function to find the
Input Line so that AGW finds the correct input it always says Found Line In
this card doesn't have Line IN , I have to do it 2 or 6 times before it
finds the correct Input.

I have deleted and replaced the INI files etc and replaced the Sound card
and set it up dozens of times..

Also I have great problems updating from the Auto updater built into this
version, is this common ?

I have read the details in the Sound card section which i find very helpful
but I have missed something somewhere..

73 Phillip
ZL2TZE

--
No virus found in this outgoing message.
Checked by AVG Free Edition.

Version: 7.5.467 / Virus Database: 269.7.0/801 - Release Date: 12/05/2007 6:40 p.m.

Send instant messages to your online friends http://au.messenger.yahoo.com

649. Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-14 09:50:21 UTC
From: (SV2AGW) George Rossopoulos
Topic: 647 Message: 649

Hi

New Packet Engine Pro Update.

Vista Aware.
Optimized for Windows XP and Vista, smoother operation.
Fixed some problems with USB to Serial Adapters. Now You can remove the adapter and PEPRO will recognize it.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

650. Lost Registration

Yahoo group: agwpe_pro
Date: 2007-05-14 14:52:42 UTC
From: Keith Ray
Topic: 650 Message: 650

Hi George
In the process of upgrading to the latest version and then reverting to version 703 due to the new version not running on my set up I have managed to lose my registration key. Please could you re send it.

My Key to Send:-

:fei>?5j33g7m/=h:74=nk985c75<g=6m9d5

Keith Ray G1GXB

651. Re: Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-14 14:59:33 UTC
From: Alan Biddle
Topic: 647 Message: 651

George,

Great news, as always. Live Update says I have the latest version, 2006.1123. Will Live Update get it later, or should I download the newer version and install over the old?

73s,

Alan
WA4SCA

652. RE: [agwpe_pro] Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-14 16:13:20 UTC
From: W8DZN1
Topic: 647 Message: 652

Hi George,

I upgraded mine, but it tells me that program is not installed correctly.
What could I have done wrong? I figured I would stop before I mess things up
even more.

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

President, Bucyrus Amateur Radio Club

Assistant Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

---

size=2 width="100%" align=center tabindex=-1>

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW) George Rossopoulos
Sent: Monday, May 14, 2007 5:50 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine Pro Update

Hi

New Packet Engine Pro Update.

Vista Aware.
Optimized for Windows XP and Vista, smoother operation.
Fixed some problems with USB to Serial Adapters. Now You can remove the
adapter and PEPRO will recognize it.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

[Non-text portions of this message have been removed]

653. Re: [agwpe_pro] Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-14 18:16:00 UTC
From: Hasan Schiers
Topic: 647 Message: 653

Sounds like this update is not ready for prime time. I've seen 3 messages posted and all 3 had install failures and had to go back to the old version. I think I'll wait for some others to have success, even though I was pretty excited to see an update.

It might be helpful if those having trouble or success would post what operating system they are using!

73,

...hasan
----- Original Message -----
From: W8DZN1
To: agwpe_pro@yahoogroups.com
Sent: Monday, May 14, 2007 11:13 AM
Subject: RE: [agwpe_pro] Packet Engine Pro Update

Hi George,

I upgraded mine, but it tells me that program is not installed correctly.
What could I have done wrong? I figured I would stop before I mess things up
even more.

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

President, Bucyrus Amateur Radio Club

Assistant Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

---

size=2 width="100%" align=center tabindex=-1>

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW) George Rossopoulos
Sent: Monday, May 14, 2007 5:50 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine Pro Update

Hi

New Packet Engine Pro Update.

Vista Aware.
Optimized for Windows XP and Vista, smoother operation.
Fixed some problems with USB to Serial Adapters. Now You can remove the adapter and PEPRO will recognize it.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

654. Re: Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-15 08:53:38 UTC
From: Phillip Conza
Topic: 647 Message: 654

Hi All,
After the download site failure this morning, i now have
then latest Version running on my Win 98Se PC and it has run for 7
hrs and no problems.

I did a full install

73 Phillip
ZL2TZE

--- In agwpe_pro@yahoogroups.com, "Hasan Schiers" <schiers@...>
wrote:
>
> Sounds like this update is not ready for prime time. I've seen 3
messages posted and all 3 had install failures and had to go back to
the old version. I think I'll wait for some others to have success,
even though I was pretty excited to see an update.
>
> It might be helpful if those having trouble or success would post
what operating system they are using!
>
> 73,
>
> ...hasan
> ----- Original Message -----
> From: W8DZN1
> To: agwpe_pro@yahoogroups.com
> Sent: Monday, May 14, 2007 11:13 AM
> Subject: RE: [agwpe_pro] Packet Engine Pro Update
>
>
> Hi George,
>
> I upgraded mine, but it tells me that program is not installed
correctly.
> What could I have done wrong? I figured I would stop before I
mess things up
> even more.
>
> Kenneth Cook, W8DZN
>
> 5726 Timpson Rd.
>
> Caledonia, Ohio 43314
>
> President, Bucyrus Amateur Radio Club

>
> Assistant Emergency Coordinator Crawford Co., Ohio
>
> ARRL VE, ARRL Registered, Certified Instructor/Examiner
>
> for ECOMM Levels I, II and III
>
> _____
>
> size=2 width="100%" align=center tabindex=-1>
>
> From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of (SV2AGW) George Rossopoulos
> Sent: Monday, May 14, 2007 5:50 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro Update
>
> Hi
>
> New Packet Engine Pro Update.
>
> Vista Aware.
> Optimized for Windows XP and Vista, smoother operation.
> Fixed some problems with USB to Serial Adapters. Now You can
remove the
> adapter and PEPRO will recognize it.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Nikanoros 59
> GR-54250, Thessaloniki
> Greece
> +306932465216
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

655. RE: Lost Registration

Yahoo group: agwpe_pro
Date: 2007-05-15 09:00:28 UTC
From: Keith Ray
Topic: 650 Message: 655

Hi George

Tried again this morning and after deleting the old version from the Programme Files directory of Window XP Pro SP2 and the registry then installing the new version 2007. 514, it worked. Generated new AXIP Port and closed programme. On restart the program appeared to re-install again and then came up on the screen with that lovely Tic and Port Enabled. Did notice that it has come up with a different Key To Send? It is now:-

HJVGK-4J8H6-4YWN3-VN65Y-4M37P-A7DQP-B7P3X-VUQBX-NN5VK-RDHHW-5G4QM-EGWAB

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Keith Ray
Sent: 14 May 2007 15:53
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Lost Registration

Hi George
In the process of upgrading to the latest version and then reverting to version 703 due to the new version not running on my set up I have managed to lose my registration key. Please could you re send it.

My Key to Send:-

:fei>?5j33g7m/=h:74=nk985c75<g=6m9d5

Keith Ray G1GXB

[Non-text portions of this message have been removed]

656. RE: [agwpe_pro] Re: Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-15 15:26:01 UTC
From: (SV2AGW) George Rossopoulos
Topic: 647 Message: 656

Hi

Problem fixed, It was more "Vista Aware" than necessary.
PSE reinstall it uninstalling previous versions.

Sorry for the trouble

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Phillip Conza
> Sent: Tuesday, May 15, 2007 11:54 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Packet Engine Pro Update
>
> Hi All,
> After the download site failure this morning, i now have
> then latest Version running on my Win 98Se PC and it has run for 7
> hrs and no problems.
>
> I did a full install
>
> 73 Phillip
> ZL2TZE
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "Hasan Schiers" <schiers@...>
> wrote:
> >
> > Sounds like this update is not ready for prime time. I've seen 3
> messages posted and all 3 had install failures and had to go back to
> the old version. I think I'll wait for some others to have success,
> even though I was pretty excited to see an update.
> >
> > It might be helpful if those having trouble or success would post
> what operating system they are using!
> >
> > 73,
> >
> > ...hasan
> > ----- Original Message -----

> > From: W8DZN1
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Sent: Monday, May 14, 2007 11:13 AM
> > Subject: RE: [agwpe_pro] Packet Engine Pro Update
> >
> >
> > Hi George,
> >
> > I upgraded mine, but it tells me that program is not installed
> correctly.
> > What could I have done wrong? I figured I would stop before I
> mess things up
> > even more.
> >
> > Kenneth Cook, W8DZN
> >
> > 5726 Timpson Rd.
> >
> > Caledonia, Ohio 43314
> >
> > President, Bucyrus Amateur Radio Club
> >
> > Assistant Emergency Coordinator Crawford Co., Ohio
> >
> > ARRL VE, ARRL Registered, Certified Instructor/Examiner
> >
> > for ECOMM Levels I, II and III
> >
> > _____
> >
> > size=2 width="100%" align=center tabindex=-1>
> >
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
>] On Behalf
> > Of (SV2AGW) George Rossopoulos
> > Sent: Monday, May 14, 2007 5:50 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Packet Engine Pro Update
> >
> > Hi
> >
> > New Packet Engine Pro Update.
> >
> > Vista Aware.
> > Optimized for Windows XP and Vista, smoother operation.
> > Fixed some problems with USB to Serial Adapters. Now You can
> remove the
> > adapter and PEPRO will recognize it.
> >

> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Nikanoros 59
> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>

657. RE: [agwpe_pro] What an I missing

Yahoo group: agwpe_pro
Date: 2007-05-15 19:05:16 UTC
From: Ralph Milnes
Topic: 648 Message: 657

Phillip,

A new PE Pro file was just posted at:
http://www.elcom.gr/sv2agw/inst.htm

Yes, the auto updater in previous versions didn't always work. You'll probably have to download this version manually. Pick the pepro_update.zip

Likewise, the auto install function has had problems finding the correct input source, i.e. Line In vs Mic.

I'm not sure I understand your problem exactly. It sounds like you are getting audio to PE Pro but you are not seeing the "decode" pixel (green) on the modem icon flash and you're not getting packets into UI-View. Is that correct? If so, there could be a problem with the signals received or the tuning of those signals.

There might be some additional HF tuning clues at;
http://www.patmedia.net/ralphmilnes/soundcardpacket/6modes.htm#300 baud

I'm unfamiliar with the radio you mention. Are you in FSK mode?

Any chance you could try PE Pro with 1200 baud signals to see if it works for that mode?

Anyone else have a clue? I don't run HF 300 baud packet, so I may be missing something myself.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Phillip
Sent: Sunday, May 13, 2007 6:01 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] What an I missing

Hi,
I am running AGWPE Pro 2004-703 in RX only 300 Baud on a WIN 98 se Cyrix M II-300 PC which is currently up to date with all the Win updates .. Probably not up to date with AGWPE pro.

Ui View / AGWPE Pro

The sound card is a C-Media CM18738/C3DX. PCI using the Mic input as there is No line in .

HF Rig is a Kenwood TS 140-s signals are taken from the Data socket on the rear via the standard AGWPE interface using the Audio transformer. I have had signals inputted from 0 to full volume , Mic boost on and off .

Before I moved and then moved again this worked on HF , nothing was changed the PC was shut down Dec 9th 2005 and restarted July 16 2006 in the same location it was never unplugged or moved , I have only just started to get back and carry on where I left off..

Over recent weeks I have been trying to sort out why I don't have the DCD lights show up on the Modem Icon, in the Sound card tuning aid I have what i consider a reasonable sine wave and the DCD light flashes here but not on the Modem Icon.

I have checked my levels and used another radio to check that there is audio available I get the audio through the Sound card Speakers it sound ok also in the Water fall window I have it reasonable right.

Also when I use the add TNC / Soundcard I use the Auto function to find the Input Line so that AGW finds the correct input it always says Found Line In this card doesn't have Line IN , I have to do it 2 or 6 times before it finds the correct Input.

I have deleted and replaced the INI files etc and replaced the Sound card and set it up dozens of times..

Also I have great problems updating from the Auto updater built into this version, is this common ?

I have read the details in the Sound card section which i find very helpful but I have missed something somewhere..

73 Phillip
ZL2TZE

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.467 / Virus Database: 269.7.0/801 - Release Date: 12/05/2007
6:40 p.m.

Send instant messages to your online friends http://au.messenger.yahoo.com

Yahoo! Groups Links

658. Re: Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-15 15:33:36 UTC
From: Peter Loveall
Topic: 647 Message: 658

--- In agwpe_pro@yahoogroups.com, "(SV2AGW) George Rossopoulos" <sv2agw@...> wrote:
> New Packet Engine Pro Update.

I have uploaded the updated version this morning (time on the .msi file in the zip is 10 PM vs. the 12 PM time in the previous 5/14 files). I ran the .msi file (pepro_update.zip) on my XP Pro SP2 machine. It required me to uninstall the previous version which I did. I then installed the new version (no registry edits). When I started the new version, it gave me the license agreement which I agreed to. When I went to Registration, it had updated my key to the new format. I clicked on Accept and it has worked just fine since. It even used my previous .ini files so I did not have to recreate the TNC info.

73,

Pete Loveall AE5PL

659. Re: Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-14 16:56:23 UTC
From: Peter Loveall
Topic: 647 Message: 659

--- In agwpe_pro@yahoogroups.com, "W8DZN1" <W8DZN1@...> wrote:
> I upgraded mine, but it tells me that program is not installed correctly.
> What could I have done wrong? I figured I would stop before I mess things up
> even more.

Same problem here. I misposted the info below on the AGWPE list instead of here. Oops.

Updated on XP Pro, getting an "application configuration error" preventing it from starting up. I have tried uninstalling, running the old setup to uninstall completely, removing the AGWPE Pro registry entry under SOFTWARE, etc. with the same results. Reinstalled old version and it is working.

73,

Pete Loveall AE5PL

660. Re: [agwpe_pro] Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-15 02:11:58 UTC
From: kb1chu@aol.com
Topic: 647 Message: 660

using xp on a 3.5 ghz p4 1 ghz ram

-----Original Message-----
From: schiers@...
To: agwpe_pro@yahoogroups.com
Sent: Mon, 14 May 2007 2:16 PM
Subject: Re: [agwpe_pro] Packet Engine Pro Update

Sounds like this update is not ready for prime time. I've seen 3 messages posted and all 3 had install failures and had to go back to the old version. I think I'll wait for some others to have success, even though I was pretty excited to see an update.

It might be helpful if those having trouble or success would post what operating system they are using!

73,

...hasan
----- Original Message -----
From: W8DZN1
To: agwpe_pro@yahoogroups.com
Sent: Monday, May 14, 2007 11:13 AM
Subject: RE: [agwpe_pro] Packet Engine Pro Update

Hi George,

I upgraded mine, but it tells me that program is not installed correctly.
What could I have done wrong? I figured I would stop before I mess things up
even more.

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

President, Bucyrus Amateur Radio Club

Assistant Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

---

size=2 width="100%" align=center tabindex=-1>

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW) George Rossopoulos
Sent: Monday, May 14, 2007 5:50 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine Pro Update

Hi

New Packet Engine Pro Update.

Vista Aware.
Optimized for Windows XP and Vista, smoother operation.
Fixed some problems with USB to Serial Adapters. Now You can remove the adapter and PEPRO will recognize it.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

AOL now offers free email to everyone. Find out more about what's free from AOL at AOL.com.

[Non-text portions of this message have been removed]

661. RE: [agwpe_pro] Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-16 05:29:50 UTC
From: W8DZN1
Topic: 647 Message: 661

Just let everyone know that the fixed upgrade works fine now.

Thanks George for all your hard work!!!

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

President, Bucyrus Amateur Radio Club

Assistant Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

---

size=2 width="100%" align=center tabindex=-1>

----- Original Message -----
From: W8DZN1
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Sent: Monday, May 14, 2007 11:13 AM
Subject: RE: [agwpe_pro] Packet Engine Pro Update

Hi George,

I upgraded mine, but it tells me that program is not installed correctly.
What could I have done wrong? I figured I would stop before I mess things up
even more.

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

President, Bucyrus Amateur Radio Club

Assistant Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

---

size=2 width="100%" align=center tabindex=-1>

From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
[mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On
Behalf
Of (SV2AGW) George Rossopoulos
Sent: Monday, May 14, 2007 5:50 AM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: [agwpe_pro] Packet Engine Pro Update

Hi

New Packet Engine Pro Update.

Vista Aware.
Optimized for Windows XP and Vista, smoother operation.
Fixed some problems with USB to Serial Adapters. Now You can remove the
adapter and PEPRO will recognize it.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

AOL now offers free email to everyone. Find out more about what's free from
AOL at AOL.com.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

662. Command MHEARD crashes AGWPE

Yahoo group: agwpe_pro
Date: 2007-05-19 16:12:17 UTC
From: travhardin
Topic: 662 Message: 662

Thanks for the great program. I'm using version 2004.703 in Windows XP in the evaluation period. I'm using a sound card TNC, the Creative SB Live!.

Upon reinstalling program and issuing "mheard" in Winpack, I get the error message "an error ocurred interpreting the command mheard" and the program does NOT crash.

On issuing "mheard" the second time, the program crashes. Any suggestions? It is not absolutely essential to use that command, but it is useful.

Travis, KE3Y, Alabama USA

663. RE: [agwpe_pro] Command MHEARD crashes AGWPE

Yahoo group: agwpe_pro
Date: 2007-05-19 18:21:40 UTC
From: Ralph Milnes
Topic: 662 Message: 663

Travis,

I think this program bug was never corrected, i.e. if there are NO stations heard, you will get the error/crash.

MHeard should work OK if there have been stations heard.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of travhardin
Sent: Saturday, May 19, 2007 12:12 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Command MHEARD crashes AGWPE

Thanks for the great program. I'm using version 2004.703 in Windows XP in the evaluation period. I'm using a sound card TNC, the Creative SB Live!.

Upon reinstalling program and issuing "mheard" in Winpack, I get the error message "an error ocurred interpreting the command mheard" and the program does NOT crash.

On issuing "mheard" the second time, the program crashes. Any suggestions? It is not absolutely essential to use that command, but it is useful.

Travis, KE3Y, Alabama USA

Yahoo! Groups Links

664. Re: [agwpe_pro] Re: Packet Engine Pro Update -TNC7

Yahoo group: agwpe_pro
Date: 2007-05-23 00:04:52 UTC
From: Steve
Topic: 647 Message: 664

I notice in the TNC list the TNC-7 is not listed. I know that there is a Pro version with the TNC - 7. Is there now 2 versions? Or did I just miss it.

Steve N0FPF

665. Re: Packet Engine Pro Update

Yahoo group: agwpe_pro
Date: 2007-05-24 02:40:57 UTC
From: bigtyme30
Topic: 647 Message: 665

My install went flawlessly. I removed the previous version and loaded the new version. Everything runs fine.

JH

666. Packet Engine Pro / Toshiba Satellite 100 Laptop

Yahoo group: agwpe_pro
Date: 2007-06-03 23:41:30 UTC
From: Phillip Conza
Topic: 647 Message: 666

Hi,
Have a clean install on a new Toshiba Satellite A100 Laptop

OS XP Home

Latest Vers Packet Pro

UI-View 32 clean install

My problem is that the TNC properties show my soundcard Realtek High definition Audio

When setting up using the TNC Wizard the Wizard doesn't detect the sound card or the input with audio No Name showing in window

I carry on and finish

I then go to set the audio levels there is no sound card listed so i can't set levels

Sound card Tuning aid show audio etc but No Soundcard name

I turn to the packet frequency and with Ui-View monitor on I am decoding packets 100% and placing APRs position on the map.

But according to AGWPE Pro I don't have a sound card that is being seen by the Tuning Wizard etc ..

This is a New PC with only the programs running as listed.

73 Phillip
ZL2TZE

667. Key code

Yahoo group: agwpe_pro
Date: 2007-06-07 10:49:07 UTC
From: John Wilson
Topic: 667 Message: 667

George,

I have installed the pre_pro on a new computer here at the house and need the reg. key.

GTWDC-QB4QA-7YSN5-IHJTY-4M37H-27D2P-B7II9-VWQDH-PA6DG-4T8HN-4D4PJ-WG6AB

John
KC4LZN
kc4lzn@...

668. Re: Key code

Yahoo group: agwpe_pro
Date: 2007-06-09 04:56:43 UTC
From: Les
Topic: 667 Message: 668

I have the Exactly the same problem

My Old Callsign was VK4HAB and i have a new hardrive in my computer
My Old numbers were

7g5m=m553350;/:6jd4f:l9852c2g>@i;49b

Now it is asking me for

Key to send e66<kD>>3c499/=8ji4<A8d8752eg694?181

Thanks

Rob Bryce
VK4HW

--- In agwpe_pro@yahoogroups.com, "John Wilson" <kc4lzn@...> wrote:
>
> George,
>
> I have installed the pre_pro on a new computer here at the house and
> need the reg. key.
>
> GTWDC-QB4QA-7YSN5-IHJTY-4M37H-27D2P-B7II9-VWQDH-PA6DG-4T8HN-4D4PJ-WG6AB
>
> John
> KC4LZN
> kc4lzn@...
>

669. RE: [agwpe_pro] Re: Packet Engine Pro Update -TNC7

Yahoo group: agwpe_pro
Date: 2007-06-11 14:16:05 UTC
From: (SV2AGW) George Rossopoulos
Topic: 647 Message: 669

Hi Steve

Can you PSE send me the ini file for the TNC7.
I will include it in next version (very soon)

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Steve
> Sent: Wednesday, May 23, 2007 3:05 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Re: Packet Engine Pro Update -TNC7
>
> I notice in the TNC list the TNC-7 is not listed. I know that there
> is a Pro version with the TNC - 7. Is there now 2 versions? Or did I
> just miss it.
>
> Steve N0FPF
>
>
>
>

670. Solution to "AGWPE registration failed"

Yahoo group: agwpe_pro
Date: 2007-06-11 17:29:15 UTC
From: Travis Hardin
Topic: 670 Message: 670

AGWPE and Telpac (a Winlink2000 program) were reinstalled and caused an error message.

PROBLEM: AGWPE error message is "Failure to register [callsign] with AGWPE." Telpac error message is "AGWPE Registration Failed."

CAUSE: Telpac is already registered (already in the registry). An uninstall of Telpac leaves information behind, including information in the registry.

SOLUTION: Uninstall Telpac. After backing up registry, delete Telpac in two places in the key HKEY-LOCAL_MACHINE: Under "Programs" and under "VB and VBA program settings." The latter location stores your coordinates, grid square, call, primary host URL, etc.

Reinstall Telpac. Start AGWPE then Telpac. The Telpac contract appears followed by the information screen where you enter the requested information. Those screens indicate you accomplished a new installation of Telpac. After proceeding, you will get the desired Telpac message in a green window, "AGWPE registered OK to [Callsign]."

I use Windows XP and Packet Engine Pro. This article may apply to other configurations.

Cross-posted in Yahoo groups:
agwpe_pro
SV2AWG
Loading_WL2K_user_programs
WL2kemcomm

Travis Hardin, KE3Y
Huntsville, Alabama, USA

671. KAM XL TNC

Yahoo group: agwpe_pro
Date: 2007-06-19 20:20:17 UTC
From: Rusty
Topic: 671 Message: 671

I just installed AGW PE PRo on a Vista 32 machine. I use a USB to Serial adaptor to connect the computer to a KAM XL, running the latest firmware.

The KAM XL works ok, using the USB to Serial convertor with other programs.

I've set it up to use XKISS, and checked to make sure the commands are correct. I do not see the "flashes" of the LED's when I run the Kiss test.

I believe I am using the KPC3+ profile for this TNC.

Any ideas?

I'm using PACLINK MP with AGwpe. The program sees AGWPE, but when I try to do anything it can't make the connection.

Rusty K1GGS

672. RE: [agwpe_pro] KAM XL TNC

Yahoo group: agwpe_pro
Date: 2007-06-22 21:02:59 UTC
From: (SV2AGW) George Rossopoulos
Topic: 671 Message: 672

Hi Rusty

First of all download the latest PEPRO from mysite.

Kantronics TNCs does not flash their leds ,so just bypass this step.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Rusty
> Sent: Tuesday, June 19, 2007 11:20 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] KAM XL TNC
>
> I just installed AGW PE PRo on a Vista 32 machine. I use a USB to
> Serial adaptor to connect the computer to a KAM XL, running the latest
> firmware.
>
> The KAM XL works ok, using the USB to Serial convertor with other
> programs.
>
> I've set it up to use XKISS, and checked to make sure the commands are
> correct. I do not see the "flashes" of the LED's when I run the Kiss
> test.
>
> I believe I am using the KPC3+ profile for this TNC.
>
> Any ideas?
>
> I'm using PACLINK MP with AGwpe. The program sees AGWPE, but when I
> try to do anything it can't make the connection.
>
> Rusty K1GGS
>
>
>
>

673. Pepro

Yahoo group: agwpe_pro
Date: 2007-06-26 06:59:07 UTC
From: RN
Topic: 673 Message: 673

Since upgrading to 2007.514 (after uninstalling) I get an error message on exiting. Any clues? (WinXP)

674. RE: [agwpe_pro] Pepro

Yahoo group: agwpe_pro
Date: 2007-06-26 23:45:41 UTC
From: W8DZN1
Topic: 673 Message: 674

Gee now that you mention it mine does too. I just thought something else was going on, but it did start when I regarded as well.

I wonder if it is just WinXP?

Kenneth Cook, W8DZN

President, Bucyrus Amateur Radio Club

Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of RN
Sent: Tuesday, June 26, 2007 2:59 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Pepro

Since upgrading to 2007.514 (after uninstalling) I get an error message on exiting. Any clues? (WinXP)

[Non-text portions of this message have been removed]

675. RE: [SPAM] RE: [agwpe_pro] KAM XL TNC

Yahoo group: agwpe_pro
Date: 2007-06-27 02:40:22 UTC
From: Rusty Hemenway
Topic: 671 Message: 675

George

I just got it working fine with agwterm.

Thanks Rusty

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW) George Rossopoulos
Sent: Friday, June 22, 2007 2:03 PM
To: agwpe_pro@yahoogroups.com
Subject: [SPAM] RE: [agwpe_pro] KAM XL TNC

Hi Rusty

First of all download the latest PEPRO from mysite.

Kantronics TNCs does not flash their leds ,so just bypass this step.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> Behalf Of Rusty
> Sent: Tuesday, June 19, 2007 11:20 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] KAM XL TNC
>
> I just installed AGW PE PRo on a Vista 32 machine. I use a USB to
> Serial adaptor to connect the computer to a KAM XL, running the latest
> firmware.
>
> The KAM XL works ok, using the USB to Serial convertor with other
> programs.
>
> I've set it up to use XKISS, and checked to make sure the commands are
> correct. I do not see the "flashes" of the LED's when I run the Kiss
> test.
>
> I believe I am using the KPC3+ profile for this TNC.
>

> Any ideas?
>
> I'm using PACLINK MP with AGwpe. The program sees AGWPE, but when I
> try to do anything it can't make the connection.
>
> Rusty K1GGS
>
>
>
>

[Non-text portions of this message have been removed]

676. Re: Pepro

Yahoo group: agwpe_pro
Date: 2007-06-28 02:36:42 UTC
From: RN
Topic: 673 Message: 676

I started getting crashes too - but that might have been due to my
messing to overcome the exit problem. I've reinstalled the old
version and now all OK. I'll wait for a solution if it's not just me.

Roger
vk7arn

--- In agwpe_pro@yahoogroups.com, "W8DZN1" <W8DZN1@...> wrote:
>
> Gee now that you mention it mine does too. I just thought something
else was
> going on, but it did start when I regarded as well.
>
> I wonder if it is just WinXP?
>
>
>
> Kenneth Cook, W8DZN
>
> President, Bucyrus Amateur Radio Club
>
> Emergency Coordinator Crawford Co., Ohio
>
> ARRL VE, ARRL Registered, Certified Instructor/Examiner
>
> for ECOMM Levels I, II and III
>
>
>
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of RN
> Sent: Tuesday, June 26, 2007 2:59 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Pepro
>
>
>
> Since upgrading to 2007.514 (after uninstalling) I get an error
> message on exiting. Any clues? (WinXP)
>
>
>

>
>
> [Non-text portions of this message have been removed]
>

677. Re: Pepro crashing on exit

Yahoo group: agwpe_pro
Date: 2007-07-13 15:12:58 UTC
From: Jim Moody
Topic: 677 Message: 677

After installing the latest program I too have the crash on exit problem. Has anyone found the problem and how to correct it?

Jim Moody, NL7C
NL7C@...

678. RE: [agwpe_pro] Re: Pepro crashing on exit

Yahoo group: agwpe_pro
Date: 2007-07-16 20:12:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 677 Message: 678

Hi

PSE do not worry new version will be released soon.
The current version was build mainly to cover Vista Users.

I am preparing it now.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Jim Moody
> Sent: Friday, July 13, 2007 6:13 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Pepro crashing on exit
>
> After installing the latest program I too have the crash on exit
> problem. Has anyone found the problem and how to correct it?
>
> Jim Moody, NL7C
> NL7C@... <mailto:NL7C%40ARRL.net>
>
>
>

679. Need new registration code

Yahoo group: agwpe_pro
Date: 2007-07-25 03:01:48 UTC
From: antelope423
Topic: 679 Message: 679

I finally replaced the old worn out pentium I with a pentium 4, thus I need a new code.

NN4VE-RB7IT-VGWN3-UNW4G-YM37H-N8DSP-DFIA9-DNQB6-HI5YG-PDKPW-8VY3J-UHAAB

73
Jeffery B Jones
N5JBJ

680. RE: [agwpe_pro] Need new registration code

Yahoo group: agwpe_pro
Date: 2007-07-28 13:31:17 UTC
From: (SV2AGW) George Rossopoulos
Topic: 679 Message: 680

Hi

This is your new keycode
PE5DE-P37HJ-UG6NB-SN26Y-QNTXH-E7D6M-5EH69-V6MT3-HI6GI-PDKPW-8VY3J-UHAAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of antelope423
> Sent: Wednesday, July 25, 2007 6:02 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new registration code
>
>
> I finally replaced the old worn out pentium I with a pentium 4, thus I
> need a new code.
>
> NN4VE-RB7IT-VGWN3-UNW4G-YM37H-N8DSP-DFIA9-DNQB6-HI5YG-PDKPW-8VY3J-UHAAB
>
> 73
> Jeffery B Jones
> N5JBJ
>
>
>
>

681. AGW Pro and ui-view 32

Yahoo group: agwpe_pro
Date: 2007-07-28 22:47:33 UTC
From: ve7oes
Topic: 681 Message: 681

I have installed, registered and configured AGW Pro and it's working. I can run winpack and recieve packets on the two configured ports, a KPC3 and a soundcard input. One with the latest version of AGW-Pro can I not get ui-view 32 to see those same ports. If I run the fre version it see the ports just fine, and when I ran the older version of AGW before I had to reinstall the OS it worked too. Have I missed something or does the new version of AGW Pro have a problem with ui-view 32.

Any suggestions would be greatly appreciated.

Thanks

Hans Oeste
VE7OES

682. RE: [agwpe_pro] AGW Pro and ui-view 32

Yahoo group: agwpe_pro
Date: 2007-07-29 15:34:08 UTC
From: Ralph Milnes
Topic: 681 Message: 682

Perhaps this page may have something that might help:
http://www.patmedia.net/ralphmilnes/soundcardpacket/7uiview.htm

I don't think there is any known problem with AGW Pro and UI-View.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of ve7oes
Sent: Saturday, July 28, 2007 6:48 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGW Pro and ui-view 32

I have installed, registered and configured AGW Pro and it's working.
I can run winpack and recieve packets on the two configured ports, a
KPC3 and a soundcard input. One with the latest version of AGW-Pro can
I not get ui-view 32 to see those same ports. If I run the fre version
it see the ports just fine, and when I ran the older version of AGW
before I had to reinstall the OS it worked too. Have I missed
something or does the new version of AGW Pro have a problem with ui-
view 32.

Any suggestions would be greatly appreciated.

Thanks

Hans Oeste
VE7OES

Yahoo! Groups Links

683. Telpac & PE Pro: "AGWPE not initialized"

Yahoo group: agwpe_pro
Date: 2007-08-10 03:29:50 UTC
From: Joe of the Mountain
Topic: 683 Message: 683

Just bought PE PRo to use with Telpac for my emergency radio outfit (am waiting for registration key).

PE Pro works beautifully with Winpak, Packlink, and APRSPoint -- but Telpac will not.

No AGWPE ports are detected by Telpac and, if I try to initialize it anyway, I get "AGWPE not initialized".

I've gone over both PE Pro and Telpac instructions numerous times and confirmed they are per specifications.

I've uninstalled and reinstalled both utilities several times, and done so far as to clear the registry of all references to Telpac and AGWPE.

No joy! Help, please!

de W3JY
Philadelphia

684. RE: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Yahoo group: agwpe_pro
Date: 2007-08-10 15:32:52 UTC
From: Ralph Milnes
Topic: 683 Message: 684

Joe,

If no one here knows the answer ...

Have you tried posting the question to the WinLink EmComm Yahoo list?

It sounds like this is more a Telpac problem than a PE Pro program -- since you can get PE Pro to work with other programs.

When you find the solution, please post it back here however -- in case the question gets asked again.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Joe of the Mountain
Sent: Thursday, August 09, 2007 11:30 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Just bought PE PRo to use with Telpac for my emergency radio outfit (am waiting for registration key).

PE Pro works beautifully with Winpak, Packlink, and APRSPoint -- but Telpac will not.

No AGWPE ports are detected by Telpac and, if I try to initialize it anyway, I get "AGWPE not initialized".

I've gone over both PE Pro and Telpac instructions numerous times and confirmed they are per specifications.

I've uninstalled and reinstalled both utilities several times, and done so far as to clear the registry of all references to Telpac and AGWPE.

No joy! Help, please!

de W3JY
Philadelphia

Yahoo! Groups Links

685. Success! RE: Telpac & PE Pro: "AGWPE not initialized"

Yahoo group: agwpe_pro
Date: 2007-08-11 03:37:27 UTC
From: Joseph Ames Jr
Topic: 683 Message: 685

Success!

Two problems:

1. Fourelle's Venturi Client ventc.exe which is used by Verizon's Mobile Office and other cell-based wireless cards. It listens at IP port 8000

2. Windows Firewall, which even when you turn it "off" does not stay "off" -- and which blocks port 8000.

I used JV Powertools 16 to clear the registry hive of all references to Telpac and AGW PE Pro, cleared the ini files from AGW PE, and reinstalled. This time, Windows Firewall picked up Packet Engine and I was able to open the port.

I do not know why Winpack and Packlink could interface with AGW PE, but they did and Telpac couldn't.

For the record:

IBM ThinkPad T23
Windows XP Pro SP2
Verizon Mobile Office (by Smith Micro)
Windows Firewall
McAfee (which seems to have its own firewall, too, even though I only bought their AV)

Joe W3JY

Joseph Ames, W3JY OES, VE

Training & Safety Officer; Webmaster

ARES/RACES of Delaware County, Pa.

<blocked::http://www.delcoares.org/> http://www.delcoares.org

ARRL Life Member/QCWA/FISTS/TAPR/BPL/PSHR

This message sent to you by Joe Ames.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Friday, August 10, 2007 11:33 AM
To: agwpe_pro@yahoogroups.com

Subject: RE: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Joe,

If no one here knows the answer ...

Have you tried posting the question to the WinLink EmComm Yahoo list?

It sounds like this is more a Telpac problem than a PE Pro program -- since you can get PE Pro to work with other programs.

When you find the solution, please post it back here however -- in case the question gets asked again.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com [mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On Behalf
Of Joe of the Mountain
Sent: Thursday, August 09, 2007 11:30 PM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Just bought PE PRo to use with Telpac for my emergency radio outfit (am waiting for registration key).

PE Pro works beautifully with Winpak, Packlink, and APRSPoint -- but Telpac will not.

No AGWPE ports are detected by Telpac and, if I try to initialize it anyway, I get "AGWPE not initialized".

I've gone over both PE Pro and Telpac instructions numerous times and confirmed they are per specifications.

I've uninstalled and reinstalled both utilities several times, and done so far as to clear the registry of all references to Telpac and AGWPE.

No joy! Help, please!

de W3JY
Philadelphia

Yahoo! Groups Links

[Non-text portions of this message have been removed]

686. RE: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Yahoo group: agwpe_pro
Date: 2007-08-10 15:38:17 UTC
From: Joseph Ames Jr
Topic: 683 Message: 686

I have Ralph, but they too are mystified. I've turned off Windows firewall and my AV tool. Next will be to remove networking protocols. Looks to be a long haul for this.

73,
Joe W3JY

This message sent to you by Joe Ames.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Friday, August 10, 2007 11:33 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Joe,

If no one here knows the answer ...

Have you tried posting the question to the WinLink EmComm Yahoo list?

It sounds like this is more a Telpac problem than a PE Pro program -- since you can get PE Pro to work with other programs.

When you find the solution, please post it back here however -- in case the question gets asked again.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com [mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On Behalf
Of Joe of the Mountain
Sent: Thursday, August 09, 2007 11:30 PM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Just bought PE PRo to use with Telpac for my emergency radio outfit (am waiting for registration key).

PE Pro works beautifully with Winpak, Packlink, and APRSPoint -- but Telpac will not.

No AGWPE ports are detected by Telpac and, if I try to initialize it anyway, I get "AGWPE not initialized".

I've gone over both PE Pro and Telpac instructions numerous times and confirmed they are per specifications.

I've uninstalled and reinstalled both utilities several times, and done so far as to clear the registry of all references to Telpac and AGWPE.

No joy! Help, please!

de W3JY
Philadelphia

Yahoo! Groups Links

[Non-text portions of this message have been removed]

687. RE: [agwpe_pro] Success! RE: Telpac & PE Pro: "AGWPE not initialized"

Yahoo group: agwpe_pro
Date: 2007-08-20 16:26:46 UTC
From: Ralph Milnes
Topic: 683 Message: 687

Joe,

The reason AGWPE Pro worked with WinPack is because WinPack doesn't use the IP port link to AGWPE; it uses a "DDE" link.

I'm not sure why it worked with Paclink because Paclink, like TelPac, uses the IP link to AGWPE.

That may be why we didn't suggest looking at an IP port conflict.

But glad that you got it resolved!

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Joseph Ames Jr
Sent: Friday, August 10, 2007 11:37 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Success! RE: Telpac & PE Pro: "AGWPE not initialized"

Success!

Two problems:

1. Fourelle's Venturi Client ventc.exe which is used by Verizon's Mobile Office and other cell-based wireless cards. It listens at IP port 8000

2. Windows Firewall, which even when you turn it "off" does not stay "off" -- and which blocks port 8000.

I used JV Powertools 16 to clear the registry hive of all references to Telpac and AGW PE Pro, cleared the ini files from AGW PE, and reinstalled. This time, Windows Firewall picked up Packet Engine and I was able to open the port.

I do not know why Winpack and Packlink could interface with AGW PE, but they did and Telpac couldn't.

For the record:

IBM ThinkPad T23
Windows XP Pro SP2
Verizon Mobile Office (by Smith Micro)
Windows Firewall
McAfee (which seems to have its own firewall, too, even though I only bought their AV)

Joe W3JY

Joseph Ames, W3JY OES, VE

Training & Safety Officer; Webmaster

ARES/RACES of Delaware County, Pa.

<blocked::http://www.delcoares.org/> http://www.delcoares.org

ARRL Life Member/QCWA/FISTS/TAPR/BPL/PSHR

This message sent to you by Joe Ames.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Friday, August 10, 2007 11:33 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Joe,

If no one here knows the answer ...

Have you tried posting the question to the WinLink EmComm Yahoo list?

It sounds like this is more a Telpac problem than a PE Pro program -- since you can get PE Pro to work with other programs.

When you find the solution, please post it back here however -- in case the question gets asked again.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com [mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On Behalf
Of Joe of the Mountain
Sent: Thursday, August 09, 2007 11:30 PM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Just bought PE PRo to use with Telpac for my emergency radio outfit (am waiting for registration key).

PE Pro works beautifully with Winpak, Packlink, and APRSPoint -- but Telpac will not.

No AGWPE ports are detected by Telpac and, if I try to initialize it anyway, I get "AGWPE not initialized".

I've gone over both PE Pro and Telpac instructions numerous times and confirmed they are per specifications.

I've uninstalled and reinstalled both utilities several times, and done so far as to clear the registry of all references to Telpac and AGWPE.

No joy! Help, please!

de W3JY
Philadelphia

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

688. RE: [agwpe_pro] Success! RE: Telpac & PE Pro: "AGWPE not initialized"

Yahoo group: agwpe_pro
Date: 2007-08-20 17:16:36 UTC
From: Joseph Ames Jr
Topic: 683 Message: 688

Thanks Ralph -- I'm suddenly very interested in the details of how such software functions. So far it hums along and nary a hiccough!
Joe W3JY
Malvern, Pa.

This message sent to you by Joe Ames.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Monday, August 20, 2007 12:27 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Success! RE: Telpac & PE Pro: "AGWPE not initialized"

Joe,

The reason AGWPE Pro worked with WinPack is because WinPack doesn't use the IP port link to AGWPE; it uses a "DDE" link.

I'm not sure why it worked with Paclink because Paclink, like TelPac, uses the IP link to AGWPE.

That may be why we didn't suggest looking at an IP port conflict.

But glad that you got it resolved!

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com [mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On Behalf
Of Joseph Ames Jr
Sent: Friday, August 10, 2007 11:37 PM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: [agwpe_pro] Success! RE: Telpac & PE Pro: "AGWPE not initialized"

Success!

Two problems:

1. Fourelle's Venturi Client ventc.exe which is used by Verizon's Mobile Office and other cell-based wireless cards. It listens at IP port 8000

2. Windows Firewall, which even when you turn it "off" does not stay "off" -- and which blocks port 8000.

I used JV Powertools 16 to clear the registry hive of all references to Telpac and AGW PE Pro, cleared the ini files from AGW PE, and reinstalled. This time, Windows Firewall picked up Packet Engine and I was able to open the port.

I do not know why Winpack and Packlink could interface with AGW PE, but they did and Telpac couldn't.

For the record:

IBM ThinkPad T23
Windows XP Pro SP2
Verizon Mobile Office (by Smith Micro)
Windows Firewall
McAfee (which seems to have its own firewall, too, even though I only bought their AV)

Joe W3JY

Joseph Ames, W3JY OES, VE

Training & Safety Officer; Webmaster

ARES/RACES of Delaware County, Pa.

<blocked::http://www.delcoare <http://www.delcoares.org/> s.org/>
http://www.delcoare <http://www.delcoares.org> s.org

ARRL Life Member/QCWA/FISTS/TAPR/BPL/PSHR

This message sent to you by Joe Ames.

From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com [mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On Behalf
Of Ralph Milnes
Sent: Friday, August 10, 2007 11:33 AM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: RE: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Joe,

If no one here knows the answer ...

Have you tried posting the question to the WinLink EmComm Yahoo list?

It sounds like this is more a Telpac problem than a PE Pro program -- since you can get PE Pro to work with other programs.

When you find the solution, please post it back here however -- in case the question gets asked again.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com [mailto:agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com] On Behalf
Of Joe of the Mountain
Sent: Thursday, August 09, 2007 11:30 PM
To: agwpe_pro@yahoogrou <mailto:agwpe_pro%40yahoogroups.com> ps.com
Subject: [agwpe_pro] Telpac & PE Pro: "AGWPE not initialized"

Just bought PE PRo to use with Telpac for my emergency radio outfit (am waiting for registration key).

PE Pro works beautifully with Winpak, Packlink, and APRSPoint -- but Telpac will not.

No AGWPE ports are detected by Telpac and, if I try to initialize it anyway, I get "AGWPE not initialized".

I've gone over both PE Pro and Telpac instructions numerous times and confirmed they are per specifications.

I've uninstalled and reinstalled both utilities several times, and done so far as to clear the registry of all references to Telpac and AGWPE.

No joy! Help, please!

de W3JY
Philadelphia

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

689. Upgrading to PRO

Yahoo group: agwpe_pro
Date: 2007-08-29 15:38:33 UTC
From: Scott Gillis
Topic: 689 Message: 689

Are there any known issues I should be aware of when upgrading from AGWPE to AGWPE-PRO?

I've been using AGWPE for quite some time now, and I think it's time I gave George some money (smile)

If I install PRO over top of AGWPE will it read my current configuation?

Thanks in advance,

Scott (N3UJJ)

My Current Location

<http://location.n3ujj.com/>

[Non-text portions of this message have been removed]

690. Re: [agwpe_pro] Upgrading to PRO

Yahoo group: agwpe_pro
Date: 2007-08-30 14:06:18 UTC
From: Hasan Schiers
Topic: 689 Message: 690

Scott,

Upgrading to Pro is a very good idea. You don't install it over the top of the existing agwpe...it goes in its own directory, and I believe the defaults for install will put it in its own directory. You can leave both installed, just only run one of them. You can switch back and forth between them (because they are totally different programs and are installed in totally different places).

You'll like Pro...very polished, and certainly for all the free work George has done, he deserves the support.

...hasan, N0AN
----- Original Message -----
From: Scott Gillis
To: agwpe_pro@yahoogroups.com
Sent: Wednesday, August 29, 2007 10:38 AM
Subject: [agwpe_pro] Upgrading to PRO

Are there any known issues I should be aware of when upgrading from
AGWPE to AGWPE-PRO?

I've been using AGWPE for quite some time now, and I think it's time I
gave George some money (smile)

If I install PRO over top of AGWPE will it read my current configuation?

Thanks in advance,

Scott (N3UJJ)

My Current Location

<http://location.n3ujj.com/>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

691. Using Soundcard TNC with USB class audio devices

Yahoo group: agwpe_pro
Date: 2007-09-04 22:41:48 UTC
From: John
Topic: 691 Message: 691

Has anyone gotten AGWPE Pro to work with the Imic or similar USB to audio adapters?... Im thinking its because its expecting MIC or LINE imput and these devices often use CAPTURE for their input jacks...

692. Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-07 04:09:22 UTC
From: jkrayfield
Topic: 692 Message: 692

I've been trying to get AGW (both the free version and the Pro version) to work with a KPC-3+. Everything seems to work correctly, except that the TNC will not transmit when the application (either Winlink or TelPac) 'tells' the TNC to transmit.

Any suggestions?

John - W0PM

693. RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-07 19:28:09 UTC
From: Joe B. Dorn, W5VEX
Topic: 692 Message: 693

I am not in a position to analyze your problem but I have several Kantronics products including the KPC 3, KPC3+. 9612 and KPC 2 working with both programs and several others.. Check your cable connections.

Joe B. Dorn, W5VEX

7969 West Highway 93

Belton, Texas 76513

(254) 939-5918

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jkrayfield
Sent: Thursday, September 06, 2007 11:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW won't work with KPC-3+

I've been trying to get AGW (both the free version and the Pro version) to work with a KPC-3+. Everything seems to work correctly, except that the TNC will not transmit when the application (either Winlink or TelPac) 'tells' the TNC to transmit.

Any suggestions?

John - W0PM

[Non-text portions of this message have been removed]

694. Re: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-11 00:58:32 UTC
From: Hasan Schiers
Topic: 692 Message: 694

I'm using AGWPRO with a KPC-3+ and while it works, I get garbled received packets that require me to shut the KPC3 plus off and turn it back on again, then re-initialize the KPC3+ with AGWPro, and all is fine. I'm not happy with having to shut off the KPC-3+ every 3 days...in fact, I'm going to replace it with a TNC-X as soon as I can. Worst 200 bucks I ever spent. (and I have checked with other locals who are having the same problem....if left to run 24x7 on a busy aprs channel (144.39), it will start garbaging received packets. Not good. Anyone have a cure?

...hasan, N0AN
----- Original Message -----
From: Joe B. Dorn, W5VEX
To: agwpe_pro@yahoogroups.com
Sent: Friday, September 07, 2007 2:28 PM
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

I am not in a position to analyze your problem but I have several Kantronics products including the KPC 3, KPC3+. 9612 and KPC 2 working with both programs and several others.. Check your cable connections.

Joe B. Dorn, W5VEX

7969 West Highway 93

Belton, Texas 76513

(254) 939-5918

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jkrayfield
Sent: Thursday, September 06, 2007 11:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW won't work with KPC-3+

I've been trying to get AGW (both the free version and the Pro version) to work with a KPC-3+. Everything seems to work correctly, except that the TNC will not transmit when the application (either Winlink or TelPac) 'tells' the TNC to transmit.

Any suggestions?

John - W0PM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

695. RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-07 21:29:18 UTC
From: w0pm@arrl.net
Topic: 692 Message: 695

Cable connections are fine....the tnc works fine when using direct serial control....only problem is when running AGW. For some reason, AGW simply isn't 'telling' the TNC to transmit when the packet program (Winlink, for example) tells it to.

John - W0PM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of Joe B. Dorn, W5VEX
Sent: Friday, September 07, 2007 2:28 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

I am not in a position to analyze your problem but I have several Kantronics
products including the KPC 3, KPC3+. 9612 and KPC 2 working with both programs and several others.. Check your cable connections.

Joe B. Dorn, W5VEX

7969 West Highway 93

Belton, Texas 76513

(254) 939-5918

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of jkrayfield
Sent: Thursday, September 06, 2007 11:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW won't work with KPC-3+

I've been trying to get AGW (both the free version and the Pro version) to work with a KPC-3+. Everything seems to work correctly, except that the TNC will not transmit when the application (either Winlink or TelPac) 'tells' the TNC to transmit.

Any suggestions?

John - W0PM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

696. Packet Engine PRO and Zone Alarm Security Suite

Yahoo group: agwpe_pro
Date: 2007-09-10 18:03:18 UTC
From: lakeannadamps
Topic: 696 Message: 696

Does anyone have any experience in running the Packet Engine PRO in a windows/xp pro environment protected with Zone Alarm Security Suite. Trying to play with my new TM-D710A machine thru AGWTracker and the PE Pro but no success as long as Zone Alarm is running. If I drop Zone Alarm, I can communicate with the D710A but I would perfer to work with Zone Alarm on.

The odd thing I see is no error alerts from Zone Alarm. What security settings are needed for Zone Alarm? Any pointers?

Andy, w4nsu

697. RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-11 16:18:07 UTC
From: Ralph Milnes
Topic: 692 Message: 697

John,

AGWPE needs to be able to put the KPC3+ in KISS mode for it to operate.
(When you are using it directly, it is in Terminal mode.)

The commands to put it in KISS mode are sent by AGWPE and AGWPE uses some
default codes. I wonder if the commands are present and correct. (They would
be in the port properties screen. In AGWPE, they are XKCH, INTFACE XKISS,
and RESET... but double check these against your KPC3+ user manual)

Also, the AGWPE modem icon in the lower right system tray should blink RED
once when AGWPE is transmitting. Are you seeing this RED light when your
client app (WinLink) sends a transmit request to AGWPE Pro?

Have you tried transmitting with another client app, such as AGWTerm, to
make sure it's not a configuration problem between WinLink and PE Pro?

Ralph
KC2RLM

--Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of w0pm@...
Sent: Friday, September 07, 2007 5:29 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Cable connections are fine....the tnc works fine when using direct serial
control....only problem is when running AGW. For some reason, AGW simply
isn't 'telling' the TNC to transmit when the packet program (Winlink, for
example) tells it to.

John - W0PM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On
Behalf Of Joe B. Dorn, W5VEX
Sent: Friday, September 07, 2007 2:28 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

I am not in a position to analyze your problem but I have several
Kantronics
products including the KPC 3, KPC3+. 9612 and KPC 2 working with both
programs and several others.. Check your cable connections.

Joe B. Dorn, W5VEX

7969 West Highway 93

Belton, Texas 76513

(254) 939-5918

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of jkrayfield
Sent: Thursday, September 06, 2007 11:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW won't work with KPC-3+

I've been trying to get AGW (both the free version and the Pro version) to work with a KPC-3+. Everything seems to work correctly, except that the TNC will not transmit when the application (either Winlink or TelPac) 'tells' the TNC to transmit.

Any suggestions?

John - W0PM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

698. RE: [agwpe_pro] Packet Engine PRO and Zone Alarm Security Suite

Yahoo group: agwpe_pro
Date: 2007-09-11 16:23:33 UTC
From: Ralph Milnes
Topic: 696 Message: 698

Andy, I don't use Zone Alarm, so I hope someone else will respond.

I do know that AGWPE uses TCP/IP port number 8000 (as a default) to communicate with client programs. So you might look for a way in Zone Alarm to open up port 8000. And AGWTracker and PE Pro have to be put on Zone Alarm's list "approved" programs.

When you resolve it, please post your findings here for future reference.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of lakeannadamps
Sent: Monday, September 10, 2007 2:03 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine PRO and Zone Alarm Security Suite

Does anyone have any experience in running the Packet Engine PRO in a windows/xp pro environment protected with Zone Alarm Security Suite. Trying to play with my new TM-D710A machine thru AGWTracker and the PE Pro but no success as long as Zone Alarm is running. If I drop Zone Alarm, I can communicate with the D710A but I would perfer to work with Zone Alarm on.

The odd thing I see is no error alerts from Zone Alarm. What security settings are needed for Zone Alarm? Any pointers?

Andy, w4nsu

Yahoo! Groups Links

699. RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-11 16:45:29 UTC
From: w0pm@arrl.net
Topic: 692 Message: 699

I found the problem.

The KPC-3+ 'command file' that comes with Paclink (for use when using a TNC directly on the serial port), sets Newmode to 'off'. So after running Paclink without AGWPE, the TNC was left in the converse mode, rather than command mode. Obviously then, it wasn't going into KISS mode when AGWPE ran, since it wouldn't take commands. Once I found that out, I set Newmode to 'on' and quick trying to use the direct serial connection. Everything works great with AGWPE now.

John - W0PM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of Ralph Milnes
Sent: Tuesday, September 11, 2007 11:18 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

John,

AGWPE needs to be able to put the KPC3+ in KISS mode for it to operate. (When you are using it directly, it is in Terminal mode.)

The commands to put it in KISS mode are sent by AGWPE and AGWPE uses some default codes. I wonder if the commands are present and correct. (They would
be in the port properties screen. In AGWPE, they are XKCH, INTFACE XKISS, and RESET... but double check these against your KPC3+ user manual)

Also, the AGWPE modem icon in the lower right system tray should blink RED once when AGWPE is transmitting. Are you seeing this RED light when your client app (WinLink) sends a transmit request to AGWPE Pro?

Have you tried transmitting with another client app, such as AGWTerm, to make sure it's not a configuration problem between WinLink and PE Pro?

Ralph
KC2RLM

--Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of w0pm@...
Sent: Friday, September 07, 2007 5:29 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Cable connections are fine....the tnc works fine when using direct serial control....only problem is when running AGW. For some reason, AGW simply isn't 'telling' the TNC to transmit when the packet program (Winlink, for example) tells it to.

John - W0PM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]On Behalf Of Joe B. Dorn, W5VEX
Sent: Friday, September 07, 2007 2:28 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+

I am not in a position to analyze your problem but I have several Kantronics
products including the KPC 3, KPC3+. 9612 and KPC 2 working with both programs and several others.. Check your cable connections.

Joe B. Dorn, W5VEX

7969 West Highway 93

Belton, Texas 76513

(254) 939-5918

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of jkrayfield
Sent: Thursday, September 06, 2007 11:09 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW won't work with KPC-3+

I've been trying to get AGW (both the free version and the Pro version) to work with a KPC-3+. Everything seems to work correctly, except that the TNC will not transmit when the application (either Winlink or TelPac) 'tells' the TNC to transmit.

Any suggestions?

John - W0PM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

700. Re: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-12 23:18:39 UTC
From: Noel Rowe
Topic: 692 Message: 700

You have set the serial port-to-TNC comms to a higher speed than the on air baud rate I presume? For KISS mode the TNC need to talk to the PC faster than the on air rate in use.

I find that 4800 is a good comms rate for 1200 baud packet. I believe 2400 will work OK but 4800 is a nicer speed to standardise on in your shack, because it is also standard for most GPSs.

Noel, ZL3GR.

[Non-text portions of this message have been removed]

701. RE: [agwpe_pro] Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2007-09-17 17:34:37 UTC
From: (SV2AGW) George Rossopoulos
Topic: 692 Message: 701

Hi

Do you receive packets??

If not then the problems are
1.Wrong Serial port baudrate
2.Tnc not in Kiss mode.

Do the follow
1.Form Hyperterminal connect to KPC.
2.Use this serial port baudrate to AGW
3.From Hyperterminal type INTFACE TERM and [Enter]

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

702. AGW Packet Engine PRO Registration Key

Yahoo group: agwpe_pro
Date: 2007-09-23 01:16:48 UTC
From: ronwenig
Topic: 702 Message: 702

George,

I have installed the pre_pro on a new computer here at the house and need the reg. key.

The key to send is:

HBUGQ-R38IE-8V2N3-ZGJUG-6M37N-7WVIP-DGPN7-DKQB8-GXTVI-4DJHT-WY2N3-SGSAB

Thanks,

Ron ny3j

703. RE: [agwpe_pro] AGW Packet Engine PRO Registration Key

Yahoo group: agwpe_pro
Date: 2007-09-28 18:31:10 UTC
From: (SV2AGW) George Rossopoulos
Topic: 702 Message: 703

Hi Ron

The serial is
H3UYQ-QT8G6-7WANB-XGPWY-WNTXN-XVVWM-5FPI7-V4MT5-GXUDK-4DJHT-WY2N3-SGSAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ronwenig
> Sent: Sunday, September 23, 2007 4:17 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW Packet Engine PRO Registration Key
>
> George,
>
> I have installed the pre_pro on a new computer here at the house and
> need the reg. key.
>
> The key to send is:
>
> HBUGQ-R38IE-8V2N3-ZGJUG-6M37N-7WVIP-DGPN7-DKQB8-GXTVI-4DJHT-WY2N3-SGSAB
>
> Thanks,
>
> Ron ny3j
>
>
>
>

704. Additional Call sign

Yahoo group: agwpe_pro
Date: 2007-09-23 20:17:48 UTC
From: Charles LeRoss
Topic: 704 Message: 704

Hello George:

I presently have purchased a copy of PE Pro under my callsign VE7IPL.
I have an additional callsign now and want to operate PE PRO on
another computer. Do I need to buy an additional copy of PE PRO and
is it the same price? Thanks.

Charlie VE7IPL

705. RE: [agwpe_pro] Additional Call sign

Yahoo group: agwpe_pro
Date: 2007-10-02 15:36:20 UTC
From: (SV2AGW) George Rossopoulos
Topic: 704 Message: 705

Hi Charlie

Registration fee covers the computers YOU use.
If you changed Callsign then no problem send me the "Key TO Send" from the new computer

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Charles LeRoss
> Sent: Sunday, September 23, 2007 11:18 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Additional Call sign
>
> Hello George:
>
> I presently have purchased a copy of PE Pro under my callsign VE7IPL.
> I have an additional callsign now and want to operate PE PRO on
> another computer. Do I need to buy an additional copy of PE PRO and
> is it the same price? Thanks.
>
> Charlie VE7IPL
>
>
>
>

707. PE-PRO and FT-60R

Yahoo group: agwpe_pro
Date: 2007-11-05 02:39:58 UTC
From: Harold Roberts
Topic: 707 Message: 707

OK I have an FT-60R, that I have been trying to get to work with PE-PRO. I have a made cable for just such a thing, and I can see the packets, that are going across the freq. however I cannot seem to connect using this radio.

I have tried both Terminal and Outpost, and a couple of other programs

Any Suggestions?

Thanks,

Harold

708. License Key Needed

Yahoo group: agwpe_pro
Date: 2007-11-04 18:51:30 UTC
From: Joe Spears
Topic: 708 Message: 708

George,

I am trying to take one of my old computers and turn it into a packet station so I don't have to use my laptop all the time. The key on the "new" computer is as follows:

N7VVK-45NPS-7D2N5-GNXUV-6M37H-I7VYP-DGH7W-YIQDH-PA4DN-QTXHI-6VUND-GNIAB

Thanks,

Joe Spears AF1E

709. RE: [agwpe_pro] PE-PRO and FT-60R

Yahoo group: agwpe_pro
Date: 2007-11-06 19:07:20 UTC
From: Ralph Milnes
Topic: 707 Message: 709

Hi Harold,

It could be many things.

I have a web site that may help:

http://www.patmedia.net/ralphmilnes/soundcardpacket/5probconnect.htm

After you peruse that, let us know what things you've tried and if you have eliminated some possible causes. For example, does the radio transmit when PE Pro keys it? Can you or a friend hear you packets on the air and do they sound OK? etc

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Harold Roberts
Sent: Sunday, November 04, 2007 9:40 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PE-PRO and FT-60R

OK I have an FT-60R, that I have been trying to get to work with PE-PRO. I have a made cable for just such a thing, and I can see the packets, that are going across the freq. however I cannot seem to connect using this radio.

I have tried both Terminal and Outpost, and a couple of other programs

Any Suggestions?

Thanks,

Harold

710. RE: [agwpe_pro] Port Problem

Yahoo group: agwpe_pro
Date: 2007-11-06 19:20:16 UTC
From: (SV2AGW) George Rossopoulos
Topic: 710 Message: 710

Hi

Does the serial port works OK. Check it using Hyperterminal. Restart your tnc while the Hyperterminal is active and check if you see the startup message

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of Duane Mack Brophy
> Sent: Monday, November 05, 2007 9:54 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Port Problem
>
> Good afternoon all.
>
> I had the power supply for my computer fail so I installed a new power
> supply. Since then I have not been able to get Packet Engine Pro to
> recognize the serial port to which I have my tnc connected. I have it
> connected to Com 1 but Packet Engine Pro does not detect it. Is there
> a way to tell Packet Engine Pro that the tnc is on Com 1?
>
> 73 de Mack N9NTB
>
>
>
>

712. RE: [agwpe_pro] License Key Needed

Yahoo group: agwpe_pro
Date: 2007-11-07 17:31:44 UTC
From: (SV2AGW) George Rossopoulos
Topic: 708 Message: 712

Hi Joe

The serial is

PXWDK-3VNNI-6EAND-EN3XD-WNTXH-A6WCM-5FH3X-G2MVE-PA4VQ-QTXHI-6VUND-GNIAB

73
(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of Joe Spears
> Sent: Sunday, November 04, 2007 8:52 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] License Key Needed
>
> George,
>
> I am trying to take one of my old computers and turn it into a packet
> station so I don't have to use my laptop all the time. The key on
> the "new" computer is as follows:
>
> N7VVK-45NPS-7D2N5-GNXUV-6M37H-I7VYP-DGH7W-YIQDH-PA4DN-QTXHI-6VUND-GNIAB
>
> Thanks,
>
> Joe Spears AF1E
>
>
>

713. Re: PE-PRO and FT-60R

Yahoo group: agwpe_pro
Date: 2007-11-07 02:33:35 UTC
From: Harold Roberts
Topic: 707 Message: 713

Ralph,

I will peruse your website very shortly here, However to answer your questions? Yes and No.

The Radio does transmit, and according to the person who is helping set it up it sounds a little shorter then he thinks it should.

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Hi Harold,
>
> It could be many things.
>
> I have a web site that may help:
>
>
http://www.patmedia.net/ralphmilnes/soundcardpacket/5probconnect.htm
>
> After you peruse that, let us know what things you've tried and if you have
> eliminated some possible causes. For example, does the radio transmit when
> PE Pro keys it? Can you or a friend hear you packets on the air and do they
> sound OK? etc
>
> 73
>
> Ralph KC2RLM
>
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of Harold Roberts
> Sent: Sunday, November 04, 2007 9:40 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PE-PRO and FT-60R
>
> OK I have an FT-60R, that I have been trying to get to work with
> PE-PRO. I have a made cable for just such a thing, and I can see the
> packets, that are going across the freq. however I cannot seem to
> connect using this radio.

>
> I have tried both Terminal and Outpost, and a couple of other
programs
>
> Any Suggestions?
>
> Thanks,
>
> Harold
>

714. RE: [agwpe_pro] Re: PE-PRO and FT-60R

Yahoo group: agwpe_pro
Date: 2007-11-09 09:38:07 UTC
From: (SV2AGW) George Rossopoulos
Topic: 707 Message: 714

Hi

Overdeviation... lower the Volume of the Soundcard

This is a YAESU feature(!!!) to release PTT when Overdeviation occurs.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of Harold Roberts
> Sent: Wednesday, November 07, 2007 4:34 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: PE-PRO and FT-60R
>
> Ralph,
>
> I will peruse your website very shortly here, However to answer your
> questions? Yes and No.
>
> The Radio does transmit, and according to the person who is helping
> set it up it sounds a little shorter then he thinks it should.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "Ralph Milnes" <ralphmilnes@...>
> wrote:
> >
> > Hi Harold,
> >
> > It could be many things.
> >
> > I have a web site that may help:
> >
> >
> http://www.patmedia.net/ralphmilnes/soundcardpacket/5probconnect.htm
> <http://www.patmedia.net/ralphmilnes/soundcardpacket/5probconnect.htm>
> >
> > After you peruse that, let us know what things you've tried and if
> you have

> > eliminated some possible causes. For example, does the radio
> transmit when
> > PE Pro keys it? Can you or a friend hear you packets on the air and
> do they
> > sound OK? etc
> >
> > 73
> >
> > Ralph KC2RLM
> >
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf
> > Of Harold Roberts
> > Sent: Sunday, November 04, 2007 9:40 PM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] PE-PRO and FT-60R
> >
> > OK I have an FT-60R, that I have been trying to get to work with
> > PE-PRO. I have a made cable for just such a thing, and I can see
> the
> > packets, that are going across the freq. however I cannot seem to
> > connect using this radio.
> >
> > I have tried both Terminal and Outpost, and a couple of other
> programs
> >
> > Any Suggestions?
> >
> > Thanks,
> >
> > Harold
> >
>
>
>
>

715. AGWPE PRO

Yahoo group: agwpe_pro
Date: 2007-11-13 21:12:19 UTC
From: Jack Dennett
Topic: 715 Message: 715

George

I am interested in purchasing the program. I have one question.

I intend to use it on 2 computers a desktop at home and a laptop when I am on my sail boat. Do I need to buy two copies?

Jack
VE7DFJ Victoria BC

716. RE: [agwpe_pro] AGWPE PRO

Yahoo group: agwpe_pro
Date: 2007-11-17 15:40:43 UTC
From: Ralph Milnes
Topic: 715 Message: 716

Jack,

You only need to purchase one copy.

The software author, George SV2AGW, has said he will give unlocking keys for all computers you own. You would need to write him to tell him what you are doing and give him the registration routine's 'key to send' for the second installation. His address is sv2agw@...

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Jack Dennett
Sent: Tuesday, November 13, 2007 4:12 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE PRO

George

I am interested in purchasing the program. I have one question.

I intend to use it on 2 computers a desktop at home and a laptop when I am on my sail boat. Do I need to buy two copies?

Jack
VE7DFJ Victoria BC

Yahoo! Groups Links

717. W98 PEPRO crash....

Yahoo group: agwpe_pro
Date: 2007-11-25 20:49:30 UTC
From: Robert Rogers
Topic: 717 Message: 717

Hello all:

I had PEPRO running on this machine for almost a month then it crashed on me. I got the following info:

```
PACKET ENGINE PRO caused an invalid page fault in
module PACKET ENGINE PRO.EXE at 0167:0044d855.
Registers:
EAX=0078e974 CS=0167 EIP=0044d855 EFLGS=00010206
EBX=00000001 SS=016f ESP=0078e964 EBP=00000000
ECX=00000000 DS=016f ESI=00000000 FS=28d7
EDX=bffcd490 ES=016f EDI=0078ec04 GS=0000
Bytes at CS:EIP:
83 7e 08 00 0f 84 15 01 00 00 8b 7c 24 20 57 68
Stack dump:
3cf195a9 0078ec04 01107598 00000001 0078eb34 00482621 ffffffff
0043f24c 0078ec04 3cf1954d 01104a44 01211050 00000000 0078ec04
00494ed0 41534944
```

The machine is running with 192MB ram on a P200. This is the only memory intensive program running on this machine. I network into it for APRS apps.

Thinking about a reformat and start over..... But, I thought I'd stop here first and see if anyone might have a thought....

Thanks!

Bob N8FAU Saranac, MI

718. Re: [agwpe_pro] W98 PEPRO crash....

Yahoo group: agwpe_pro
Date: 2007-11-28 00:47:49 UTC
From: Perry - K4PWO
Topic: 717 Message: 718

Yeah... here's a thought (and Big ;->) use Win 2000 as a minimum and put every older 98/Me/95 etc. CD in the microwave and watch them spark. Pre 2000 OS's have very poor resource utilization and would often go "bump" for no apparent reason. 2000 and later overcame many of those limitations. I would think 2000 would "run" on the antique hardware without problems.

----- Original Message -----
From: Robert Rogers
To: agwpe_pro@yahoogroups.com
Sent: Sunday, November 25, 2007 2:49 PM
Subject: [agwpe_pro] W98 PEPRO crash....

Hello all:

I had PEPRO running on this machine for almost a month then it crashed on me. I got the following info:

```
PACKET ENGINE PRO caused an invalid page fault in
module PACKET ENGINE PRO.EXE at 0167:0044d855.
Registers:
EAX=0078e974 CS=0167 EIP=0044d855 EFLGS=00010206
EBX=00000001 SS=016f ESP=0078e964 EBP=00000000
ECX=00000000 DS=016f ESI=00000000 FS=28d7
EDX=bffcd490 ES=016f EDI=0078ec04 GS=0000
Bytes at CS:EIP:
83 7e 08 00 0f 84 15 01 00 00 8b 7c 24 20 57 68
Stack dump:
3cf195a9 0078ec04 01107598 00000001 0078eb34 00482621 ffffffff
0043f24c 0078ec04 3cf1954d 01104a44 01211050 00000000 0078ec04
00494ed0 41534944
```

The machine is running with 192MB ram on a P200. This is the only memory intensive program running on this machine. I network into it for APRS apps.

Thinking about a reformat and start over..... But, I thought I'd stop here first and see if anyone might have a thought....

Thanks!

Bob N8FAU Saranac, MI

[Non-text portions of this message have been removed]

719. Help with AGWPE Pro

Yahoo group: agwpe_pro
Date: 2007-12-07 16:55:45 UTC
From: ddhlv
Topic: 719 Message: 719

Hello to the group:

I am having problems with connecting to AGWTERM. My KPC3+ is in kiss mode. When I try to connect to a local node, I see lights on my TNC, but no packets is seen on the agwterm screen. My OS is Win XP PRO. Thanks for the help.

DennisV k8dlv

720. RE: [agwpe_pro] Help with AGWPE Pro

Yahoo group: agwpe_pro
Date: 2007-12-12 16:26:29 UTC
From: Ralph Milnes
Topic: 719 Message: 720

Dennis,

How do you know the KPC3+ is in KISS mode? Perhaps it's in HOST mode.

AGWPE needs it to be in either TERMINAL or KISS mode (if in TERMINAL mode, the AGWPE default settings will try to put it in KISS mode).

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ddhlv
Sent: Friday, December 07, 2007 11:56 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Help with AGWPE Pro

Hello to the group:

I am having problems with connecting to AGWTERM. My KPC3+ is in kiss mode. When I try to connect to a local node, I see lights on my TNC, but no packets is seen on the agwterm screen. My OS is Win XP PRO. Thanks for the help.

DennisV k8dlv

Yahoo! Groups Links

721. Additional Computer

Yahoo group: agwpe_pro
Date: 2007-12-13 15:11:15 UTC
From: Rusty
Topic: 721 Message: 721

Good Day George

I just loaded AGW Pro onto my new Vista 64 laptop. I'm already registered with Pro on my other computer. Registration info for the new laptop is:

HBVDC-RT6PW-7VQN3-ZGXTV-2M37G-W9VGP-DFPI9-DSQDG-GJUVN-QT2H3-VG2QM-DGNAB

Can I obtain a key for the new addition?

Thanks

Ralph (Rusty) Hemenway, K1GGS
rhemen@...

722. RE: [agwpe_pro] Additional Computer

Yahoo group: agwpe_pro
Date: 2007-12-15 16:17:41 UTC
From: (SV2AGW) George Rossopoulos
Topic: 721 Message: 722

Hi Ralph

The serial is
H3VVC-QJ6NN-6VYNB-XG3WD-SNTXG-N8VUM-5EPE9-WAMVD-GJVDQ-QT2H3-VG2QM-DGNAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Rusty
> Sent: Thursday, December 13, 2007 5:11 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Additional Computer
>
> Good Day George
>
> I just loaded AGW Pro onto my new Vista 64 laptop. I'm already
> registered with Pro on my other computer. Registration info for the
> new laptop is:
>
> HBVDC-RT6PW-7VQN3-ZGXTV-2M37G-W9VGP-DFPI9-DSQDG-GJUVN-QT2H3-VG2QM-DGNAB
>
> Can I obtain a key for the new addition?
>
> Thanks
>
> Ralph (Rusty) Hemenway, K1GGS
> rhemen@... <mailto:rhemen%40roadrunner.com>
>
>
>
>

723. Re: On WinXP system YAM does not initialize

Yahoo group: agwpe_pro
Date: 2007-12-30 10:48:05 UTC
From: kevinzl3js
Topic: 361 Message: 723

HI

Did you have any luck sorting this?

Thanks
Kevin

--- In agwpe_pro@yahoogroups.com, "Nilesh Malpekar"
<nilesh_malpekar@...> wrote:
>
>
>
> Hi All,
>
> I was using AGWPro on Win2K laptop and it worked fine.
> I recently installed AGWPro on WinXP machine and the YAM does not
> initialize on the new setup. I receive following error
>
> Internal agwYAM.sys Failed!
>
> Does anyone know the reason for the same? Thanks for your help in
> advance.
>
> The details are as follows:
> COM1, 2400, 8, N, 1, Hardware
>
> Using 1200bps packet with yam
>
> rgds,
>
> Nilesh
>

725. Re: On WinXP system YAM does not initialize

Yahoo group: agwpe_pro
Date: 2007-12-30 10:54:09 UTC
From: kevinzl3js
Topic: 361 Message: 725

Hi All

Was anything sorted with this, I seem to have this problem now.

Thanks
Kevin

--- In agwpe_pro@yahoogroups.com, "Nilesh Malpekar"
<nilesh_malpekar@...> wrote:
>
>
>
> Hi All,
>
> I was using AGWPro on Win2K laptop and it worked fine.
> I recently installed AGWPro on WinXP machine and the YAM does not
> initialize on the new setup. I receive following error
>
> Internal agwYAM.sys Failed!
>
> Does anyone know the reason for the same? Thanks for your help in
> advance.
>
> The details are as follows:
> COM1, 2400, 8, N, 1, Hardware
>
> Using 1200bps packet with yam
>
> rgds,
>
> Nilesh
>

726. Re: AGW won't work with KPC-3+

Yahoo group: agwpe_pro
Date: 2008-01-01 13:15:36 UTC
From: Rick
Topic: 692 Message: 726

Greetings, in your port settings for the KPC3+, Check the Kiss
control settings for the KPC3+ to get it into the kiss mode.
I have had to change the settings in order for the tnc to go into the
Kiss mode on startup
the settings are:
INTFACE KISS
RESET
(leave the bottom box blank)
I have allways had trouble getting a kpc3 tnc to go into kiss mode
with agw untill I made this change.
The other method is to create the port for a kpc3 and uncheck the box
for (exit kiss on shutdown) and put the tnc into kiss mode manually
via a term program,then connect it to the agw software after. It
should see the tnc in kiss mode. 73 Good luck.. Rick N1YHR

--- In agwpe_pro@yahoogroups.com, "w0pm@..." <w0pm@...> wrote:
>
> Cable connections are fine....the tnc works fine when using direct
serial
> control....only problem is when running AGW. For some reason, AGW
simply
> isn't 'telling' the TNC to transmit when the packet program
(Winlink, for
> example) tells it to.
>
> John - W0PM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On
> Behalf Of Joe B. Dorn, W5VEX
> Sent: Friday, September 07, 2007 2:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Re: AGW won't work with KPC-3+
>
>
> I am not in a position to analyze your problem but I have several
> Kantronics
> products including the KPC 3, KPC3+. 9612 and KPC 2 working with
both
> programs and several others.. Check your cable connections.
>
> Joe B. Dorn, W5VEX
>
> 7969 West Highway 93

>
> Belton, Texas 76513
>
> (254) 939-5918
>
> _____
>
> From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com] On
> Behalf
> Of jkrayfield
> Sent: Thursday, September 06, 2007 11:09 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: AGW won't work with KPC-3+
>
> I've been trying to get AGW (both the free version and the Pro
version)
> to work with a KPC-3+. Everything seems to work correctly, except
that
> the TNC will not transmit when the application (either Winlink or
> TelPac) 'tells' the TNC to transmit.
>
> Any suggestions?
>
> John - W0PM
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

727. Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2008-01-02 15:45:08 UTC
From: Russell
Topic: 1 Message: 727

While PEP is running with the terminal loaded everything works fine. When you start AGWTracker it causes an error and shuts down PEP. Need help PLZ.

728. Need registration Code

Yahoo group: agwpe_pro
Date: 2008-01-03 00:31:11 UTC
From: Harold Roberts
Topic: 728 Message: 728

I need a new registration code. I moved the software to a new laptop.

The key to send is:

G7VYG-QB9IT-XYSN3-4NI5W-CM37G-66DNP-B6PW7-GNQDJ-GXVVN-PT6H2-8Y4QJ-2NSAB

Thanks,

Harold

729. CISCO Exam Practice Questions

Yahoo group: agwpe_pro
Date: 2008-01-03 11:29:20 UTC
From: james.anderson1231
Topic: 729 Message: 729

Are you looking for CCNA 640-801 practice questions and answers? We have a huge collection of what you're looking for:

http://www.dev-sphere.com/cisco/ccna-640-801-examcourse.htm

731. RE: [agwpe_pro] PE Pro registration

Yahoo group: agwpe_pro
Date: 2008-01-06 21:25:28 UTC
From: (SV2AGW) George Rossopoulos
Topic: 731 Message: 731

Hi Dean

Probably you cannot receive my emails.
Thank you for the registration.
Your serial is
PN3YG-24BN2-5D6NB-TPBVV-QNTXP-E6D4M-5FPTB-GYMTW-GS4GK-Q33HX-XD2QB-XGWAB

And the tcpip over radio code is 1161

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Dean Jacobsen
> Sent: Friday, January 04, 2008 6:08 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PE Pro registration
>
> Hi George, I haven't yet received my registration key for PE Pro.
>
> Here is a copy of my on-line order receipt:
>
> Friday, December 28, 2007
>
> Dean Jacobsen
> 2093 Oak Leaf Court
> Vista, CA 92081
> USA
>
> Order receipt from BMT Micro, Inc.
> Order ID: 3537158
>
> Qty Product Description Price
> Discount Subtotal
> 1 3560000 Packet Engine Professional Edi USD 49.00 USD
> 0.00 USD 49.00
>
> Shipping: USD 0.00
> Sales tax: USD 0.00
> Total bill: USD 49.00

```
>
> Here is a copy of the software key string:
>
> NW3GG-4CBQA-6DWN3-VN7TD-YM37P-N7DQP-DGPXA-YGQBZ-GS3YI-Q33HX-XD2QB-XGWAB
>
> Please forward my registration key at your earliest convenieince.
>
> Dean Jacobsen, W6DBJ
>
>
>
>
```

732. RE: [agwpe_pro] Re: On WinXP system YAM does not initialize

Yahoo group: agwpe_pro
Date: 2008-01-06 21:30:51 UTC
From: (SV2AGW) George Rossopoulos
Topic: 361 Message: 732

Hi

Open "Log to file" from left menu and send me the AGWPE.LOG to see what
happens.
Have in mind that you need a true serial port not a USB2Serial converter
although it should work with such a converter if it has a "right" driver.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of kevinzl3js
> Sent: Sunday, December 30, 2007 12:54 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: On WinXP system YAM does not initialize
>
> Hi All
>
> Was anything sorted with this, I seem to have this problem now.
>
> Thanks
> Kevin
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "Nilesh Malpekar"
> <nilesh_malpekar@...> wrote:
> >
> >
> >
> > Hi All,
> >
> > I was using AGWPro on Win2K laptop and it worked fine.
> > I recently installed AGWPro on WinXP machine and the YAM does not
> > initialize on the new setup. I receive following error
> >
> > Internal agwYAM.sys Failed!
> >
> > Does anyone know the reason for the same? Thanks for your help in
> > advance.
> >

> > The details are as follows:
> > COM1, 2400, 8, N, 1, Hardware
> >
> > Using 1200bps packet with yam
> >
> > rgds,
> >
> > Nilesh
> >
>
>
>
>

733. RE: [agwpe_pro] Need registration Code

Yahoo group: agwpe_pro
Date: 2008-01-06 21:31:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 728 Message: 733

Hi Harold

Your serial is
HXWGG-N39HJ-WY2NB-2NN8D-4NTXG-W5D2M-35PS7-Y6MVG-GXWDQ-PT6H2-8Y4QJ-2NSAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Harold Roberts
> Sent: Thursday, January 03, 2008 2:31 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need registration Code
>
> I need a new registration code. I moved the software to a new laptop.
>
> The key to send is:
>
> G7VYG-QB9IT-XYSN3-4NI5W-CM37G-66DNP-B6PW7-GNQDJ-GXVVN-PT6H2-8Y4QJ-2NSAB
>
> Thanks,
>
> Harold
>
>
>
>

734. Airmail (Winlink) Question

Yahoo group: agwpe_pro
Date: 2008-01-13 02:15:31 UTC
From: Rick
Topic: 734 Message: 734

Greetings to the Group.
Anyone heard of any further development with Airmail and the AGW program?
Here in the NE there is a big push to get Airmail up and running for Ecomms and State EOC's
George, It would be a big asset if airmail could work on agw and the agwpe program. I havn't been around this group in awhile ,maybe this has already been discussed,but would like to hear from anyone that might have a solution..73's
Rick N1YHR

735. Re: [agwpe_pro] Airmail (Winlink) Question

Yahoo group: agwpe_pro
Date: 2008-01-13 02:36:31 UTC
From: James Darrow (KB9MMC)
Topic: 734 Message: 735

Hi Rick,

Your probably barking at the wrong group for your question, but if you contact me off group I can explain how with a piece of software one of our guys here in WI ARES/RACES wrote get Airmail working with the AGWPE.

Rick <n1yhr@...> wrote:
Greetings to the Group.
Anyone heard of any further development with Airmail and the AGW program?
Here in the NE there is a big push to get Airmail up and running for Ecomms and State EOC's
George, It would be a big asset if airmail could work on agw and the agwpe program. I havn't been around this group in awhile ,maybe this has already been discussed,but would like to hear from anyone that might have a solution..73's
Rick N1YHR

James K. Darrow
A.R.S. KB9MMC AMSAT-NA #35296
WI ARES/RACES Digital Technologies Coordinator
ARRL Official Observer / ARRL Bulletin Station
AMSAT-NA Weekly Satellite Report Editor

[Non-text portions of this message have been removed]

736. Registration key

Yahoo group: agwpe_pro
Date: 2008-01-10 22:18:40 UTC
From: Beaven Els
Topic: 736 Message: 736

I'm replacing my computer and need a new registration key.

My key to send is:
G23DW-RB4IJ-XGNN3-YGPTD-4M37G-7WDYP-DFP66-GKQB4-HN7DN-RJ7IE-7YY3J-SG6AB

Thanks

Beaven Els KC5ID
KC5ID@...

737. Regis Code

Yahoo group: agwpe_pro
Date: 2008-01-16 22:40:28 UTC
From: AFA1FZ- Reuben Meeks
Topic: 737 Message: 737

Hello George,
I need the new registration code for my other computer that I am now
using for the following code:
N7VVW-4MKII-8DUN5-GHBVE-EM37G-68YNP-B7IJA-VWQDG-HN7GS-332PI-4VS2T-2G2AB
Thanks
Reuben Meeks,W8GUC/AFA1FZ
Vandalia, OH

738. [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-01-18 15:36:24 UTC
From: George Sansom
Topic: 738 Message: 738

Hi George,

I need a new registration code for my desktop computer that I am now using in my ham shack.

My original code is:

;9d887f=024ik25<7m/<lkj.84f5h8j5>158

and the tcpip over radio code is 1460

Thanks,

George VE3GWS

[Non-text portions of this message have been removed]

739. Re: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-01-19 21:54:38 UTC
From: George Sansom
Topic: 738 Message: 739

George,

I think I missed something. My key to send is:

f4:89ok<386f9/=8;44e>m48k5;4679f8574

Thanks,

George VE3GWS

On Jan 18, 2008 10:36 AM, George Sansom <george.sansom@...> wrote:

> Hi George,
>
> I need a new registration code for my desktop computer that I am now using
> in my ham shack.
>
> My original code is:
>
> ;9d887f=024ik25<7m/<lkj.84f5h8j5>158
>
> and the tcpip over radio code is 1460
>
> Thanks,
>
> George VE3GWS
>
>
>

[Non-text portions of this message have been removed]

740. Re: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-01-24 03:23:14 UTC
From: George Sansom
Topic: 738 Message: 740

Hi George

I am installing my AGWPE pro on a new computer in my shack. The key to send is:

f4:89ok<386f9/=8;44e>m48k5;4679f8574

My registration key for the computer it is installed on now is:

;9d887f=024ik25<7m/<lkj.84f5h8j5>158

and the tcpip over radio code is 1460

Thanks,

George Sansom
VE3GWS

[Non-text portions of this message have been removed]

741. AGWTerm TCP

Yahoo group: agwpe_pro
Date: 2008-01-27 05:24:22 UTC
From: drwoolweaver
Topic: 741 Message: 741

I am using Packet Engine Pro, Telpac, Paclink AGW and Paclink POP.
When I try to add AGWTerm TCP, I find that AGWTerm TCP does not
function properly. If I shut down Telpac, AGWTerm TCP will operate
properly. If I load AGWTerm TCP and then Telpac, in that order,
Telpac will not initialze.

Help! Anyway to resolve the conflict between Telpac and AGWTerm TCP?
I am using XP Media Center and a Pentium D 3.4 Ghz CPU.

David

742. Re: AGWTerm TCP

Yahoo group: agwpe_pro
Date: 2008-01-29 13:45:18 UTC
From: ve2aey
Topic: 741 Message: 742

--- In agwpe_pro@yahoogroups.com, "drwoolweaver" <drwoolweaver@...>
wrote:
>
> I am using Packet Engine Pro, Telpac, Paclink AGW and Paclink POP.
> When I try to add AGWTerm TCP, I find that AGWTerm TCP does not
> function properly. If I shut down Telpac, AGWTerm TCP will operate
> properly. If I load AGWTerm TCP and then Telpac, in that order,
> Telpac will not initialze.
>
> Help! Anyway to resolve the conflict between Telpac and AGWTerm
TCP?
> I am using XP Media Center and a Pentium D 3.4 Ghz CPU.
>
> David
>

David

Maybe you are using the same callsign twice. PEPro will not accept
two programs with the same callsign.

VE2AEY

743. micro-tnc3

Yahoo group: agwpe_pro
Date: 2008-01-29 16:10:04 UTC
From: davidmsgrv
Topic: 743 Message: 743

Help
I am unable to find a listing for the micro-tnc3. What tnc setting are used for this USB uTNT GPS BT.
David VE1EDA

744. RE: [agwpe_pro] Re: AGWTerm TCP

Yahoo group: agwpe_pro
Date: 2008-01-31 23:50:38 UTC
From: Ralph Milnes
Topic: 741 Message: 744

David,

I can't seem to replicate your problem with Windows XP home.

What do you mean "AGWTerm TCP will not *work properly*"? What does it do? Fail to load?

As VE2AEY suggests, do you have duplicate callsigns in the various programs -- although I've never heard of PE Pro not accepting two programs with the same callsign. Maybe there's a duplicate callsign problem with the WinLink programs?

Why ARE you running both TelPac and Paclink simultaneously? Testing? Usually you're either a TelPac station or a PacLink station.

Is there a firewall involved that may be interfering with access to PE Pro's default port of 8000?

Just fishing ...

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ve2aey
Sent: Tuesday, January 29, 2008 8:45 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGWTerm TCP

--- In agwpe_pro@yahoogroups.com, "drwoolweaver" <drwoolweaver@...> wrote:
>
> I am using Packet Engine Pro, Telpac, Paclink AGW and Paclink POP.
> When I try to add AGWTerm TCP, I find that AGWTerm TCP does not
> function properly. If I shut down Telpac, AGWTerm TCP will operate
> properly. If I load AGWTerm TCP and then Telpac, in that order,
> Telpac will not initialze.
>
> Help! Anyway to resolve the conflict between Telpac and AGWTerm TCP?
> I am using XP Media Center and a Pentium D 3.4 Ghz CPU.
>
> David
>

David

Maybe you are using the same callsign twice. PEPro will not accept two programs with the same callsign.

VE2AEY

Yahoo! Groups Links

745. Packet Engine For PocketPC first Beta release

Yahoo group: agwpe_pro
Date: 2008-02-02 07:54:40 UTC
From: (SV2AGW) George Rossopoulos
Topic: 741 Message: 745

Hi

Packet Engine for Windows Mobile first Beta Release.
Works ,for the moment, only with kiss TNCs.
http://www.sv2agw.com/ham/ppc_agwpe.htm

You can download and run
http://www.sv2agw.com/downloads/AGWPEPPC.zip

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

746. Registration

Yahoo group: agwpe_pro
Date: 2008-02-03 03:43:01 UTC
From: AFA1FZ- Reuben Meeks
Topic: 245 Message: 746

Hello George,
I need my Registration Numbers for my other computer for this number:
5;e=kAf:32ef;/=76f4<>=98;d2c76i<>fea
Thanks,
Reuben Meeks
W8GUC/AFA1FZ

747. RE: [agwpe_pro] Registration

Yahoo group: agwpe_pro
Date: 2008-02-07 11:45:34 UTC
From: (SV2AGW) George Rossopoulos
Topic: 245 Message: 747

Hi

PSE download and install the latest version
From www.sv2agw.com

;<e8k7d>00fk72554l/;=>A.8d3d76i<>fea

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of AFA1FZ- Reuben Meeks
> Sent: Sunday, February 03, 2008 5:43 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration
>
> Hello George,
> I need my Registration Numbers for my other computer for this number:
> 5;e=kAf:32ef;/=76f4<>=98;d2c76i<>fea
> Thanks,
> Reuben Meeks
> W8GUC/AFA1FZ
>
>
>
>

748. PK-12 and AGWPE PRO

Yahoo group: agwpe_pro
Date: 2008-02-08 02:38:18 UTC
From: Hal
Topic: 748 Message: 748

Hi,

Is anyone using AGWPE PRO (or plain AGWPE) with an AEA or Timewave
PK-12? If so, what TNC did you select and what init settings did you use?

Thanks.

Hal/KM6JM

749. Re: AGWPE pro, serial loopback emulator and Wisp

Yahoo group: agwpe_pro
Date: 2008-02-10 04:49:38 UTC
From: ve4yz
Topic: 238 Message: 749

--- In agwpe_pro@yahoogroups.com, "k6ux2003" <segert@...> wrote:
>
> Has anyone had any luck getting Wisp to work with AGWPE pro and the
> loopback emulator? Wisp seems to be able to key the transmitter and
> send a packet, but doesn't hear any of the packets coming down from a
> variety of 9600 baud packet satellites.
>
> AGWPE pro + the loopback work well with tlmEcho and various other
> KISS terminal programs that I've tried, so I think that I have things
> set up correctly from a configuration standpoint. I've put a
> hyperterminal session on the loopback and I can see that data is
> getting passed, but I'm at a loss on this one. I've tried a variety
> of MSPE tnc startup commands, but still no luck.
> TNX,
> Steve
>

Steve et al... did you ever resolve this problem?

I would be interested as I'm just starting to try this combo of WISP32
and PEPro to see if I can retire my PacComm 9k6.

Thanks... Alan

750. "Best" TNC to use with MixW as an external KISS modem?

Yahoo group: agwpe_pro
Date: 2008-02-17 22:24:07 UTC
From: Alan Biddle
Topic: 750 Message: 750

Hi,

I am using MixW as an external KISS modem, very successfully, with AGWPE Pro. As long as the baud rate and ports are matched, it doesn't seem to matter which TNC you tell AGWPE you are using. I expect all the extraneous commands are just ignored. That having been said, is there a "best" one to use? TNC-2 Clone seems to work fine, which is what I am using.

73s,

Alan
WA4SCA

751. AGW Pro + SignaLink USB + TCP/IP-Dummy

Yahoo group: agwpe_pro
Date: 2008-02-20 19:21:57 UTC
From: Keith
Topic: 751 Message: 751

I'd appreciate a link to a really basic tutorial on how to use AGW TCP/IP. I can do just fine with the AGWTerminal, but don't have a clue what to do with the TCP/IP capability. I have my IP address given by the local administrator-- what do I do with it?

752. PE Pro problems on laptop with SigmaTel sound card

Yahoo group: agwpe_pro
Date: 2008-02-20 19:37:13 UTC
From: Brian Rau
Topic: 752 Message: 752

I've been struggling to get either PE Pro or AGWPE to work on a Dell Latitude D630 laptop with SigmaTel audio. I have a homebrewed sound card interface cable to my VX-7R that works fine with a desktop PC sound card, but I cannot get any packets received on the Dell laptop (transmit works fine). Using PE Pro, the packet engine crashes when AGWTracker tries to connect, with the following error info:

AppName: packet engine pro.exe
AppVer: 2007.1.1.7
ModName: ntdll.dll
ModVer: 5.1.2600.2180
Offset: 00018fea

Using plain old AGWPE (the free version), I just don't get any packets decoded. The "sound card tuning" dialog shows audio coming in, just no packet decode... Any suggestions, anyone? Just tried updating the audio drivers via the Dell web site, and still no joy.

Brian
K9JVA

753. Re: AGW Pro + SignaLink USB + TCP/IP-Dummy

Yahoo group: agwpe_pro
Date: 2008-02-20 21:47:21 UTC
From: Jack Dennett
Topic: 751 Message: 753

```
--- In agwpe_pro@yahoogroups.com, "Keith" <k7kev@...> wrote:
>
> I'd appreciate a link to a really basic tutorial on how to use AGW
> TCP/IP. I can do just fine with the AGWTerminal, but don't have a
clue
> what to do with the TCP/IP capability. I have my IP address given by
> the local administrator-- what do I do with it?
>
```

Try this link

http://www.kc2rlm.info/soundcardpacket/6tor.htm

Jack
VE7DFJ

754. Re: AGW Pro + SignaLink USB + TCP/IP-Dummy

Yahoo group: agwpe_pro
Date: 2008-02-20 21:47:43 UTC
From: Jack Dennett
Topic: 751 Message: 754

--- In agwpe_pro@yahoogroups.com, "Keith" <k7kev@...> wrote:
>
> I'd appreciate a link to a really basic tutorial on how to use AGW
> TCP/IP. I can do just fine with the AGWTerminal, but don't have a
clue
> what to do with the TCP/IP capability. I have my IP address given by
> the local administrator-- what do I do with it?
>

Try this link

http://www.kc2rlm.info/soundcardpacket/6tor.htm

Jack
VE7DFJ

755. Re: AGW Pro + SignaLink USB + TCP/IP-Dummy

Yahoo group: agwpe_pro
Date: 2008-02-21 04:11:25 UTC
From: Jack Dennett
Topic: 751 Message: 755

--- In agwpe_pro@yahoogroups.com, "Keith" <k7kev@...> wrote:
>
> I'd appreciate a link to a really basic tutorial on how to use AGW
> TCP/IP. I can do just fine with the AGWTerminal, but don't have a
clue
> what to do with the TCP/IP capability. I have my IP address given by
> the local administrator-- what do I do with it?
>

Try this link

http://www.kc2rlm.info/soundcardpacket/6tor.htm

Jack
VE7DFJ

756. Re: AGW Pro + SignaLink USB + TCP/IP-Dummy

Yahoo group: agwpe_pro
Date: 2008-02-24 06:29:13 UTC
From: Keith
Topic: 751 Message: 756

Thanks, Jack,

I'm making this my bedtime reading tonight.

I appreciate the help.

73,

Keith
K7KEV

--- In agwpe_pro@yahoogroups.com, "Jack Dennett" <ve7dfj@...> wrote:
>
> --- In agwpe_pro@yahoogroups.com, "Keith" <k7kev@> wrote:
> >
> > I'd appreciate a link to a really basic tutorial on how to use AGW
> > TCP/IP. I can do just fine with the AGWTerminal, but don't have a
> clue
> > what to do with the TCP/IP capability. I have my IP address given
by
> > the local administrator-- what do I do with it?
> >
>
> Try this link
>
> http://www.kc2rlm.info/soundcardpacket/6tor.htm
>
> Jack
> VE7DFJ
>

757. Registration needed

Yahoo group: agwpe_pro
Date: 2008-02-24 16:27:09 UTC
From: n2pqt
Topic: 757 Message: 757

Hi George,

Here is the key from AGW Pro
N3VVS-R36QB-XYYN3-ZHE6Y-6M37H-3VYSP-DFHXZ-GEQDM-HE4YQ-PDGH3-VDS2J-TNSAB

My Call N2PQT
Gabriel Cuebas

758. AGUNDigi Update

Yahoo group: agwpe_pro
Date: 2008-02-25 16:32:46 UTC
From: (SV2AGW) George Rossopoulos
Topic: 757 Message: 758

Hi
new version.
Added the ability to specify Filter while connecting to APRS server

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

759. RE: [agwpe_pro] Registration needed

Yahoo group: agwpe_pro
Date: 2008-02-25 16:33:21 UTC
From: (SV2AGW) George Rossopoulos
Topic: 757 Message: 759

Hi

The serial is
PTWDS-QT6N3-WY8NB-XHI9G-WNTXH-TUY6M-5EHTZ-YWMVI-HE5GS-PDGH3-VDS2J-TNSAB

Tcpip over radio code is the same.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of n2pqt
> Sent: Sunday, February 24, 2008 6:27 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration needed
>
> Hi George,
>
> Here is the key from AGW Pro
> N3VVS-R36QB-XYYN3-ZHE6Y-6M37H-3VYSP-DFHXZ-GEQDM-HE4YQ-PDGH3-VDS2J-TNSAB
>
> My Call N2PQT
> Gabriel Cuebas
>
>
>
>

760. Latest version engine pro

Yahoo group: agwpe_pro
Date: 2008-02-24 20:07:33 UTC
From: Van Hoof Peter
Topic: 760 Message: 760

To all,

Where can I download the latest version of packet engine pro ?
On sv2agw.com no downloads are working !

Thanks

On4pvh , Peter

761. RE: [agwpe_pro] Latest version engine pro

Yahoo group: agwpe_pro
Date: 2008-02-26 15:56:57 UTC
From: (SV2AGW) George Rossopoulos
Topic: 760 Message: 761

Hi

Fixed, try again

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Van Hoof Peter
> Sent: Sunday, February 24, 2008 10:08 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Latest version engine pro
>
> To all,
>
> Where can I download the latest version of packet engine pro ?
> On sv2agw.com no downloads are working !
>
> Thanks
>
> On4pvh , Peter
>
>
>
>

762. Re: Latest version engine pro

Yahoo group: agwpe_pro
Date: 2008-02-27 00:14:47 UTC
From: Alan Biddle
Topic: 760 Message: 762

George,

Now the Update from the program seems to be broken. It used to just tell me that there were no updates. Now, I get an error message:

Error 404 Not Found!

It was ok about a week ago.

73s,

Alan
WA4SCA

763. Packet Engine Pro Live Update

Yahoo group: agwpe_pro
Date: 2008-02-29 22:52:13 UTC
From: Duane Mack Brophy
Topic: 763 Message: 763

Hello all.
I am running a registered copy of Packet Engine Pro.
When I try to use Live Update I get ERROR 404 the url you are trying to connect to is bad.
Does anyone know how to fix this problem?

73 de Mack N9NTB

764. RE: [agwpe_pro] Packet Engine Pro Live Update

Yahoo group: agwpe_pro
Date: 2008-03-02 07:32:30 UTC
From: (SV2AGW) George Rossopoulos
Topic: 763 Message: 764

Hi

Will be fixed during this week

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Duane Mack Brophy
> Sent: Saturday, March 01, 2008 12:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro Live Update
>
> Hello all.
> I am running a registered copy of Packet Engine Pro.
> When I try to use Live Update I get ERROR 404 the url you are trying to
> connect to is bad.
> Does anyone know how to fix this problem?
>
> 73 de Mack N9NTB
>
>
>
>

765. RE: [agwpe_pro] Packet Engine Pro Live Update

Yahoo group: agwpe_pro
Date: 2008-03-02 17:09:53 UTC
From: Brophy, Mack - DMA
Topic: 763 Message: 765

Thanks George.

73 de Mack N9NTB

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf Of (SV2AGW) George Rossopoulos
Sent: Sunday, March 02, 2008 1:33 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro Live Update

Hi

Will be fixed during this week

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com <http://www.sv2agw.com>
http://www.agwtracker.com <http://www.agwtracker.com>

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
On
> Behalf Of Duane Mack Brophy
> Sent: Saturday, March 01, 2008 12:52 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Packet Engine Pro Live Update
>
> Hello all.
> I am running a registered copy of Packet Engine Pro.
> When I try to use Live Update I get ERROR 404 the url you are trying
to
> connect to is bad.
> Does anyone know how to fix this problem?
>
> 73 de Mack N9NTB
>
>
>
>

[Non-text portions of this message have been removed]

766. How Do I....

Yahoo group: agwpe_pro
Date: 2008-03-04 17:13:27 UTC
From: wa6rkn
Topic: 766 Message: 766

I am a registered user of AGWPE. I now have a new computer. How do I update the key, as a registered user of the software? Only thing I find is to pay another $49.00....

Thanks

Joe Wolfe
WA6RKN

767. Re: [agwpe_pro] How Do I....

Yahoo group: agwpe_pro
Date: 2008-03-05 19:34:37 UTC
From: Hasan Schiers
Topic: 766 Message: 767

Send a private email to George and he can give you instructions on getting another key. I have 3 here for different computers...it's not a problem...George is VERY good about it.
----- Original Message -----
From: wa6rkn
To: agwpe_pro@yahoogroups.com
Sent: Tuesday, March 04, 2008 11:13 AM
Subject: [agwpe_pro] How Do I....

I am a registered user of AGWPE. I now have a new computer. How do I
update the key, as a registered user of the software? Only thing I
find is to pay another $49.00....

Thanks

Joe Wolfe
WA6RKN

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.21.4/1310 - Release Date: 3/4/2008 8:35 AM

[Non-text portions of this message have been removed]

768. Re: How Do I....

Yahoo group: agwpe_pro
Date: 2008-03-08 23:32:23 UTC
From: wa6rkn
Topic: 766 Message: 768

What IS George's email address? I have sent several emails to him here and still no response. I can't get Outpost running with my Sound Card Interface (DRSCI) without AGW-PE. I am not real excited about buying a TNC right now....

I have AGW-PE running my packet computer at home, but need to get portable packet up and running for ARES/RACES operation.

Joe Wolfe
WA6RKN
Reno, Nevada, USA

--- In agwpe_pro@yahoogroups.com, "Hasan Schiers" <schiers@...> wrote:
>
> Send a private email to George and he can give you instructions on getting another key. I have 3 here for different computers...it's not a problem...George is VERY good about it.

769. RE: [agwpe_pro] How Do I....

Yahoo group: agwpe_pro
Date: 2008-03-11 16:46:15 UTC
From: (SV2AGW) George Rossopoulos
Topic: 766 Message: 769

Hi Joe

Send me the "Key TO Send". sv2agw@...

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of wa6rkn
> Sent: Tuesday, March 04, 2008 7:13 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] How Do I....
>
> I am a registered user of AGWPE. I now have a new computer. How do I
> update the key, as a registered user of the software? Only thing I
> find is to pay another $49.00....
>
> Thanks
>
> Joe Wolfe
> WA6RKN
>
>
>
>

770. Live UPDATE continue giving and advise of error

Yahoo group: agwpe_pro
Date: 2008-03-13 02:24:39 UTC
From: Roberto
Topic: 770 Message: 770

When the problem will have solution ???? (ERROR 404)
73 !!

Roberto

771. Re: [agwpe_pro] Registration needed

Yahoo group: agwpe_pro
Date: 2008-03-16 15:26:53 UTC
From: George Sansom
Topic: 757 Message: 771

Hi George,

I am loading PE Pro on to a new computer.

My key to send is:

f4:89ok<386f9/=8;44e>m48k5;4679f8574

And the registration from the old computer is:

;9d887f=024ik25<7m/<lkj.84f5h8j5>158

Could I get a new registration for the new computer.

Thanks,

George Sansom
VE3GWS

On Mon, Feb 25, 2008 at 12:33 PM, (SV2AGW) George Rossopoulos <
sv2agw@...> wrote:

> Hi
>
> The serial is
> PTWDS-QT6N3-WY8NB-XHI9G-WNTXH-TUY6M-5EHTZ-YWMVI-HE5GS-PDGH3-VDS2J-TNSAB
>
> Tcpip over radio code is the same.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Nikanoros 59
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com> [mailto:
> agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>] On
> > Behalf Of n2pqt
> > Sent: Sunday, February 24, 2008 6:27 PM
> > To: agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Registration needed
> >

> > Hi George,
> >
> > Here is the key from AGW Pro
> > N3VVS-R36QB-XYYN3-ZHE6Y-6M37H-3VYSP-DFHXZ-GEQDM-HE4YQ-PDGH3-VDS2J-TNSAB
> >
> > My Call N2PQT
> > Gabriel Cuebas
> >
> >
> >
> >
>
>
>

[Non-text portions of this message have been removed]

772. RE: [agwpe_pro] Registration needed

Yahoo group: agwpe_pro
Date: 2008-03-17 17:23:21 UTC
From: (SV2AGW) George Rossopoulos
Topic: 757 Message: 772

Hi George

PSE download and install the latest version then send me the "Key To Send"
to sv2agw@...

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of George Sansom
> Sent: Sunday, March 16, 2008 5:27 PM
> To: agwpe_pro@yahoogroups.com; sv2agw@...
> Subject: Re: [agwpe_pro] Registration needed
>
> Hi George,
>
> I am loading PE Pro on to a new computer.
>
> My key to send is:
>
> f4:89ok<386f9/=8;44e>m48k5;4679f8574
>
> And the registration from the old computer is:
>
> ;9d887f=024ik25<7m/<lkj.84f5h8j5>158
>
> Could I get a new registration for the new computer.
>
> Thanks,
>
> George Sansom
> VE3GWS
>
> On Mon, Feb 25, 2008 at 12:33 PM, (SV2AGW) George Rossopoulos <
> sv2agw@... <mailto:sv2agw%40freemail.gr> > wrote:
>
> > Hi
> >

> > The serial is
> > PTWDS-QT6N3-WY8NB-XHI9G-WNTXH-TUY6M-5EHTZ-YWMVI-HE5GS-PDGH3-VDS2J-
> TNSAB
> >
> > Tcpip over radio code is the same.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Nikanoros 59
> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> <agwpe_pro%40yahoogroups.com>
> [mailto:
> > agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <agwpe_pro%40yahoogroups.com>] On
> > > Behalf Of n2pqt
> > > Sent: Sunday, February 24, 2008 6:27 PM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Registration needed
> > >
> > > Hi George,
> > >
> > > Here is the key from AGW Pro
> > > N3VVS-R36QB-XYYN3-ZHE6Y-6M37H-3VYSP-DFHXZ-GEQDM-HE4YQ-PDGH3-VDS2J-
> TNSAB
> > >
> > > My Call N2PQT
> > > Gabriel Cuebas
> > >
> > >
> > >
> > >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

773. What file date for the update

Yahoo group: agwpe_pro
Date: 2008-03-20 22:26:46 UTC
From: Phillip Conza
Topic: 773 Message: 773

Hi George,
Your 25 Feb 2008 update on your web site states :
Packet Engine Pro (Update)
New Packet Engine Pro. Vista Aware. Better Support for USB to Serial Adapters (you can remove without crash). Other improvements and very smooth operation under WINXP and Vista.

Yet in the download section your files are showning 14May2007 dates, is this updated file available elsewhere ?

Also is there a Budlist / exclude list available in AGW Tracker

73 Phillip ZL2TZE

774. vehicle tracking

Yahoo group: agwpe_pro
Date: 2008-03-21 01:07:13 UTC
From: fivec4
Topic: 774 Message: 774

I have a PC in a car with a GPS unit attached, this PC that is connected to the network in my office by way of a VPN. I want to use AGWtracker or another program in the car to send the GPS Info into the office to view the vehicle's location on a PC using AGWtracker. Do i need to setup AGWPEpro to act as a server, then point both AGWtrackers to AGWPEpro to view the vehicle. If this is the case what is the proper method to send the GPS Info to the office from the car.

Here is what i have done so far...
I have enabled the GPS function in the car, and created a Loopback port in AGWPEpro, In the AGWtracker i enabled transmission on the loopback radio port. It seems to work...but Is this the proper method.

Also can you set the GPS Xmit time to less then 1 minute.

775. RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-22 22:41:35 UTC
From: Rick Nicholson
Topic: 775 Message: 775

Hello all

I've installed RMS packet and packet engine pro.
When I attempt to setup the rms software it requests a port number and the packet engine won't make it availabl;e for the software, even though it has the file and path to the engine.
I'm using a Kenwood TMD700A radio.

I've read through all of the installation instructions and almost certain that everything is setup correctly.

I'm not a newbie to packet and thought I had a fairly good understanding of how the packet engine worked.

Am I missing somethingin the setup??

Any help would be appreciated!

Thanks in advance
Rick Nicholson N9UMJ

776. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-24 01:03:17 UTC
From: Ralph @ patmedia
Topic: 775 Message: 776

Rick,

First, what is RMS? Which installation instructions were you following --
RMS' or PE Pro's?

The TCP/IP port that AGWPE/PE Pro offers to client programs is 8000.

If there's a connection problem, perhaps some firewall software is blocking
RMS' access to that port?

73

Ralph KC2RLM

----- Original Message -----
From: "Rick Nicholson" <n9umj@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Saturday, March 22, 2008 6:41 PM
Subject: [agwpe_pro] RMS Packet won't target the packet engine port

> Hello all
>
> I've installed RMS packet and packet engine pro.
> When I attempt to setup the rms software it requests a port number and
> the packet engine won't make it availabl;e for the software, even
> though it has the file and path to the engine.
> I'm using a Kenwood TMD700A radio.
>
> I've read through all of the installation instructions and almost
> certain that everything is setup correctly.
>
> I'm not a newbie to packet and thought I had a fairly good
> understanding of how the packet engine worked.
>
> Am I missing somethingin the setup??
>
> Any help would be appreciated!
>
>
> Thanks in advance
> Rick Nicholson N9UMJ
>
>
> ----------
>
> Yahoo! Groups Links
>

>
>

777. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-24 01:33:02 UTC
From: Rick Nicholson
Topic: 775 Message: 777

Ralph
RMS is a packet program related to PaclinkMp for winxp
and vista machines.

on the RMS packet setup: The Packet software has to
see the the packet engine software.: The RMS sftware
setup page lists the file for the packet engine
C:/programs/agwpe_pro/ but it can't see the port the
shared port that my tnc shares with the packet
software.
The packet software is configured to open with the
packet engine startup.

Is there another step I'm missing to direct the shared
port to the packet software other than what's
available on the packet engine setup screen?

Rick
--- "Ralph @ patmedia" <ralphmilnes@...>
wrote:

> Rick,
>
> First, what is RMS? Which installation instructions
> were you following --
> RMS' or PE Pro's?
>
> The TCP/IP port that AGWPE/PE Pro offers to client
> programs is 8000.
>
> If there's a connection problem, perhaps some
> firewall software is blocking
> RMS' access to that port?
>
> 73
>
> Ralph KC2RLM
>
> ----- Original Message -----
> From: "Rick Nicholson" <n9umj@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Saturday, March 22, 2008 6:41 PM
> Subject: [agwpe_pro] RMS Packet won't target the
> packet engine port
>
>

> > Hello all
> >
> > I've installed RMS packet and packet engine pro.
> > When I attempt to setup the rms software it
> requests a port number and
> > the packet engine won't make it availabl;e for the
> software, even
> > though it has the file and path to the engine.
> > I'm using a Kenwood TMD700A radio.
> >
> > I've read through all of the installation
> instructions and almost
> > certain that everything is setup correctly.
> >
> > I'm not a newbie to packet and thought I had a
> fairly good
> > understanding of how the packet engine worked.
> >
> > Am I missing somethingin the setup??
> >
> > Any help would be appreciated!
> >
> >
> > Thanks in advance
> > Rick Nicholson N9UMJ
> >
> >
> > ---
> >
> > Yahoo! Groups Links
> >
> >
> >
>
>

Never miss a thing. Make Yahoo your home page.
http://www.yahoo.com/r/hs

778. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-25 01:05:26 UTC
From: Ralph @ patmedia
Topic: 775 Message: 778

I'm not sure I'm following everything so forgive me if you've already done all this.

You first need to get PE Pro running -- without RMS -- and configure it to work with your TNC. PE Pro needs to be configured for the TNC's COM port and it needs to know what TNC is on that COM port so it can "talk" to the TNC send commnads to configure the TNC for KISS mode. The D700 radio is a special type of TNC, but there should be a default configuration choice in PE Pro for the D700. I'm not exactly sure what PE Pro does to get the D700 in the correct mode, but it could be that your problem is the radio's TNC mode is in "APRS Packet" mode and needs to be in plain "Packet" mode. I don't know if the PE Pro commands can implement that mode change or if you need to set the radio manually.

After PE Pro is configured for the D700 and running OK, run RMS.

If you still have difficulties and need to troubleshoot, I would exit RMS, and instead of RMS, download and run AGWTerm (available from the SV2AGW web site). It is "guaranteed" to run with PE Pro. In other words, take RMS out of the equation and run PE Pro and AGWTerm to make sure that PE Pro is running correctly with the D700 before you try to run it with RMS. In this way you can tell if the problem is with PE Pro's configuration or with RMS's. A good first test with AGWTerm is to simply tune to an active packet frequency (say 144.39 APRS) and see if PE Pro is passing received packets to AGWTerm. This confirms that you at least have the "receive" aspect working.

If it is some sort of PE Pro problem, we can help you on this list.

If it's a RMS problem, some of us here may be able to help you -- or you can use the WinLink/RMS list to get help.

To autostart PE Pro after RMS starts, the PE Pro folder specified in the RMS configuration must match the PE Pro folder path exactly. It may not be a default path offered by RMS, if one is offered; in other words, e.g. C:/programs/agwpe_pro/ may not be correct. It will depend on where (in what folder) you installed PE Pro.

Did any of this help? Did I mis-understand the problem?

73

Ralph KC2RLM

----- Original Message -----
From: "Rick Nicholson" <n9umj@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Sunday, March 23, 2008 9:33 PM

Subject: Re: [agwpe_pro] RMS Packet won't target the packet engine port

> Ralph
> RMS is a packet program related to PaclinkMp for winxp
> and vista machines.
>
> on the RMS packet setup: The Packet software has to
> see the the packet engine software.: The RMS sftware
> setup page lists the file for the packet engine
> C:/programs/agwpe_pro/ but it can't see the port the
> shared port that my tnc shares with the packet
> software.
> The packet software is configured to open with the
> packet engine startup.
>
> Is there another step I'm missing to direct the shared
> port to the packet software other than what's
> available on the packet engine setup screen?
>
> Rick
> --- "Ralph @ patmedia" <ralphmilnes@...>
> wrote:
>
>> Rick,
>>
>> First, what is RMS? Which installation instructions
>> were you following --
>> RMS' or PE Pro's?
>>
>> The TCP/IP port that AGWPE/PE Pro offers to client
>> programs is 8000.
>>
>> If there's a connection problem, perhaps some
>> firewall software is blocking
>> RMS' access to that port?
>>
>> 73
>>
>> Ralph KC2RLM
>>
>> ----- Original Message -----
>> From: "Rick Nicholson" <n9umj@...>
>> To: <agwpe_pro@yahoogroups.com>
>> Sent: Saturday, March 22, 2008 6:41 PM
>> Subject: [agwpe_pro] RMS Packet won't target the
>> packet engine port
>>
>>
>> > Hello all
>> >

>> > I've installed RMS packet and packet engine pro.
>> > When I attempt to setup the rms software it
>> requests a port number and
>> > the packet engine won't make it availabl;e for the
>> software, even
>> > though it has the file and path to the engine.
>> > I'm using a Kenwood TMD700A radio.
>> >
>> > I've read through all of the installation
>> instructions and almost
>> > certain that everything is setup correctly.
>> >
>> > I'm not a newbie to packet and thought I had a
>> fairly good
>> > understanding of how the packet engine worked.
>> >
>> > Am I missing somethingin the setup??
>> >
>> > Any help would be appreciated!
>> >
>> >
>> > Thanks in advance
>> > Rick Nicholson N9UMJ
>> >
>> >
>> > ------------------------------------
>> >
>> > Yahoo! Groups Links
>> >
>> >
>> >
>>
>>
>
>
>
>
> ____
> Never miss a thing. Make Yahoo your home page.
> http://www.yahoo.com/r/hs
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

779. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-25 02:06:26 UTC
From: Lee
Topic: 775 Message: 779

Rick,

This sounds like an RMSPacket specific question - not an issue with AGWPE. If so, you would be better off asking your questions in the RMS Beta Yahoo group (where you obtained the RMSPacket program). RMSPacket is still in beta.

If, on the other hand, this is a problem you are having with AGWPE (with no relationship to Winlink's RMSPacket program) then this is the approprate forum.

73, Lee K0QED

On Sat, Mar 22, 2008 at 4:41 PM, Rick Nicholson <n9umj@...> wrote:
> Hello all
>
> I've installed RMS packet and packet engine pro.
> When I attempt to setup the rms software it requests a port number and
> the packet engine won't make it availabl;e for the software, even
> though it has the file and path to the engine.
> I'm using a Kenwood TMD700A radio.
>
> I've read through all of the installation instructions and almost
> certain that everything is setup correctly.
>
> I'm not a newbie to packet and thought I had a fairly good
> understanding of how the packet engine worked.
>
> Am I missing somethingin the setup??
>
> Any help would be appreciated!
>
>
> Thanks in advance
> Rick Nicholson N9UMJ
>

780. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-25 03:40:39 UTC
From: Rick Nicholson
Topic: 775 Message: 780

Hi Lee

Well at this point I'm not sure which is the problem, I'm beginning to think that the there may be a problem with my AGWPE-pro download, I've tried paclink MP and agw tracker too..and there seems to be the same problem there too.

I'm using the default port 8000 as the port where the packet engine resides,.

localhost or 127.0.0.1 is the ip port that hosts the agwpe-pro packet engine.

I never see any of the programs on the shared list that I'm trying to share with.

There doesn't seem to be anything in the help files to indicates what to do if the shared ports and programs don't list.

Can the program be forced to a specific program?

I've also asked the same question on the winlink 2000 group and they seemed to think this was a packet engine problem.

Surely I'm not the first to experience this problem??

Any suggestions will be considered and appreciated

--- Lee <lee.inman@...> wrote:

> Rick,
>
> This sounds like an RMSPacket specific question -
> not an issue with
> AGWPE. If so, you would be better off asking your
> questions in the RMS
> Beta Yahoo group (where you obtained the RMSPacket
> program). RMSPacket
> is still in beta.
>
> If, on the other hand, this is a problem you are
> having with AGWPE
> (with no relationship to Winlink's RMSPacket
> program) then this is the
> approprate forum.

>
> 73, Lee K0QED
>
>
> On Sat, Mar 22, 2008 at 4:41 PM, Rick Nicholson
> <n9umj@...> wrote:
> > Hello all
> >
> > I've installed RMS packet and packet engine pro.
> > When I attempt to setup the rms software it
> requests a port number and
> > the packet engine won't make it availabl;e for the
> software, even
> > though it has the file and path to the engine.
> > I'm using a Kenwood TMD700A radio.
> >
> > I've read through all of the installation
> instructions and almost
> > certain that everything is setup correctly.
> >
> > I'm not a newbie to packet and thought I had a
> fairly good
> > understanding of how the packet engine worked.
> >
> > Am I missing somethingin the setup??
> >
> > Any help would be appreciated!
> >
> >
> > Thanks in advance
> > Rick Nicholson N9UMJ
> >
>

Be a better friend, newshound, and
know-it-all with Yahoo! Mobile. Try it now.
http://mobile.yahoo.com/;_ylt=Ahu06i62sR8HDtDypao8Wcj9tAcJ

781. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-25 03:56:00 UTC
From: Rick Nicholson
Topic: 775 Message: 781

Ralph
Thanks for the reply.

Ive already done all of that and the tnc test to the
d700 works ok.
Ive also installed agw tracker for aprs and it works
fine for recieving aprs.

It doesnt seem to want to share the tnc with non-agw
programs, RMS packet and PaclinkMP recommend the
Agwpe-Pro software for the tcpip over radio feature
for the gateway message forwarding.

Could there be an issue with the ports?
I have the shared port on the PE-pro as port 8000 and
the rms packet and PaclinkMP port to the PE-Pro both
at port 8000 and localhost and or ip 27.0.0.1 as the
host for the tcpip gateway (my laptop)

How do I get the pe-pro to share port (port 1)the tnc
with the programs?

The winlink programs don't see the packet engine.

Rick Nicholson N9UMJ

--- "Ralph @ patmedia" <ralphmilnes@...>
wrote:

> I'm not sure I'm following everything so forgive me
> if you've already done
> all this.
>
> You first need to get PE Pro running -- without RMS
> -- and configure it to
> work with your TNC. PE Pro needs to be configured
> for the TNC's COM port and
> it needs to know what TNC is on that COM port so it
> can "talk" to the TNC
> send commnads to configure the TNC for KISS mode.
> The D700 radio is a
> special type of TNC, but there should be a default
> configuration choice in
> PE Pro for the D700. I'm not exactly sure what PE
> Pro does to get the D700
> in the correct mode, but it could be that your
> problem is the radio's TNC

> mode is in "APRS Packet" mode and needs to be in
> plain "Packet" mode. I
> don't know if the PE Pro commands can implement that
> mode change or if you
> need to set the radio manually.
>
> After PE Pro is configured for the D700 and running
> OK, run RMS.
>
> If you still have difficulties and need to
> troubleshoot, I would exit RMS,
> and instead of RMS, download and run AGWTerm
> (available from the SV2AGW web
> site). It is "guaranteed" to run with PE Pro. In
> other words, take RMS out
> of the equation and run PE Pro and AGWTerm to make
> sure that PE Pro is
> running correctly with the D700 before you try to
> run it with RMS. In this
> way you can tell if the problem is with PE Pro's
> configuration or with
> RMS's. A good first test with AGWTerm is to simply
> tune to an active packet
> frequency (say 144.39 APRS) and see if PE Pro is
> passing received packets to
> AGWTerm. This confirms that you at least have the
> "receive" aspect working.
>
> If it is some sort of PE Pro problem, we can help
> you on this list.
>
> If it's a RMS problem, some of us here may be able
> to help you -- or you can
> use the WinLink/RMS list to get help.
>
> To autostart PE Pro after RMS starts, the PE Pro
> folder specified in the RMS
> configuration must match the PE Pro folder path
> exactly. It may not be a
> default path offered by RMS, if one is offered; in
> other words, e.g.
> C:/programs/agwpe_pro/ may not be correct. It will
> depend on where (in what
> folder) you installed PE Pro.
>
> Did any of this help? Did I mis-understand the
> problem?
>
> 73
>

> Ralph KC2RLM
>
>
>
>
> ----- Original Message -----
> From: "Rick Nicholson" <n9umj@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Sunday, March 23, 2008 9:33 PM
> Subject: Re: [agwpe_pro] RMS Packet won't target the
> packet engine port
>
>
> > Ralph
> > RMS is a packet program related to PaclinkMp for
> winxp
> > and vista machines.
> >
> > on the RMS packet setup: The Packet software has
> to
> > see the the packet engine software.: The RMS
> sftware
> > setup page lists the file for the packet engine
> > C:/programs/agwpe_pro/ but it can't see the port
> the
> > shared port that my tnc shares with the packet
> > software.
> > The packet software is configured to open with the
> > packet engine startup.
> >
> > Is there another step I'm missing to direct the
> shared
> > port to the packet software other than what's
> > available on the packet engine setup screen?
> >
> > Rick
> > --- "Ralph @ patmedia" <ralphmilnes@...>
> > wrote:
> >
> >> Rick,
> >>
> >> First, what is RMS? Which installation
> instructions
> >> were you following --
> >> RMS' or PE Pro's?
> >>
> >> The TCP/IP port that AGWPE/PE Pro offers to
> client
> >> programs is 8000.
> >>

> >> If there's a connection problem, perhaps some
> >> firewall software is blocking
> >> RMS' access to that port?
> >>
> >> 73
> >>
> >> Ralph KC2RLM
> >>
> >> ----- Original Message -----
> >> From: "Rick Nicholson" <n9umj@...>
> >> To: <agwpe_pro@yahoogroups.com>
> >> Sent: Saturday, March 22, 2008 6:41 PM
> >> Subject: [agwpe_pro] RMS Packet won't target the
> >> packet engine port
> >>
> >>
> >> > Hello all
> >> >
> >> > I've installed RMS packet and packet engine
> pro.
> >> > When I attempt to setup the rms software it
> >> requests a port number and
> >> > the packet engine won't make it availabl;e for
> the
> >> software, even
> >> > though it has the file and path to the engine.
> >> > I'm using a Kenwood TMD700A radio.
> >> >
> >> > I've read through all of the installation
> >> instructions and almost
> >> > certain that everything is setup correctly.
> >> >
> >> > I'm not a newbie to packet and thought I had a
> >> fairly good
> >> > understanding of how the packet engine worked.
> >> >
> >> > Am I missing somethingin the setup??
> >> >
> >> > Any help would be appreciated!
> >> >
> >> >
> >> > Thanks in advance
> >> > Rick Nicholson N9UMJ
> >> >
> >> >
> >> > ------------------------------------
> >> >
> >> > Yahoo! Groups Links
> >> >
> >> >

> >> >
> >>
> >>
> >
> >
> >
> >
> >
>

> > Never miss a thing. Make Yahoo your home page.
> > http://www.yahoo.com/r/hs
> >
> > ----------
> >
> > Yahoo! Groups Links
> >
> >
> >
>
>

Be a better friend, newshound, and
know-it-all with Yahoo! Mobile. Try it now.
http://mobile.yahoo.com/;_ylt=Ahu06i62sR8HDtDypao8Wcj9tAcJ

782. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-25 12:33:26 UTC
From: Lee
Topic: 775 Message: 782

Rick,

First, remove the RMSPacket software from the equation and get the radio and TNC working properly with AGWPE. Only when that is complete and working properly with AGWTerm should you re-introduce RMSPacket.

Second and even more important, don't attempt to use the TM-D700 internal TNC with RMSPacket - it won't work. The D700 is great radio, but the TNC was designed for APRS not "normal" TNC duty. Many have tried to force it to work (reliably) including myself. The TNC has very small internal buffers and no flow control. The binary transfers used by RMSPacket and PacLinkMP (FBB B2 protocol) will fail when using the D700 internal TNC. Simple programs that use short packet lengths (APRS) or use keyboard to keyboard modes work just fine. Search the archives here and in the Winlink forums for hundreds of posts about this issue.

After you get AGWPE, your radio, and an external TNC working with AGWTerm go back to the RMS Beta forum for help in getting RMSPacket configured properly. RMSPacket works fine with AGWPE (either pro or free).

73, Lee K0QED

On Mon, Mar 24, 2008 at 9:40 PM, Rick Nicholson <n9umj@...> wrote:
> Hi Lee
>
> Well at this point I'm not sure which is the problem,
> I'm beginning to think that the there may be a problem
> with my AGWPE-pro download, I've tried paclink MP and
> agw tracker too..and there seems to be the same
> problem there too.
>
> I'm using the default port 8000 as the port where the
> packet engine resides,.
>
> localhost or 127.0.0.1 is the ip port that hosts the
> agwpe-pro packet engine.
>
> I never see any of the programs on the shared list
> that I'm trying to share with.
>
> There doesn't seem to be anything in the help files to
> indicates what to do if the shared ports and programs
> don't list.
>

> Can the program be forced to a specific program?
>
> I've also asked the same question on the winlink 2000
> group and they seemed to think this was a packet
> engine problem.
>
> Surely I'm not the first to experience this problem??
>
>
> Any suggestions will be considered and appreciated
>
>
>
> --- Lee <lee.inman@...> wrote:
>
> > Rick,
> >
> > This sounds like an RMSPacket specific question -
> > not an issue with
> > AGWPE. If so, you would be better off asking your
> > questions in the RMS
> > Beta Yahoo group (where you obtained the RMSPacket
> > program). RMSPacket
> > is still in beta.
> >
> > If, on the other hand, this is a problem you are
> > having with AGWPE
> > (with no relationship to Winlink's RMSPacket
> > program) then this is the
> > approprate forum.
> >
> > 73, Lee K0QED
> >
> >
> > On Sat, Mar 22, 2008 at 4:41 PM, Rick Nicholson
> > <n9umj@...> wrote:
> > > Hello all
> > >
> > > I've installed RMS packet and packet engine pro.
> > > When I attempt to setup the rms software it
> > requests a port number and
> > > the packet engine won't make it availabl;e for the
> > software, even
> > > though it has the file and path to the engine.
> > > I'm using a Kenwood TMD700A radio.
> > >
> > > I've read through all of the installation
> > instructions and almost
> > > certain that everything is setup correctly.
> > >

> > > I'm not a newbie to packet and thought I had a
> > fairly good
> > > understanding of how the packet engine worked.
> > >
> > > Am I missing somethingin the setup??
> > >
> > > Any help would be appreciated!
> > >
> > >
> > > Thanks in advance
> > > Rick Nicholson N9UMJ
> > >
> >
>
>
>
> _____
> Be a better friend, newshound, and
> know-it-all with Yahoo! Mobile. Try it now.
http://mobile.yahoo.com/;_ylt=Ahu06i62sR8HDtDypao8Wcj9tAcJ
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

783. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-25 19:46:00 UTC
From: Ralph @ patmedia
Topic: 775 Message: 783

Rick,

A couple of things you've said make me wonder if we are on the same page .. (it would help if we all specify which program we are talking about -- for example, "I never see any of the programs on the shared list that I'm trying to share with". Which program has the shared list?)

1. It is true that PE Pro uses the TCP/IP protocol to share info with its client programs. But PE Pro's separate "TCP/IP Over Radio (TOR) " feature is NOT used for most applications and I don't think it is used with RMS. TOR is used when two stations want to exchange TCP/IP data -- emails, web pages --by embedding it inside AX.25 packets. This isn't happening with RMS (I believe RMS is embedding another type of data in the AX.25 packet). So if you have the TOR feature turned on, please turn it off (or somebody correct me if I'm wrong about what RMS needs).

2. PE Pro has something called "port sharing", but this technique is ONLY used when PE Pro is on one computer and the client program, e.g. RMS, is on another. Is this your situation? If the programs are both on the same computer (localhost or 127.0.0.1), you don't need PE Pro's port sharing feature, so turn it off/ignore its implications.

3. In it's default configuration, PE Pro can share data with a nearly unlimited number of clients using TCP/IP port 8000. You don't really need to do much more than keep the PE Pro TCP/IP port set at 8000 (its default) and then configure the client program (RMS) to look for PE Pro data on port 8000 (I bet that is the default in RMS). You do not need to tell RMS where PE Pro is installed to get a data exchange; folder paths are irrelevant for data exchanges between the two programs. The only reason RMS wants the path to PE Pro is so that it can start PE Pro if PE Pro is not already running.

4. In the "View>Connected Programs" window in PE Pro, you should see application numbers listed for every program that is "hooked' to PE Pro, but you probably won't see an application name. In the "View>Radio Port Sharing" window, you should see nothing listed unless another computer is "hooked" to PE Pro.

5. If you want to start fresh with PE Pro, simply delete any files ending with .INI in the PE Pro directory. This will give you a clean slate to begin re-configuring the program. I believe that PE Pro will probably work fine "out of the box" after you configure one PE Pro radio port for the TNC you are using (the D700). Don't worry about other settings or switches, such as TCP/IP over radio or port sharing.

6. And remember Lee's good advice about using the D700 for WinLink:-- the D700 does NOT have a capable TNC. It's one thing to use the D700 just to see how things work, but for a reliable RMS WinLink, you should have a true

TNC. You could also use PE Pro's "sound card" modem feature in lieu of a TNC for an inexpensive way to get a better TNC, but I think the common opinion is that even the sound card mode shouldn't be used at a "real" RMS node -- you need a "real" TNC.

Any of that help?

73

Ralph KC2RLM

----- Original Message -----
From: "Rick Nicholson" <n9umj@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Monday, March 24, 2008 11:40 PM
Subject: Re: [agwpe_pro] RMS Packet won't target the packet engine port

> Hi Lee
>
> Well at this point I'm not sure which is the problem,
> I'm beginning to think that the there may be a problem
> with my AGWPE-pro download, I've tried paclink MP and
> agw tracker too..and there seems to be the same
> problem there too.
>
> I'm using the default port 8000 as the port where the
> packet engine resides,.
>
> localhost or 127.0.0.1 is the ip port that hosts the
> agwpe-pro packet engine.
>
> I never see any of the programs on the shared list
> that I'm trying to share with.
>
> There doesn't seem to be anything in the help files to
> indicates what to do if the shared ports and programs
> don't list.
>
> Can the program be forced to a specific program?
>
> I've also asked the same question on the winlink 2000
> group and they seemed to think this was a packet
> engine problem.
>
> Surely I'm not the first to experience this problem??
>
>
> Any suggestions will be considered and appreciated
>
>
> --- Lee <lee.inman@...> wrote:

>
>> Rick,
>>
>> This sounds like an RMSPacket specific question -
>> not an issue with
>> AGWPE. If so, you would be better off asking your
>> questions in the RMS
>> Beta Yahoo group (where you obtained the RMSPacket
>> program). RMSPacket
>> is still in beta.
>>
>> If, on the other hand, this is a problem you are
>> having with AGWPE
>> (with no relationship to Winlink's RMSPacket
>> program) then this is the
>> approprate forum.
>>
>> 73, Lee K0QED
>>
>>
>> On Sat, Mar 22, 2008 at 4:41 PM, Rick Nicholson
>> <n9umj@...> wrote:
>> > Hello all
>> >
>> > I've installed RMS packet and packet engine pro.
>> > When I attempt to setup the rms software it
>> requests a port number and
>> > the packet engine won't make it availabl;e for the
>> software, even
>> > though it has the file and path to the engine.
>> > I'm using a Kenwood TMD700A radio.
>> >
>> > I've read through all of the installation
>> instructions and almost
>> > certain that everything is setup correctly.
>> >
>> > I'm not a newbie to packet and thought I had a
>> fairly good
>> > understanding of how the packet engine worked.
>> >
>> > Am I missing somethingin the setup??
>> >
>> > Any help would be appreciated!
>> >
>> >
>> > Thanks in advance
>> > Rick Nicholson N9UMJ
>> >
>>
>

>
>
>
> _____
> Be a better friend, newshound, and
> know-it-all with Yahoo! Mobile. Try it now.
> http://mobile.yahoo.com/;_ylt=Ahu06i62sR8HDtDypao8Wcj9tAcJ
>
> ---
>
> Yahoo! Groups Links
>
>
>

784. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-26 02:21:50 UTC
From: Rick Nicholson
Topic: 775 Message: 784

--- "Ralph @ patmedia" <ralphmilnes@...>
wrote:

> Rick,
>
> A couple of things you've said make me wonder if we
> are on the same page ..
> (it would help if we all specify which program we
> are talking about -- for
> example, "I never see any of the programs on the
> shared list that I'm
> trying to share with". Which program has the shared
> list?) ....Sorry I meant the connected programs
list.
>
> 1. It is true that PE Pro uses the TCP/IP protocol
> to share info with its
> client programs. But PE Pro's separate "TCP/IP Over
> Radio (TOR) " feature
> is NOT used for most applications and I don't think
> it is used with RMS. TOR
> is used when two stations want to exchange TCP/IP
> data -- emails, web
> pages --by embedding it inside AX.25 packets. This
> isn't happening with RMS
> (I believe RMS is embedding another type of data in
> the AX.25 packet). So if
> you have the TOR feature turned on, please turn it
> off (or somebody correct
> me if I'm wrong about what RMS needs).
>
> 2. PE Pro has something called "port sharing", but
> this technique is ONLY
> used when PE Pro is on one computer and the client
> program, e.g. RMS, is on
> another. Is this your situation? ....YES IT IS...If
the programs are
> both on the same
> computer (localhost or 127.0.0.1), you don't need PE
> Pro's port sharing
> feature, so turn it off/ignore its implications.

The RMS software requests the port that the PE-PRO is
located and requires it to port rf data from the radio
and tnc to the tcip port and to the cms server.

Rick
>
> 3. In it's default configuration, PE Pro can share
> data with a nearly
> unlimited number of clients using TCP/IP port 8000.
> You don't really need to
> do much more than keep the PE Pro TCP/IP port set at
> 8000 (its default) and
> then configure the client program (RMS) to look for
> PE Pro data on port 8000
> (I bet that is the default in RMS). You do not need
> to tell RMS where PE Pro
> is installed to get a data exchange; folder paths
> are irrelevant for data
> exchanges between the two programs. The only reason
> RMS wants the path to PE
> Pro is so that it can start PE Pro if PE Pro is not
> already running.
>
> 4. In the "View>Connected Programs" window in PE
> Pro, you should see
> application numbers listed for every program that is
> "hooked' to PE Pro, but
> you probably won't see an application name. In the
> "View>Radio Port Sharing"
> window, you should see nothing listed unless another
> computer is "hooked" to
> PE Pro.
>
> 5. If you want to start fresh with PE Pro, simply
> delete any files ending
> with .INI in the PE Pro directory. This will give
> you a clean slate to begin
> re-configuring the program. I believe that PE Pro
> will probably work fine
> "out of the box" after you configure one PE Pro
> radio port for the TNC you
> are using (the D700). Don't worry about other
> settings or switches, such as
> TCP/IP over radio or port sharing.
>
> 6. And remember Lee's good advice about using the
> D700 for WinLink:-- the
> D700 does NOT have a capable TNC. It's one thing to
> use the D700 just to see
> how things work, but for a reliable RMS WinLink, you
> should have a true
> TNC. You could also use PE Pro's "sound card" modem
> feature in lieu of a TNC
> for an inexpensive way to get a better TNC, but I
> think the common opinion

> is that even the sound card mode shouldn't be used
> at a "real" RMS node --
> you need a "real" TNC.
>
> Any of that help?
>
> 73
>
> Ralph KC2RLM
>
> ----- Original Message -----
> From: "Rick Nicholson" <n9umj@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Monday, March 24, 2008 11:40 PM
> Subject: Re: [agwpe_pro] RMS Packet won't target the
> packet engine port
>
>
> > Hi Lee
> >
> > Well at this point I'm not sure which is the
> problem,
> > I'm beginning to think that the there may be a
> problem
> > with my AGWPE-pro download, I've tried paclink MP
> and
> > agw tracker too..and there seems to be the same
> > problem there too.
> >
> > I'm using the default port 8000 as the port where
> the
> > packet engine resides,.
> >
> > localhost or 127.0.0.1 is the ip port that hosts
> the
> > agwpe-pro packet engine.
> >
> > I never see any of the programs on the shared list
> > that I'm trying to share with.
> >
> > There doesn't seem to be anything in the help
> files to
> > indicates what to do if the shared ports and
> programs
> > don't list.
> >
> > Can the program be forced to a specific program?
> >
> > I've also asked the same question on the winlink
> 2000

> > group and they seemed to think this was a packet
> > engine problem.
> >
> > Surely I'm not the first to experience this
> problem??
> >
> >
> > Any suggestions will be considered and appreciated
> >
> >
> > --- Lee <lee.inman@...> wrote:
> >
> >> Rick,
> >>
> >> This sounds like an RMSPacket specific question -
> >> not an issue with
> >> AGWPE. If so, you would be better off asking your
> >> questions in the RMS
> >> Beta Yahoo group (where you obtained the
> RMSPacket
> >> program). RMSPacket
> >> is still in beta.
> >>
> >> If, on the other hand, this is a problem you are
> >> having with AGWPE
> >> (with no relationship to Winlink's RMSPacket
> >> program) then this is the
> >> approprate forum.
> >>
> >> 73, Lee K0QED
> >>
> >>
> >> On Sat, Mar 22, 2008 at 4:41 PM, Rick Nicholson
> >> <n9umj@...> wrote:
> >> > Hello all
> >> >
> >> > I've installed RMS packet and packet engine
> pro.
> >> > When I attempt to setup the rms software it
> >> requests a port number and
> >> > the packet engine won't make it availabl;e for
> the
> >> software, even
> >> > though it has the file and path to the engine.
> >> > I'm using a Kenwood TMD700A radio.
> >> >
> >> > I've read through all of the installation
> >> instructions and almost
> >> > certain that everything is setup correctly.
> >> >

> >> > I'm not a newbie to packet and thought I had a
> >> fairly good
> >> > understanding of how the packet engine worked.
> >> >
> >> > Am I missing somethingin the setup??
> >> >
> >> > Any help would be appreciated!
> >> >
> >> >
> >> > Thanks in advance
> >> > Rick Nicholson N9UMJ
> >> >
> >>
> >
> >
>
=== message truncated ===

Looking for last minute shopping deals?
Find them fast with Yahoo! Search.
http://tools.search.yahoo.com/newsearch/category.php?category=shopping

785. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-26 16:00:07 UTC
From: Ralph @ patmedia
Topic: 775 Message: 785

```
----- Original Message -----
From: "Rick Nicholson" <n9umj@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Tuesday, March 25, 2008 10:21 PM
Subject: Re: [agwpe_pro] RMS Packet won't target the packet engine port

>
> --- "Ralph @ patmedia" <ralphmilnes@...>
> wrote:
>
>> Rick,
>>
>> A couple of things you've said make me wonder if we
>> are on the same page ..
>> (it would help if we all specify which program we
>> are talking about -- for
>> example, "I never see any of the programs on the
>> shared list that I'm
>> trying to share with". Which program has the shared
>> list? ) ....Sorry I meant the connected programs
> list.
>>
>> 1. It is true that PE Pro uses the TCP/IP protocol
>> to share info with its
>> client programs. But PE Pro's separate "TCP/IP Over
>> Radio (TOR) " feature
>> is NOT used for most applications and I don't think
>> it is used with RMS. TOR
>> is used when two stations want to exchange TCP/IP
>> data -- emails, web
>> pages --by embedding it inside AX.25 packets. This
>> isn't happening with RMS
>> (I believe RMS is embedding another type of data in
>> the AX.25 packet). So if
>> you have the TOR feature turned on, please turn it
>> off (or somebody correct
>> me if I'm wrong about what RMS needs).
>>
>> 2. PE Pro has something called "port sharing", but
>> this technique is ONLY
>> used when PE Pro is on one computer and the client
>> program, e.g. RMS, is on
>> another. Is this your situation? ....YES IT IS...If
> the programs are
>> both on the same
```

>> computer (localhost or 127.0.0.1), you don't need PE
>> Pro's port sharing
>> feature, so turn it off/ignore its implications.
>
> The RMS software requests the port that the PE-PRO is
> located and requires it to port rf data from the radio
> and tnc to the tcip port and to the cms server.
>
>
>
>
>
>
> Rick
>>
>> 3. In it's default configuration, PE Pro can share
>> data with a nearly
>> unlimited number of clients using TCP/IP port 8000.
>> You don't really need to
>> do much more than keep the PE Pro TCP/IP port set at
>> 8000 (its default) and
>> then configure the client program (RMS) to look for
>> PE Pro data on port 8000
>> (I bet that is the default in RMS). You do not need
>> to tell RMS where PE Pro
>> is installed to get a data exchange; folder paths
>> are irrelevant for data
>> exchanges between the two programs. The only reason
>> RMS wants the path to PE
>> Pro is so that it can start PE Pro if PE Pro is not
>> already running.
>>
>> 4. In the "View>Connected Programs" window in PE
>> Pro, you should see
>> application numbers listed for every program that is
>> "hooked' to PE Pro, but
>> you probably won't see an application name. In the
>> "View>Radio Port Sharing"
>> window, you should see nothing listed unless another
>> computer is "hooked" to
>> PE Pro.
>>
>> 5. If you want to start fresh with PE Pro, simply
>> delete any files ending
>> with .INI in the PE Pro directory. This will give
>> you a clean slate to begin
>> re-configuring the program. I believe that PE Pro
>> will probably work fine
>> "out of the box" after you configure one PE Pro
>> radio port for the TNC you

>> are using (the D700). Don't worry about other
>> settings or switches, such as
>> TCP/IP over radio or port sharing.
>>
>> 6. And remember Lee's good advice about using the
>> D700 for WinLink:-- the
>> D700 does NOT have a capable TNC. It's one thing to
>> use the D700 just to see
>> how things work, but for a reliable RMS WinLink, you
>> should have a true
>> TNC. You could also use PE Pro's "sound card" modem
>> feature in lieu of a TNC
>> for an inexpensive way to get a better TNC, but I
>> think the common opinion
>> is that even the sound card mode shouldn't be used
>> at a "real" RMS node --
>> you need a "real" TNC.
>>
>> Any of that help?
>>
>> 73
>>
>> Ralph KC2RLM
>>
>> ----- Original Message -----
>> From: "Rick Nicholson" <n9umj@...>
>> To: <agwpe_pro@yahoogroups.com>
>> Sent: Monday, March 24, 2008 11:40 PM
>> Subject: Re: [agwpe_pro] RMS Packet won't target the
>> packet engine port
>>
>>
>> > Hi Lee
>> >
>> > Well at this point I'm not sure which is the
>> problem,
>> > I'm beginning to think that the there may be a
>> problem
>> > with my AGWPE-pro download, I've tried paclink MP
>> and
>> > agw tracker too..and there seems to be the same
>> > problem there too.
>> >
>> > I'm using the default port 8000 as the port where
>> the
>> > packet engine resides,.
>> >
>> > localhost or 127.0.0.1 is the ip port that hosts
>> the
>> > agwpe-pro packet engine.

```
>> >
>> > I never see any of the programs on the shared list
>> > that I'm trying to share with.
>> >
>> > There doesn't seem to be anything in the help
>> files to
>> > indicates what to do if the shared ports and
>> programs
>> > don't list.
>> >
>> > Can the program be forced to a specific program?
>> >
>> > I've also asked the same question on the winlink
>> 2000
>> > group and they seemed to think this was a packet
>> > engine problem.
>> >
>> > Surely I'm not the first to experience this
>> problem??
>> >
>> >
>> > Any suggestions will be considered and appreciated
>> >
>> >
>> > --- Lee <lee.inman@...> wrote:
>> >
>> >> Rick,
>> >>
>> >> This sounds like an RMSPacket specific question -
>> >> not an issue with
>> >> AGWPE. If so, you would be better off asking your
>> >> questions in the RMS
>> >> Beta Yahoo group (where you obtained the
>> RMSPacket
>> >> program). RMSPacket
>> >> is still in beta.
>> >>
>> >> If, on the other hand, this is a problem you are
>> >> having with AGWPE
>> >> (with no relationship to Winlink's RMSPacket
>> >> program) then this is the
>> >> approprate forum.
>> >>
>> >> 73, Lee K0QED
>> >>
>> >>
>> >> On Sat, Mar 22, 2008 at 4:41 PM, Rick Nicholson
>> >> <n9umj@...> wrote:
>> >> > Hello all
>> >> >
```

>> >> > I've installed RMS packet and packet engine
>> pro.
>> >> > When I attempt to setup the rms software it
>> >> requests a port number and
>> >> > the packet engine won't make it availabl;e for
>> the
>> >> software, even
>> >> > though it has the file and path to the engine.
>> >> > I'm using a Kenwood TMD700A radio.
>> >> >
>> >> > I've read through all of the installation
>> >> instructions and almost
>> >> > certain that everything is setup correctly.
>> >> >
>> >> > I'm not a newbie to packet and thought I had a
>> >> fairly good
>> >> > understanding of how the packet engine worked.
>> >> >
>> >> > Am I missing somethingin the setup??
>> >> >
>> >> > Any help would be appreciated!
>> >> >
>> >> >
>> >> > Thanks in advance
>> >> > Rick Nicholson N9UMJ
>> >> >
>> >>
>> >
>> >
>>
> === message truncated ===
>
>
>
>
> ____
> Looking for last minute shopping deals?
> Find them fast with Yahoo! Search.
> http://tools.search.yahoo.com/newsearch/category.php?category=shopping
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

786. Re: [agwpe_pro] RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-03-26 16:18:52 UTC
From: Ralph @ patmedia
Topic: 775 Message: 786

> The RMS software requests the port that the PE-PRO is
> located and requires it to port rf data from the radio.
> and tnc to the tcip port and to the cms server.
>
>
> Rick

Right. For each TNC and radio you configure in PE Pro, it creates what it calls a "radio port". RMS wants to know which of the PE Pro "radio ports" it should use. If you only create one, then that PE Pro radio port will be "1", in your case the D700. So I think all that RMS needs to know is that PE Pro is providing data on TCP/IP port 8000 and that you want RMS to get just data from PE Pro's radio port 1.

I'll try to get the RMS software later today so I can see what you're going through.

Ralph KC2RLM

787. Error/Shutdown

Yahoo group: agwpe_pro
Date: 2008-03-29 18:56:45 UTC
From: kenwood1995
Topic: 787 Message: 787

When I use AGWTracker and PEPro, I get an error message that PEro will shut down. And it does. I get the same effect if I use PEPro and UIView. Using UISS or Winpack does not give me any errors and operates fine.
Murry VE9MB

788. PEPro on Vista is making me crazy

Yahoo group: agwpe_pro
Date: 2008-03-29 17:08:56 UTC
From: jon_crisman
Topic: 788 Message: 788

I have been trying to get PEPro to work on a Vista machine for weeks and I've about given up. I just reinstalled the "vista aware" update again (the program finally worked for several days and then began freezing up again). When I try to set up a single port for my soundcard I get to the RX volume setup and set the receiver to squelch off, see a wave form in the scope and press autoconfigure - get a message "cannot find the line". The drop down box upper left is empty also. Then is pressed "next" to try to continue and got the TX volume screen. Pressed the TX Flags button and program froze. Task Manager showed the program was not responding so ended the program. Started again and got the same with RX volume screen but when I moved on the the TX volume I was able to press TX Flags and get audio. Then went on to remaining screens and "finish" and had a Port on the correct com line.

When I set up a beacon machine on the frequency I was monitoring I saw the audio on the windows sound monitor for 'line in' as expected and the audio showed on the PEPro tuning aid at about 20% of full peak on the scope. The beacons are coming thru the soundcard and show on the tuning aid but cannot be received by WinPack or AGWterm. Using WinPack and paclinkMP I can send packet to my monitoring station and the RMSPacket but can't receive the return audio from eaither.

I'm stumped. Anyone have any suggestions what to try next?

789. Re: [agwpe_pro] Error/Shutdown

Yahoo group: agwpe_pro
Date: 2008-03-29 20:48:25 UTC
From: Gerhard
Topic: 787 Message: 789

On Sat, Mar 29, 2008 at 7:56 PM, kenwood1995 <murraybr@...> wrote:
> When I use AGWTracker and PEPro, I get an error message that PEro will
> shut down. And it does. I get the same effect if I use PEPro and UIView.
> Using UISS or Winpack does not give me any errors and operates fine.
> Murry VE9MB

Murry,

AGWTracker and UI-View use the TCP/IP interface, while Winpack and UISS use
the Windows DDE interface to access PE.

Do you use a firewall or the like that might give rise to connection problems?

--
73 de Gerhard, F5VAG / DL7MW
http://f5vag.eu, france.aprs2.net

790. Re: Error/Shutdown

Yahoo group: agwpe_pro
Date: 2008-03-29 22:56:25 UTC
From: kenwood1995
Topic: 787 Message: 790

I should have given system details, sorry about that.
Yes I am using XP and there is a firewall.

Murry VE9MB

--- In agwpe_pro@...m, Gerhard <f5vag.eu@...> wrote:
>
> On Sat, Mar 29, 2008 at 7:56 PM, kenwood1995 <murraybr@...> wrote:
> > When I use AGWTracker and PEPro, I get an error message that PEro will
> > shut down. And it does. I get the same effect if I use PEPro and
UIView.
> > Using UISS or Winpack does not give me any errors and operates fine.
> > Murry VE9MB
>
> Murry,
>
> AGWTracker and UI-View use the TCP/IP interface, while Winpack and
UISS use
> the Windows DDE interface to access PE.
>
> Do you use a firewall or the like that might give rise to connection
problems?
>
> --
> 73 de Gerhard, F5VAG / DL7MW
> http://f5vag.eu, france.aprs2.net
>

791. Re: [agwpe_pro] PEPro on Vista is making me crazy

Yahoo group: agwpe_pro
Date: 2008-03-29 20:54:20 UTC
From: WA6RKN
Topic: 788 Message: 791

Hi Jon...

Don't know if this will help but...in Vista, right click on Packet Engine Pro.exe file icon, then click the Compatibility tab in the open window, and select "Run this program in compatibility mode for: and then select the Windows Op system of your choice, you might do away with the lockup issues, etc. No guarantees, but this has fixed numerous Vista related issues with some of my software I ran under XP before moving to Vista!

Hope this helps!

Joe Wolfe
WA6RKN
Reno, Nevada
Come see us May 2-4, at the Circus Circus Hotel for EMCOMM West, 2008!
http://www.emcommwest.org/

--- Original Message -----
From: "jon_crisman" <jcrisman@...>
T
Subject: [agwpe_pro] PEPro on Vista is making me crazy

>I have been trying to get PEPro to work on a Vista machine for weeks
> and I've about given up. I just reinstalled the "vista aware" update
> again (the program finally worked for several days and then began
> freezing up again). When I try to set up a single port for my
> soundcard I get to the RX volume setup and set the receiver to
> squelch off, see a wave form in the scope and press autoconfigure -
> get a message "cannot find the line".

792. Problem with PEPro on laptop

Yahoo group: agwpe_pro
Date: 2008-03-29 22:33:22 UTC
From: jon_crisman
Topic: 792 Message: 792

I have been running PEPro (updated version) on a compaq laptop (WinXP) in our EMCOMM mobile command post. We use the laptop to run paclinkMP for radio email to the RMS system in our EOC. Yesterday, I connected the laptop to the internet to download and run windows XP updates. After the updates loaded and I rebooted the laptop, I was testing a new installation of RMS at our EOC and found that the laptop paclinkMP would connect with the RMS packet station at the EOC and then would lose the connection right away. When I tried to monitor the Rx audio from the EOC using the PEPro tuning aid, I was unable to turn on the tuning aid. In radio port manager when I right clicked on the port there was no tuning aid offered. Then when I tried to exit PEPro, I got a message box that said PEPro had 'encountered a problem and had to shut down'. I ran PEPro several times and got the same results each time.

I am using a KPC9612plus TNC and PEPro sets up two ports for this TNC.

Why can't I use tuning aid to monitor the incomming audio and why is PEPro encountering a problen that forces a shutdown. Anyone have any suggestions?

793. Re: PEPro on Vista is making me crazy

Yahoo group: agwpe_pro
Date: 2008-03-30 05:14:05 UTC
From: wa6rkn
Topic: 788 Message: 793

Hi Jon...

Don't know if this will help but...When using Vista, right click on the program listing (In this case, the Packet Engine Pro.exe file), then click the Compatibility tab in the open window, and select "Run this program in compatibility mode for: and then select the Windows Op system of your choice, you might do away with the lockup issues, etc. No guarantees, but this has fixed numerous Vista related issues with some of my software I ran under XP before moving to Vista!

Hope this helps!

Joe Wolfe
WA6RKN
Reno, Nevada
Come see us May 2-4, at the Circus Circus Hotel for EMCOMM West, 2008!
http://www.emcommwest.org/

--- Original Message -----
From: "jon_crisman" <jcrisman@...>
T
Subject: [agwpe_pro] PEPro on Vista is making me crazy

>I have been trying to get PEPro to work on a Vista machine for weeks
> and I've about given up. I just reinstalled the "vista aware"
update
> again (the program finally worked for several days and then began
> freezing up again). When I try to set up a single port for my
> soundcard I get to the RX volume setup and set the receiver to
> squelch off, see a wave form in the scope and press autoconfigure -
> get a message "cannot find the line".

794. Re: Error/Shutdown

Yahoo group: agwpe_pro
Date: 2008-03-30 13:50:00 UTC
From: kenwood1995
Topic: 787 Message: 794

--- In agwpe_pro@yahoogroups.com, "kenwood1995" <murraybr@...> wrote:
>
> When I use AGWTracker and PEPro, I get an error message that PEro will
> shut down. And it does. I get the same effect if I use PEPro and UIView.
> Using UISS or Winpack does not give me any errors and operates fine.
> Murry VE9MB
>

I tried regular AGW Packet Engine and works OK.

Murry VE9MB

795. RE: [agwpe_pro] Problem with PEPro on laptop

Yahoo group: agwpe_pro
Date: 2008-03-30 14:14:55 UTC
From: Ralph Milnes
Topic: 792 Message: 795

Jon,

Try a re-configuration or PE Pro -- delete all the files ending in .ini in the PE Pro folder and start afresh to reconfigure the PE Pro radio ports.

The situation you describe seems to happen when some of the parameters in the .ini get out of synch. I've noticed it when I configure the sound card modem for single port use. The .ini files seem to keep some parameters set for dual port and others for single port. That's when the program starts to choke.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jon_crisman
Sent: Saturday, March 29, 2008 6:33 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Problem with PEPro on laptop

I have been running PEPro (updated version) on a compaq laptop (WinXP) in our EMCOMM mobile command post. We use the laptop to run paclinkMP for radio email to the RMS system in our EOC. Yesterday, I connected the laptop to the internet to download and run windows XP updates. After the updates loaded and I rebooted the laptop, I was testing a new installation of RMS at our EOC and found that the laptop paclinkMP would connect with the RMS packet station at the EOC and then would lose the connection right away. When I tried to monitor the Rx audio from the EOC using the PEPro tuning aid, I was unable to turn on the tuning aid. In radio port manager when I right clicked on the port there was no tuning aid offered. Then when I tried to exit PEPro, I got a message box that said PEPro had 'encountered a problem and had to shut down'. I ran PEPro several times and got the same results each time.

I am using a KPC9612plus TNC and PEPro sets up two ports for this TNC.

Why can't I use tuning aid to monitor the incomming audio and why is PEPro encountering a problen that forces a shutdown. Anyone have any suggestions?

Yahoo! Groups Links

796. Re: PEPro on Vista is making me crazy

Yahoo group: agwpe_pro
Date: 2008-03-30 16:08:55 UTC
From: jon_crisman
Topic: 788 Message: 796

I appreciate the response but according to George P. the vista aware
update for PEPro works OK in vista and should not be configured to
run in XP compatibility mode.

--- In agwpe_pro@yahoogroups.com, "wa6rkn" <WA6RKN@...> wrote:
>
> Hi Jon...
>
> Don't know if this will help but...When using Vista, right click on
> the program listing (In this case, the Packet Engine Pro.exe file),
> then click the Compatibility tab in the open window, and
select "Run
> this program in compatibility mode for: and then select the Windows
> Op system of your choice, you might do away with the lockup issues,
> etc. No guarantees, but this has fixed numerous Vista related
issues
> with some of my software I ran under XP before moving to Vista!
>
> Hope this helps!
>
> Joe Wolfe
> WA6RKN
> Reno, Nevada
> Come see us May 2-4, at the Circus Circus Hotel for EMCOMM West,
2008!
> http://www.emcommwest.org/
>
>
> --- Original Message -----
> From: "jon_crisman" <jcrisman@...>
> T
> Subject: [agwpe_pro] PEPro on Vista is making me crazy
>
>
> >I have been trying to get PEPro to work on a Vista machine for
weeks
> > and I've about given up. I just reinstalled the "vista aware"
> update
> > again (the program finally worked for several days and then began
> > freezing up again). When I try to set up a single port for my
> > soundcard I get to the RX volume setup and set the receiver to
> > squelch off, see a wave form in the scope and press
autoconfigure -
> > get a message "cannot find the line".
>

797. Registration Code

Yahoo group: agwpe_pro
Date: 2008-03-31 00:15:29 UTC
From: AFA1FZ- Reuben Meeks
Topic: 738 Message: 797

Hello George, I am sending my 'Key-to-send' code for the Packet Engine Pro for my new station computer.

GW7YK-RMMIF-VDWN3-UNXVD-YM37G-65GNP-B6H28-VUQB5-NS3GG-P3YPE-8D63V-FNEAB

Thanks,
Reuben Meeks, W8GUC
1345 Helke Rd
Vandalia, OH 45377

798. RE: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-03-31 18:16:24 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 798

Hi

Your serial is
HN8GK-QDMG7-UD6NB-SN3XV-QNTXG-W4G2M-35HW9-ECMT2-NS3YI-P3YPE-8D63V-FNEAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of AFA1FZ- Reuben Meeks
> Sent: Monday, March 31, 2008 3:15 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration Code
>
> Hello George, I am sending my 'Key-to-send' code for the Packet Engine
> Pro for my new station computer.
>
> GW7YK-RMMIF-VDWN3-UNXVD-YM37G-65GNP-B6H28-VUQB5-NS3GG-P3YPE-8D63V-FNEAB
>
> Thanks,
> Reuben Meeks, W8GUC
> 1345 Helke Rd
> Vandalia, OH 45377
>
>
>
>

799. RE: [agwpe_pro] Re: PEPro on Vista is making me crazy

Yahoo group: agwpe_pro
Date: 2008-03-31 18:25:54 UTC
From: (SV2AGW) George Rossopoulos
Topic: 788 Message: 799

Hi

I am preparing the new version. It will be just for XP/VISTA.
Here is a screenshot www.sv2agw.com/beta/agwpesample.jpg

I will release first beta during April.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of jon_crisman
> Sent: Sunday, March 30, 2008 7:09 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: PEPro on Vista is making me crazy
>
> I appreciate the response but according to George P. the vista aware
> update for PEPro works OK in vista and should not be configured to
> run in XP compatibility mode.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "wa6rkn" <WA6RKN@...> wrote:
> >
> > Hi Jon...
> >
> > Don't know if this will help but...When using Vista, right click on
> > the program listing (In this case, the Packet Engine Pro.exe file),
> > then click the Compatibility tab in the open window, and
> select "Run
> > this program in compatibility mode for: and then select the Windows
> > Op system of your choice, you might do away with the lockup issues,
> > etc. No guarantees, but this has fixed numerous Vista related
> issues
> > with some of my software I ran under XP before moving to Vista!
> >
> > Hope this helps!
> >
> > Joe Wolfe

> > WA6RKN
> > Reno, Nevada
> > Come see us May 2-4, at the Circus Circus Hotel for EMCOMM West,
> 2008!
> > http://www.emcommwest.org/ <http://www.emcommwest.org/>
> >
> >
> > --- Original Message -----
> > From: "jon_crisman" <jcrisman@...>
> > T
> > Subject: [agwpe_pro] PEPro on Vista is making me crazy
> >
> >
> > >I have been trying to get PEPro to work on a Vista machine for
> weeks
> > > and I've about given up. I just reinstalled the "vista aware"
> > update
> > > again (the program finally worked for several days and then began
> > > freezing up again). When I try to set up a single port for my
> > > soundcard I get to the RX volume setup and set the receiver to
> > > squelch off, see a wave form in the scope and press
> autoconfigure -
> > > get a message "cannot find the line".
> >
>
>
>
>

800. Re: [agwpe_pro] Re: PEPro on Vista is making me crazy

Yahoo group: agwpe_pro
Date: 2008-03-31 23:48:24 UTC
From: Hasan Schiers
Topic: 788 Message: 800

Very nice looking, George, we look forward to it!

73,

...hasan, N0AN

(SV2AGW) George Rossopoulos wrote:
>
> Hi
>
> I am preparing the new version. It will be just for XP/VISTA.
> Here is a screenshot www.sv2agw.com/beta/agwpesample.jpg
>
> I will release first beta during April.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Nikanoros 59
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
>

801. AGWPE Exit issue

Yahoo group: agwpe_pro
Date: 2008-04-04 01:48:33 UTC
From: Steve
Topic: 788 Message: 801

Hi,
Has any one had the issue of when you stop AGWPE that the entire OS (
xp pro) slows down to a crawl? Then I have to reboot the system.

Thanks!

Steve N0FPF - Seattle

802. Re: RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-04-05 02:35:10 UTC
From: Tom Trissell
Topic: 775 Message: 802

I wonder if we are having the same problem. I bought a new computer, using the demo software that came on it, the Norton antivirus software.

Installed registered PE Pro and registered UI-View, worked great.

My problems started when I installed Iolo System Mechanic Pro V7.5.10 with Antivirus and Personal Firewall. PE Pro starts up normally, UI-View starts up normally, but no stations show up on the UI-View map and I can not trasmitt a position report. If I check the ports avaiable box, there are no ports displayed.

If I uninstall the whole Iolo System Mechanic program, the ports show up in UI-View. If I install the System Mechanic program without the antivirus, UI-View will still see the ports setup in PE Pro.

Is there a filter in the antivirus program that is stopping UI-View from seeing the ports and data flow from PE Pro?

73, de Tom KC5ILO

--- In agwpe_pro@yahoogroups.com, "Ralph @ patmedia" <ralphmilnes@...> wrote:
>
>
>
> > The RMS software requests the port that the PE-PRO is
> > located and requires it to port rf data from the radio.
> > and tnc to the tcip port and to the cms server.
> >
> >
> > Rick
>
> Right. For each TNC and radio you configure in PE Pro, it creates what it
> calls a "radio port". RMS wants to know which of the PE Pro "radio ports" it
> should use. If you only create one, then that PE Pro radio port will be "1",
> in your case the D700. So I think all that RMS needs to know is that PE Pro
> is providing data on TCP/IP port 8000 and that you want RMS to get just data
> from PE Pro's radio port 1.
>
> I'll try to get the RMS software later today so I can see what

you're going
> through.
>
> Ralph KC2RLM
>

803. RE: [agwpe_pro] Re: RMS Packet won't target the packet engine port

Yahoo group: agwpe_pro
Date: 2008-04-05 07:30:22 UTC
From: (SV2AGW) George Rossopoulos
Topic: 775 Message: 803

Hi

In the firewall open port 8000 TCP, that way Packet Programs like UIView can communicate with Packet Engine

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Tom Trissell
> Sent: Saturday, April 05, 2008 5:35 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: RMS Packet won't target the packet engine port
>
> I wonder if we are having the same problem. I bought a new computer,
> using the demo software that came on it, the Norton antivirus
> software.
>
> Installed registered PE Pro and registered UI-View, worked great.
>
> My problems started when I installed Iolo System Mechanic Pro V7.5.10
> with Antivirus and Personal Firewall. PE Pro starts up normally, UI-
> View starts up normally, but no stations show up on the UI-View map
> and I can not trasmitt a position report. If I check the ports
> avaiable box, there are no ports displayed.
>
> If I uninstall the whole Iolo System Mechanic program, the ports show
> up in UI-View. If I install the System Mechanic program without the
> antivirus, UI-View will still see the ports setup in PE Pro.
>
> Is there a filter in the antivirus program that is stopping UI-View
> from seeing the ports and data flow from PE Pro?
>
> 73, de Tom KC5ILO
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "Ralph @ patmedia"
> <ralphmilnes@...> wrote:

> >
> >
> >
> > > The RMS software requests the port that the PE-PRO is
> > > located and requires it to port rf data from the radio.
> > > and tnc to the tcip port and to the cms server.
> > >
> > >
> > > Rick
> >
> > Right. For each TNC and radio you configure in PE Pro, it creates
> what it
> > calls a "radio port". RMS wants to know which of the PE Pro "radio
> ports" it
> > should use. If you only create one, then that PE Pro radio port
> will be "1",
> > in your case the D700. So I think all that RMS needs to know is
> that PE Pro
> > is providing data on TCP/IP port 8000 and that you want RMS to get
> just data
> > from PE Pro's radio port 1.
> >
> > I'll try to get the RMS software later today so I can see what
> you're going
> > through.
> >
> > Ralph KC2RLM
> >
>
>
>
>

804. TNC 7 Support

Yahoo group: agwpe_pro
Date: 2008-04-05 23:32:44 UTC
From: Steve
Topic: 775 Message: 804

Hi,
I don't remember, but did the TNC-7 AGW issues get resolved? If yes, what version do I need to be running? Or is there a patch?

Thanks!

Steve N0FPF

805. RE: [agwpe_pro] TNC 7 Support

Yahoo group: agwpe_pro
Date: 2008-04-06 14:10:42 UTC
From: (SV2AGW) George Rossopoulos
Topic: 775 Message: 805

Hi

Always use the latest. www.sv2agw.com

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Steve
> Sent: Sunday, April 06, 2008 2:33 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] TNC 7 Support
>
> Hi,
> I don't remember, but did the TNC-7 AGW issues get resolved? If yes,
> what version do I need to be running? Or is there a patch?
>
> Thanks!
>
> Steve N0FPF
>
>
>
>

806. scs ptc-iipro

Yahoo group: agwpe_pro
Date: 2008-04-07 01:14:18 UTC
From: Doyle Wilcox
Topic: 806 Message: 806

```
what tnc do you use in setup to configure the "SCS PTC-llpro"..
can't find a copatable one to setup..
tnx
doyle
wb7oxj@...
```

807. Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-17 06:12:56 UTC
From: davemynatt
Topic: 807 Message: 807

Hi Group,

New to group and need to understand if app is functioning correctly. I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version), and an ICOM R-20 (receive only). I connected the headphone out jack of the R-20 to my Sound Card (SB USB, MIC input) and set freq in 144.340. I receive static okay and can hear other stations okay when I change freqs. Set it to WFM.

I think I'm in a very quiet area (Pueblo, CO) and there may not be any APRS transmissions around. How can I verify Pro is working okay if I can't receive an APRS signal?

My UI-View shows stations but they are over 50k away for the most part.

Any help very much appreciated as I need to set up an IGate this month to be able to assist EOSS with balloon launch.

Dave (KA0SWT)
=====
http://sciencecenter.no-ip.org
SID ID: S-0258
KA0SWT
LAT: 38'16.278" N
LON: -104'40.537" W
DM78QG51WG
719-423-4124

808. RE: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-17 13:24:04 UTC
From: Ralph Milnes
Topic: 807 Message: 808

Dave,

The national APRS frequency is 144.39, not .34 (or maybe that was a typo?).

Stephen Smith WA8LMF has created a downloadable audio disk with packet signals for testing. By playing it, you might be able to test you setup. Stephen's files are not as simple as playing a .wmv file -- you need to burn a whole CD carefully and then play it from something other than your computer. I've never tried this myself so I can't really say how easy or difficult it will be.

http://wa8lmf.net/TNCtest/index.htm

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of davemynatt
Sent: Thursday, April 17, 2008 2:13 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Verify Installed & operating Okay

Hi Group,

New to group and need to understand if app is functioning correctly. I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version), and an ICOM R-20 (receive only). I connected the headphone out jack of the R-20 to my Sound Card (SB USB, MIC input) and set freq in 144.340. I receive static okay and can hear other stations okay when I change freqs. Set it to WFM.

I think I'm in a very quiet area (Pueblo, CO) and there may not be any APRS transmissions around. How can I verify Pro is working okay if I can't receive an APRS signal?

My UI-View shows stations but they are over 50k away for the most part.

Any help very much appreciated as I need to set up an IGate this month to be able to assist EOSS with balloon launch.

Dave (KA0SWT)
=====
http://sciencecenter.no-ip.org
SID ID: S-0258
KA0SWT
LAT: 38'16.278" N
LON: -104'40.537" W

DM78QG51WG
719-423-4124

Yahoo! Groups Links

809. RE: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-17 11:16:47 UTC
From: Chip Kroh (N3FUD)
Topic: 807 Message: 809

Hi Dave,

With the receiver on 144.39, you should be able to hear the signals coming from the nearby digipeaters. Looking through findu.com, it does appear that there is some traffic near you that is going out over the airwaves, though nothing within 30 miles.

You may also want to consider setting the receiver to NFM.

There is a soundcard tuning feature in PE-Pro. If you haven't already done so, check the sound levels coming into the soundcard.

If all that is set, try and find someone with a portable/mobile APRS unit and ask them to help. Lee, K0QED, might be able to help, as he is involved with the WinLink 2000 project.

73 Chip N3FUD

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of davemynatt
> Sent: Thursday, April 17, 2008 2:13
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Verify Installed & operating Okay
>
> Hi Group,
>
> New to group and need to understand if app is functioning correctly.
> I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version),
> and an ICOM R-20 (receive only). I connected the headphone out jack
> of the R-20 to my Sound Card (SB USB, MIC input) and set freq in
> 144.340. I receive static okay and can hear other stations okay when
> I change freqs. Set it to WFM.
>
> I think I'm in a very quiet area (Pueblo, CO) and there may not be
> any APRS transmissions around. How can I verify Pro is working okay
> if I can't receive an APRS signal?
>
> My UI-View shows stations but they are over 50k away for the most
> part.
>
> Any help very much appreciated as I need to set up an IGate this
> month to be able to assist EOSS with balloon launch.
>
> Dave (KA0SWT)
> =====

> http://sciencecenter.no-ip.org
> SID ID: S-0258
> KA0SWT
> LAT: 38'16.278" N
> LON: -104'40.537" W
> DM78QG51WG
> 719-423-4124
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>
No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date: 4/16/2008
9:34

810. Re: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-17 16:10:09 UTC
From: D. Mynatt
Topic: 807 Message: 810

Hi Chip,

I'll try to contact Lee. Here's screen capture of my setup. Do these look right to you? Thank gosh for screen captures!

Is the default TCP Port where interface users listen 8000?

Many thanks,

Dave

----- Original Message -----
From: "Chip Kroh (N3FUD)" <n3fud@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Thursday, April 17, 2008 5:16 AM
Subject: RE: [agwpe_pro] Verify Installed & operating Okay

> Hi Dave,
>
> With the receiver on 144.39, you should be able to hear the signals coming
> from the nearby digipeaters. Looking through findu.com, it does appear that
> there is some traffic near you that is going out over the airwaves, though
> nothing within 30 miles.
>
> You may also want to consider setting the receiver to NFM.
>
> There is a soundcard tuning feature in PE-Pro. If you haven't already done
> so, check the sound levels coming into the soundcard.
>
> If all that is set, try and find someone with a portable/mobile APRS unit
> and ask them to help. Lee, K0QED, might be able to help, as he is involved
> with the WinLink 2000 project.
>
> 73 Chip N3FUD
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>> Behalf Of davemynatt
>> Sent: Thursday, April 17, 2008 2:13
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] Verify Installed & operating Okay
>>
>> Hi Group,
>>
>> New to group and need to understand if app is functioning correctly.
>> I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version),

>> and an ICOM R-20 (receive only). I connected the headphone out jack
>> of the R-20 to my Sound Card (SB USB, MIC input) and set freq in
>> 144.340. I receive static okay and can hear other stations okay when
>> I change freqs. Set it to WFM.
>>
>> I think I'm in a very quiet area (Pueblo, CO) and there may not be
>> any APRS transmissions around. How can I verify Pro is working okay
>> if I can't receive an APRS signal?
>>
>> My UI-View shows stations but they are over 50k away for the most
>> part.
>>
>> Any help very much appreciated as I need to set up an IGate this
>> month to be able to assist EOSS with balloon launch.
>>
>> Dave (KA0SWT)
>> =====
>> http://sciencecenter.no-ip.org
>> SID ID: S-0258
>> KA0SWT
>> LAT: 38'16.278" N
>> LON: -104'40.537" W
>> DM78QG51WG
>> 719-423-4124
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
> No virus found in this outgoing message.
> Checked by AVG.
> Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date: 4/16/2008
> 9:34
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

[Non-text portions of this message have been removed]

811. Re: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-17 16:48:52 UTC
From: D. Mynatt
Topic: 807 Message: 811

Thanks group! I'm listening now and see packets and such. Will wait for
DR-135 and then be on the air! Thank you all,

Dave
=====
http://sciencecenter.no-ip.org
SID ID: S-0258
KA0SWT
LAT: 38'16.278" N
LON: -104'40.537" W
DM78QG51WG
719-423-4124

----- Original Message -----
From: "Chip Kroh (N3FUD)" <n3fud@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Thursday, April 17, 2008 5:16 AM
Subject: RE: [agwpe_pro] Verify Installed & operating Okay

> Hi Dave,
>
> With the receiver on 144.39, you should be able to hear the signals coming
> from the nearby digipeaters. Looking through findu.com, it does appear
> that
> there is some traffic near you that is going out over the airwaves, though
> nothing within 30 miles.
>
> You may also want to consider setting the receiver to NFM.
>
> There is a soundcard tuning feature in PE-Pro. If you haven't already
> done
> so, check the sound levels coming into the soundcard.
>
> If all that is set, try and find someone with a portable/mobile APRS unit
> and ask them to help. Lee, K0QED, might be able to help, as he is
> involved
> with the WinLink 2000 project.
>
> 73 Chip N3FUD
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>> Behalf Of davemynatt
>> Sent: Thursday, April 17, 2008 2:13
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] Verify Installed & operating Okay

>>
>> Hi Group,
>>
>> New to group and need to understand if app is functioning correctly.
>> I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version),
>> and an ICOM R-20 (receive only). I connected the headphone out jack
>> of the R-20 to my Sound Card (SB USB, MIC input) and set freq in
>> 144.340. I receive static okay and can hear other stations okay when
>> I change freqs. Set it to WFM.
>>
>> I think I'm in a very quiet area (Pueblo, CO) and there may not be
>> any APRS transmissions around. How can I verify Pro is working okay
>> if I can't receive an APRS signal?
>>
>> My UI-View shows stations but they are over 50k away for the most
>> part.
>>
>> Any help very much appreciated as I need to set up an IGate this
>> month to be able to assist EOSS with balloon launch.
>>
>> Dave (KA0SWT)
>> =====
>> http://sciencecenter.no-ip.org
>> SID ID: S-0258
>> KA0SWT
>> LAT: 38'16.278" N
>> LON: -104'40.537" W
>> DM78QG51WG
>> 719-423-4124
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
> No virus found in this outgoing message.
> Checked by AVG.
> Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date: 4/16/2008
> 9:34
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

>
>

812. Re: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-17 16:58:29 UTC
From: D. Mynatt
Topic: 807 Message: 812

Chip,

Just to be sure I understand this okay -I really don't need the PE-Pro unless I have a transceiver; right? The UI-View receives info from the internet, and the PE-pro monitors the same info flow from 144.390. Once I have a DR-135 I can then begin transmitting my station info but in reality all I need to have to monitor the flow is UI-View.

Am I in the right ballpark?

What is an IGate different from what I have set up?

Sorry to be so dumb....

Dave (KA0SWT)

----- Original Message -----
From: "Chip Kroh (N3FUD)" <n3fud@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Thursday, April 17, 2008 5:16 AM
Subject: RE: [agwpe_pro] Verify Installed & operating Okay

> Hi Dave,
>
> With the receiver on 144.39, you should be able to hear the signals coming
> from the nearby digipeaters. Looking through findu.com, it does appear
> that
> there is some traffic near you that is going out over the airwaves, though
> nothing within 30 miles.
>
> You may also want to consider setting the receiver to NFM.
>
> There is a soundcard tuning feature in PE-Pro. If you haven't already
> done
> so, check the sound levels coming into the soundcard.
>
> If all that is set, try and find someone with a portable/mobile APRS unit
> and ask them to help. Lee, K0QED, might be able to help, as he is
> involved
> with the WinLink 2000 project.
>
> 73 Chip N3FUD
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>> Behalf Of davemynatt
>> Sent: Thursday, April 17, 2008 2:13

>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] Verify Installed & operating Okay
>>
>> Hi Group,
>>
>> New to group and need to understand if app is functioning correctly.
>> I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version),
>> and an ICOM R-20 (receive only). I connected the headphone out jack
>> of the R-20 to my Sound Card (SB USB, MIC input) and set freq in
>> 144.340. I receive static okay and can hear other stations okay when
>> I change freqs. Set it to WFM.
>>
>> I think I'm in a very quiet area (Pueblo, CO) and there may not be
>> any APRS transmissions around. How can I verify Pro is working okay
>> if I can't receive an APRS signal?
>>
>> My UI-View shows stations but they are over 50k away for the most
>> part.
>>
>> Any help very much appreciated as I need to set up an IGate this
>> month to be able to assist EOSS with balloon launch.
>>
>> Dave (KA0SWT)
>> =====
>> http://sciencecenter.no-ip.org
>> SID ID: S-0258
>> KA0SWT
>> LAT: 38'16.278" N
>> LON: -104'40.537" W
>> DM78QG51WG
>> 719-423-4124
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
> No virus found in this outgoing message.
> Checked by AVG.
> Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date: 4/16/2008
> 9:34
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>

>
>
>
>

813. RE: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-18 12:10:23 UTC
From: Chip Kroh (N3FUD)
Topic: 807 Message: 813

Hi Dave,

The screen capture from the other message did not come through, but the information you gave was correct.

In order to monitor 144.39, you will need either PE or PE-Pro. It serves as an interface between the signal coming in and the program that decodes the signal. Coupled with the soundcard in your computer, it is a software TNC.

If I remember correctly, UI will receive data from either the Internet, AGWPE, or both.

An APRS software program listens to both the Internet and the radio, but the data from one side doesn't cross over to the other. Igates cross the data over. There is APRS software that has Igate functionality built in, so the process can be transparent.

Hopefully I haven't confused you further....

73 Chip N3FUD

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of D. Mynatt
> Sent: Thursday, April 17, 2008 12:58
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Verify Installed & operating Okay
>
> Chip,
>
> Just to be sure I understand this okay -I really don't need the PE-Pro
> unless I have a transceiver; right? The UI-View receives info from the
> internet, and the PE-pro monitors the same info flow from 144.390. Once
> I
> have a DR-135 I can then begin transmitting my station info but in
> reality
> all I need to have to monitor the flow is UI-View.
>
> Am I in the right ballpark?
>
> What is an IGate different from what I have set up?
>
> Sorry to be so dumb....
>
> Dave (KA0SWT)
>
>

>
>
>
> ----- Original Message -----
> From: "Chip Kroh (N3FUD)" <n3fud@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Thursday, April 17, 2008 5:16 AM
> Subject: RE: [agwpe_pro] Verify Installed & operating Okay
>
>
> > Hi Dave,
> >
> > With the receiver on 144.39, you should be able to hear the signals
> coming
> > from the nearby digipeaters. Looking through findu.com, it does
> appear
> > that
> > there is some traffic near you that is going out over the airwaves,
> though
> > nothing within 30 miles.
> >
> > You may also want to consider setting the receiver to NFM.
> >
> > There is a soundcard tuning feature in PE-Pro. If you haven't
> already
> > done
> > so, check the sound levels coming into the soundcard.
> >
> > If all that is set, try and find someone with a portable/mobile APRS
> unit
> > and ask them to help. Lee, K0QED, might be able to help, as he is
> > involved
> > with the WinLink 2000 project.
> >
> > 73 Chip N3FUD
> >
> >> -----Original Message-----
> >> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On
> >> Behalf Of davemynatt
> >> Sent: Thursday, April 17, 2008 2:13
> >> To: agwpe_pro@yahoogroups.com
> >> Subject: [agwpe_pro] Verify Installed & operating Okay
> >>
> >> Hi Group,
> >>
> >> New to group and need to understand if app is functioning correctly.
> >> I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version),
> >> and an ICOM R-20 (receive only). I connected the headphone out jack
> >> of the R-20 to my Sound Card (SB USB, MIC input) and set freq in

> >> 144.340. I receive static okay and can hear other stations okay when
> >> I change freqs. Set it to WFM.
> >>
> >> I think I'm in a very quiet area (Pueblo, CO) and there may not be
> >> any APRS transmissions around. How can I verify Pro is working okay
> >> if I can't receive an APRS signal?
> >>
> >> My UI-View shows stations but they are over 50k away for the most
> >> part.
> >>
> >> Any help very much appreciated as I need to set up an IGate this
> >> month to be able to assist EOSS with balloon launch.
> >>
> >> Dave (KA0SWT)
> >> =====
> >> http://sciencecenter.no-ip.org
> >> SID ID: S-0258
> >> KA0SWT
> >> LAT: 38'16.278" N
> >> LON: -104'40.537" W
> >> DM78QG51WG
> >> 719-423-4124
> >>
> >>
> >> ---
> >>
> >> Yahoo! Groups Links
> >>
> >>
> >>
> > No virus found in this outgoing message.
> > Checked by AVG.
> > Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date:
> 4/16/2008
> > 9:34
> >
> >
> >
> > ---
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
>
>
>
> ---

>
> Yahoo! Groups Links
>
>
>
No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date: 4/16/2008
9:34

814. Re: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-18 18:43:46 UTC
From: D. Mynatt
Topic: 807 Message: 814

Hi Chip,

No you didn't confuse me at all; perfect, short, to the point, clear and I thank you. I have a handle on the basics now -somewhat- and will really be more settled once I get a DR-135 and can see the traffic move both ways.

Right now, if I want I can see traffic all over the place. Both the Monitor screen on PEPro and on UI-View show traffic. I adjust the geographic area of interest by using the Filter command and understand now that process. I see also that the IGate servers are few and far between... France? I'd like to see about setting up a full fledge server in Pueblo, CO/USA so maybe that's in the future but I don't want to mess anything up for anyone. I don't see a server in CO but the designators are all mnemonics, so maybe there is one but it's name is obtuse. Is there a directory of just servers someplace with name, contact, etc?

I am using the PE-Pro and it seems fine; is there a big difference between it and the basic model? I'd hate to spend half the price of a DR-135 on software, especially now, but then again I don't want to short-change the APRS process either. Your recommendation?

I have an EarthMate USB GPS connected, but it was not intuitive; had to deselect the EarthMate setting in the GPS tab to make it work. Sounds backwards, but then again, I'm still experimenting.

An EOSS Colorado high altitude balloon flight this weekend will be on APRS at 144.340 but only a watt or two, so it will be difficult for me to hear directly. I'll be using the Filter selector to get the station internet traffic. Unfortunately, I won't know if it works and I can't hear it, or if the setup is wrong and my system won't hear it, but I'm going to try. I have an ICOM R-20 and it is really nice.... but no transmitter that'll reach 144MHz.

I'm going to spend some time writing a paragraph of two about the basics of setting up an IGate; your description was really good so I'll start from there if you don't mind. I can't seem to find a simple, easy, set-by-step description or process flow for a server of setting up a receive-only APRS... doesn't sound like much but we gotta help push our own hobby. Right?

Appreciate your help for sure, and if you're available I'll be talking with you again I'm sure. PS/Is there an IGate designation I can use to identify myself in the signature block? KA0SWT-I or something??

Dave
=====
http://sciencecenter.no-ip.org
SID ID: S-0258

KA0SWT
LAT: 38'16.278" N
LON: -104'40.537" W
DM78QG51WG
719-423-4124

----- Original Message -----
From: "Chip Kroh (N3FUD)" <n3fud@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Friday, April 18, 2008 6:10 AM
Subject: RE: [agwpe_pro] Verify Installed & operating Okay

> Hi Dave,
>
> The screen capture from the other message did not come through, but the
> information you gave was correct.
>
> In order to monitor 144.39, you will need either PE or PE-Pro. It serves
> as
> an interface between the signal coming in and the program that decodes the
> signal. Coupled with the soundcard in your computer, it is a software TNC.
>
> If I remember correctly, UI will receive data from either the Internet,
> AGWPE, or both.
>
> An APRS software program listens to both the Internet and the radio, but
> the
> data from one side doesn't cross over to the other. Igates cross the data
> over. There is APRS software that has Igate functionality built in, so
> the
> process can be transparent.
>
> Hopefully I haven't confused you further....
>
> 73 Chip N3FUD
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>> Behalf Of D. Mynatt
>> Sent: Thursday, April 17, 2008 12:58
>> To: agwpe_pro@yahoogroups.com
>> Subject: Re: [agwpe_pro] Verify Installed & operating Okay
>>
>> Chip,
>>
>> Just to be sure I understand this okay -I really don't need the PE-Pro
>> unless I have a transceiver; right? The UI-View receives info from the
>> internet, and the PE-pro monitors the same info flow from 144.390. Once
>> I
>> have a DR-135 I can then begin transmitting my station info but in
>> reality

>> all I need to have to monitor the flow is UI-View.
>>
>> Am I in the right ballpark?
>>
>> What is an IGate different from what I have set up?
>>
>> Sorry to be so dumb....
>>
>> Dave (KA0SWT)
>>
>>
>>
>>
>>
>> ----- Original Message -----
>> From: "Chip Kroh (N3FUD)" <n3fud@...>
>> To: <agwpe_pro@yahoogroups.com>
>> Sent: Thursday, April 17, 2008 5:16 AM
>> Subject: RE: [agwpe_pro] Verify Installed & operating Okay
>>
>>
>> > Hi Dave,
>> >
>> > With the receiver on 144.39, you should be able to hear the signals
>> coming
>> > from the nearby digipeaters. Looking through findu.com, it does
>> appear
>> > that
>> > there is some traffic near you that is going out over the airwaves,
>> though
>> > nothing within 30 miles.
>> >
>> > You may also want to consider setting the receiver to NFM.
>> >
>> > There is a soundcard tuning feature in PE-Pro. If you haven't
>> already
>> > done
>> > so, check the sound levels coming into the soundcard.
>> >
>> > If all that is set, try and find someone with a portable/mobile APRS
>> unit
>> > and ask them to help. Lee, K0QED, might be able to help, as he is
>> > involved
>> > with the WinLink 2000 project.
>> >
>> > 73 Chip N3FUD
>> >
>> >> -----Original Message-----
>> >> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
>> On

>> >> Behalf Of davemynatt
>> >> Sent: Thursday, April 17, 2008 2:13
>> >> To: agwpe_pro@yahoogroups.com
>> >> Subject: [agwpe_pro] Verify Installed & operating Okay
>> >>
>> >> Hi Group,
>> >>
>> >> New to group and need to understand if app is functioning correctly.
>> >> I have UI-View (v2.03), UI-NWS (v2.71), PE Pro (demo-30day version),
>> >> and an ICOM R-20 (receive only). I connected the headphone out jack
>> >> of the R-20 to my Sound Card (SB USB, MIC input) and set freq in
>> >> 144.340. I receive static okay and can hear other stations okay when
>> >> I change freqs. Set it to WFM.
>> >>
>> >> I think I'm in a very quiet area (Pueblo, CO) and there may not be
>> >> any APRS transmissions around. How can I verify Pro is working okay
>> >> if I can't receive an APRS signal?
>> >>
>> >> My UI-View shows stations but they are over 50k away for the most
>> >> part.
>> >>
>> >> Any help very much appreciated as I need to set up an IGate this
>> >> month to be able to assist EOSS with balloon launch.
>> >>
>> >> Dave (KA0SWT)
>> >> =====
>> >> http://sciencecenter.no-ip.org
>> >> SID ID: S-0258
>> >> KA0SWT
>> >> LAT: 38'16.278" N
>> >> LON: -104'40.537" W
>> >> DM78QG51WG
>> >> 719-423-4124
>> >>
>> >>
>> >> ------------------------------------
>> >>
>> >> Yahoo! Groups Links
>> >>
>> >>
>> >>
>> > No virus found in this outgoing message.
>> > Checked by AVG.
>> > Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date:
>> 4/16/2008
>> > 9:34
>> >
>> >
>> >
>> > ------------------------------------

>> >
>> > Yahoo! Groups Links
>> >
>> >
>> >
>> >
>> >
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
> No virus found in this outgoing message.
> Checked by AVG.
> Version: 7.5.519 / Virus Database: 269.23.0/1381 - Release Date: 4/16/2008
> 9:34
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

815. RE: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-19 20:17:31 UTC
From: Chip Kroh (N3FUD)
Topic: 807 Message: 815

Hi Dave,

> -----Original Message-----
> Is there a directory of just servers
> someplace
> with name, contact, etc?

http://www.aprs2.net/

http://core.aprs.net/

> I am using the PE-Pro and it seems fine; is there a big difference
> between
> it and the basic model? I'd hate to spend half the price of a DR-135 on
> software, especially now, but then again I don't want to short-change
> the
> APRS process either. Your recommendation?

The Pro version provides you with the ability to use more than one TNC,
TCP/IP over AX25, the ability to use AGWPE over a network, and share ports.
http://www.sv2agw.com/ham/pepro.htm explains the differences.

Since I run a Winlink 2000 system across two frequencies, I chose PE-Pro.
It all depends on what your needs are.

> Appreciate your help for sure, and if you're available I'll be talking
> with
> you again I'm sure. PS/Is there an IGate designation I can use to
> identify
> myself in the signature block? KA0SWT-I or something??

I am not aware of any particular -ssid that is assigned to APRS IGates. I
would recommend staying away from -10 and -15.

In case you haven't seen them, here are a few sites to help you with APRS.

http://homepage.ntlworld.com/ajmckinnon/aprsUIV.htm

http://eng.usna.navy.mil/~bruninga/aprs.html

73 Chip N3FUD

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.2/1386 - Release Date: 4/18/2008
17:24

816. RE: [agwpe_pro] Verify Installed & operating Okay

Yahoo group: agwpe_pro
Date: 2008-04-20 22:04:57 UTC
From: Ralph Milnes
Topic: 807 Message: 816

Both AGWPE and PE Pro let you connect to more than one TNC or sound card port at the same time, i.e. monitor more than one frequency.

I just put a feature comparison chart up at:

http://www.kc2rlm.info/soundcardpacket/compare.htm

One unsaid difference between the two is that your purchase of PE Pro helps to support George SV2AGW's continued programming efforts. He has provided a marvelous service to the ham community by continuing to provide AGWPE free of charge. But, for those that are able, the fee for PE Pro gives you both a better product and a way of thanking George.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Chip Kroh (N3FUD)
Sent: Saturday, April 19, 2008 4:18 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Verify Installed & operating Okay

Hi Dave,

> -----Original Message-----
> Is there a directory of just servers
> someplace
> with name, contact, etc?

http://www.aprs2.net/

http://core.aprs.net/

> I am using the PE-Pro and it seems fine; is there a big difference
> between
> it and the basic model? I'd hate to spend half the price of a DR-135 on
> software, especially now, but then again I don't want to short-change
> the
> APRS process either. Your recommendation?

The Pro version provides you with the ability to use more than one TNC, TCP/IP over AX25, the ability to use AGWPE over a network, and share ports. http://www.sv2agw.com/ham/pepro.htm explains the differences.

Since I run a Winlink 2000 system across two frequencies, I chose PE-Pro. It all depends on what your needs are.

> Appreciate your help for sure, and if you're available I'll be talking
> with
> you again I'm sure. PS/Is there an IGate designation I can use to
> identify
> myself in the signature block? KA0SWT-I or something??

I am not aware of any particular -ssid that is assigned to APRS IGates. I would recommend staying away from -10 and -15.

In case you haven't seen them, here are a few sites to help you with APRS.

http://homepage.ntlworld.com/ajmckinnon/aprsUIV.htm

http://eng.usna.navy.mil/~bruninga/aprs.html

73 Chip N3FUD

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.2/1386 - Release Date: 4/18/2008
17:24

Yahoo! Groups Links

817. registration

Yahoo group: agwpe_pro
Date: 2008-04-29 19:59:05 UTC
From: Van Hoof Peter
Topic: 460 Message: 817

George,

Can you send me a new serial code ?

my code or key to send is:

NPVDW-RVPPT-VDNN5-HNS2Y-8M37H-A7GKP-B7HJA-DKQDI-GPVVW-QVMIF-XGU3D-GHEAB

Thanks

Peter, On4pvh

818. When Submitting Problems

Yahoo group: agwpe_pro
Date: 2008-05-04 20:12:23 UTC
From: Phillip
Topic: 818 Message: 818

Hi All,
When submitting a problem to the groups asking for HELP PLEASE
tell us the basics.

1/ Your Name and Callsign

2/ OS and version using and PC info installed latest drivers etc

3/ Version of software program you are trying to get to work and other
associated programs used to get the application to work

4/ External devices Radio / Internet how its connected / all interface
cables

5/ A description of the problem in some detail and what you have done so far
to resolve it

6/ The program Author normally includes a HELP file for that program RTM !!

7/ Look back through the messages on the group many a solution can be found
there

8/ Check related Web sites

Most of us will try and help you but without the basic information its very
hard to supply an early fix..

Below is an example
No Name
No OS but we know what program no mention of any associated programs
No information about connection to the APRS server be it via
RF or Internet

" I setup my lat long under setup but when I connect to a aprs server
my station dose not show up ? "

73 Phillip
ZL2TZE

819. RE: [agwpe_pro] registration

Yahoo group: agwpe_pro
Date: 2008-05-05 16:33:01 UTC
From: (SV2AGW) George Rossopoulos
Topic: 460 Message: 819

Hi Peter

The new serial is
PFVVW-QMPNJ-UDWND-FNW5G-YNTXG-26GYM-36HFA-V4MVF-GPWDY-QVMIF-XGU3D-GHEAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Van Hoof Peter
> Sent: Tuesday, April 29, 2008 10:59 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] registration
>
> George,
>
> Can you send me a new serial code ?
>
> my code or key to send is:
>
> NPVDW-RVPPT-VDNN5-HNS2Y-8M37H-A7GKP-B7HJA-DKQDI-GPVVW-QVMIF-XGU3D-GHEAB
>
> Thanks
>
> Peter, On4pvh
>
>
>
>

820. PassCode

Yahoo group: agwpe_pro
Date: 2008-05-08 14:32:31 UTC
From: bruce-bonnie@sbcglobal.net
Topic: 820 Message: 820

Hello George,

I need a passcode for AGWPepro.

My key to Send is N64VI-QVJPW-5YSN3-YN26Y-4M37P-JWVKP-B6P66-VGQBZ-PA5DI-RB7PE-4DWPM-DN2AB

Thank you,

73 de Bruce Harris, W5HCS

821. RE: [agwpe_pro] PassCode

Yahoo group: agwpe_pro
Date: 2008-05-10 14:18:05 UTC
From: (SV2AGW) George Rossopoulos
Topic: 820 Message: 821

Hi Bruce

The serial is

PW5DI-PMJNN-4Y2NB-WN69G-UNTXP-BVVYM-35P27-DYMTW-PA5VK-RB7PE-4DWPM-DN2AB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of bruce-bonnie@...
> Sent: Thursday, May 08, 2008 5:33 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PassCode
>
> Hello George,
>
> I need a passcode for AGWPepro.
>
> My key to Send is N64VI-QVJPW-5YSN3-YN26Y-4M37P-JWVKP-B6P66-VGQBZ-PA5DI-
> RB7PE-4DWPM-DN2AB
>
> Thank you,
>
> 73 de Bruce Harris, W5HCS
>
>
>
>

822. PEPRO Problem

Yahoo group: agwpe_pro
Date: 2008-05-12 09:00:09 UTC
From: ltdoc
Topic: 822 Message: 822

I have a problem using Packet Engine Pro on a laptop using Vista. On first installing, it worked fine. Now, it doesn't. The user screen never opens, tried 'right clicking' on the icon, nothing. The program is registered (twice, one on the home computer, one on the laptop). The home computer uses 'XP' and works fine. Tried the 'compatibility' thingy in 'Vista', no change, doesn't work. I think I've tried everything possible. (Only thing I haven't changed is the patch cord between laptop and radio, really doubt if that's it!)
Any ideas?
Paul / W5LZ

(Latest version of UI-View)

823. Re: PEPRO Problem

Yahoo group: agwpe_pro
Date: 2008-05-12 15:59:36 UTC
From: ltdoc
Topic: 822 Message: 823

Tried changing that audio cable, results as expected, no change.

Also tried something else. Deleted the 'Agwe' configuration file (.INI), and the 'Port0' configuration file (also an .INI file), then restarted the Pepro program. I'll be 'dipped', the user part of the program opened, I had to reregister is (punch the 'Accept' button) and things started and worked. Till I tried opening the user screen, and again, nothing. So, figure it has something to do with either the 'INI' files, whatever happens when you do the 'Accept' button in the register screen, or Vista just hates me.
Any help would be appreciated...
Paul / W5LZ

824. PEPRO Problem - Resolved - maybe

Yahoo group: agwpe_pro
Date: 2008-05-12 16:48:25 UTC
From: ltdoc
Topic: 824 Message: 824

Guess I'll find out over next few days, but think I may have the problem solved.
Took another look at the Agwpe "ini" file. Under [Monitor] the 'state' was set at '2'. Changed that to '1', re-saved, things are working again. I just love 'Vista'!!
Paul / W5LZ

Not all that bad for someone who knows very little about programing, huh? Sound a bit 'egotistical'? Long as it works, who cares.

825. Re: PEPRO Problem

Yahoo group: agwpe_pro
Date: 2008-05-12 17:19:30 UTC
From: Keith
Topic: 822 Message: 825

Hi Paul,

It has been my experience that when AGWPE shuts down (especially if it was shut down other than "gracefully"), it sometimes leaves a process behind active. Go to Task Manager and click on the Processes Tab and look for something sinister that AGW has left behind-- it will start with AGW. Close it. Restart WGWPE again and it should launch OK. I use Vista all the time w/ it. BTW, that problem also happens with XP. Hope that helps.

I don't think it's the patch cord either, but then the patch cord could be easily "rung out" with your handy dandy VOM just to be sure.

Good luck.

Keith
K7KEV

--- In agwpe_pro@yahoogroups.com, "ltdoc" <ltdoc@...> wrote:
>
> I have a problem using Packet Engine Pro on a laptop using Vista. On
> first installing, it worked fine. Now, it doesn't. The user screen
> never opens, tried 'right clicking' on the icon, nothing. The program
> is registered (twice, one on the home computer, one on the laptop).
> The home computer uses 'XP' and works fine. Tried the 'compatibility'
> thingy in 'Vista', no change, doesn't work. I think I've tried
> everything possible. (Only thing I haven't changed is the patch cord
> between laptop and radio, really doubt if that's it!)
> Any ideas?
> Paul / W5LZ
>
> (Latest version of UI-View)
>

826. Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-17 04:51:17 UTC
From: Vince Staffo
Topic: 826 Message: 826

Is MS Net Framework 2.0 required to run PE Pro? I went to install PE Pro on my laptop and it wants to install Net Framework 2.0 before it will continue. I have been a PE Pro user for quite some time and I cannot remember it wanting to install Net Framework 2.0. But then my other computer already had Net Framework 2.0 already installed so I would not have known this.

Thank You,

Vince WB2FYZ

827. Re: PEPRO Problem

Yahoo group: agwpe_pro
Date: 2008-05-17 11:02:57 UTC
From: ltdoc
Topic: 822 Message: 827

Keith,
Thanks for that, and I'll try it "next time" (hope I never have to try your advice, but I'll bet I will).
The only 'cure' I've found is to re-insert the Reg-Key. Same key, just copy/paste. Seems to 'cure' it till I do something 'wrong' again. The 'shut down gracefully' part is the answer, I think. As it is, the only way I can shut the PEPRO down is with the 'Task Manager'. Never thought to look for any other 'AWGE' processes. Oh well, live and learn I guess. Wish I didn't 'learn' best by making mistakes...
Paul / W5LZ

829. RE: [agwpe_pro] Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-17 22:56:13 UTC
From: Ralph Milnes
Topic: 826 Message: 829

Vince,

AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.

I believe the RMS program (WinLink) does require it, so -- if you're playing with that -- perhaps that is the program telling you to install NET.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Vince Staffo
Sent: Saturday, May 17, 2008 12:51 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Is Net Framework 2.0 required?

Is MS Net Framework 2.0 required to run PE Pro? I went to install PE Pro on my laptop and it wants to install Net Framework 2.0 before it will continue. I have been a PE Pro user for quite some time and I cannot remember it wanting to install Net Framework 2.0. But then my other computer already had Net Framework 2.0 already installed so I would not have known this.

Thank You,

Vince WB2FYZ

Yahoo! Groups Links

830. Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-18 03:51:07 UTC
From: Vince Staffo
Topic: 826 Message: 830

Ralph, thanks for the reply. I am not using Winlink on my laptop.
I will go back and review it again and see if I can figue out why it
is asking for Net 2.0. I don't ever recall PE Pro everasking for it
on any of my previous install!

Vince

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> Vince,
>
> AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.
>
> I believe the RMS program (WinLink) does require it, so -- if
you're playing
> with that -- perhaps that is the program telling you to install NET.
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of Vince Staffo
> Sent: Saturday, May 17, 2008 12:51 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Is Net Framework 2.0 required?
>
> Is MS Net Framework 2.0 required to run PE Pro? I went to install
> PE Pro on my laptop and it wants to install Net Framework 2.0
before it
> will continue. I have been a PE Pro user for quite some time and I
> cannot remember it wanting to install Net Framework 2.0. But then
my
> other computer already had Net Framework 2.0 already installed so I
> would not have known this.
>
> Thank You,
>
> Vince WB2FYZ
>
>
>
> ------------------------------------
>

> Yahoo! Groups Links
>

831. Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-18 04:33:19 UTC
From: Vince Staffo
Topic: 826 Message: 831

No Winlink on my laptop. It wants me to agree to EULA for Net
Framework
2.0 before it will let me install Pe Pro. I have installed and used
PE
Pro on several of my Computers and never enountered this. I have
always
been running Windows XP SP2 with PE Pro as is my laptop. I am
confused!
Maybe it is something to do with my Dell C400 Laptop or recent XP
updates!

Vince

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> Vince,
>
> AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.
>
> I believe the RMS program (WinLink) does require it, so -- if
you're
playing
> with that -- perhaps that is the program telling you to install NET.
>
> Ralph KC2RLM
>

832. Re: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-18 16:39:37 UTC
From: hans oeste
Topic: 826 Message: 832

Actually I believe that the newest version does require it..

Hans
VE7OES

-------Original Message-------

From: Vince Staffo
Date: 17/05/2008 11:34:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Is Net Framework 2.0 required?

No Winlink on my laptop. It wants me to agree to EULA for Net
Framework
2.0 before it will let me install Pe Pro. I have installed and used
PE
Pro on several of my Computers and never enountered this. I have
always
been running Windows XP SP2 with PE Pro as is my laptop. I am
confused!
Maybe it is something to do with my Dell C400 Laptop or recent XP
updates!

Vince

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> Vince,
>
> AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.
>
> I believe the RMS program (WinLink) does require it, so -- if
you're
playing
> with that -- perhaps that is the program telling you to install NET.
>
> Ralph KC2RLM
>

[Non-text portions of this message have been removed]

833. RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-19 16:27:10 UTC
From: Ralph Milnes
Topic: 826 Message: 833

Hans,

Why do you think that?

What is the "newest version"? 14May2007 was the latest version that I have
and it didn't require NET.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of hans oeste
Sent: Sunday, May 18, 2008 12:40 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Re: Is Net Framework 2.0 required?

Actually I believe that the newest version does require it..

Hans
VE7OES

-------Original Message-------

From: Vince Staffo
Date: 17/05/2008 11:34:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Is Net Framework 2.0 required?

No Winlink on my laptop. It wants me to agree to EULA for Net
Framework
2.0 before it will let me install Pe Pro. I have installed and used
PE
Pro on several of my Computers and never enountered this. I have
always
been running Windows XP SP2 with PE Pro as is my laptop. I am
confused!
Maybe it is something to do with my Dell C400 Laptop or recent XP
updates!

Vince

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> Vince,
>

> AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.
>
> I believe the RMS program (WinLink) does require it, so -- if
you're
playing
> with that -- perhaps that is the program telling you to install NET.
>
> Ralph KC2RLM
>

834. RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-20 17:11:15 UTC
From: (SV2AGW) George Rossopoulos
Topic: 826 Message: 834

Hi

Not needed and will not.....

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Ralph Milnes
> Sent: Monday, May 19, 2008 7:27 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?
>
> Hans,
>
> Why do you think that?
>
> What is the "newest version"? 14May2007 was the latest version that I
> have
> and it didn't require NET.
>
> 73
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
>] On Behalf
> Of hans oeste
> Sent: Sunday, May 18, 2008 12:40 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] Re: Is Net Framework 2.0 required?
>
> Actually I believe that the newest version does require it..
>
> Hans
> VE7OES

>
> -------Original Message-------
>
> From: Vince Staffo
> Date: 17/05/2008 11:34:29 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Re: Is Net Framework 2.0 required?
>
> No Winlink on my laptop. It wants me to agree to EULA for Net
> Framework
> 2.0 before it will let me install Pe Pro. I have installed and used
> PE
> Pro on several of my Computers and never enountered this. I have
> always
> been running Windows XP SP2 with PE Pro as is my laptop. I am
> confused!
> Maybe it is something to do with my Dell C400 Laptop or recent XP
> updates!
>
> Vince
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "Ralph Milnes" <ralphmilnes@...>
> wrote:
> >
> > Vince,
> >
> > AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.
> >
> > I believe the RMS program (WinLink) does require it, so -- if
> you're
> playing
> > with that -- perhaps that is the program telling you to install NET.
> >
> > Ralph KC2RLM
> >
>
>
>
>

835. RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-20 04:18:40 UTC
From: hans oeste
Topic: 826 Message: 835

Something I read on one of older webpages before it got changed up. Pretty sure that I say something about .NET in there.

Can't find it now though....

Hans
VE7OES

-------Original Message-------

From: Ralph Milnes
Date: 19/05/2008 9:27:25 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Hans,

Why do you think that?

What is the "newest version"? 14May2007 was the latest version that I have and it didn't require NET.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of hans oeste
Sent: Sunday, May 18, 2008 12:40 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Re: Is Net Framework 2.0 required?

Actually I believe that the newest version does require it..

Hans
VE7OES

-------Original Message-------

From: Vince Staffo
Date: 17/05/2008 11:34:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Is Net Framework 2.0 required?

No Winlink on my laptop. It wants me to agree to EULA for Net Framework
2.0 before it will let me install Pe Pro. I have installed and used PE

Pro on several of my Computers and never enountered this. I have
always
been running Windows XP SP2 with PE Pro as is my laptop. I am
confused!
Maybe it is something to do with my Dell C400 Laptop or recent XP
updates!

Vince

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> Vince,
>
> AFAIK, PE PRO does NOT require NET 2.0 or any other version of NET.
>
> I believe the RMS program (WinLink) does require it, so -- if
you're
playing
> with that -- perhaps that is the program telling you to install NET.
>
> Ralph KC2RLM
>

[Non-text portions of this message have been removed]

836. RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-21 20:28:18 UTC
From: Ralph Milnes
Topic: 826 Message: 836

George SV2AGW has said PE Pro does *NOT* use .NET. Since he's the program author, he should know.

So going back to Vince's problem, it is *NOT* PE Pro that is requesting the install of .NET.

73, Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of hans oeste
Sent: Tuesday, May 20, 2008 12:19 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Something I read on one of older webpages before it got changed up. Pretty sure that I say something about .NET in there.

Can't find it now though....

Hans
VE7OES

-------Original Message-------

From: Ralph Milnes
Date: 19/05/2008 9:27:25 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Hans,

Why do you think that?

What is the "newest version"? 14May2007 was the latest version that I have and it didn't require NET.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of hans oeste
Sent: Sunday, May 18, 2008 12:40 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Re: Is Net Framework 2.0 required?

Actually I believe that the newest version does require it..

Hans
VE7OES

-------Original Message-------

From: Vince Staffo
Date: 17/05/2008 11:34:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Is Net Framework 2.0 required?

No Winlink on my laptop. It wants me to agree to EULA for Net Framework
2.0 before it will let me install Pe Pro. I have installed and used PE
Pro on several of my Computers and never enountered this. I have always
been running Windows XP SP2 with PE Pro as is my laptop. I am confused!
Maybe it is something to do with my Dell C400 Laptop or recent XP updates!

Vince

838. RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-22 00:25:44 UTC
From: hans oeste
Topic: 826 Message: 838

And your right! The author would know. Seem's I've made a mistake.. ;{
73, Hans, VE7OES

-------Original Message-------

From: Ralph Milnes
Date: 21/05/2008 1:29:06 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

George SV2AGW has said PE Pro does *NOT* use .NET. Since he's the program author, he should know.

So going back to Vince's problem, it is *NOT* PE Pro that is requesting the install of .NET.

73, Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of hans oeste
Sent: Tuesday, May 20, 2008 12:19 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Something I read on one of older webpages before it got changed up. Pretty sure that I say something about .NET in there.

Can't find it now though....

Hans
VE7OES

-------Original Message-------

From: Ralph Milnes
Date: 19/05/2008 9:27:25 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Is Net Framework 2.0 required?

Hans,

Why do you think that?

What is the "newest version"? 14May2007 was the latest version that I have and it didn't require NET.

73

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of hans oeste
Sent: Sunday, May 18, 2008 12:40 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Re: Is Net Framework 2.0 required?

Actually I believe that the newest version does require it..

Hans
VE7OES

-------Original Message-------

From: Vince Staffo
Date: 17/05/2008 11:34:29 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Is Net Framework 2.0 required?

No Winlink on my laptop. It wants me to agree to EULA for Net
Framework
2.0 before it will let me install Pe Pro. I have installed and used
PE
Pro on several of my Computers and never enountered this. I have
always
been running Windows XP SP2 with PE Pro as is my laptop. I am
confused!
Maybe it is something to do with my Dell C400 Laptop or recent XP
updates!

Vince

[Non-text portions of this message have been removed]

839. Registration Code

Yahoo group: agwpe_pro
Date: 2008-05-21 23:28:08 UTC
From: Bruce Jones
Topic: 738 Message: 839

Hello George, I need a passcode for AGWPepro. My key to Send is
HPVDK-RT96P-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-ZNNAB

TNX
73
Bruce N5JBJ

840. Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-22 04:13:16 UTC
From: Vince Staffo
Topic: 826 Message: 840

OK! I finally got PE Pro to install without wanting me to first install Net Framework 2.0 on my Dell Laptop. Here is what I found.

1. Using the latest PEPro full setup ZIP file it extracts 4 different files. One is called Setup.exe.

2. If I tried to install using Setup.exe PE Pro wanted me to install Net FW 2.0 before it would install PE Pro.

3. One of the other files it extracted was called Packet Engine Pro.msi. Running this file allowed me to install PE Pro without requiring me to install Net FW 2.0.

Sounds like I was running the wrong file to do the install. When I did the install on my desktop which has Net FW 2.0 already installed it did not stop me if I used the Setup.exe file instead.

Vince WB2FYZ

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> George SV2AGW has said PE Pro does *NOT* use .NET. Since he's the program
> author, he should know.
>
> So going back to Vince's problem, it is *NOT* PE Pro that is requesting the
> install of .NET.
>
> 73, Ralph KC2RLM
>

841. Re: [agwpe_pro] Re: Is Net Framework 2.0 required?

Yahoo group: agwpe_pro
Date: 2008-05-22 14:32:58 UTC
From: Michael Gray
Topic: 826 Message: 841

setup.exe is the generic installer that verifies the proper pre-requisites
are on the system before installing the application. My guess is that
when it was build, the .NET framework was in the required pre-requisites.
NOTE: This is the default for the Microsoft installer.

The MSI is the actual installation for PE Pro. It will run and install on
up to date Windows systems. Part of the Windows Update process is to
install stuff like the .NET framework and the 3.1 Windows installer.

Ah so much fun....Linux isn't any better. You'll be recompiling your
kernel before you know it. :)

On Thu, 22 May 2008, Vince Staffo wrote:

> OK! I finally got PE Pro to install without wanting me to first
> install Net Framework 2.0 on my Dell Laptop. Here is what I found.
>
> 1. Using the latest PEPro full setup ZIP file it extracts 4 different
> files. One is called Setup.exe.
>
> 2. If I tried to install using Setup.exe PE Pro wanted me to install
> Net FW 2.0 before it would install PE Pro.
>
> 3. One of the other files it extracted was called Packet Engine
> Pro.msi. Running this file allowed me to install PE Pro without
> requiring me to install Net FW 2.0.
>
> Sounds like I was running the wrong file to do the install. When I
> did the install on my desktop which has Net FW 2.0 already installed
> it did not stop me if I used the Setup.exe file instead.
>
> Vince WB2FYZ
>
>
>
>
>
> --- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
> wrote:
> >
> > George SV2AGW has said PE Pro does *NOT* use .NET. Since he's the
> program
> > author, he should know.
> >
> > So going back to Vince's problem, it is *NOT* PE Pro that is
> requesting the

> > install of .NET.
> >
> > 73, Ralph KC2RLM
> >
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>

842. RE: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-05-25 14:05:18 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 842

Hi Bruce

The serial is
IFVVK-QJ95F-5DUNB-VHA4Y-NNTXH-JVDYM-35PPY-VWMTX-GPUVQ-4BYHE-4D22J-ZNNAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Bruce Jones
> Sent: Thursday, May 22, 2008 2:28 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration Code
>
> Hello George, I need a passcode for AGWPepro. My key to Send is
> HPVDK-RT96P-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-ZNNAB
>
> TNX
> 73
> Bruce N5JBJ
>
>
>
>

843. Re: Registration Code

Yahoo group: agwpe_pro
Date: 2008-05-25 18:29:20 UTC
From: Bruce Jones
Topic: 738 Message: 843

George,

I transposed a digit when I sent it to you, so of course the serial number won't work. It should have been:

HPVDK-RT9P6-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-ZNNAB

Dyslexia hits again. But this time I know its right, I cut and pasted like I should have the first time.

73

Bruce N5JBJ

> The serial is
> IFVVK-QJ95F-5DUNB-VHA4Y-NNTXH-JVDYM-35PPY-VWMTX-GPUVQ-4BYHE-4D22J-ZNNAB
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Nikanoros 59
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of Bruce Jones
> > Sent: Thursday, May 22, 2008 2:28 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Registration Code
> >
> > Hello George, I need a passcode for AGWPepro. My key to Send is
> > HPVDK-RT96P-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-ZNNAB
> >
> > TNX
> > 73
> > Bruce N5JBJ

> >
> >
> >
> >
>

844. RE: [agwpe_pro] Re: Registration Code

Yahoo group: agwpe_pro
Date: 2008-05-27 05:16:11 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 844

Hi Bruce

Use Copy/Paste
The serial is
IFVVK-QJ9NW-5DUNB-VHA4Y-NNTXH-JVDYM-35PPY-VWMTX-GPUVQ-4BYHE-4D22J-ZNNAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Bruce Jones
> Sent: Sunday, May 25, 2008 9:29 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Registration Code
>
> George,
>
> I transposed a digit when I sent it to you, so of course the serial
> number won't work. It should have been:
>
> HPVDK-RT9P6-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-ZNNAB
>
> Dyslexia hits again. But this time I know its right, I cut and pasted
> like I should have the first time.
>
> 73
>
> Bruce N5JBJ
>
> > The serial is
> > IFVVK-QJ95F-5DUNB-VHA4Y-NNTXH-JVDYM-35PPY-VWMTX-GPUVQ-4BYHE-4D22J-
> ZNNAB
> >
> > 73
> >
> >
> > (SV2AGW) George Rossopoulos
> > Nikanoros 59

> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> >
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
>] On
> > > Behalf Of Bruce Jones
> > > Sent: Thursday, May 22, 2008 2:28 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Registration Code
> > >
> > > Hello George, I need a passcode for AGWPepro. My key to Send is
> > > HPVDK-RT96P-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-
> ZNNAB
> > >
> > > TNX
> > > 73
> > > Bruce N5JBJ
> > >
> > >
> > >
> > >
> >
>
>
>
>

845. Registration Code

Yahoo group: agwpe_pro
Date: 2008-05-27 14:12:40 UTC
From: Raul Romero CA3SOC
Topic: 738 Message: 845

hi george

pse sendme my code tnx raul ce3soc

GJUDK-Q39P7-WVQN5-DNI5E-AM37G-27VWP-B7P28-DSQBX-NXTVS-RDIHW-8DSQB-UGEAB

"Are you still wasting your time with spam?...
There is a solution!"

Protected by GIANT Company's Spam Inspector
The most powerful anti-spam software available.
http://mail.spaminspector.com

----- Original Message -----
From: (SV2AGW) George Rossopoulos
To: agwpe_pro@yahoogroups.com
Sent: Tuesday, May 27, 2008 1:16 AM
Subject: RE: [agwpe_pro] Re: Registration Code

Hi Bruce

Use Copy/Paste
The serial is
IFVVK-QJ9NW-5DUNB-VHA4Y-NNTXH-JVDYM-35PPY-VWMTX-GPUVQ-4BYHE-4D22J-ZNNAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Bruce Jones
> Sent: Sunday, May 25, 2008 9:29 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Registration Code
>
> George,
>
> I transposed a digit when I sent it to you, so of course the serial
> number won't work. It should have been:

>
> HPVDK-RT9P6-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-ZNNAB
>
> Dyslexia hits again. But this time I know its right, I cut and pasted
> like I should have the first time.
>
> 73
>
> Bruce N5JBJ
>
> > The serial is
> > IFVVK-QJ95F-5DUNB-VHA4Y-NNTXH-JVDYM-35PPY-VWMTX-GPUVQ-4BYHE-4D22J-
> ZNNAB
> > >
> > 73
> > >
> > >
> > (SV2AGW) George Rossopoulos
> > Nikanoros 59
> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> > >
> > >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
>] On
> > > Behalf Of Bruce Jones
> > > Sent: Thursday, May 22, 2008 2:28 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Registration Code
> > > >
> > > Hello George, I need a passcode for AGWPepro. My key to Send is
> > > HPVDK-RT96P-6DKN3-XG62G-WM37H-TWDKP-B6PTY-DEQB2-GPUDN-4BYHE-4D22J-
> ZNNAB
> > > >
> > > TNX
> > > 73
> > > Bruce N5JBJ
> > > >
> > > >
> > > >
> > > >
> > >
>
>

>
>

[Non-text portions of this message have been removed]

846. INI files for generic KISS TNC

Yahoo group: agwpe_pro
Date: 2008-05-30 06:55:10 UTC
From: Bill P.
Topic: 846 Message: 846

```
What is the difference between the files:
AGWPE.INI
PORT0.INI

Which commands go into each?

Thanks ... Bill k6acj
```

847. RE: [agwpe_pro] INI files for generic KISS TNC

Yahoo group: agwpe_pro
Date: 2008-05-30 14:02:49 UTC
From: W8DZN
Topic: 846 Message: 847

When I have problems I just delete them and restart the program and reconfigure the modem. I let the program add the commands.

For a generic TNC here I use TNC2 Clone.

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

ICS-100, ICS-200, ICS700 and ICS-800 Certified.

Repeaters 147.165 PL88.5 & 442.525 PL88.5

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Bill P.
Sent: Friday, May 30, 2008 2:55 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] INI files for generic KISS TNC

What is the difference between the files:
AGWPE.INI
PORT0.INI

Which commands go into each?

Thanks ... Bill k6acj

[Non-text portions of this message have been removed]

848. Problem with two sound cards

Yahoo group: agwpe_pro
Date: 2008-06-06 14:36:16 UTC
From: Christian Crayton
Topic: 848 Message: 848

Greetings!

I am trying to evaluate PEPro on a machine running Windows Vista. 1GB RAM, Dual Core CPU. I have two sound cards installed, the on-board system card and an external USB sound card.

My problem is that PEP receives on the external card, and transmits on the internal card. I can select the card that I want to receive on, but not the one to transmit on. How can I tell PEP to transmit on the external USB sound card?

Any help would be appreciated. Thanks!

849. ANN AGWDxCluster New Program

Yahoo group: agwpe_pro
Date: 2008-06-07 16:22:43 UTC
From: (SV2AGW) George Rossopoulos
Topic: 848 Message: 849

Hi

Uploaded and ready for downloads AGWDxCluster.
Have a look www.sv2agw.com/ham/agwdxcluster.htm

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

850. Re: [agwpe_pro] ANN AGWDxCluster New Program

Yahoo group: agwpe_pro
Date: 2008-06-11 17:32:32 UTC
From: hasan schiers
Topic: 848 Message: 850

Downloaded and installed, can't find any configuration info for RF port
to use in AGWPEPRO.
Can't find any info on connecting to a cluster (internet or RF)
I see packets from one of my AGW ports, but it's the wrong one.
Don't see any setup screen for telnet to a cluster via internet.

I don't see any configuration files in the SV2AGW directory, just the
main executable and a eula.

So far, this product has a very slick look, but I can't figure out how
to use it...and I'm usually fairly good at stuff like this.

Help!

...hasan, N0AN

(SV2AGW) George Rossopoulos wrote:
>
> Hi
>
> Uploaded and ready for downloads AGWDxCluster.
> Have a look www.sv2agw.com/ham/agwdxcluster.htm
>
> (SV2AGW) George Rossopoulos
> Nikanoros 59
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
>
> ---
>
>
> No virus found in this incoming message.
> Checked by AVG.
> Version: 8.0.100 / Virus Database: 270.1.0/1492 - Release Date: 6/9/2008 10:29 AM
>

No virus found in this outgoing message.
Checked by AVG.
Version: 8.0.100 / Virus Database: 270.2.0/1497 - Release Date: 6/11/2008 8:32 AM

[Non-text portions of this message have been removed]

851. RE: [agwpe_pro] ANN AGWDxCluster New Program

Yahoo group: agwpe_pro
Date: 2008-06-12 13:34:09 UTC
From: (SV2AGW) George Rossopoulos
Topic: 848 Message: 851

Hi

> So far, this product has a very slick look, but I can't figure out how
> to use it...and I'm usually fairly good at stuff like this.

Probably you are not(Hi,Hi)

The interface is Office 2007.
To find the setup you must press the Program button on left/top and then
AGWDxCluster Options.

In any case when a view is active the associated icons are active on the
toolbars.
For Telnet press the [Plug] button or do a right click.

I will prepare a video on how to during next week.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of hasan schiers
> Sent: Wednesday, June 11, 2008 8:33 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] ANN AGWDxCluster New Program
>
> Downloaded and installed, can't find any configuration info for RF port
> to use in AGWPEPRO.
> Can't find any info on connecting to a cluster (internet or RF)
> I see packets from one of my AGW ports, but it's the wrong one.
> Don't see any setup screen for telnet to a cluster via internet.
>
> I don't see any configuration files in the SV2AGW directory, just the
> main executable and a eula.
>
> So far, this product has a very slick look, but I can't figure out how
> to use it...and I'm usually fairly good at stuff like this.
>
> Help!

>
> ...hasan, N0AN
>
> (SV2AGW) George Rossopoulos wrote:
> >
> > Hi
> >
> > Uploaded and ready for downloads AGWDxCluster.
> > Have a look www.sv2agw.com/ham/agwdxcluster.htm
> >
> > (SV2AGW) George Rossopoulos
> > Nikanoros 59
> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com> <http://www.sv2agw.com
> <http://www.sv2agw.com> >
> > http://www.agwtracker.com <http://www.agwtracker.com>
> <http://www.agwtracker.com <http://www.agwtracker.com> >
> >
> >
> > ---
> >
> >
> > No virus found in this incoming message.
> > Checked by AVG.
> > Version: 8.0.100 / Virus Database: 270.1.0/1492 - Release Date: 6/9/2008
> 10:29 AM
> >
> ---
>
> No virus found in this outgoing message.
> Checked by AVG.
> Version: 8.0.100 / Virus Database: 270.2.0/1497 - Release Date: 6/11/2008
> 8:32 AM
>
> [Non-text portions of this message have been removed]
>
>
>
>

852. Re: Problem with two sound cards

Yahoo group: agwpe_pro
Date: 2008-06-13 18:09:08 UTC
From: epa808
Topic: 848 Message: 852

Hello,

I've the same problem with 3 sound cards !
For instance: the first one, the realtek (on mother board) as 3 channels:
Input analogic
Output analogic
Input Digital

Please, give us the possibility to have the choice With input and output on every SoundCard modem.

Thanks a lot.

f4fmq - Bordeaux - SW France

--- In agwpe_pro@yahoogroups.com, "Christian Crayton" <n5zap@...> wrote:
>
> Greetings!
>
> I am trying to evaluate PEPro on a machine running Windows Vista. 1GB
> RAM, Dual Core CPU. I have two sound cards installed, the on-board
> system card and an external USB sound card.
>
> My problem is that PEP receives on the external card, and transmits on
> the internal card. I can select the card that I want to receive on,
> but not the one to transmit on. How can I tell PEP to transmit on the
> external USB sound card?
>
> Any help would be appreciated. Thanks!
>

853. Opentracker 2 TNC

Yahoo group: agwpe_pro
Date: 2008-06-14 18:22:56 UTC
From: Greg Cummings
Topic: 853 Message: 853

Has anyone successfully setup AGWPE Pro to use the "Opentracker 2" TNC? It is not a full blown TNC, but rather a super APRS device and runs in KISS mode. I'm not sure which of the TNC options listed within Pro I should choose and have had no success with "TAPR TNC" and "TAPR 2 Clone" options.

Any ideas?

- Greg / K7DU

854. Newbie Where is the getting started or help files

Yahoo group: agwpe_pro
Date: 2008-06-19 17:31:43 UTC
From: Norman Schklar
Topic: 854 Message: 854

```
Trying to use PE with RMS packet and airmail
I'm trying to use one TNC with both applications
I don't find how to set up the virtual port for airmail to find the tnc.
```

855. RE: [agwpe_pro] Newbie Where is the getting started or help files

Yahoo group: agwpe_pro
Date: 2008-06-20 13:32:21 UTC
From: Ralph Milnes
Topic: 854 Message: 855

Last I knew, Airmail hadn't been updated to take advantage of AGWPE / PE Pro. Airmail will only work directly with the limited number of TNCs it was written to handle.

If that's not true, somebody update me.

Perhaps someone else has a way to do what you want, but I don't see how it can be done.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Norman Schklar
Sent: Thursday, June 19, 2008 1:32 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Newbie Where is the getting started or help files

Trying to use PE with RMS packet and airmail
I'm trying to use one TNC with both applications
I don't find how to set up the virtual port for airmail to find the tnc.

Yahoo! Groups Links

856. Re:Newbie Where is the getting started or help files

Yahoo group: agwpe_pro
Date: 2008-06-20 13:20:52 UTC
From: Don Felgenhauer
Topic: 854 Message: 856

See Q3015 of the WL2K FAQ, available from www.winlink.org

73,
Don K7BFL

857. Re: [agwpe_pro] Re:Newbie Where is the getting started or help files

Yahoo group: agwpe_pro
Date: 2008-06-20 23:54:32 UTC
From: ralphmilnes@gmail.com
Topic: 854 Message: 857

Hey, good news. Thanks, Don, for bringing this to our attention.

Ralph KC2RLM
----- Original Message -----
From: "Don Felgenhauer" <K7BFL@...>
To: <agwpe_pro@yahoogroups.com>
Sent: Friday, June 20, 2008 9:20 AM
Subject: [agwpe_pro] Re:Newbie Where is the getting started or help files

> See Q3015 of the WL2K FAQ, available from www.winlink.org
>
> 73,
> Don K7BFL
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

858. Re:Newbie Where is the getting started or help files

Yahoo group: agwpe_pro
Date: 2008-06-20 16:18:14 UTC
From: Jack Dennett
Topic: 854 Message: 858

I have been using Airmail and AGWPE for the last few mothhs. Teh setup is in Q3015 of the WL2K FAQ in the files section.

Jack
VE7DFJ
Victoria BC

859. Is George on Vacation/Holiday?

Yahoo group: agwpe_pro
Date: 2008-06-21 00:48:55 UTC
From: Jim Campbell
Topic: 859 Message: 859

Does anyone know if George is is on Vacation/Holiday? I sent an e-mail to him several days ago asking for a new key and he hasn't responded.

Thanks and 73,

Jim - W4BQP

860. Re: [agwpe_pro] Re:Newbie Where is the getting started or help files

Yahoo group: agwpe_pro
Date: 2008-06-21 01:36:37 UTC
From: George Sansom
Topic: 854 Message: 860

Works like a charm. I set it up last year before PaclinkMP came along.

George VE3GWS

On Fri, Jun 20, 2008 at 7:54 PM, <ralphmilnes@...> wrote:
> Hey, good news. Thanks, Don, for bringing this to our attention.
>
> Ralph KC2RLM
>
> ----- Original Message -----
> From: "Don Felgenhauer" <K7BFL@...>
> To: <agwpe_pro@yahoogroups.com>
> Sent: Friday, June 20, 2008 9:20 AM
> Subject: [agwpe_pro] Re:Newbie Where is the getting started or help files
>
>> See Q3015 of the WL2K FAQ, available from www.winlink.org
>>
>> 73,
>> Don K7BFL
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>
>

861. Registration Code

Yahoo group: agwpe_pro
Date: 2008-06-21 02:47:37 UTC
From: Terry Breitenfeldt
Topic: 738 Message: 861

I'm setting up Packet Engine Pro on my lap top, could you please send me a new keycode?
My code is: NS7YN-435HS-6DNN5-IHFVG-6M37G-28DGP-DGH7Y-YGQDJ-HA5VG-PT8H6-6EANM-ENNAB

Thanks,

Terry Breitenfeldt
N7EXB

862. RE: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-06-24 13:39:11 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 862

Hi Terry

The serial is
PI8GN-3T5GI-5DWND-GHJXY-WNTXG-S7DUM-5FH3Z-GYMVG-HA6DI-PT8H6-6EANM-ENNAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Terry Breitenfeldt
> Sent: Saturday, June 21, 2008 5:48 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration Code
>
> I'm setting up Packet Engine Pro on my lap top, could you please send
> me a new keycode?
> My code is:
NS7YN-435HS-6DNN5-IHFVG-6M37G-28DGP-DGH7Y-YGQDJ-HA5VG-PT8H6-6EANM-ENNAB
>
> Thanks,
>
> Terry Breitenfeldt
> N7EXB
>
>
>
>

863. Registration Code

Yahoo group: agwpe_pro
Date: 2008-06-25 05:39:00 UTC
From: stuart_linder
Topic: 738 Message: 863

i lost my Registration Code

my name is Stuart linder call n8lid

864. Re: Registration Code

Yahoo group: agwpe_pro
Date: 2008-06-26 02:29:05 UTC
From: stuart_linder
Topic: 738 Message: 864

Hi George, I need a new registration code for my desktop computer

:d9h;Bi93676?/=fj34e;i58h3c;49@<:5da

865. ANN:: AGWTracker Beta Release

Yahoo group: agwpe_pro
Date: 2008-07-01 14:56:56 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 865

Hi

There is a beta version www.sv2agw.com/beta/AGWTracker.zip
Just unzip and replace the executable. Be Aware that will work oK only for English language. Other languages only in official release.

Now AGWTracker can use Garmin img files with no Problems. SO far the img file support was limited to small files.
Now can handle large files (UNLOCKED) from MapSource.
PSE if you have Garmin files download and use it to tell me if there are any problems.

Now AGWTracker support the follow Map files
Raster like UIView (BMP,PNG,JPG,GIF etc)
Raster Geotiff (for WGS-84) only
Raster MrSid files.
Vector Shape files (ArcView)
Vector Garmin IMG files
Vector GPX files
Vector DBX Mapdekode
Online Microsoft Virtual Earth
Online Google Maps
Online Yahoo Maps

Other fixes.
Fixed problems with GPX files display.
Fixed the Transmitions to APRS server while moving. (From GPS Callsign).

Next step will be an upgrade for mobile stations, the whole map will rotate and will look always the direction you move.

PSE any comments either direct to me or to AGWTracker Yahoo Group.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

866. Registration Request

Yahoo group: agwpe_pro
Date: 2008-07-08 01:40:16 UTC
From: Ian Snow
Topic: 866 Message: 866

George,

Moving my VA3RVH Winlink operation to a temporary computer while doing a major hardware update. Request keycode for this computer. Key to send is: 8e3:=A;;32g6l/=k<:4f=md8h8g;5:mh?795

Thank-you,

Ian/VA3QT
Sysop VA3RVH WL2K RMS Packet

867. RE: [agwpe_pro] Registration Request

Yahoo group: agwpe_pro
Date: 2008-07-08 15:17:41 UTC
From: (SV2AGW) George Rossopoulos
Topic: 866 Message: 867

Hi Ian

PSE first install the latest version from www.sv2agw.com downloads section
and then send me the new "Key To Send"

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of Ian Snow
> Sent: Tuesday, July 08, 2008 4:40 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration Request
>
> George,
>
> Moving my VA3RVH Winlink operation to a temporary computer while doing
> a major hardware update. Request keycode for this computer. Key to
> send is: 8e3:=A;;32g6l/=k<:4f=md8h8g;5:mh?795
>
> Thank-you,
>
> Ian/VA3QT
> Sysop VA3RVH WL2K RMS Packet
>
>
>
>

868. Problems with AGWPE_PRO

Yahoo group: agwpe_pro
Date: 2008-07-11 02:09:11 UTC
From: Terry Breitenfeldt
Topic: 868 Message: 868

Anyone aware of problems running AGW with a KAM KPC-3 plus? My KAM completley locks up if I switch been running AirMail (for WinLink operations) to running AGWPE_PRO and AGWTracker (for APRS). The only fix I've found so far is to perform a Hard Reset of the TNC. It appears something is corupting the TNC and then niether program will function. It only happens if I switch from AirMail to APRS, then try to switch back gain. Any ideas? Its really frustrating, because I have to open the TNC case to perform the reset, which resets all the settings to factory defaults.

Does anyone know if I could run Airmail with AGWPE_PRO still running in the background, as I've been exiting it when switching between WinLink and APRSTracker.

Thanks,

Terry - N7EXB

869. AGWPro Install Issue

Yahoo group: agwpe_pro
Date: 2008-07-11 14:58:44 UTC
From: Ian Snow
Topic: 869 Message: 869

I've now installed AGW Pro on two Compaq desktop computers and a Panasonic CF-48 laptop. The laptop had a brand new install of the OS. All three are running XP SP3, and all three exhibit the same symptoms. They are:

1. When trying to detect the TNC (TNC2 clone) AGW crashes. If I bypass the Detect and manually set the comm port and serial baud the app finds the TNC.
2. When AGWPro is closed the computer comes up with an error message and wants to send a fault notification to Mircrosoft.
3. When trying to install Winlink RMS Packet the RMS program can't find the TNC ports (and YES the install process has all been by the book and others who have tried to install the RMS program have had the same result).

Anyone else had this experience, or have advice on what's causing this fault?

73,

Ian/VA3QT

870. George, Moving my agwpe_pro to a temporary computer while doing i lost my key

Yahoo group: agwpe_pro
Date: 2008-07-12 13:51:02 UTC
From: stuart_linder
Topic: 870 Message: 870

G24VU-QB4QF-XDWN5-FGS4G-2M37P-A6DUP-DGPXY-GQQB5-NS4VW-QVMPP-WYU3D-DHAAB

871. Registration Code

Yahoo group: agwpe_pro
Date: 2008-07-15 06:18:40 UTC
From: stuart_linder
Topic: 738 Message: 871

```
;f4jAo=>38c0</=7j54ejA88=g8ce;k9j5be
```

872. RE: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-07-15 12:27:08 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 872

Hi Stuart

PSE download and install the latest version from www.sv2agw.com downloads section.
Then send me the "Key To Send"

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of stuart_linder
> Sent: Tuesday, July 15, 2008 9:19 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration Code
>
> ;f4jAo=>38c0</=7j54ejA88=g8ce;k9j5be
>
>
>
>

873. Re: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-07-15 16:37:04 UTC
From: Stuart Linder
Topic: 738 Message: 873

G63DC-QVQIA-6YUN3-WGE4D-4M37H-W8VKP-B6PW9-YNQB7-GPUVS-P5MHJ-WG2QM-CNEAB

[Non-text portions of this message have been removed]

874. RE: [agwpe_pro] Registration Code

Yahoo group: agwpe_pro
Date: 2008-07-16 10:34:12 UTC
From: (SV2AGW) George Rossopoulos
Topic: 738 Message: 874

Hi

The serial is
HW3VC-PMQG2-5Y4NB-UGI6V-UNTXH-N7VYM-35PTA-G6MT4-GPVDU-P5MHJ-WG2QM-CNEAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Stuart Linder
> Sent: Tuesday, July 15, 2008 7:37 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Registration Code
>
> G63DC-QVQIA-6YUN3-WGE4D-4M37H-W8VKP-B6PW9-YNQB7-GPUVS-P5MHJ-WG2QM-CNEAB
>
>
> [Non-text portions of this message have been removed]
>
>
>
>

875. Registration

Yahoo group: agwpe_pro
Date: 2008-07-16 15:00:34 UTC
From: Rusty
Topic: 245 Message: 875

Good Evening George.

I managed to crash my Vista64 computer last week. Just managed to get some of my files back. Unfortunately AGWPro was lost. I previously paid for the full version. Here is the just downloaded registration code:

NW4YE-5B7PW-6GSN3-XNJTY-8M37P-A6DSP-DFP3X-VGQDG-N7WGS-4T3PE-6DWPT-YNEAB

Can you send me an activation code?

Rusty K1GGS
nnn0fjk@gmail.com

876. Settings for Tracker2-135

Yahoo group: agwpe_pro
Date: 2008-07-19 02:05:05 UTC
From: Dan Dicke
Topic: 876 Message: 876

Argent Data has built a new card for the Alinco 135 radio. It is a GPS tracker but it also has KISS mode capabilities for UI-View etc. Scott said that for AGW just set it to KISS Mode. OK, i notquite with it, I have been trying all of the settings to no avail. I don't know what TNC to set it to in the Packet Engine Pro Software. HelP!

Dan

877. RE: [agwpe_pro] Settings for Tracker2-135

Yahoo group: agwpe_pro
Date: 2008-07-21 01:27:27 UTC
From: Ralph Milnes
Topic: 876 Message: 877

Dan asked about the getting the Alinco 135 to work with PE Pro.

PE Pro works by putting a TNC in KISS mode and it knows the commands to put many TNCs in KISS mode. Although it doesn't know the
Alinco's TNC KISS initialization commands, you should be able to enter them manually -- or select a TNC from the PE Pro list that
matches the Alinco's.

First, you need to get those commands from the Alinco User Manual or some online source. Typically those are a sequence of two
commands, such as "KISS ON" and "RESTART".

When you know those commands, then create a new port in PE Pro.

When you get to the "Tnc model Selection" screen, I would try the "Kenwood D700" first, since I think the Alinco and Kenwood have
the same internal TNC and may have the same KISS initialization commands. If you're lucky, that may do it. If not, go to the last
screen of the Wizard process, which is the "Tnc KISS mode initialization" screen. It has the commands that PE Pro will send to the
TNC: IniKiss1, Ini Kiss2, and IniKiss 3. If the Kenwood D700 commands "KISS ON" and "Restart" don't work, edit them on this screen
to match the commands you obtained from Alinco User Manual.

I hope that will get you started. Email us back if you get hung up.

Ralph KC2RLM
(without an Alinco 135 to really guide you)

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Dan Dicke
Sent: Friday, July 18, 2008 10:05 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Settings for Tracker2-135

Argent Data has built a new card for the Alinco 135 radio. It is a GPS tracker but it also has KISS mode capabilities for UI-View
etc. Scott said that for AGW just set it to KISS Mode. OK, i notquite with it, I have been trying all of the settings to no avail.
I don't know what TNC to set it to in the Packet Engine Pro Software. HelP!

Dan

878. Re: Settings for Tracker2-135

Yahoo group: agwpe_pro
Date: 2008-07-23 20:58:30 UTC
From: Greg Cummings
Topic: 876 Message: 878

Except Dan didn't ask about the Alinco built in TNC, but rather the open source tracker from Argent Data systems, the "Tracker 2". The Tracker 2 comes in two forms, a stand alone unit which I have and also on a board designed to plug into the Alinco DR-135 or -235 radios (in lieu of the Alinco TNC). I'd love to know if anyone one has gotten PE Pro to work with this wonderful little device which is a KISS only TNC with some added APRS functionality.

Thanks in advance.

- Greg / K7DU

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Dan asked about the getting the Alinco 135 to work with PE Pro.
>
> PE Pro works by putting a TNC in KISS mode and it knows the commands to put many TNCs in KISS mode. Although it doesn't know the
> Alinco's TNC KISS initialization commands, you should be able to enter them manually -- or select a TNC from the PE Pro list that
> matches the Alinco's.
>
> First, you need to get those commands from the Alinco User Manual or some online source. Typically those are a sequence of two
> commands, such as "KISS ON" and "RESTART".
>
> When you know those commands, then create a new port in PE Pro.
>
> When you get to the "Tnc model Selection" screen, I would try the "Kenwood D700" first, since I think the Alinco and Kenwood have
> the same internal TNC and may have the same KISS initialization commands. If you're lucky, that may do it. If not, go to the last
> screen of the Wizard process, which is the "Tnc KISS mode initialization" screen. It has the commands that PE Pro will send to the
> TNC: IniKiss1, Ini Kiss2, and IniKiss 3. If the Kenwood D700 commands "KISS ON" and "Restart" don't work, edit them on this screen
> to match the commands you obtained from Alinco User Manual.
>
>
> I hope that will get you started. Email us back if you get hung up.
>
> Ralph KC2RLM
> (without an Alinco 135 to really guide you)
>

>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf Of Dan Dicke
> Sent: Friday, July 18, 2008 10:05 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Settings for Tracker2-135
>
> Argent Data has built a new card for the Alinco 135 radio. It is a
GPS tracker but it also has KISS mode capabilities for UI-View
> etc. Scott said that for AGW just set it to KISS Mode. OK, i
notquite with it, I have been trying all of the settings to no avail.
> I don't know what TNC to set it to in the Packet Engine Pro
Software. HelP!
>
> Dan
>

879. TNC Installation

Yahoo group: agwpe_pro
Date: 2008-07-24 12:32:41 UTC
From: Ian Snow
Topic: 879 Message: 879

I now have two computers with XP Pro SP3 installed which, when "Detect" is clicked to find the TNC, results in the AGW Pro application crashing. If I bypass the "Detect" step, manually select the port and baud, click "Next", the TNC is reporting as expected after the power check and the TNC will install properly.

Anywone else experiencing this, or know what the problem is? One local "expert" thinks its a security protection feature built into SP3/VISTA but he doesn't know what the work around is.

73,

Ian/VA3QT

880. Re: TNC Installation

Yahoo group: agwpe_pro
Date: 2008-07-24 18:10:13 UTC
From: Francisco Diaz
Topic: 879 Message: 880

--- In agwpe_pro@yahoogroups.com, "Ian Snow" <va3qt-4@...> wrote:
>
> I now have two computers with XP Pro SP3 installed which, when "Detect"
> is clicked to find the TNC, results in the AGW Pro application
> crashing. If I bypass the "Detect" step, manually select the port and
> baud, click "Next", the TNC is reporting as expected after the power
> check and the TNC will install properly.
>
> Anywone else experiencing this, or know what the problem is? One
> local "expert" thinks its a security protection feature built into
> SP3/VISTA but he doesn't know what the work around is.
>
> 73,
>
> Ian/VA3QT
>

That has happened to me sometimes with XP and service pack 2 also, so
I do not think it is only of SP3 and/or Vista.

Francisco
NP3OD

881. Need help moving PE-PRO to another computer

Yahoo group: agwpe_pro
Date: 2008-07-25 18:02:38 UTC
From: Rick
Topic: 881 Message: 881

Does anyone know how to transfer your registration from one PC to another PC. I just purchased a faster PC and would not like to rebuy PE-PRO.

882. Registration

Yahoo group: agwpe_pro
Date: 2008-07-26 08:49:01 UTC
From: Keith Ray
Topic: 245 Message: 882

Hi George
Since upgrading my Computer you have given me a new registration code for my back-up machine but due to me running my main machine 24 hrs a day I didn't notice it was running on the trail period until a power cut last night. Please could you send me a new code for
HE6YG-RJ2HW-7VKN5-ENXTG-YM37G-66YKP-DFHPZ-GQQDJ-NPUDI-PMMP3-VG2QJ-YHEAB

Regards Keith Ray G1GXB sysop GB7SOU

883. RE: [agwpe_pro] Need help moving PE-PRO to another computer

Yahoo group: agwpe_pro
Date: 2008-07-26 13:28:59 UTC
From: Ralph Milnes
Topic: 881 Message: 883

-----Original Message-----
Does anyone know how to transfer your registration from one PC to another PC. I just purchased a faster PC and would not like to
rebuy PE- PRO.

George SV2AGW, the program author, has been very good about issuing a new key code when you move to another computer -- or if you
run on more than one computer.

Send him the "Key To Send" at his private address: sv2agw@.... Explain the situation. He will respond with the Key Code you
need.

Please do NOT send registration requests to him via this mailing list -- unless you run into a problem with the address above.

73, Ralph KC2RLM

884. Registriation Code

Yahoo group: agwpe_pro
Date: 2008-07-27 21:59:38 UTC
From: Rusty
Topic: 884 Message: 884

Hello George

I crashed my computer about a month ago and had to reload all my programs. I had PEPRO installed and working before the crash. I just reloaded. Here is the "key to send" for the new download:

NW4YE-5B7PW-6GSN3-XNJTY-8M37P-A6DSP-DFP3X-VGQDG-N7WGS-4T3PE-6DWPT-YNEAB

Can you send me a new activation code?

Thanks Rusty K1GGS

P.S. I asked this about a week ago and have not see the reply

885. RE: [agwpe_pro] Settings for Tracker2-135

Yahoo group: agwpe_pro
Date: 2008-07-29 14:27:46 UTC
From: Ralph Milnes
Topic: 876 Message: 885

Alright .. Let's try this again.

Dan asked about the getting the *Argent Data card* for the Alinco 135 to work with PE Pro -- the Tracker2 model T2-135.

How do you set the T2 for KISS? What did Scott say?

For the other Argent product, the Open Tracker+, Scott recently said on the APRSSIG when asked would it work with UI-View:

"Yes, if you load up the KISS firmware. <text snipped>

You can remove all of the init/exit TNC commands from your application. Once the KISS firmware is loaded, it's purely a KISS TNC, no
need to configure anything. Switching back to the tracker (or weather) firmware takes under 30 seconds with the config program.
All of the firmware versions are freely available, of course."

So maybe there is KISS firmware that has to be loaded for the T2? I don't know.

As Scott says, if you put it in KISS mode before you fire up PE Pro, then it really shouldn't matter what TNC you pick in the PE Pro
software. The various TNC options in PE Pro just send different commands to put TNCs in KISS mode. If you've already locked the T2
in KISS mode before you start PE Pro, then the commands shouldn't matter.

I also see T2 web site says it has "limited KISS" support. Perhaps the "limited KISS" support is your problem?

I'd go back to Scott N1VG and ask him again. There's also a T2 Yahoo group:
http://groups.yahoo.com/group/tracker2/

You're more likely to find an answer with the T2 group or N1VG then this group, but if you ever resolve it, please let us know in
case someone else has the problem in the future.

73,
Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Dan Dicke
Sent: Friday, July 18, 2008 10:05 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Settings for Tracker2-135

Argent Data has built a new card for the Alinco 135 radio. It is a GPS tracker but it also has KISS mode capabilities for UI-View
etc. Scott said that for AGW just set it to KISS Mode. OK, i notquite with it, I have been

trying all of the settings to no avail.
I don't know what TNC to set it to in the Packet Engine Pro Software. HelP!

Dan

886. Pepro quit!

Yahoo group: agwpe_pro
Date: 2008-07-31 07:07:18 UTC
From: ltdoc
Topic: 886 Message: 886

For the last few days Pepro seems to have lost the sound card. No input audio from the radio gets to Pepro. Definitely does get tot he sound card though.
I've uninstalled Pepro then reinstalled it, no change. Backed down one sound card driver, no change. Used several different radios for the audio input, several audio cables, even a different antenna. No change. No idea what to try next. Any ideas?
Paul / W5LZ

The window where the levels are set shows no name of the sound card. It did, but not now. If that helps.

887. RE: [agwpe_pro] Pepro quit!

Yahoo group: agwpe_pro
Date: 2008-07-31 20:45:22 UTC
From: Ralph Milnes
Topic: 886 Message: 887

Sounds like a problem with the Windows to Sound Card link?

What version of Windows are you using?

Does the Control Panel show everything normal with the sound card?
Does the sound card work for other programs, e.g. does the Sound Recorder work with your mike? Can you get sound out to your
speakers from a music program?

73 Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ltdoc
Sent: Thursday, July 31, 2008 3:07 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Pepro quit!

For the last few days Pepro seems to have lost the sound card. No input audio from the radio gets to Pepro. Definitely does get
tot he sound card though.
I've uninstalled Pepro then reinstalled it, no change. Backed down one sound card driver, no change. Used several different radios
for the audio input, several audio cables, even a different antenna. No change. No idea what to try next. Any ideas?
Paul / W5LZ

The window where the levels are set shows no name of the sound card.
It did, but not now. If that helps.

Yahoo! Groups Links

888. Re: Need help moving PE-PRO to another computer

Yahoo group: agwpe_pro
Date: 2008-08-01 01:38:55 UTC
From: Rick
Topic: 881 Message: 888

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> -----Original Message-----
> Does anyone know how to transfer your registration from one PC to
another PC. I just purchased a faster PC and would not like to
> rebuy PE- PRO.
>
> ---------------
>
> George SV2AGW, the program author, has been very good about issuing
a new key code when you move to another computer -- or if you
> run on more than one computer.
>
> Send him the "Key To Send" at his private address: sv2agw@...
Explain the situation. He will respond with the Key Code you
> need.
>
> Please do NOT send registration requests to him via this mailing
list -- unless you run into a problem with the address above.
>
>
> 73, Ralph KC2RLM
>
Very good. George replied and I think I will be set soon. Tnx.

889. RE: [agwpe_pro] Registriation Code

Yahoo group: agwpe_pro
Date: 2008-08-01 18:25:54 UTC
From: (SV2AGW) George Rossopoulos
Topic: 884 Message: 889

Hi Rusty

The serial is
5377W-48SMT-WNTS8-6M796-265IN-5EQFW-MFP9G-7PTYP-4T37G-6DWPT-YNEAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Rusty
> Sent: Monday, July 28, 2008 1:00 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registriation Code
>
> Hello George
>
> I crashed my computer about a month ago and had to reload all my
> programs. I had PEPRO installed and working before the crash. I just
> reloaded. Here is the "key to send" for the new download:
>
> NW4YE-5B7PW-6GSN3-XNJTY-8M37P-A6DSP-DFP3X-VGQDG-N7WGS-4T3PE-6DWPT-YNEAB
>
> Can you send me a new activation code?
>
> Thanks Rusty K1GGS
>
> P.S. I asked this about a week ago and have not see the reply
>
>
>
>

890. RE: [agwpe_pro] Settings for Tracker2-135

Yahoo group: agwpe_pro
Date: 2008-08-01 18:28:03 UTC
From: (SV2AGW) George Rossopoulos
Topic: 876 Message: 890

Hi

Any KISS able TNC works with Packet Engine. If it is not in the list then probably.....
1.It is a TNC2 compatible so select TNC2
2.The manufacturer of the TNC did not send me the commands its TNC needs to Enter Kiss mode.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Ralph Milnes
> Sent: Tuesday, July 29, 2008 5:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Settings for Tracker2-135
>
> Alright .. Let's try this again.
>
> Dan asked about the getting the *Argent Data card* for the Alinco 135 to
> work with PE Pro -- the Tracker2 model T2-135.
>
> How do you set the T2 for KISS? What did Scott say?
>
> For the other Argent product, the Open Tracker+, Scott recently said on
> the APRSSIG when asked would it work with UI-View:
>
> "Yes, if you load up the KISS firmware. <text snipped>
>
> You can remove all of the init/exit TNC commands from your application.
> Once the KISS firmware is loaded, it's purely a KISS TNC, no
> need to configure anything. Switching back to the tracker (or weather)
> firmware takes under 30 seconds with the config program.
> All of the firmware versions are freely available, of course."
>
> So maybe there is KISS firmware that has to be loaded for the T2? I
> don't know.
>

> As Scott says, if you put it in KISS mode before you fire up PE Pro,
> then it really shouldn't matter what TNC you pick in the PE Pro
> software. The various TNC options in PE Pro just send different commands
> to put TNCs in KISS mode. If you've already locked the T2
> in KISS mode before you start PE Pro, then the commands shouldn't
> matter.
>
> I also see T2 web site says it has "limited KISS" support. Perhaps the
> "limited KISS" support is your problem?
>
> I'd go back to Scott N1VG and ask him again. There's also a T2 Yahoo
> group: http://groups.yahoo.com/group/tracker2/
> <http://groups.yahoo.com/group/tracker2/>
>
> You're more likely to find an answer with the T2 group or N1VG then this
> group, but if you ever resolve it, please let us know in
> case someone else has the problem in the future.
>
> 73,
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> On Behalf Of Dan Dicke
> Sent: Friday, July 18, 2008 10:05 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Settings for Tracker2-135
>
> Argent Data has built a new card for the Alinco 135 radio. It is a GPS
> tracker but it also has KISS mode capabilities for UI-View
> etc. Scott said that for AGW just set it to KISS Mode. OK, i notquite
> with it, I have been trying all of the settings to no avail.
> I don't know what TNC to set it to in the Packet Engine Pro Software.
> HelP!
>
> Dan
>
>
>
>

891. RE: [agwpe_pro] Registriation Code

Yahoo group: agwpe_pro
Date: 2008-08-02 04:08:07 UTC
From: Rusty Hemenway
Topic: 884 Message: 891

Thanks George, however I enter it in the form and hit accept and the entry form still indicates I have 14 days left on the trial. Rebooted and still it appears not to be accepting the code. I do a cut and paste to make sure it's copied correctly. Any ideas.

Rusty

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW) George Rossopoulos
Sent: Friday, August 01, 2008 11:26 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Registriation Code

Hi Rusty

The serial is
5377W-48SMT-WNTS8-6M796-265IN-5EQFW-MFP9G-7PTYP-4T37G-6DWPT-YNEAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> Behalf Of Rusty
> Sent: Monday, July 28, 2008 1:00 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Registriation Code
>
> Hello George
>
> I crashed my computer about a month ago and had to reload all my
> programs. I had PEPRO installed and working before the crash. I just
> reloaded. Here is the "key to send" for the new download:
>
> NW4YE-5B7PW-6GSN3-XNJTY-8M37P-A6DSP-DFP3X-VGQDG-N7WGS-4T3PE-6DWPT-YNEAB
>
> Can you send me a new activation code?
>
> Thanks Rusty K1GGS

>
> P.S. I asked this about a week ago and have not see the reply
>
>
>
>

[Non-text portions of this message have been removed]

892. RE: [agwpe_pro] Registriation Code

Yahoo group: agwpe_pro
Date: 2008-08-01 20:57:06 UTC
From: Rusty Hemenway
Topic: 884 Message: 892

Thanks George.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW) George Rossopoulos
Sent: Friday, August 01, 2008 11:26 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Registriation Code

Hi Rusty

The serial is
5377W-48SMT-WNTS8-6M796-265IN-5EQFW-MFP9G-7PTYP-4T37G-6DWPT-YNEAB

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> Behalf Of Rusty
> Sent: Monday, July 28, 2008 1:00 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Registriation Code
>
> Hello George
>
> I crashed my computer about a month ago and had to reload all my
> programs. I had PEPRO installed and working before the crash. I just
> reloaded. Here is the "key to send" for the new download:
>
> NW4YE-5B7PW-6GSN3-XNJTY-8M37P-A6DSP-DFP3X-VGQDG-N7WGS-4T3PE-6DWPT-YNEAB
>
> Can you send me a new activation code?
>
> Thanks Rusty K1GGS
>
> P.S. I asked this about a week ago and have not see the reply
>
>

>
>

[Non-text portions of this message have been removed]

893. Re: Pepro quit!

Yahoo group: agwpe_pro
Date: 2008-08-02 14:14:32 UTC
From: ltdoc
Topic: 886 Message: 893

Found out a bit more about the problem. It appears to be sound card driver related. Did the recommended 'up-grade' for the driver and that's when everything quit. Since then, I've tried some of the 75 recommendations from 'HP', 'MS', etc, with no help. The sound card does work, just not with Pepro, Pepro can't 'find' any sound card in the system. Last advice from a 'Customer Service' rep was to "format c:" and do a reload from the recovery disks (the original sound card driver is NOT available from 'HP' or 'Conexant'(manufacturer). That sounds like SOooo much fun! ('MS' has a 'patch' for Conexant sound cards, by the way. No help.)
Any suggestions NOT anatomically impossible? 'Cheap' would be nice too!
Paul / W5LZ

894. Problem with Dual Channel SC ports.

Yahoo group: agwpe_pro
Date: 2008-08-09 04:52:21 UTC
From: Gerald
Topic: 894 Message: 894

I recently upgraded my computer with a GIGABYTE 945GME-DS2 mb. it has Realtek High Definatiion Audio on board. I re-installed a new copy of PE Pro and plugged in the new registration code.

I am using both left and right cahnnels and com1 rts/dtr for APRS radio and PackLinkMP radio. I used this setup ok before changing mb. The old mb used Realtek AC97 audio drivers.

After deleting the first setup tnc port, I restart the program and attempt to install a new sound card TNC port setup using the wizzard. All procedes ok until I get to the sound card audio input step. The program sees the actual signals in the display windows but when I select the AUTO CONFIGURE option, the program fails to find my inputs. There are no items listed in the source window.

The Realtek HD software audio controls do not allow direct control of line/mic in level settings. The program lets me select the type of input source (line in analog) then the level is controlled using a RECORD level setting. That difference might be involved in the problem.

The OS is WINDOWS XP HOME SP3. I have 2G RAM, Intel Duo Core 1.8G processor and a second soundcard which is a Sound Blaster Audigy which I use with MixW on HF.

I would appreciate any suggestions as to how to fix the incompatablity I am seeing. Gerald

895. PE Pro w/ uTNT GPS BT

Yahoo group: agwpe_pro
Date: 2008-08-16 22:01:23 UTC
From: nwoverlander
Topic: 895 Message: 895

After trying for several hours last night and today I have been unsuccessful in connecting PE Pro to the Elcom uTNT GPS BT TNC via Bluetooth. The TNC works great via the Virtual COM port that is running on top of the USB connection, but neither of the Virtual COM ports (COM 7 incoming, COM 8 Outgoing) on top of the Bluetooth connection seem to work.

The Device is paired with the computer via Bluetooth.
The Virtual COM ports are created.
PE Pro is configured to use a USB uTNT since there isn't a BT uTNT option.

I'm not sure what I'm doing wrong here and can't find any instructions on how to get these two working anywhere. If any of you have any suggestions I'd be very appreciative.

Regards,
Craig

896. most recent version?

Yahoo group: agwpe_pro
Date: 2008-08-17 03:09:03 UTC
From: e_armigeri
Topic: 896 Message: 896

```
is 2006.1123 the latest version of pepro?
my live update won't work , error 404, so
i can't live update.
john,w1jmc
```

897. PEPro running on Windows Server 2008 64bit

Yahoo group: agwpe_pro
Date: 2008-08-22 02:36:04 UTC
From: ng7m
Topic: 897 Message: 897

George, I have migrated the NC7J PEPro install to Windows Server 2008 64bit. No problems running the 32bit code in Server 2008.
http://www.nc7j.com

Can I get a new registration code for the new server? Here is the new key:

G27DS-RMJQE-7YYN5-EG7VD-UM37H-XXGUP-DGIBA-VNQB5-GN5GI-PVGH6-4Y2QJ-3G6AB

Thanks

de NG7M Max George

898. Byonics TinyTrak4

Yahoo group: agwpe_pro
Date: 2008-08-21 02:40:12 UTC
From: Donald D Wilson
Topic: 898 Message: 898

Hi

Has anyone figured out how to use Packet Engine Pro with the Byonics TinyTrak4 TNC when it is in the KISS mode?

Thanks

Don N9ZGE

899. Re: Problem with two sound cards

Yahoo group: agwpe_pro
Date: 2008-08-20 07:33:00 UTC
From: mpechner
Topic: 848 Message: 899

Same. I have a realtek.
It has both a input and an output.
What do I do about this?

--- In agwpe_pro@yahoogroups.com, "Christian Crayton" <n5zap@...> wrote:
>
> Greetings!
>
> I am trying to evaluate PEPro on a machine running Windows Vista. 1GB
> RAM, Dual Core CPU. I have two sound cards installed, the on-board
> system card and an external USB sound card.
>
> My problem is that PEP receives on the external card, and transmits on
> the internal card. I can select the card that I want to receive on,
> but not the one to transmit on. How can I tell PEP to transmit on the
> external USB sound card?
>
> Any help would be appreciated. Thanks!
>

900. Using Control Software to key Transceiver

Yahoo group: agwpe_pro
Date: 2008-08-22 19:45:37 UTC
From: The Frawg
Topic: 900 Message: 900

Hi George, all.

I am trying to set up a laptop for portable APRS use. Like most newer laptops it only has USB 2.0 and Firewire/1304 interfaces available. For most digital radio comms, I am using HRD/DM780 quite successfully with a soundcard and USB rig control of Yaesu FT-817. I can use MixW as a standalone for packet, but it has a pretty limited implementation.

Is AGWPE Pro only able to use direct hardware control to key a transceiver? I did a search of this group, the AGW Tracker group, and the HRD group looking for answers, but I don't seem to be able to find any reference to AGWPE Pro being able to use rig control software. Am I missing something? I don't particular want to attach "yet-another-RS232-dongle" to this laptop.

Thanks in advance for any help you all can offer!

Jack - KD4IZ

901. Outlook Express Setup

Yahoo group: agwpe_pro
Date: 2008-08-23 19:17:03 UTC
From: somerslarry
Topic: 901 Message: 901

Can someone give me the settings for using Outlook Express with agwpe pro?

Larry, KB6FW

902. RE: [agwpe_pro] Outlook Express Setup

Yahoo group: agwpe_pro
Date: 2008-08-24 22:09:13 UTC
From: Ralph Milnes
Topic: 901 Message: 902

Larry,

Please explain what you were hoping to do, since Outlook Express (internet) and PE Pro (RF) do not normally work together.

73,

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of somerslarry
Sent: Saturday, August 23, 2008 3:17 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Outlook Express Setup

Can someone give me the settings for using Outlook Express with agwpe pro?

Larry, KB6FW

Yahoo! Groups Links

903. RE: [agwpe_pro] Using Control Software to key Transceiver

Yahoo group: agwpe_pro
Date: 2008-08-24 22:16:57 UTC
From: Ralph Milnes
Topic: 900 Message: 903

Jack,

I think the answer is that PE Pro needs direct hardware control, although interfaces with VOX can get around that (for example the
SignaLink). PE Pro does not interface with rig control software. So unless you have a VOX interface, you'll need to use a USB port
with the appropriate serial to USB converter. PE Pro can not access USB ports directly.

I think ...

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of The Frawg
Sent: Friday, August 22, 2008 3:46 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Using Control Software to key Transceiver

Hi George, all.

I am trying to set up a laptop for portable APRS use. Like most newer laptops it only has USB 2.0 and Firewire/1304 interfaces
available.
For most digital radio comms, I am using HRD/DM780 quite successfully with a soundcard and USB rig control of Yaesu FT-817. I can
use MixW as a standalone for packet, but it has a pretty limited implementation.

Is AGWPE Pro only able to use direct hardware control to key a transceiver? I did a search of this group, the AGW Tracker group, and
the HRD group looking for answers, but I don't seem to be able to find any reference to AGWPE Pro being able to use rig control
software. Am I missing something? I don't particular want to attach
"yet-another-RS232-dongle" to this laptop.

Thanks in advance for any help you all can offer!

Jack - KD4IZ

Yahoo! Groups Links

904. Re: [agwpe_pro] Using Control Software to key Transceiver

Yahoo group: agwpe_pro
Date: 2008-08-24 23:40:43 UTC
From: Jack Spitznagel
Topic: 900 Message: 904

Hi Ralph,

Thanks for the answer! I did find that one "should" be able to use the N8VB virtual com port drivers to do the trick. Simon has written an interface into HRD that will allow programs like MixW to work concurrently with HRD and use HRD for rig control. I began some very quick experiments that so far have not been too fruitful.

That being said... I was trying to use N8VB Virtual Com Ports with Vista which the drivers apparently don't work very reliably with. That being said (which is more than enough...) I will move my experimenting to an XP box. Once I have mastered the example (HRD and MixW) then I will move on to PE Pro. I'll try to keep y'all up to date and my progress or lack there of.

Ralph Milnes wrote:
> Jack,
>
> I think the answer is that PE Pro needs direct hardware control, although interfaces with VOX can get around that (for example the
> SignaLink). PE Pro does not interface with rig control software. So unless you have a VOX interface, you'll need to use a USB port
> with the appropriate serial to USB converter. PE Pro can not access USB ports directly.
>
> I think ...
>
> Ralph KC2RLM
>

905. RE: [agwpe_pro] Outlook Express Setup

Yahoo group: agwpe_pro
Date: 2008-08-26 19:37:41 UTC
From: Ralph Milnes
Topic: 901 Message: 905

Hi Larry,

Ah, OK.

I think what is missing is the WinLink software that acts as the "glue" between Outlook Express and AGWPE or PE Pro. That software
is called PacLink MP client at http://www.winlink.org/software . You'll need to register on that site to download the software.
(Personally, I found it difficult to navigate to the download you want, but it can be done.)

Let us know if you have any difficulties.

73,

Ralph KC2RLM

-----Original Message-----
From: Larry Somers [mailto:losomers@...]
Sent: Tuesday, August 26, 2008 12:56 PM
To: agwpe_pro@yahoogroups.com
Cc: ralphmilnes@...
Subject: Re: [agwpe_pro] Outlook Express Setup

Ralph- What I want to be able to do is send email through Winlink using a Kenwood TM-D710 as per the article by Howard, W1HSR in
the Feb 08 QST. I current have agwpe (free version) working with a PK-88 and Outlook Express perfectly, but Howard in his article
states that with the TM-D710 it takes agwpe pro and selecting the D700 as the TNC. I currently have the D710 "talking" to the TNC
in the D710 and also receiving with agwpe pro in the monitor mode. But I can't figure how to send an email with agwpe pro. I
downloaded some elaborate help files for agwpe pro on various web sites and cannot find where they address interfacing with an email
application or even sending email at all. So that's where I am today. Would appreciate any help in pointing me the right direction
with this.
Thanks, Larry, KB6FW

906. Re: [agwpe_pro] Outlook Express Setup

Yahoo group: agwpe_pro
Date: 2008-08-26 16:56:14 UTC
From: Larry Somers
Topic: 901 Message: 906

Ralph- What I want to be able to do is send email through Winlink using a Kenwood TM-D710 as per the article by Howard, W1HSR in the Feb 08 QST. I current have agwpe (free version) working with a PK-88 and Outlook Express perfectly, but Howard in his article states that with the TM-D710 it takes agwpe pro and selecting the D700 as the TNC. I currently have the D710 "talking" to the TNC in the D710 and also receiving with agwpe pro in the monitor mode. But I can't figure how to send an email with agwpe pro. I downloaded some elaborate help files for agwpe pro on various web sites and cannot find where they address interfacing with an email application or even sending email at all. So that's where I am today. Would appreciate any help in pointing me the right direction with this.
Thanks, Larry, KB6FW

Ralph Milnes wrote:
>
> Larry,
>
> Please explain what you were hoping to do, since Outlook Express
> (internet) and PE Pro (RF) do not normally work together.
>
> 73,
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of somerslarry
> Sent: Saturday, August 23, 2008 3:17 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] Outlook Express Setup
>
> Can someone give me the settings for using Outlook Express with agwpe pro?
>
> Larry, KB6FW
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
> No virus found in this incoming message.
> Checked by AVG - http://www.avg.com
> Version: 8.0.138 / Virus Database: 270.6.7/1631 - Release Date: 8/24/2008 12:15 PM

>

907. Won't talk to tnc-x

Yahoo group: agwpe_pro
Date: 2008-08-26 21:18:30 UTC
From: mpechner
Topic: 907 Message: 907

I used the discover mode when setting up the port.
It did not discover my tnc.
The non-pro version found my port at comm2 and 9600 baud.

I am using the usb serial emulation for tnc-x.

908. RE: [agwpe_pro] Won't talk to tnc-x

Yahoo group: agwpe_pro
Date: 2008-08-27 13:20:28 UTC
From: Kenneth Cook
Topic: 907 Message: 908

The TNC-X does not follow the normal setup. The LEDS do not flash as the setup implies. I do not use the discover mode. Select the COM Port, the Baud Rate usually 9600, the TNC Type is TNC2 Clone and skip the detect part. You have to run the test part to continue but the LEDS will not flash. Just tell it ok and finish. I have two TNC-X here and this is what I use to make them work. The TNC-X works very well for me.

Kenneth Cook, W8DZN

5726 Timpson Rd.

Caledonia, Ohio 43314

Emergency Coordinator Crawford Co., Ohio

ARRL VE, ARRL Registered, Certified Instructor/Examiner

for ECOMM Levels I, II and III

ICS-100, ICS-200, ICS700 and ICS-800 Certified.

W8DZN Repeaters in Bucyrus, Ohio

Repeaters 147.165 PL88.5 & 442.525 PL88.5

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of mpechner
Sent: Tuesday, August 26, 2008 5:19 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Won't talk to tnc-x

I used the discover mode when setting up the port.
It did not discover my tnc.
The non-pro version found my port at comm2 and 9600 baud.

I am using the usb serial emulation for tnc-x.

[Non-text portions of this message have been removed]

909. Re: Byonics TinyTrak4

Yahoo group: agwpe_pro
Date: 2008-08-29 08:57:52 UTC
From: epa808
Topic: 898 Message: 909

Hi,

I'had test this, It works very well.

You have just to use a Tnc2 compatible TNC as Packet Engine parameter.

All others parameters as txdelay, slot time etc work too.

73 de Michel - F4FMQ
Bordeaux / France

--- In agwpe_pro@yahoogroups.com, "Donald D Wilson"
<wilson_newsgroups@...> wrote:
>
> Hi
>
> Has anyone figured out how to use Packet Engine Pro with the Byonics
> TinyTrak4 TNC when it is in the KISS mode?
>
> Thanks
>
> Don N9ZGE
>

910. Pending Messages

Yahoo group: agwpe_pro
Date: 2008-08-31 19:56:11 UTC
From: somerslarry
Topic: 910 Message: 910

I show 2 messages to be sent to Winlink in the bottom right corner of Paclink MP. They never seem to be sent and I cannot find them to remove. When Paclink MP connects it says there are 2 messages sorting to be sent. Any ideas?
Larry, KB6FW

911. RE: [agwpe_pro] Pending Messages

Yahoo group: agwpe_pro
Date: 2008-09-02 23:22:42 UTC
From: Ralph Milnes
Topic: 910 Message: 911

Larry,

This sounds like a PacLink problem. I think you're more likely to find help for this problem on a PacLink list rather than the PE Pro list.

73, Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of somerslarry
Sent: Sunday, August 31, 2008 3:56 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Pending Messages

I show 2 messages to be sent to Winlink in the bottom right corner of Paclink MP. They never seem to be sent and I cannot find them to remove. When Paclink MP connects it says there are 2 messages sorting to be sent. Any ideas?
Larry, KB6FW

Yahoo! Groups Links

912. PE Pro + PaclinkMP and Outlook X to send mail. How to?

Yahoo group: agwpe_pro
Date: 2008-09-02 20:50:51 UTC
From: straty
Topic: 912 Message: 912

I have PE Pro installed and the TCP/IP virtual driver. PaclinkMP installed with Outlook Express seemingly set up OK (maybe). When trying to send mail, I can get no TNC/RF output. Using Hyperterminal I can get TNC/RF out of the TCP/IP virtual card and all tests of the KPC3+ TNC appear OK. Pinging the virtual card works. The problem seems to be the WinXP set up for the TOR(TCP/IP over radio)and OutlookX account. Always get No Socket error from OutlookX. Need some tips on what kind of stupid errors I'm making. Any setup information appreciated. AT WITS END and Humble.
73
K7GCS

913. Kenwood TM-D710

Yahoo group: agwpe_pro
Date: 2008-09-03 17:20:07 UTC
From: jdvhmd
Topic: 913 Message: 913

Is the TM-D710 supported as a TNC by AGWPE Pro? When trying to set it up, it is not on the list of external TNCs, so I chose the D700, but AGWPE Pro does not see the D710 through the serial port when I use the "detect" button.

Thanks,
J.D.
N4LW

914. License Key

Yahoo group: agwpe_pro
Date: 2008-09-04 14:26:54 UTC
From: Jim Campbell
Topic: 914 Message: 914

George,

I have moved PEPro to a new computer. The key is
NW5DS-QUBH6-5DUN3-ZGW5V-YM37P-N7GIP-DFPPW-VUQB2-N27GG-3J2HS-8V6N3-ZGWAB

Can you please send me the registration key? This is on a Vista 64 bit machine.

Thanks and 73,

Jim - W4BQP

915. Re: [agwpe_pro] License Key

Yahoo group: agwpe_pro
Date: 2008-09-04 16:07:23 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 914 Message: 915

Is PEPro working well on Vista 64? I've got it running on an ancient Gateway 2000 laptop right now as I get a new IGate (KJ4ERJ) up and running, but would like to migrate it to a more permanent home on my 64 bit machine.

Also, what are you interfacing to PEPro from? Ui-View32 or something else for IGating (I assume).

Lynn (D) - KJ4ERJ

Jim Campbell wrote:
> George,
>
> I have moved PEPro to a new computer. The key is
> NW5DS-QUBH6-5DUN3-ZGW5V-YM37P-N7GIP-DFPPW-VUQB2-N27GG-3J2HS-8V6N3-ZGWAB
>
> Can you please send me the registration key? This is on a Vista 64 bit
> machine.
>
> Thanks and 73,
>
> Jim - W4BQP
>
> ---
>
> Yahoo! Groups Links
>
>
>
>
>

916. RE: [agwpe_pro] License Key

Yahoo group: agwpe_pro
Date: 2008-09-04 16:41:18 UTC
From: Craig Miller
Topic: 914 Message: 916

It is working well on my Vista64 box.

Craig

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Lynn W. Deffenbaugh (Mr)
Sent: Thursday, September 04, 2008 9:07 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] License Key

Is PEPro working well on Vista 64? I've got it running on an ancient
Gateway 2000 laptop right now as I get a new IGate (KJ4ERJ) up and
running, but would like to migrate it to a more permanent home on my 64
bit machine.

Also, what are you interfacing to PEPro from? Ui-View32 or something
else for IGating (I assume).

Lynn (D) - KJ4ERJ

Jim Campbell wrote:
> George,
>
> I have moved PEPro to a new computer. The key is
> NW5DS-QUBH6-5DUN3-ZGW5V-YM37P-N7GIP-DFPPW-VUQB2-N27GG-3J2HS-8V6N3-ZGWAB
>
> Can you please send me the registration key? This is on a Vista 64 bit
> machine.
>
> Thanks and 73,
>
> Jim - W4BQP
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

[Non-text portions of this message have been removed]

917. AGWPE no hosts session available

Yahoo group: agwpe_pro
Date: 2008-09-07 23:02:41 UTC
From: gervais
Topic: 917 Message: 917

hi all

what means this line i write in my Subject???

i did not find much help on the web!

thanks

gervais ve2ckn

918. Registration Code

Yahoo group: agwpe_pro
Date: 2008-09-11 14:10:12 UTC
From: ng7m
Topic: 738 Message: 918

George, I sent a request about a registration code for NC7J, haven't heard anything back. I upgraded to Server 2008 and need a new code for the PE Pro install. This was from several weeks ago now. My PE Pro trial period for the new install has expired.

Here is the new key: G27DS-RMJQE-7YYN5-EG7VD-UM37H-XXGUP-DGIBA-VNQB5-GN5GI-PVGH6-4Y2QJ-3G6AB

My RF cluster users can't connect until I get the new code.

Thanks!

de NG7M

919. Re: [agwpe_pro] License Key

Yahoo group: agwpe_pro
Date: 2008-09-12 14:29:49 UTC
From: Jim Campbell
Topic: 914 Message: 919

Lynn,

The reason I haven't answered you sooner is that I have been waiting on the unlock key from George. Still haven't heard from him. PE_Pro installed OK but I haven't gone any further. I'll try to remember to let you know how it goes after I hear from George.

Jim

Lynn W. Deffenbaugh (Mr) wrote:
>
> Is PEPro working well on Vista 64? I've got it running on an ancient
> Gateway 2000 laptop right now as I get a new IGate (KJ4ERJ) up and
> running, but would like to migrate it to a more permanent home on my 64
> bit machine.
>
> Also, what are you interfacing to PEPro from? Ui-View32 or something
> else for IGating (I assume).
>
> Lynn (D) - KJ4ERJ
>
> Jim Campbell wrote:
> > George,
> >
> > I have moved PEPro to a new computer. The key is
> > NW5DS-QUBH6-5DUN3-ZGW5V-YM37P-N7GIP-DFPPW-VUQB2-N27GG-3J2HS-8V6N3-ZGWAB
> >
> > Can you please send me the registration key? This is on a Vista 64 bit
> > machine.
> >
> > Thanks and 73,
> >
> > Jim - W4BQP
> >
> > ----------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
>
>

[Non-text portions of this message have been removed]

920. Waiting for key....

Yahoo group: agwpe_pro
Date: 2008-09-13 00:02:23 UTC
From: steven
Topic: 920 Message: 920

I also am waiting for a unlock key. Paid my 49.00 and sent all info in when i ordered,but no key. BMT says they forwarded all info to george on the 5th of sept.Please i need the key and have paid for it.steve W0MPI

921. Re: [agwpe_pro] License Key

Yahoo group: agwpe_pro
Date: 2008-09-13 00:46:24 UTC
From: Jack Spitznagel
Topic: 914 Message: 921

Hi Jim, All,

There is some sort of hold up at George's end according to the folks at BMTmicro. I purchased AGEPEPro and AGWTracker on Monday and have heard nothing from George either. Lets hope he is just enjoying a nice vacation and will be back soon!

Jack - kd4iz

There

Jim Campbell wrote:
> Lynn,
>
> The reason I haven't answered you sooner is that I have been waiting on
> the unlock key from George. Still haven't heard from him. PE_Pro
> installed OK but I haven't gone any further. I'll try to remember to
> let you know how it goes after I hear from George.
>
> Jim
>

922. Re: [agwpe_pro] Waiting for key....

Yahoo group: agwpe_pro
Date: 2008-09-15 21:00:15 UTC
From: Jack Spitznagel
Topic: 920 Message: 922

Hi George, All,

Thanks for sending out the keys for PEPro and AGWTracker today! I really appreciate these programs... nicely done.

I have no problem with PEPro at the moment, but I want to ask about two things I have seen happen that I can work around if there is no problem known to other folks.

1. When I start PEPro in Vista (Business edition), I always have to give administrator permission for the program to run. Do any other Vista users see this? Having to deal with the UAC is inconvenient but can be handled with a work around (either by making UAC silent, or turning off security altogether).

2. I was experimenting with TCPIP driver setup and experienced an abnormal termination of PEPro. After that, I was unable to restart the program until I removed all the ".ini" files from the home directory and reconfigured from the ground up. When looking at the files, I did not detect anything overtly wrong. Has anyone experienced this with PEPro running under Vista?

Thanks in advance for any comments!
(Please don't suggest I "downgrade" to XP-Pro. That is a non-starter with this laptop.)

Jack - kd4iz

923. Data Mixed Up With Multiple Users Connected?

Yahoo group: agwpe_pro
Date: 2008-09-21 20:30:24 UTC
From: Gerry
Topic: 923 Message: 923

Hi,

I'm using AGWPE 2004.1108 with two WA8DED TNCs and one KPC KISS TNC attached to 3 COM ports. I realize my question is not about the "Pro" version but perhaps there is something in common".

I've been using AGWPE for a few years now.
I've got a Visual Basic 2008 application that runs as a database to support a 100 Mile Endurance Run - logging IN and OUT times for runners in the race as they pass through various checkpoints.

I may have 6 or 7 stations connected simultaneously across the 3 COM ports. I log all the activity, and the system is quite busy at times (several packet transactions per second). During the race last weekend, there was a 30-minute period where data coming from a specific checkpoint (packet callsign) appeared as if it was coming from a different checkpoint (callsign). I'm stumped at how this could happen in my software (especially just for a 30-minute period out of the entire weekend) but I'm still looking for reasons. In the meantime, i'm curious if there might be some "load" issue with AGWPE where it may possibly confuse data from one user (callsign) and pass that up to my application as if it had come from some other connected callsign. Again, just wondering if anyone has seen this and if there might be a "load" issue.

Thanks for any input,

- Gerry (KB6OOC)

924. AGWMonito

Yahoo group: agwpe_pro
Date: 2008-09-23 15:33:40 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 920 Message: 924

This may not be the right place to ask, but does anyone know the protocol used by AGWMonitor to view traffic from AGWPEPro? I'd like to write my own client that does some statistical analysis of what packets I'm hearing, vs, gating and the various RF hops they take to get to me. I've tried just connecting to the AGWPEPro port, but nothing comes through.

I can handle ASCII, I can handle binary, I can handle just about anything as long as I know what it's supposed to be!

Lynn (D) - KJ4ERJ - Still getting my IGate hardware suite finalized

925. [Fwd: [agwpe_pro] License Key]

Yahoo group: agwpe_pro
Date: 2008-09-26 02:28:16 UTC
From: Jim Campbell
Topic: 925 Message: 925

George,

This is a re-send. You appear to have missed the earlier post.

Thanks and 73,

Jim - W4BQP

[Non-text portions of this message have been removed]

926. Monitor screen color ?

Yahoo group: agwpe_pro
Date: 2008-09-29 02:42:10 UTC
From: ronkowolski
Topic: 926 Message: 926

Hello All,

The color of blue/white is hard on my eyes, How do I change the color ?

927. RE: [agwpe_pro] Monitor screen color ?

Yahoo group: agwpe_pro
Date: 2008-09-29 08:35:06 UTC
From: (SV2AGW) George Rossopoulos
Topic: 926 Message: 927

Hi

It uses the windows theme color if windows XP or Vista, so you can change the windows color and will change it too. Otherwise you cannot change it....till new version during October.

73

(SV2AGW) George Rossopoulos
Nikanoros 59
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ronkowolski
> Sent: Monday, September 29, 2008 5:42 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Monitor screen color ?
>
> Hello All,
>
> The color of blue/white is hard on my eyes, How do I change the
> color ?
>
>
>
>

928. Re: Monitor screen color ?

Yahoo group: agwpe_pro
Date: 2008-09-30 02:25:23 UTC
From: ronkowolski
Topic: 926 Message: 928

OK, Thanks .

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos"
<sv2agw@...> wrote:
>
> Hi
>
> It uses the windows theme color if windows XP or Vista, so you can
change
> the windows color and will change it too. Otherwise you cannot
change
> it....till new version during October.
>
>
> 73
>
> (SV2AGW) George Rossopoulos
> Nikanoros 59
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of ronkowolski
> > Sent: Monday, September 29, 2008 5:42 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Monitor screen color ?
> >
> > Hello All,
> >
> > The color of blue/white is hard on my eyes, How do I change the
> > color ?
> >
> >
> >
> >
>

929. SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-09-30 11:52:49 UTC
From: w4jcb
Topic: 929 Message: 929

I had been running AGWPE for a few years without any problem. That system was a DELL XP Pro laptop with a "SigmaTel C-Major audio" board.

I have tries both the free version and the trial pro version on two different computers. Both are DELL desktop computers and have the "SigmaTel audio" boards, one is XP Pro the other XP Media addition.
I can not get either pc to decode any APRS. All the test that you can do look great. The two desktops have line-in as well as two different mic-ins. The laptop only had mic-in.
I have tries all three inputs for each desktop, I can get the Sound Card Tuning Aid to see each signal and adjust it prefectly but no decoding.

Has anybody seen anything like this?

Does anyone know of an USB exterenal sound device that works with AGWPE that I could use instead?

Thanks 73,
W4JCB - Carlton

930. Re: [agwpe_pro] SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-09-30 21:47:20 UTC
From: Jack Spitznagel
Topic: 929 Message: 930

Hi Carlton,

I am using a Dell laptop (OS = Vista) with SigmaTel C-Major audio sound. AGWPE Pro works fine decoding both HF and VHF. I don't use it because I do not want to fool around with external keying circuitry.

The Tigertronics SignaLink USB (and I assume similar units) work just fine. I would suggest you research those sound card/interfaces and select one that matches your pocket change. I am a happy user of the SL-USB, but I know other who have found the other units to be good.

Jack- kd4iz

<snip>
> Does anyone know of an USB exterenal sound device that works with
> AGWPE that I could use instead?
>
> Thanks 73,
> W4JCB - Carlton
>

931. RE: [agwpe_pro] SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-10-03 16:58:21 UTC
From: Ralph Milnes
Topic: 929 Message: 931

Carlton,

What sound card-to-radio interface are you using? Does it have isolation transformers on the RX and TX lines?

Other troubleshooting hints are at:
http://kc2rlm.info/soundcardpacket/5probrx.htm#NoDecode

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w4jcb
Sent: Tuesday, September 30, 2008 7:53 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] SigmaTel Audio Decoding Problem

I had been running AGWPE for a few years without any problem. That system was a DELL XP Pro laptop with a "SigmaTel C-Major audio" board.

I have tries both the free version and the trial pro version on two different computers. Both are DELL desktop computers and have the "SigmaTel audio" boards, one is XP Pro the other XP Media addition.
I can not get either pc to decode any APRS. All the test that you can do look great. The two desktops have line-in as well as two different mic-ins. The laptop only had mic-in.
I have tries all three inputs for each desktop, I can get the Sound Card Tuning Aid to see each signal and adjust it prefectly but no decoding.

Has anybody seen anything like this?

Does anyone know of an USB exterenal sound device that works with AGWPE that I could use instead?

Thanks 73,
W4JCB - Carlton

932. Sounds not going to Signalink soundcard

Yahoo group: agwpe_pro
Date: 2008-10-03 11:45:50 UTC
From: Art Goldman
Topic: 932 Message: 932

First, I'm running Vista. I know, I know...

I'm running Packet Engine Pro, using a Signalink USB soundcard device. Everything in PEP seems correct. I have a radioport configured for 1200 baud, single channel, Signalink as the PTT device, and the Signalink USB as the soundcard.

The internal computer soundcard is the default windows sound device, as it should be.

According to everything I've read, PEP should send TX audio to the signalink, not to the internal soundcard, but it is not doing that. I can receive just fine. Packet decode is ok. But when I transmit (I'm using PaclinkMP set up to use PEP as a TNC), the TX sounds come out of the system speakers. If I set the default device to be the Signalink soundcard, then it works fine. But this is not the way I should have to do this. Windows sounds should go to the speakers, while PEP should send audio to the Signalnk.

What am I missing here?

Tnx,
Art N3OY

933. Re: SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-10-04 13:13:02 UTC
From: w4jcb
Topic: 929 Message: 933

Ralph,

Thank you for your response.

I use the Rig Blaster "nomic" so my audio in (RX) is straight from
radio speaker to pc mic/line input.

I have used this exact setup on my laptop but wanted to setup a
desktop as my ham pc.

Carlton W4JCB

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> Carlton,
>
> What sound card-to-radio interface are you using? Does it have
isolation
> transformers on the RX and TX lines?
>
> Other troubleshooting hints are at:
> http://kc2rlm.info/soundcardpacket/5probrx.htm#NoDecode
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of w4jcb
> Sent: Tuesday, September 30, 2008 7:53 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] SigmaTel Audio Decoding Problem
>
> I had been running AGWPE for a few years without any problem. That
> system was a DELL XP Pro laptop with a "SigmaTel C-Major audio"
board.
>
> I have tries both the free version and the trial pro version on two
> different computers. Both are DELL desktop computers and have
> the "SigmaTel audio" boards, one is XP Pro the other XP Media
> addition.
> I can not get either pc to decode any APRS. All the test that you
> can do look great. The two desktops have line-in as well as two
> different mic-ins. The laptop only had mic-in.
> I have tries all three inputs for each desktop, I can get the Sound

> Card Tuning Aid to see each signal and adjust it prefectly but no
> decoding.
>
> Has anybody seen anything like this?
>
> Does anyone know of an USB exterenal sound device that works with
> AGWPE that I could use instead?
>
> Thanks 73,
> W4JCB - Carlton
>

934. Re: SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-10-04 13:36:44 UTC
From: w4jcb
Topic: 929 Message: 934

Hi Jack,

I have been looking at the Tigertronics SignaLink USB device just yesterday. I called them and they have a 4 or 6 week back order waiting list. Must be popular.

I have had great success with my SigmaTel C-Major audio boards but the standard SigmaTel audio board is a different animal.

Carlton - W4JCB

--- In agwpe_pro@yahoogroups.com, Jack Spitznagel <frawg@...> wrote:
>
> Hi Carlton,
>
> I am using a Dell laptop (OS = Vista) with SigmaTel C-Major audio
sound.
> AGWPE Pro works fine decoding both HF and VHF. I don't use it
because I
> do not want to fool around with external keying circuitry.
>
> The Tigertronics SignaLink USB (and I assume similar units) work
just
> fine. I would suggest you research those sound card/interfaces and
> select one that matches your pocket change. I am a happy user of the
> SL-USB, but I know other who have found the other units to be good.
>
> Jack- kd4iz
>
> <snip>
> > Does anyone know of an USB exterenal sound device that works with
> > AGWPE that I could use instead?
> >
> > Thanks 73,
> > W4JCB - Carlton
> >
>

935. RE: [agwpe_pro] Sounds not going to Signalink soundcard

Yahoo group: agwpe_pro
Date: 2008-10-04 16:37:00 UTC
From: MIKE DURKIN
Topic: 932 Message: 935

Iv had similar issues with Vista and a PCMCIA wireless card. It would install correctly, i could even assign it as the default device to use, but vista would always use the internal pci card. I had to disable the internal to get vista to allow the use of the external. Might be your problem aswell. Might aswell disable the windows sound scheme and shut down the internal sound card.
KC7NOA
>
> First, I'm running Vista. I know, I know...
>
> I'm running Packet Engine Pro, using a Signalink USB soundcard
> device. Everything in PEP seems correct. I have a radioport
> configured for 1200 baud, single channel, Signalink as the PTT
> device, and the Signalink USB as the soundcard.
>
> The internal computer soundcard is the default windows sound device,
> as it should be.
>
> According to everything I've read, PEP should send TX audio to the
> signalink, not to the internal soundcard, but it is not doing that. I
> can receive just fine. Packet decode is ok. But when I transmit (I'm
> using PaclinkMP set up to use PEP as a TNC), the TX sounds come out
> of the system speakers. If I set the default device to be the
> Signalink soundcard, then it works fine. But this is not the way I
> should have to do this. Windows sounds should go to the speakers,
> while PEP should send audio to the Signalnk.
>
> What am I missing here?
>
> Tnx,
> Art N3OY
>
>
>

Stay up to date on your PC, the Web, and your mobile phone with Windows Live.
http://clk.atdmt.com/MRT/go/msnnkwxp1020093185mrt/direct/01/

936. Re: [agwpe_pro] Sounds not going to Signalink soundcard

Yahoo group: agwpe_pro
Date: 2008-10-04 19:03:31 UTC
From: Jack Spitznagel
Topic: 932 Message: 936

Hi Art,

There is probably nothing "wrong" with Vista in this case (other than it is Vista) :-(. Some non-Vista specific programs do not "see" and play Vista sound devices properly... for some reason or other they select the first device in the systems internal list and mislabel it.

First , can you use non-AGWPE programs to access the SignaLink properly as the non-default device? Try Ham Radio Deluxe/DM780. If HRD works properly, there is probably an issue with which device being used by AGWPE-PRO.

This sort of thing happened to me in the past. I found that the best thing to do is to delete all your ports in AGWPE-PRO, shut it down, and start over. Make sure the system soundcard is set as default for both Playback and Recording. Restart AGWPE-PRO, reconfigure the system soundcard as Port 1 and the SignaLink as Port 2, restarting AGWPE-PRO each time it asks you to. After completing that, you should be able to select which port to use from within PaclinkMP on the <Files><Packet AGW Channels> menu page with the AGW engine port pull down selector. Your SignaLink should work that way. You can then delete the port you created using your soundcard, restart AGWPE-PRO, and the SL-USB port should continue to work. You will have to double check in PaclinkMP that the selection of ports stayed the same.

This may sound crazy but... Have you tried initiating a transmission with something other than PaclinkMP? (Like AGWTracker) You may find that it is PaclinkMP doing something flakey while looking at the AGWPE ports you are trying to configure while AGWTracker is not. If that is the case, clear all selections in PaclinkMP and reconfigure.

Let me know if/how those suggestions work for you.

Jack - KD4IZ

Art Goldman wrote:
> First, I'm running Vista. I know, I know...
>
> I'm running Packet Engine Pro, using a Signalink USB soundcard
> device. Everything in PEP seems correct. I have a radioport
> configured for 1200 baud, single channel, Signalink as the PTT
> device, and the Signalink USB as the soundcard.
>
> The internal computer soundcard is the default windows sound device,
> as it should be.
>
> According to everything I've read, PEP should send TX audio to the

> signalink, not to the internal soundcard, but it is not doing that. I
> can receive just fine. Packet decode is ok. But when I transmit (I'm
> using PaclinkMP set up to use PEP as a TNC), the TX sounds come out
> of the system speakers. If I set the default device to be the
> Signalink soundcard, then it works fine. But this is not the way I
> should have to do this. Windows sounds should go to the speakers,
> while PEP should send audio to the Signalnk.
>
> What am I missing here?
>

937. Re: [agwpe_pro] Re: SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-10-05 04:43:55 UTC
From: Ralph Milnes
Topic: 929 Message: 937

Carlton,

Unfortunately, one of the short comings of the Nomic is that it does NOT provide electrical isolation between radio and sound card/computer. (Isolation is usually accomplished by inserting a 1:1 audio transformer in the RX line.) Therefore there's a chance then that you are getting EMI or ground loop noise on the RX signal. Packet is more susceptible to problems than other modes when there is EMI or noise. So while the Nomic might work for PSK,etc., it may not work for packet. And it may work on the laptop since that is running on a different power source. I can't be sure this is your problem, however. Perhaps you can borrow an interface with a transformer to test the premise (or rewire your RX cable to include a transformer in line; temporarily disconnect the TX and PTT lines during the test).

Ralph KC2RLM

On Sat, Oct 4, 2008 at 9:13 AM, w4jcb <carlton@...> wrote:

> Ralph,
>
> Thank you for your response.
>
> I use the Rig Blaster "nomic" so my audio in (RX) is straight from
> radio speaker to pc mic/line input.
>
> I have used this exact setup on my laptop but wanted to setup a
> desktop as my ham pc.
>
> Carlton W4JCB
>
>
> --- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
> wrote:
> >
> > Carlton,
> >
> > What sound card-to-radio interface are you using? Does it have
> isolation
> > transformers on the RX and TX lines?
> >
> > Other troubleshooting hints are at:
> > http://kc2rlm.info/soundcardpacket/5probrx.htm#NoDecode
> >
> > Ralph KC2RLM
> >

> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf
> > Of w4jcb
> > Sent: Tuesday, September 30, 2008 7:53 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] SigmaTel Audio Decoding Problem
> >
> > I had been running AGWPE for a few years without any problem. That
> > system was a DELL XP Pro laptop with a "SigmaTel C-Major audio"
> board.
> >
> > I have tries both the free version and the trial pro version on two
> > different computers. Both are DELL desktop computers and have
> > the "SigmaTel audio" boards, one is XP Pro the other XP Media
> > addition.
> > I can not get either pc to decode any APRS. All the test that you
> > can do look great. The two desktops have line-in as well as two
> > different mic-ins. The laptop only had mic-in.
> > I have tries all three inputs for each desktop, I can get the Sound
> > Card Tuning Aid to see each signal and adjust it prefectly but no
> > decoding.
> >
> > Has anybody seen anything like this?
> >
> > Does anyone know of an USB exterenal sound device that works with
> > AGWPE that I could use instead?
> >
> > Thanks 73,
> > W4JCB - Carlton
> >
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

938. Re: [agwpe_pro] Sounds not going to Signalink soundcard

Yahoo group: agwpe_pro
Date: 2008-10-05 15:43:26 UTC
From: Ralph Milnes
Topic: 932 Message: 938

Art, I hope Jack's workaround is successful. Keep us informed.

It could be the PE Pro just doesn't know how to handle device assignments in VIsta. I don't know this. Perhaps the program author, George SV2AGW, will chime in and give us some information about that.

Another workaround might be to install a "Virtual PC 2007". http://www.microsoft.com/windows/downloads/virtualpc/default.mspx .I don't know much about this -- it was mentioned on another list. It seems that it's like installing an XP-compatible window in VIsta that might allow an XP program to run successfully. If you set up the Virtual PC and had it autostart Paclink/MP or PE Pro, then it might run pretty transparently -- just click on the Virtual PC icon on your desktop and up will come you SignaLink-based programs.

Ralph KC2RLM

On Fri, Oct 3, 2008 at 7:45 AM, Art Goldman <art.goldman@...>wrote:

> First, I'm running Vista. I know, I know...
>
> I'm running Packet Engine Pro, using a Signalink USB soundcard
> device. Everything in PEP seems correct. I have a radioport
> configured for 1200 baud, single channel, Signalink as the PTT
> device, and the Signalink USB as the soundcard.
>
> The internal computer soundcard is the default windows sound device,
> as it should be.
>
> According to everything I've read, PEP should send TX audio to the
> signalink, not to the internal soundcard, but it is not doing that. I
> can receive just fine. Packet decode is ok. But when I transmit (I'm
> using PaclinkMP set up to use PEP as a TNC), the TX sounds come out
> of the system speakers. If I set the default device to be the
> Signalink soundcard, then it works fine. But this is not the way I
> should have to do this. Windows sounds should go to the speakers,
> while PEP should send audio to the Signalnk.
>
> What am I missing here?
>
> Tnx,
> Art N3OY
>
>
>
> ----------

>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

939. Re: Kenwood TM-D710

Yahoo group: agwpe_pro
Date: 2008-10-05 14:04:13 UTC
From: wilsonjw42
Topic: 913 Message: 939

I use the TAPR TNC setting with the TM-D710 and it works fine.

The "detect" button causes program failure for me (I'm running
Microsoft Vista, so that may be the cause), so I set it up manually.

--- In agwpe_pro@yahoogroups.com, "jdvhmd" <jdvhmd@...> wrote:
>
> Is the TM-D710 supported as a TNC by AGWPE Pro? When trying to set it
> up, it is not on the list of external TNCs, so I chose the D700, but
> AGWPE Pro does not see the D710 through the serial port when I use the
> "detect" button.
>
> Thanks,
> J.D.
> N4LW
>

940. RE: [agwpe_pro] Sounds not going to Signalink soundcard

Yahoo group: agwpe_pro
Date: 2008-10-07 15:48:26 UTC
From: Art Goldman
Topic: 932 Message: 940

Jack:

Thanks for the tips. I tried them all. Same result.

The receive is fine. Selecting USB soundcard (Signalink) decodes beautifully. The problem is PTT.

If the default Playback device is the internal system soundcard, even though PTT in PEPRO is set to Signalink, the packet TX audio comes out my speakers. I've tried several combinations. If I default the playback device to the Signalink, TX audio goes there, the Signalink keys the rig, and everything works. But then system sounds also key the rig - not good.

I emailed this to George. Perhaps there's an issue with Vista 64. I have a 64 bit AMD system running Vista ultimate. PEPRO runs as an x86 program.

I'll wait to see if George has any other ideas.

Meanwhile, I plugged in a US Navigator interface I have. PTT is on a COM port - COM5 - and it uses the same USB soundcard driver as the Signalink. My system sound defaults are set to the system soundcard, and I can play music or hear system sounds from my speakers without transmitting them over the air. And TX audio goes to the Navigator. So for now, this should work for me.

Once again, thanks to all who weighed in on this. It's comforting to know how well we support each other.

Best 73,

Art N3OY

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Jack Spitznagel
Sent: Saturday, October 04, 2008 3:04 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Sounds not going to Signalink soundcard

Hi Art,

There is probably nothing "wrong" with Vista in this case (other than it is Vista) :-(. Some non-Vista specific programs do not "see" and play Vista sound devices properly... for some reason or other they select the first device in the systems internal list and mislabel it.

First , can you use non-AGWPE programs to access the SignaLink properly as the non-default device? Try Ham Radio Deluxe/DM780. If HRD works properly, there is probably an issue with which device being used by

AGWPE-PRO.

This sort of thing happened to me in the past. I found that the best thing to do is to delete all your ports in AGWPE-PRO, shut it down, and start over. Make sure the system soundcard is set as default for both Playback and Recording. Restart AGWPE-PRO, reconfigure the system soundcard as Port 1 and the SignaLink as Port 2, restarting AGWPE-PRO each time it asks you to. After completing that, you should be able to select which port to use from within PaclinkMP on the <Files><Packet AGW Channels> menu page with the AGW engine port pull down selector. Your SignaLink should work that way. You can then delete the port you created using your soundcard, restart AGWPE-PRO, and the SL-USB port should continue to work. You will have to double check in PaclinkMP that the selection of ports stayed the same.

This may sound crazy but... Have you tried initiating a transmission with something other than PaclinkMP? (Like AGWTracker) You may find that it is PaclinkMP doing something flakey while looking at the AGWPE ports you are trying to configure while AGWTracker is not. If that is the case, clear all selections in PaclinkMP and reconfigure.

Let me know if/how those suggestions work for you.

Jack - KD4IZ

Art Goldman wrote:
> First, I'm running Vista. I know, I know...
>
> I'm running Packet Engine Pro, using a Signalink USB soundcard
> device. Everything in PEP seems correct. I have a radioport
> configured for 1200 baud, single channel, Signalink as the PTT
> device, and the Signalink USB as the soundcard.
>
> The internal computer soundcard is the default windows sound device,
> as it should be.
>
> According to everything I've read, PEP should send TX audio to the
> signalink, not to the internal soundcard, but it is not doing that. I
> can receive just fine. Packet decode is ok. But when I transmit (I'm
> using PaclinkMP set up to use PEP as a TNC), the TX sounds come out
> of the system speakers. If I set the default device to be the
> Signalink soundcard, then it works fine. But this is not the way I
> should have to do this. Windows sounds should go to the speakers,
> while PEP should send audio to the Signalnk.
>
> What am I missing here?
>

[Non-text portions of this message have been removed]

941. Re: [agwpe_pro] Sounds not going to Signalink soundcard

Yahoo group: agwpe_pro
Date: 2008-10-07 20:27:29 UTC
From: Jack Spitznagel
Topic: 932 Message: 941

Art,

This is nutz... Try one one more thing if you have not checked it: Go into your Vista sound setup right after you plug in the SignaLink and check the properties of the USB Audio CODEC Speakers on the Levels page is set down to zero. This does actually have an effect on the SignaLink in spite of what the Tigertronics folks say. Set it to 100% then adjust your transmit level with the TX potentiometer on the faceplate of the SignaLink.

I had the same problem and after I set it to 100%, everything started to work and the setting stuck so long as I used the same USB port to plug in the SignaLink every time. I am the "Vista" guy for the PropNET Alpha testing group and I have many stories to tell about my adventures with Vista sound....

Jack - KD4IZ

Art Goldman wrote:
> Jack:
>
>
>
> Thanks for the tips. I tried them all. Same result.
>
>
>
> The receive is fine. Selecting USB soundcard (Signalink) decodes
> beautifully. The problem is PTT.
>
>
>
> If the default Playback device is the internal system soundcard, even
> though PTT in PEPRO is set to Signalink, the packet TX audio comes out my
> speakers. I've tried several combinations. If I default the playback device
> to the Signalink, TX audio goes there, the Signalink keys the rig, and
> everything works. But then system sounds also key the rig - not good.
>
>
>
> I emailed this to George. Perhaps there's an issue with Vista 64. I have a
> 64 bit AMD system running Vista ultimate. PEPRO runs as an x86 program.
>
> I'll wait to see if George has any other ideas.
>
>

>
> Meanwhile, I plugged in a US Navigator interface I have. PTT is on a COM
> port - COM5 - and it uses the same USB soundcard driver as the Signalink.
> My system sound defaults are set to the system soundcard, and I can play
> music or hear system sounds from my speakers without transmitting them over
> the air. And TX audio goes to the Navigator. So for now, this should work
> for me.
>
>
>
> Once again, thanks to all who weighed in on this. It's comforting to know
> how well we support each other.
>
>
>
> Best 73,
>
> Art N3OY
>

942. Re: SigmaTel Audio Decoding Problem

Yahoo group: agwpe_pro
Date: 2008-10-15 13:17:01 UTC
From: w4jcb
Topic: 929 Message: 942

Ralph,

Thanks for your reply. I have installed isolation transformers (from BuxComm) and still have the same problem.

I tried something else this next time. I used a headphone mic to listen to the radio instead of using the speaker out. I adjusted the sinewave to a perfect looking signal and still no decode of APRS. I moved that headphone to my laptop and after a small adjustment in volume it was decoding just like it always has.
I think I am going to order an USB sound card from Creative Labs and forget trying to get this on board sound card to work.

73,
Thanks to everyone that responded,
W4JCB - Carlton

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Carlton,
>
> Unfortunately, one of the short comings of the Nomic is that it does NOT
> provide electrical isolation between radio and sound card/computer.
> (Isolation is usually accomplished by inserting a 1:1 audio transformer in
> the RX line.) Therefore there's a chance then that you are getting EMI or
> ground loop noise on the RX signal. Packet is more susceptible to problems
> than other modes when there is EMI or noise. So while the Nomic might work
> for PSK,etc., it may not work for packet. And it may work on the laptop
> since that is running on a different power source. I can't be sure this is
> your problem, however. Perhaps you can borrow an interface with a
> transformer to test the premise (or rewire your RX cable to include a
> transformer in line; temporarily disconnect the TX and PTT lines during the
> test).
>
> Ralph KC2RLM
>

>
> On Sat, Oct 4, 2008 at 9:13 AM, w4jcb <carlton@...> wrote:
>
> > Ralph,
> >
> > Thank you for your response.
> >
> > I use the Rig Blaster "nomic" so my audio in (RX) is straight from
> > radio speaker to pc mic/line input.
> >
> > I have used this exact setup on my laptop but wanted to setup a
> > desktop as my ham pc.
> >
> > Carlton W4JCB
> >
> >
> > --- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@>
> > wrote:
> > >
> > > Carlton,
> > >
> > > What sound card-to-radio interface are you using? Does it have
> > isolation
> > > transformers on the RX and TX lines?
> > >
> > > Other troubleshooting hints are at:
> > > http://kc2rlm.info/soundcardpacket/5probrx.htm#NoDecode
> > >
> > > Ralph KC2RLM
> > >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
[mailto:agwpe_pro@yahoogroups.com]
> > On Behalf
> > > Of w4jcb
> > > Sent: Tuesday, September 30, 2008 7:53 AM
> > > To: agwpe_pro@yahoogroups.com
> > > Subject: [agwpe_pro] SigmaTel Audio Decoding Problem
> > >
> > > I had been running AGWPE for a few years without any problem.
That
> > > system was a DELL XP Pro laptop with a "SigmaTel C-Major audio"
> > board.
> > >
> > > I have tries both the free version and the trial pro version on
two
> > > different computers. Both are DELL desktop computers and have
> > > the "SigmaTel audio" boards, one is XP Pro the other XP Media
> > > addition.
> > > I can not get either pc to decode any APRS. All the test that

you
> > > can do look great. The two desktops have line-in as well as two
> > > different mic-ins. The laptop only had mic-in.
> > > I have tries all three inputs for each desktop, I can get the
Sound
> > > Card Tuning Aid to see each signal and adjust it prefectly but
no
> > > decoding.
> > >
> > > Has anybody seen anything like this?
> > >
> > > Does anyone know of an USB exterenal sound device that works
with
> > > AGWPE that I could use instead?
> > >
> > > Thanks 73,
> > > W4JCB - Carlton
> > >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>
>
> [Non-text portions of this message have been removed]
>

943. Packet Engine For Pocket PC Update

Yahoo group: agwpe_pro
Date: 2008-10-19 09:49:34 UTC
From: (SV2AGW) George Rossopoulos
Topic: 925 Message: 943

Hi

I have just uploaded an update. It works now well and can be used with Bluetooth TNCs.
Either use a Bluetooth adapter to your TNC or use the new mUSBTNT ver 3 from www.elcomresearch.com which has both Bluetooth support and build in GPS. USA distributor is http://thedigitalham.com/

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

944. license key

Yahoo group: agwpe_pro
Date: 2008-10-30 00:21:59 UTC
From: Randy
Topic: 944 Message: 944

Hi George guess what new computer need a new key, I bet you wish you had a nickel for evertime you head that
NTVDQ-5MKIP-WVKN3-VN25Y-6M37P-I5VIP-DFH7X-VEQBZ-N7VGQ-Q36H7-XDWQD-GGWAB

945. Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-10-30 02:37:56 UTC
From: John Barrett
Topic: 945 Message: 945

I've got a pair of ICOM 2100H radios that I'm attempting to configure for APRS and Winlink, and while I have had no problem getting the first channel to work with UIView, the second channel has given me the following problems:

1. when I try to change the 2nd port friendly name to WINLINK, AGWPE/Pro crashes when I restart, requiring me to manually delete the radio port ini files and start over

2. on one attempt where I did not change the friendly name, PacLink showed 2 channels, but both were named APRS, and no matter which I selected, the APRS radio was keyed when I attempted to connect to the telpac remote server. I havent yet been able to get the 2nd radio to key.

I'm using a home brew optoisolated keying circuit off of COM1 for both radios, as suggested in the documentation.

Any help appreciated !!!

946. Hi George guess what new computer need a new key

Yahoo group: agwpe_pro
Date: 2008-10-30 13:47:31 UTC
From: stuart_linder
Topic: 946 Message: 946

GW4YG-5KBQA-8D4N3-XNPSY-4M37G-69DYP-B7HW7-VCQB3-G26VG-RJ4IA-7D8NM-CNIAB

947. RE: [agwpe_pro] license key

Yahoo group: agwpe_pro
Date: 2008-10-31 11:03:28 UTC
From: (SV2AGW) George Rossopoulos
Topic: 944 Message: 947

Hi

Your new serial is
PJVVQ-4DKHF-VVUNB-TN68G-WNTXP-A4VWM-5EH3Y-DWMTW-N7VYS-Q36H7-XDWQD-GGWAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Randy
> Sent: Thursday, October 30, 2008 2:22 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] license key
>
> Hi George guess what new computer need a new key, I bet you wish you
> had a nickel for evertime you head that
> NTVDQ-5MKIP-WVKN3-VN25Y-6M37P-I5VIP-DFH7X-VEQBZ-N7VGQ-Q36H7-XDWQD-GGWAB
>
>
>
>

948. RE: [agwpe_pro] Hi George guess what new computer need a new key

Yahoo group: agwpe_pro
Date: 2008-10-31 11:03:51 UTC
From: (SV2AGW) George Rossopoulos
Topic: 946 Message: 948

Hi

The new serial is
HN5GG-4CBN2-7ECNB-VNTVG-UNTXG-W8ECM-36HS8-DUMTY-G27DI-RJ4IA-7D8NM-CNIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of stuart_linder
> Sent: Thursday, October 30, 2008 3:48 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Hi George guess what new computer need a new key
>
> GW4YG-5KBQA-8D4N3-XNPSY-4M37G-69DYP-B7HW7-VCQB3-G26VG-RJ4IA-7D8NM-CNIAB
>
>
>
>

949. RE: [agwpe_pro] Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-10-31 11:05:49 UTC
From: (SV2AGW) George Rossopoulos
Topic: 945 Message: 949

Hi

Why need to change the name and not set it from the beginning (While walking the wizard)?

If there is a problem then edit the ini file with notepad. The ini files directory is reported in the status view

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of John Barrett
> Sent: Thursday, October 30, 2008 4:38 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Dual Port Problems
>
> I've got a pair of ICOM 2100H radios that I'm attempting to configure
> for APRS and Winlink, and while I have had no problem getting the first
> channel to work with UIView, the second channel has given me the
> following problems:
>
> 1. when I try to change the 2nd port friendly name to WINLINK, AGWPE/Pro
> crashes when I restart, requiring me to manually delete the radio port
> ini files and start over
>
> 2. on one attempt where I did not change the friendly name, PacLink
> showed 2 channels, but both were named APRS, and no matter which I
> selected, the APRS radio was keyed when I attempted to connect to the
> telpac remote server. I havent yet been able to get the 2nd radio to key.
>
> I'm using a home brew optoisolated keying circuit off of COM1 for both
> radios, as suggested in the documentation.
>
> Any help appreciated !!!
>
>
>

>

950. Re: [agwpe_pro] Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-10-31 14:03:04 UTC
From: John Barrett
Topic: 945 Message: 950

I switched to the non-pro version which works dual port without jumping through any hoops

the wizard did not set the names correctly despite my having entered the names during the initial config, and I attempted to edit the INI files, but simply changing the name caused AGWPE/Pro to crash when reloaded, and there was no other documentation on the ini files, nor example ini files for dual port I could reference to catch any differences.

Anyway -- the problem was resolved by backing down to the basic version and I'm moving on to the next problem -- designing the coax relay driver so the two radios can share an antenna -- unfortunately the frequencies in question are too close (1mhz split approx) for any hope of isolating the radios with a repeater type duplexer.

And that brings up the next question: Is there any setting that can be used to insure that only one port can transmit at a time ?? Perhaps setting Half Duplex ?? I'd prefer just disconnecting the listening radio from the antenna rather than having to switch it to a dummy load just in case it attempts to transmit into an unterminated line.

(SV2AGW) George Rossopoulos wrote:
>
> Hi
>
> Why need to change the name and not set it from the beginning (While
> walking
> the wizard)?
>
> If there is a problem then edit the ini file with notepad. The ini files
> directory is reported in the status view
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of John Barrett

> > Sent: Thursday, October 30, 2008 4:38 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Dual Port Problems
> >
> > I've got a pair of ICOM 2100H radios that I'm attempting to configure
> > for APRS and Winlink, and while I have had no problem getting the first
> > channel to work with UIView, the second channel has given me the
> > following problems:
> >
> > 1. when I try to change the 2nd port friendly name to WINLINK, AGWPE/Pro
> > crashes when I restart, requiring me to manually delete the radio port
> > ini files and start over
> >
> > 2. on one attempt where I did not change the friendly name, PacLink
> > showed 2 channels, but both were named APRS, and no matter which I
> > selected, the APRS radio was keyed when I attempted to connect to the
> > telpac remote server. I havent yet been able to get the 2nd radio to
> key.
> >
> > I'm using a home brew optoisolated keying circuit off of COM1 for both
> > radios, as suggested in the documentation.
> >
> > Any help appreciated !!!
> >
> >
> >
> >
>
>

951. Setting up winlink, paclink rms relay was told I need the PRO version, WHICH ONE

Yahoo group: agwpe_pro
Date: 2008-10-31 16:09:32 UTC
From: kg5ks
Topic: 951 Message: 951

Trying to set up Winlink, Paclink, RMS Relay on one computer with loop back channel, but was told I need the PRO version to do this and not the free version. I went to buy one, but noticed there are TWO VERSIONS, which one do I need for 2005 xp media addition??? How many personal computers can this be put on anyway?
Thank you
73
Kenny

952. RE: [agwpe_pro] Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-11-01 00:30:18 UTC
From: Ralph Milnes
Topic: 945 Message: 952

Hi John,

> I'm using a home brew optoisolated keying circuit off of COM1 for both
> radios, as suggested in the documentation.

Maybe that's the problem. Note that, with a sound card setup, AGWPE port #1 triggers the RTS pin of the com port and AGWPE port #2 triggers only the DTR pin.

For this to work you would construct a sound card interface that is wires the RTS pin to radio #1 and DTR to radio #2 and thus be able to control which radio gets told to transmit. See
http://kc2rlm.info/soundcardpacket/1cable2radio.htm

Which AGWPE port transmits is determined by the client program using AGWPE. AGWPE does not trigger BOTH the RTS and DTR pins unless it is told to. UI-View can be configured to select which AGWPE port to use. See #2 in this section of this page:
http://kc2rlm.info/soundcardpacket/7uiview.htm#advancedoptions

So you should be able to hook radio #1 to AGWPE port #1 and tell UI-View to use only radio #1/AGWPE port #1. ... and also, or instead, hook radio #2 to AGWPE port #2 and tell UI-View to use radio #2/AGWPE port #2.

Or am I missing what you are trying to do ..

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John Barrett
Sent: Friday, October 31, 2008 10:03 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Dual Port Problems

I switched to the non-pro version which works dual port without jumping through any hoops

the wizard did not set the names correctly despite my having entered the names during the initial config, and I attempted to edit the INI files, but simply changing the name caused AGWPE/Pro to crash when reloaded, and there was no other documentation on the ini files, nor example ini files for dual port I could reference to catch any differences.

Anyway -- the problem was resolved by backing down to the basic version and I'm moving on to the next problem -- designing the coax relay driver so the two radios can share an antenna -- unfortunately the frequencies in question are too close (1mhz split approx) for any hope of isolating

the radios with a repeater type duplexer.

And that brings up the next question: Is there any setting that can be used to insure that only one port can transmit at a time ?? Perhaps setting Half Duplex ?? I'd prefer just disconnecting the listening radio from the antenna rather than having to switch it to a dummy load just in case it attempts to transmit into an unterminated line.

(SV2AGW) George Rossopoulos wrote:
>
> Hi
>
> Why need to change the name and not set it from the beginning (While
> walking
> the wizard)?
>
> If there is a problem then edit the ini file with notepad. The ini files
> directory is reported in the status view
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of John Barrett
> > Sent: Thursday, October 30, 2008 4:38 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Dual Port Problems
> >
> > I've got a pair of ICOM 2100H radios that I'm attempting to configure
> > for APRS and Winlink, and while I have had no problem getting the first
> > channel to work with UIView, the second channel has given me the
> > following problems:
> >
> > 1. when I try to change the 2nd port friendly name to WINLINK, AGWPE/Pro
> > crashes when I restart, requiring me to manually delete the radio port
> > ini files and start over
> >
> > 2. on one attempt where I did not change the friendly name, PacLink
> > showed 2 channels, but both were named APRS, and no matter which I
> > selected, the APRS radio was keyed when I attempted to connect to the
> > telpac remote server. I havent yet been able to get the 2nd radio to
> key.

> >
> > I'm using a home brew optoisolated keying circuit off of COM1 for both
> > radios, as suggested in the documentation.
> >
> > Any help appreciated !!!
> >
> >
> >
> >
>
>

Yahoo! Groups Links

953. RE: [agwpe_pro] Setting up winlink, paclink rms relay was told I need the PRO version, WHICH ONE

Yahoo group: agwpe_pro
Date: 2008-11-01 00:37:59 UTC
From: Ralph Milnes
Topic: 951 Message: 953

Kenny,

I think there is only ONE version. For a first time installation get the full install which should work on all versions of XP. I think the other "version" you are seeing is to update a prior version.
http://www.sv2agw.com/downloads/default.htm

The program author, SV2AGW, has said you can install the Pro version on an unlimited number of computers that YOU OWN. Just write him with the KEY TO SEND for each of your computers and tell him the situation: sv2agw (at) sv2agw.com

I can't comment on whether or not you need the PRO version for what you want to do. I'm not familiar with the WinLink setup you want to do. Perhaps someone else can shed some light.

73, Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kg5ks
Sent: Friday, October 31, 2008 12:10 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Setting up winlink, paclink rms relay was told I need the PRO version, WHICH ONE

Trying to set up Winlink, Paclink, RMS Relay on one computer with loop back channel, but was told I need the PRO version to do this and not the free version. I went to buy one, but noticed there are TWO VERSIONS, which one do I need for 2005 xp media addition??? How many personal computers can this be put on anyway?
Thank you
73
Kenny

Yahoo! Groups Links

954. Re: [agwpe_pro] Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-11-01 01:20:30 UTC
From: John Barrett
Topic: 945 Message: 954

Port 1 is UI-View and my weather station beacon on 144.39, and port 2 is Winlink/Pacmail on 145.{03,05.07.09 depending on which local telpac node I want to use). When neither port is transmitting, both radios are attached to the antenna.

Winlink has the priority -- if it wants to transmit, the circuit I'm designing will give it the antenna, even if APRS/WX is in the middle of a transmission, but I would prefer that AGWPE hold off such that if one port is transmitting, and the other is commanded to transmit, the inactive port will hold off transmitting until the active port finishes transmitting, which would allow me to dramatically simplify the antenna switching logic. That would reduce the logic to "If A keys up, disconnect B.. if B keys up, disconnect A".

I can foresee wanting to do this with more than 2 radios at some point in the future, so if there is no capability to accomplish this currently in place, it might be an idea to have a per port switch to "Enable TX Mutual Exclusion" such that sound cards with the feature enabled will not key if any other enabled port is "active"... for external TNCs, this could be accomplished by buffering any TX data until all ports are idle, the pump out the data and compute a suitable "active" delay based on the on air baud rate (unless the TNC returns a TX complete signal, which I believe most DO NOT)

Anyway -- I'm just interested in the 2 port solution for the moment. I would not be going through this if I could find a decent VHF duplexer that I could afford !!

Ralph Milnes wrote:
>
> Hi John,
>
> > I'm using a home brew optoisolated keying circuit off of COM1 for both
> > radios, as suggested in the documentation.
>
> Maybe that's the problem. Note that, with a sound card setup, AGWPE
> port #1
> triggers the RTS pin of the com port and AGWPE port #2 triggers only
> the DTR
> pin.
>
> For this to work you would construct a sound card interface that is wires
> the RTS pin to radio #1 and DTR to radio #2 and thus be able to control
> which radio gets told to transmit. See
> http://kc2rlm.info/soundcardpacket/1cable2radio.htm
> <http://kc2rlm.info/soundcardpacket/1cable2radio.htm>

>
> Which AGWPE port transmits is determined by the client program using
> AGWPE.
> AGWPE does not trigger BOTH the RTS and DTR pins unless it is told to.
> UI-View can be configured to select which AGWPE port to use. See #2 in
> this
> section of this page:
> http://kc2rlm.info/soundcardpacket/7uiview.htm#advancedoptions
> <http://kc2rlm.info/soundcardpacket/7uiview.htm#advancedoptions>
>
> So you should be able to hook radio #1 to AGWPE port #1 and tell
> UI-View to
> use only radio #1/AGWPE port #1. ... and also, or instead, hook radio
> #2 to
> AGWPE port #2 and tell UI-View to use radio #2/AGWPE port #2.
>
> Or am I missing what you are trying to do ..
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf
> Of John Barrett
> Sent: Friday, October 31, 2008 10:03 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] Dual Port Problems
>
> I switched to the non-pro version which works dual port without jumping
> through any hoops
>
> the wizard did not set the names correctly despite my having entered the
> names during the initial config, and I attempted to edit the INI files,
> but simply changing the name caused AGWPE/Pro to crash when reloaded,
> and there was no other documentation on the ini files, nor example ini
> files for dual port I could reference to catch any differences.
>
> Anyway -- the problem was resolved by backing down to the basic version
> and I'm moving on to the next problem -- designing the coax relay driver
> so the two radios can share an antenna -- unfortunately the frequencies
> in question are too close (1mhz split approx) for any hope of isolating
> the radios with a repeater type duplexer.
>
> And that brings up the next question: Is there any setting that can be
> used to insure that only one port can transmit at a time ?? Perhaps
> setting Half Duplex ?? I'd prefer just disconnecting the listening radio
> from the antenna rather than having to switch it to a dummy load just in
> case it attempts to transmit into an unterminated line.
>

> (SV2AGW) George Rossopoulos wrote:
> >
> > Hi
> >
> > Why need to change the name and not set it from the beginning (While
> > walking
> > the wizard)?
> >
> > If there is a problem then edit the ini file with notepad. The ini files
> > directory is reported in the status view
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Anakreontos 14
> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com> <http://www.sv2agw.com
> <http://www.sv2agw.com>>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> <http://www.agwtracker.com <http://www.agwtracker.com>>
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>] On
> > > Behalf Of John Barrett
> > > Sent: Thursday, October 30, 2008 4:38 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Dual Port Problems
> > >
> > > I've got a pair of ICOM 2100H radios that I'm attempting to configure
> > > for APRS and Winlink, and while I have had no problem getting the
> first
> > > channel to work with UIView, the second channel has given me the
> > > following problems:
> > >
> > > 1. when I try to change the 2nd port friendly name to WINLINK,
> AGWPE/Pro
> > > crashes when I restart, requiring me to manually delete the radio port
> > > ini files and start over
> > >
> > > 2. on one attempt where I did not change the friendly name, PacLink
> > > showed 2 channels, but both were named APRS, and no matter which I
> > > selected, the APRS radio was keyed when I attempted to connect to the
> > > telpac remote server. I havent yet been able to get the 2nd radio to

> > key.
> > >
> > > I'm using a home brew optoisolated keying circuit off of COM1 for both
> > > radios, as suggested in the documentation.
> > >
> > > Any help appreciated !!!
> > >
> > >
> > >
> > >
> >
> >
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>

955. RE: [agwpe_pro] Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-10-31 23:15:55 UTC
From: craig@northwestoverlandsociety.org
Topic: 945 Message: 955

Does anyone have AGWPE Pro working with the uTNT BT TNC? Or does anyone know definitively if they will or will not work together?

Craig

[Non-text portions of this message have been removed]

956. Re: [agwpe_pro] Dual Port Problems

Yahoo group: agwpe_pro
Date: 2008-11-01 04:46:17 UTC
From: John Barrett
Topic: 945 Message: 956

I may not have been clear in my last reply -- I'm using the recommended dual port keying circuit with RTS and DTR each driving separate optoisolators, one for each radio keying circuit. The next version of the keying circuit will use each serial port signal to drive 2 optos -- one for the radio keying circuit, one for input to the antenna switching logic. With the current circuit, AGWPE is capable of keying the radios independently. What I want is for it to key one or the other but not both at the same time.

I can ask this another way -- Given a dual port setup, and 2 applications (UIView and Paclink for instance), each communicating via a different port, is AGWPE capable of transmitting on both ports simultaneously if it receives data from the 2 programs at approximately the same moment ?? If not -- then mutual exclusion is inherent in the design of the TX DSP code and I can use the simpler antenna switching logic.

Ralph Milnes wrote:
>
> Hi John,
>
> > I'm using a home brew optoisolated keying circuit off of COM1 for both
> > radios, as suggested in the documentation.
>
> Maybe that's the problem. Note that, with a sound card setup, AGWPE
> port #1
> triggers the RTS pin of the com port and AGWPE port #2 triggers only
> the DTR
> pin.
>
> For this to work you would construct a sound card interface that is wires
> the RTS pin to radio #1 and DTR to radio #2 and thus be able to control
> which radio gets told to transmit. See
> http://kc2rlm.info/soundcardpacket/1cable2radio.htm
> <http://kc2rlm.info/soundcardpacket/1cable2radio.htm>
>
> Which AGWPE port transmits is determined by the client program using
> AGWPE.
> AGWPE does not trigger BOTH the RTS and DTR pins unless it is told to.
> UI-View can be configured to select which AGWPE port to use. See #2 in
> this
> section of this page:
> http://kc2rlm.info/soundcardpacket/7uiview.htm#advancedoptions
> <http://kc2rlm.info/soundcardpacket/7uiview.htm#advancedoptions>
>
> So you should be able to hook radio #1 to AGWPE port #1 and tell

> UI-View to
> use only radio #1/AGWPE port #1. ... and also, or instead, hook radio
> #2 to
> AGWPE port #2 and tell UI-View to use radio #2/AGWPE port #2.
>
> Or am I missing what you are trying to do ..
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf
> Of John Barrett
> Sent: Friday, October 31, 2008 10:03 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] Dual Port Problems
>
> I switched to the non-pro version which works dual port without jumping
> through any hoops
>
> the wizard did not set the names correctly despite my having entered the
> names during the initial config, and I attempted to edit the INI files,
> but simply changing the name caused AGWPE/Pro to crash when reloaded,
> and there was no other documentation on the ini files, nor example ini
> files for dual port I could reference to catch any differences.
>
> Anyway -- the problem was resolved by backing down to the basic version
> and I'm moving on to the next problem -- designing the coax relay driver
> so the two radios can share an antenna -- unfortunately the frequencies
> in question are too close (1mhz split approx) for any hope of isolating
> the radios with a repeater type duplexer.
>
> And that brings up the next question: Is there any setting that can be
> used to insure that only one port can transmit at a time ?? Perhaps
> setting Half Duplex ?? I'd prefer just disconnecting the listening radio
> from the antenna rather than having to switch it to a dummy load just in
> case it attempts to transmit into an unterminated line.
>
> (SV2AGW) George Rossopoulos wrote:
> >
> > Hi
> >
> > Why need to change the name and not set it from the beginning (While
> > walking
> > the wizard)?
> >
> > If there is a problem then edit the ini file with notepad. The ini files
> > directory is reported in the status view
> >

> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Anakreontos 14
> > GR-54250, Thessaloniki
> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com> <http://www.sv2agw.com
> <http://www.sv2agw.com>>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> <http://www.agwtracker.com <http://www.agwtracker.com>>
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>] On
> > > Behalf Of John Barrett
> > > Sent: Thursday, October 30, 2008 4:38 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Dual Port Problems
> > >
> > > I've got a pair of ICOM 2100H radios that I'm attempting to configure
> > > for APRS and Winlink, and while I have had no problem getting the
> first
> > > channel to work with UIView, the second channel has given me the
> > > following problems:
> > >
> > > 1. when I try to change the 2nd port friendly name to WINLINK,
> AGWPE/Pro
> > > crashes when I restart, requiring me to manually delete the radio port
> > > ini files and start over
> > >
> > > 2. on one attempt where I did not change the friendly name, PacLink
> > > showed 2 channels, but both were named APRS, and no matter which I
> > > selected, the APRS radio was keyed when I attempted to connect to the
> > > telpac remote server. I havent yet been able to get the 2nd radio to
> > key.
> > >
> > > I'm using a home brew optoisolated keying circuit off of COM1 for both
> > > radios, as suggested in the documentation.
> > >
> > > Any help appreciated !!!
> > >
> > >
> > >
> > >
> >

> >
>
> ---
>
> Yahoo! Groups Links
>
>

957. Packet Engine Pro & AGWTracker

Yahoo group: agwpe_pro
Date: 2008-11-02 01:27:38 UTC
From: bobeck1au
Topic: 957 Message: 957

Hi ALL,

I am having problems connecting AGWTracker to Packet Engine Pro I have tried everything I can think of including changing Port numbers, including selecting in setup Allow PEPRO on this port.
For some reason I can get AGWTracker to work with the the non pro version of Packet engine no problems.
Any ideas?
I am running windows XP Service pack 3.

Cheers

Bob VK4RJ (Ex VK4CPM)

958. License Key Request

Yahoo group: agwpe_pro
Date: 2008-11-03 04:48:30 UTC
From: Jim Campbell
Topic: 958 Message: 958

George,

I have moved PEPro to a new computer. The key is

NW5DS-QUBH6-5DUN3-ZGW5V-YM37P-N7GIP-DFPPW-VUQB2-N27GG-3J2HS-8V6N3-ZGWAB

Can you please send me the registration key?

Thanks and 73,

Jim - W4BQP

959. Registration Key

Yahoo group: agwpe_pro
Date: 2008-11-07 05:03:21 UTC
From: kd7cvj
Topic: 959 Message: 959

This must be the week for registration keys. I have had to download and reinstall PEPro. Please send a new key. The Key to send is HN6DG-QMNP2-5DNN3-3NPUY-6M37G-W8DWP-B6H69-GKQDM-N7VVW-RDGPS-8GUPB-XGSAB

960. PacComm tiny2

Yahoo group: agwpe_pro
Date: 2008-11-07 13:42:37 UTC
From: Ken
Topic: 960 Message: 960

Hi All
has any managed to get the PacComm Tiny2 tnc to work
with Pepro. all i am getting is it cant find the tnc.
i have tried Paccomm,Tapr tnc,tnc clone none of them
seem to find the tnc.

i would like it to work properly before i buy it

73 de Ken
g7vja

961. What ip address do I use?

Yahoo group: agwpe_pro
Date: 2008-11-12 13:57:27 UTC
From: n2nxz
Topic: 961 Message: 961

I have ui-view and and agwpe installed.I see stations appearing on the map as packets are received.I do see igate traffic in the window.My questions are,What ip address is to be used in the sv2agw tcpip over radio ndis ?Why download aprs server list does not work?And why the server connections on the list does not stay connected?I am new,the ip part really has me baffled.Any help would be greatful.I just want to use the programs as an igate at a remote location once tested.Thank you.
Jim

962. RE: [agwpe_pro] What ip address do I use?

Yahoo group: agwpe_pro
Date: 2008-11-13 14:23:15 UTC
From: Ralph Milnes
Topic: 961 Message: 962

Hi Jim,

I'm a little unclear what you are trying to do.

PE Pro's TCP/IP Over Radio (TOR) function is only used in special applications where two different radio stations need to pass TCP/IP data using a packet link. For example, you might use it if station A DID NOT have internet access but station B DID. By using the TOR function, station A could use packet to gain access to station B's internet connection and receive email, etc. For most packet applications, you would NOT use the TCP/IP Over Radio (TOR) function of AGWPE/PE Pro.

Is this what you are trying to do -- connect two stations by packet for the purpose of exchanging TCP/IP-based data? If not, then you can ignore the TOR function. If it IS what you are trying to do, see these pages for setup hints:
http://kc2rlm.info/soundcardpacket/6tor.htm

As I understand it, UI-View can receive APRS data from two sources - from the internet and by radio. AGWPE would be used to receive packets by radio. It is not part of the equation for receiving APRS data from the internet.

Perhaps if you described a bit more about what your situation is, then someone on the list can give you some suggestions.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n2nxz
Sent: Wednesday, November 12, 2008 8:57 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] What ip address do I use?

I have ui-view and and agwpe installed.I see stations appearing on the map as packets are received.I do see igate traffic in the window.My questions are,What ip address is to be used in the sv2agw tcpip over radio ndis ?Why download aprs server list does not work?And why the server connections on the list does not stay connected?I am new,the ip part really has me baffled.Any help would be greatful.I just want to use the programs as an igate at a remote location once tested.Thank you.
Jim

Yahoo! Groups Links

963. Re: What ip address do I use?

Yahoo group: agwpe_pro
Date: 2008-11-13 01:25:32 UTC
From: Ken
Topic: 961 Message: 963

Hi Jim
check out the link below,might shed some light on what you need

http://www.sv2agw.com/ham/tcpip_gate.htm

Ken g7vja
T2England Aprs Server

--- In agwpe_pro@yahoogroups.com, "n2nxz" <n2nxz@...> wrote:
>
> I have ui-view and and agwpe installed.I see stations appearing on
the
> map as packets are received.I do see igate traffic in the window.My
> questions are,What ip address is to be used in the sv2agw tcpip
over
> radio ndis ?Why download aprs server list does not work?And why the
> server connections on the list does not stay connected?I am
new,the ip
> part really has me baffled.Any help would be greatful.I just want
to
> use the programs as an igate at a remote location once
tested.Thank you.
> Jim
>

964. paccomm tiny2

Yahoo group: agwpe_pro
Date: 2008-11-19 22:33:13 UTC
From: Ken
Topic: 964 Message: 964

Hi All
Anyone got a copy of the Port0 config for the PacComm tiny2 tnc
that they an email to me.
Pepro & standand Agwpe will not detect mine,although its in the tnc
list.

tnx & 73
Ken g7vja

965. PEPro Buffer error

Yahoo group: agwpe_pro
Date: 2008-12-03 00:09:46 UTC
From: gabtrop
Topic: 965 Message: 965

Hello all, with change to a new computer Intel PIV 2.0 with 512MB, the new Packet Engine Pro have a error:

1) Start PEpro alone and work ok with 2 TNC ports COM 1/2 and all fine.
2) When run any program later with PEPro (SpiderCluster, FBB, AGWMonitor) the PEPro software stop with error:

AppName: packet engine pro.exe
AppVer: 2007.1.1.7
ModName: ntdll.dll
ModVer: 5.1.2600 5512
Offset: 0001b1fa

In this forum see a friends with same errors and fix it with TCP port change from 8000 to 8010, WinXP Firewall shutdown (make exception lists), etc. any of this dont work to me, same error.

Any help, or ideas?

Thanks to all

73 de Gabriel YV5KXE-4M5G
www.yv5kxe.org

966. Re: PEPro Buffer error

Yahoo group: agwpe_pro
Date: 2008-12-07 01:48:35 UTC
From: gabtrop
Topic: 965 Message: 966

Hello, have downloaded the free version AGWPE and install in this
same computer with this PEPro problem, AGWPE work fine and dont have
any problem.

This information is for our friend SV2AGW.

73 de Gabriel YV5KXE-4M5G

- In agwpe_pro@yahoogroups.com, "gabtrop" <gmedinas@...> wrote:
>
> Hello all, with change to a new computer Intel PIV 2.0 with 512MB,
> the new Packet Engine Pro have a error:
>
> 1) Start PEpro alone and work ok with 2 TNC ports COM 1/2 and all
> fine.
> 2) When run any program later with PEPro (SpiderCluster, FBB,
> AGWMonitor) the PEPro software stop with error:
>
> AppName: packet engine pro.exe
> AppVer: 2007.1.1.7
> ModName: ntdll.dll
> ModVer: 5.1.2600 5512
> Offset: 0001b1fa
>
> In this forum see a friends with same errors and fix it with TCP
port
> change from 8000 to 8010, WinXP Firewall shutdown (make exception
> lists), etc. any of this dont work to me, same error.
>
> Any help, or ideas?
>
> Thanks to all
>
> 73 de Gabriel YV5KXE-4M5G
> www.yv5kxe.org
>

967. Re: PEPro Buffer error

Yahoo group: agwpe_pro
Date: 2008-12-07 10:42:24 UTC
From: kz6oscar
Topic: 965 Message: 967

I have a similar problem with Windows XP Pro. Worked fine initially, then the errors started, seemingly after one of the constant flow of security updates. I just rebuilt my hardisk on a laptop and installed PEPro before any other software and had the problem.

Logan, KZ6O

--- In agwpe_pro@yahoogroups.com, "gabtrop" <gmedinas@...> wrote:
>
> Hello all, with change to a new computer Intel PIV 2.0 with 512MB,
> the new Packet Engine Pro have a error:
>
> 1) Start PEpro alone and work ok with 2 TNC ports COM 1/2 and all
> fine.
> 2) When run any program later with PEPro (SpiderCluster, FBB,
> AGWMonitor) the PEPro software stop with error:
>
> AppName: packet engine pro.exe
> AppVer: 2007.1.1.7
> ModName: ntdll.dll
> ModVer: 5.1.2600 5512
> Offset: 0001b1fa
>
> In this forum see a friends with same errors and fix it with TCP port
> change from 8000 to 8010, WinXP Firewall shutdown (make exception
> lists), etc. any of this dont work to me, same error.
>
> Any help, or ideas?
>
> Thanks to all
>
> 73 de Gabriel YV5KXE-4M5G
> www.yv5kxe.org
>

968. KEY REQUEST

Yahoo group: agwpe_pro
Date: 2008-12-12 23:10:30 UTC
From: ke7ego
Topic: 968 Message: 968

Hi George....
just got a new laptop and need a new key. The "key to send" is:
GI5DC-QT7IA-8DWN5-EN23G-8M37N-66DKP-DFPTY-YGQBX-G24YN-3T8IB-UYWQB-XGAAB
Thanks
Jay, KE7EGO

970. Re: PEPro Buffer error

Yahoo group: agwpe_pro
Date: 2008-12-15 19:06:09 UTC
From: Jerald Josephs
Topic: 965 Message: 970

I too have just encountered this same error.
I am new to setting up APRS and I just used PEPro with UI-View for the first time last Friday in a test run.

It worked fine until I decided to disable TCP/IP in PEPro because I was unable to connect to a WLAN and I thought maybe PEPro was interfering with the TCP/IP stack.

I researched the recent Microsoft Updates applied to my XP Professional SP-2 laptop released in December and November and not one of them touch ntdll.dll.

I tried enabling debug logging, but I have not yet located the log file. I went poking around in the obvious places, but I haven't yet done a disk-wide search. (I'm not currently with my system).

Jerald, KI6OIF

--- In agwpe_pro@yahoogroups.com, "kz6oscar" <lrahnz@...> wrote:
>
> I have a similar problem with Windows XP Pro. Worked fine initially,
> then the errors started, seemingly after one of the constant flow of
> security updates. I just rebuilt my hardisk on a laptop and installed
> PEPro before any other software and had the problem.
>
> Logan, KZ6O
>
>
> --- In agwpe_pro@yahoogroups.com, "gabtrop" <gmedinas@> wrote:
> >
> > Hello all, with change to a new computer Intel PIV 2.0 with 512MB,
> > the new Packet Engine Pro have a error:
> >
> > 1) Start PEpro alone and work ok with 2 TNC ports COM 1/2 and all
> > fine.
> > 2) When run any program later with PEPro (SpiderCluster, FBB,
> > AGWMonitor) the PEPro software stop with error:
> >
> > AppName: packet engine pro.exe
> > AppVer: 2007.1.1.7
> > ModName: ntdll.dll
> > ModVer: 5.1.2600 5512
> > Offset: 0001b1fa
> >
> > In this forum see a friends with same errors and fix it with TCP port
> > change from 8000 to 8010, WinXP Firewall shutdown (make exception

> > lists), etc. any of this dont work to me, same error.
> >
> > Any help, or ideas?
> >
> > Thanks to all
> >
> > 73 de Gabriel YV5KXE-4M5G
> > www.yv5kxe.org
> >
>

971. RE: [agwpe_pro] Re: PEPro Buffer error

Yahoo group: agwpe_pro
Date: 2008-12-18 17:23:40 UTC
From: Ralph Milnes
Topic: 965 Message: 971

I think someone, Gabriel YV5KXE?, reported he solved the problem by uninstalling/reinstalling PE Pro.

Make sure to save your registration key (if you have one) in case you need it for the reinstall (although I think you won't need it).

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Jerald Josephs
Sent: Monday, December 15, 2008 2:06 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: PEPro Buffer error

I too have just encountered this same error.
I am new to setting up APRS and I just used PEPro with UI-View for the first time last Friday in a test run.

It worked fine until I decided to disable TCP/IP in PEPro because I was unable to connect to a WLAN and I thought maybe PEPro was interfering with the TCP/IP stack.

I researched the recent Microsoft Updates applied to my XP Professional SP-2 laptop released in December and November and not one of them touch ntdll.dll.

I tried enabling debug logging, but I have not yet located the log file. I went poking around in the obvious places, but I haven't yet done a disk-wide search. (I'm not currently with my system).

Jerald, KI6OIF

--- In agwpe_pro@yahoogroups.com, "kz6oscar" <lrahnz@...> wrote:
>
> I have a similar problem with Windows XP Pro. Worked fine initially,
> then the errors started, seemingly after one of the constant flow of
> security updates. I just rebuilt my hardisk on a laptop and installed
> PEPro before any other software and had the problem.
>
> Logan, KZ6O
>
>
> --- In agwpe_pro@yahoogroups.com, "gabtrop" <gmedinas@> wrote:
> >
> > Hello all, with change to a new computer Intel PIV 2.0 with 512MB,
> > the new Packet Engine Pro have a error:

> >
> > 1) Start PEpro alone and work ok with 2 TNC ports COM 1/2 and all
> > fine.
> > 2) When run any program later with PEPro (SpiderCluster, FBB,
> > AGWMonitor) the PEPro software stop with error:
> >
> > AppName: packet engine pro.exe
> > AppVer: 2007.1.1.7
> > ModName: ntdll.dll
> > ModVer: 5.1.2600 5512
> > Offset: 0001b1fa
> >
> > In this forum see a friends with same errors and fix it with TCP port
> > change from 8000 to 8010, WinXP Firewall shutdown (make exception
> > lists), etc. any of this dont work to me, same error.
> >
> > Any help, or ideas?
> >
> > Thanks to all
> >
> > 73 de Gabriel YV5KXE-4M5G
> > www.yv5kxe.org
> >
>

Yahoo! Groups Links

972. Re: PEPro Buffer error

Yahoo group: agwpe_pro
Date: 2008-12-24 16:33:12 UTC
From: gabtrop
Topic: 965 Message: 972

Hello Ralph KC2RLM, sorry but have the same problem, the
only "temporally solution" was uninstalling PE Pro and install the
free version of AGW, this last work ok wit my XP.

Hope will come any solution with PE PRO to install it again.

73 de Gabriel YV5KXE-4M5G
www.yv5kxe.org

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...>
wrote:
>
> I think someone, Gabriel YV5KXE?, reported he solved the problem by
> uninstalling/reinstalling PE Pro.
>
> Make sure to save your registration key (if you have one) in case
you need
> it for the reinstall (although I think you won't need it).
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
On Behalf
> Of Jerald Josephs
> Sent: Monday, December 15, 2008 2:06 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: PEPro Buffer error
>
> I too have just encountered this same error.
> I am new to setting up APRS and I just used PEPro with UI-View for
the
> first time last Friday in a test run.
>
> It worked fine until I decided to disable TCP/IP in PEPro because I
> was unable to connect to a WLAN and I thought maybe PEPro was
> interfering with the TCP/IP stack.
>
> I researched the recent Microsoft Updates applied to my XP
> Professional SP-2 laptop released in December and November and not
one
> of them touch ntdll.dll.
>
> I tried enabling debug logging, but I have not yet located the log
> file. I went poking around in the obvious places, but I haven't yet
> done a disk-wide search. (I'm not currently with my system).

>
> Jerald, KI6OIF
>
>
> --- In agwpe_pro@yahoogroups.com, "kz6oscar" <lrahnz@> wrote:
> >
> > I have a similar problem with Windows XP Pro. Worked fine
initially,
> > then the errors started, seemingly after one of the constant flow
of
> > security updates. I just rebuilt my hardisk on a laptop and
installed
> > PEPro before any other software and had the problem.
> >
> > Logan, KZ6O
> >
> >
> > --- In agwpe_pro@yahoogroups.com, "gabtrop" <gmedinas@> wrote:
> > >
> > > Hello all, with change to a new computer Intel PIV 2.0 with
512MB,
> > > the new Packet Engine Pro have a error:
> > >
> > > 1) Start PEpro alone and work ok with 2 TNC ports COM 1/2 and
all
> > > fine.
> > > 2) When run any program later with PEPro (SpiderCluster, FBB,
> > > AGWMonitor) the PEPro software stop with error:
> > >
> > > AppName: packet engine pro.exe
> > > AppVer: 2007.1.1.7
> > > ModName: ntdll.dll
> > > ModVer: 5.1.2600 5512
> > > Offset: 0001b1fa
> > >
> > > In this forum see a friends with same errors and fix it with
TCP port
> > > change from 8000 to 8010, WinXP Firewall shutdown (make
exception
> > > lists), etc. any of this dont work to me, same error.
> > >
> > > Any help, or ideas?
> > >
> > > Thanks to all
> > >
> > > 73 de Gabriel YV5KXE-4M5G
> > > www.yv5kxe.org
> > >
> >
>

```
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
```

974. key code

Yahoo group: agwpe_pro
Date: 2009-01-03 14:30:29 UTC
From: Don Kelley
Topic: 974 Message: 974

George,
I too need a key code to get my application going please. My details follow:

key for pe pro

GW5VN-Q5MHS-6GSN3-ZHA5Y-2M37P-BXGKP-DGH69-VQQBX-GTTVU-3VMPX-WYYND-DGNAB

registration key code

GIYVG-NBVNS-YYEPT-ZG2YV-ANVBG-7TGN3-MFNS2-GGN2AB

I will be using call NNA7MO which is a MARS call.
My ham call is N0ET
Thanks in advance,
Don

[Non-text portions of this message have been removed]

975. Re: Dual Port Problems

Yahoo group: agwpe_pro
Date: 2009-01-11 02:07:26 UTC
From: doug_tara2005
Topic: 945 Message: 975

Hi,

I still have this problem.

I have two computers I'm trying to get Dual Port to work on. Both computers are Mini-ITX motherboards (one is a CL and the other is M10000). One motherboard has an onboard VT1616 chipset sound card and the other has an onboard VT1612A chipset sound card. Both are running AC'97 WDM Drivers for W2K. One of the computers has an extra sound card in it. It's a Creative Labs Sound Blaster Audigy sound card.

Right now I have single port working on the Audigy. When I reconfigure it for Dual port operation, both ports report the same data as it comes in on Port 1. When I hook up a radio to Port 2, nothing happens. No data is received.

I can't get anything to work with the AC'97 sound cards. I think it's because the AC'97 sound cards might be half duplex sound cards. However other sound card applications work fine with the AC'97 sound cards (Multipsk and TrueTTY).

This is what I'm trying to do. Using the Audigy. I'd like Port #1 is be APRS and Port #2 on my local DX Cluster. I'll use the AC'97 sound card for HF using Multipsk. I'll use an A/B switch to switch over the DTS/RTS.

Any assistance would be greatly appreciated!

--73 de Doug (N1OBU) Grid FN31

--- In agwpe_pro@yahoogroups.com, John Barrett <ke5crp1@...> wrote:
>
> I've got a pair of ICOM 2100H radios that I'm attempting to
configure
> for APRS and Winlink, and while I have had no problem getting the
first
> channel to work with UIView, the second channel has given me the
> following problems:
>
> 1. when I try to change the 2nd port friendly name to WINLINK,
AGWPE/Pro
> crashes when I restart, requiring me to manually delete the radio
port
> ini files and start over
>
> 2. on one attempt where I did not change the friendly name, PacLink

> showed 2 channels, but both were named APRS, and no matter which I
> selected, the APRS radio was keyed when I attempted to connect to
the
> telpac remote server. I havent yet been able to get the 2nd radio
to key.
>
>
> I'm using a home brew optoisolated keying circuit off of COM1 for
both
> radios, as suggested in the documentation.
>
> Any help appreciated !!!
>

976. Follow up...Re: Dual Port Problems

Yahoo group: agwpe_pro
Date: 2009-01-13 19:39:39 UTC
From: doug_tara2005
Topic: 945 Message: 976

Hi,

Here is an update. I have verified proper sound coming into my sound card. I played music from my ipod into my sound card's line-in. I used Audacity sound editor to visually see the left and right channels were working correctly. I then switched to a stereo to mono cable and continued to verify the left and right channel were operating properly. Everything is normal.

I then hooked up APRS on the left channel and watched Audacity to verify audio was going to the left channel. I then switched APRS to the right channel. Everything is normal.

I start and configure AGW Packet Engine Software. When I use the tuning aid, I see audio across both channels. I adjust the audio to a normal level, but data comes across both channels. I see this data in AGW Monitor. The port information is represented by a 1: and 2:

As this point, I don't think my sound card or cabling is faulty. I think I've possibily found a bug in the software. Once again, I'm using two seperate computers. Both are Mini-ITX motherboards. One has a VT1616 sound card and the other has a VT1612A. Windows calls them both an AC'97 WDM sound card. One computer has a sound blaster audigy SE sound card in it. I'm currently running APRS with the audigy in single port mode. Everything in single port is normal.

Once again, any assistance would be greatly appreciated.

--73 de Doug (N1OBU)

--- In agwpe_pro@yahoogroups.com, "doug_tara2005" <doug_tara2005@...>
wrote:
>
> Hi,
>
> I still have this problem.
>
> I have two computers I'm trying to get Dual Port to work on.
Both
> computers are Mini-ITX motherboards (one is a CL and the other is
> M10000). One motherboard has an onboard VT1616 chipset sound card
> and the other has an onboard VT1612A chipset sound card. Both are
> running AC'97 WDM Drivers for W2K. One of the computers has an
extra
> sound card in it. It's a Creative Labs Sound Blaster Audigy sound
> card.
>

> Right now I have single port working on the Audigy. When I
> reconfigure it for Dual port operation, both ports report the same
> data as it comes in on Port 1. When I hook up a radio to Port 2,
> nothing happens. No data is received.
>
> I can't get anything to work with the AC'97 sound cards. I think
> it's because the AC'97 sound cards might be half duplex sound
cards.
> However other sound card applications work fine with the AC'97
sound
> cards (Multipsk and TrueTTY).
>
> This is what I'm trying to do. Using the Audigy. I'd like Port
#1
> is be APRS and Port #2 on my local DX Cluster. I'll use the AC'97
> sound card for HF using Multipsk. I'll use an A/B switch to switch
> over the DTS/RTS.
>
> Any assistance would be greatly appreciated!
>
> --73 de Doug (N1OBU) Grid FN31
>
> --- In agwpe_pro@yahoogroups.com, John Barrett <ke5crp1@> wrote:
> >
> > I've got a pair of ICOM 2100H radios that I'm attempting to
> configure
> > for APRS and Winlink, and while I have had no problem getting the
> first
> > channel to work with UIView, the second channel has given me the
> > following problems:
> >
> > 1. when I try to change the 2nd port friendly name to WINLINK,
> AGWPE/Pro
> > crashes when I restart, requiring me to manually delete the radio
> port
> > ini files and start over
> >
> > 2. on one attempt where I did not change the friendly name,
PacLink
> > showed 2 channels, but both were named APRS, and no matter which I
> > selected, the APRS radio was keyed when I attempted to connect to
> the
> > telpac remote server. I havent yet been able to get the 2nd radio
> to key.
> >
> >
> > I'm using a home brew optoisolated keying circuit off of COM1 for
> both
> > radios, as suggested in the documentation.
> >

> > Any help appreciated !!!
> >
>

977. HERE WE GO AGAIN

Yahoo group: agwpe_pro
Date: 2009-01-23 23:56:58 UTC
From: ke7ego
Topic: 977 Message: 977

Hi George..
Don't know what happened but the program started to show me as unregistered....I uninstalled it from the laptop and put it on a different machine...here is the key to send from the new install..

HE5YK-QVMPW-7YSN5-FGFSW-AM37N-26GKP-B6IE8-DQQDI-GN7VI-QBXHS-5Y4N3-UG2AB

Thanks
Jay

978. RE: [agwpe_pro] HERE WE GO AGAIN

Yahoo group: agwpe_pro
Date: 2009-01-24 17:10:06 UTC
From: (SV2AGW) George Rossopoulos
Topic: 977 Message: 978

Hi Jay

The serial is
H66GK-PMMNN-6Y2ND-DGJVD-2NTXN-S5GYM-35IA8-V8MVF-GN8DK-QBXHS-5Y4N3-UG2AB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ke7ego
> Sent: Saturday, January 24, 2009 1:57 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] HERE WE GO AGAIN
>
> Hi George..
> Don't know what happened but the program started to show me as
> unregistered....I uninstalled it from the laptop and put it on a
> different machine...here is the key to send from the new install..
>
> HE5YK-QVMPW-7YSN5-FGFSW-AM37N-26GKP-B6IE8-DQQDI-GN7VI-QBXHS-5Y4N3-UG2AB
>
> Thanks
> Jay
>
>
>
>

979. Need new registration code please

Yahoo group: agwpe_pro
Date: 2009-01-28 15:38:45 UTC
From: aroyo37
Topic: 979 Message: 979

Hi George!
I've reinstalled my PEPro on another laptop. I need a new registration code please. Here is the Key to Send:

HFUYK-5MNQF-VYSN3-YNS3G-YM37N-26GIP-DGHFA-VUQDM-HN6GN-RBYPP-XDQPT-ZG6AB

Many thanks!
Ben Acton, AA3XH

980. No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-02-02 05:40:37 UTC
From: caspar3259
Topic: 980 Message: 980

Here are the specs:

PEPRO 2007.514
Windows Vista 64-bit
Signalink USB
UI-View32

Problem: I can receive just fine. However, if I try to transmit, I see the red indicator at the bottom-left turn on, but my SL-USB does not transmit.

I believe I have narrowed it down to PEPRO not sending audio to the SL-USB sound card because I can trigger the SL-USB to transmit from the windows sound card speaker property window. (If I click the test sound button, the SL-USB goes into transmit) This tells me that windows knows how to send audio to the correct place.

I find it curious that when I config the radio port I can see an entry for the SL-USB as "Microphone (USB Audio CODEC)", but where do I tell PEPRO what sound card to use for sending? Perhaps it uses the same one that is used for receiving, but I did not read that anywhere.

I tried turning on logging, but did not notice anything meaningful (to me anyway).

I have been able to successfully transmit using Flex32 (at least with the test PTT button), so I don't think the problem is in the SL-USB.

Is there any way to tell where PEPRO is sending the output audio?

Thanks for any and all help!

-Jeff

981. RE: [agwpe_pro] No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-02-03 17:55:08 UTC
From: Ralph Milnes
Topic: 980 Message: 981

Jeff,

Yes, PE Pro uses the same card for transmit as for receive.

You could try plugging a speaker into the various sound card output jacks, front and back, then telling PE Pro to transmit and listen for packet "braps" on the speaker.

Keep us posted. It sounds like several users are interested in a solution.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of caspar3259
Sent: Monday, February 02, 2009 12:41 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] No Output to Sound Card?

Here are the specs:

PEPRO 2007.514
Windows Vista 64-bit
Signalink USB
UI-View32

Problem: I can receive just fine. However, if I try to transmit, I see the red indicator at the bottom-left turn on, but my SL-USB does not transmit.

I believe I have narrowed it down to PEPRO not sending audio to the SL-USB sound card because I can trigger the SL-USB to transmit from the windows sound card speaker property window. (If I click the test sound button, the SL-USB goes into transmit) This tells me that windows knows how to send audio to the correct place.

I find it curious that when I config the radio port I can see an entry for the SL-USB as "Microphone (USB Audio CODEC)", but where do I tell PEPRO what sound card to use for sending? Perhaps it uses the same one that is used for receiving, but I did not read that anywhere.

I tried turning on logging, but did not notice anything meaningful (to me anyway).

I have been able to successfully transmit using Flex32 (at least with the test PTT button), so I don't think the problem is in the SL-USB.

Is there any way to tell where PEPRO is sending the output audio?

Thanks for any and all help!

-Jeff

Yahoo! Groups Links

982. Re: [agwpe_pro] No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-02-03 18:36:42 UTC
From: Jack Spitznagel
Topic: 980 Message: 982

Jeff,

I have no problem with PE-Pro and Vista 32 (Business) on a laptop. AGWTracker, the SignaLink, and a Yaesu FT 817 have made a nice real time display mobile tracker set up in the car. As Ralph points out, selecting the USB Sound device input will also select that device as the output. That being said, Vista (particularly Vista 64) has been plagued with some soundcard driver oddities that have interfered with device enumeration and selection in programs that use sound cards to generate various kinds of audio signals.

Suggestions:

* Make sure you have the very latest sound drivers for *all* sound devices you are using.
* Use a communications program like WinWarbler that will show all sound input and output devices and the associated handles to make sure they are being recognized properly by the system and in the correct order.
* Like Ralph said, your SL-USB has a monitor and speaker jacks that can be used to directly listen to the soundcard output. Plug in a speaker or phones. Your SL-USB should generate exactly the same sound as your soundcard when it is configured in PE-Pro.
* Try configuring both your internal sound card and the SL-USB as separate devices in PE-Pro.You should hear them both generate the typical packet sounds when configured to transmit in UI-View (you should be able to select multiple "TNC's" in UI-View - I don't use it so I don't know). You can also run this test with AGWTerm if you want a little more direct control of what you are "transmitting" over each interface. It might save you a bunch of configuring in UI-View

Do let us know what you find.

Jack - kd4iz

983. Re: [agwpe_pro] No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-02-03 23:44:10 UTC
From: Jerald Josephs
Topic: 980 Message: 983

I have the same setup, but with WinXP Pro.
I first attach the SL-USB to the system before I start PEPro.
I then configure the audio on my laptop so that the system is using the
internal sound card. I don't want system sounds to go out to my radio.

Using the Radio Port Manager, I select the SL-USB as my audio device.

Jerald

On Tue, Feb 3, 2009 at 9:55 AM, Ralph Milnes <ralphmilnes@...> wrote:

> Jeff,
>
> Yes, PE Pro uses the same card for transmit as for receive.
>
> You could try plugging a speaker into the various sound card output jacks,
> front and back, then telling PE Pro to transmit and listen for packet
> "braps" on the speaker.
>
> Keep us posted. It sounds like several users are interested in a solution.
>
> Ralph KC2RLM
>
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com> [mailto:
> agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>] On Behalf
> Of caspar3259
> Sent: Monday, February 02, 2009 12:41 AM
> To: agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] No Output to Sound Card?
>
> Here are the specs:
>
> PEPRO 2007.514
> Windows Vista 64-bit
> Signalink USB
> UI-View32
>
> Problem: I can receive just fine. However, if I try to transmit, I see
> the red indicator at the bottom-left turn on, but my SL-USB does not
> transmit.
>
> I believe I have narrowed it down to PEPRO not sending audio to the
> SL-USB sound card because I can trigger the SL-USB to transmit from
> the windows sound card speaker property window. (If I click the test

> sound button, the SL-USB goes into transmit) This tells me that
> windows knows how to send audio to the correct place.
>
> I find it curious that when I config the radio port I can see an entry
> for the SL-USB as "Microphone (USB Audio CODEC)", but where do I tell
> PEPRO what sound card to use for sending? Perhaps it uses the same one
> that is used for receiving, but I did not read that anywhere.
>
> I tried turning on logging, but did not notice anything meaningful (to
> me anyway).
>
> I have been able to successfully transmit using Flex32 (at least with
> the test PTT button), so I don't think the problem is in the SL-USB.
>
> Is there any way to tell where PEPRO is sending the output audio?
>
> Thanks for any and all help!
>
> -Jeff
>
> ---
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

984. Re: No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-02-04 06:40:58 UTC
From: caspar3259
Topic: 980 Message: 984

Ahhh, yes, you were right. If I right-click on the speaker icon in the tray and look at the "Playback Devices" I can see it is sending audio out to another device. My system has 4 playback devices: HDMI output, Speakers, SPDIF, and USB Audio CODEC.

When I first checked this, it was sending audio to the SPDIF device. I then tried making the USB Audio CODEC the default *recording* device. After that change, the audio then went out to the speakers and I have not been able to get it to change again.

I tried disabling every device but the speakers, SL-USB input, and SL-USB output, but no luck. It still sends audio out to the speakers.

PEPRO seems confused about how to handle multiple audio devices and cannot choose the one selected for input in the Radio Port configuration.

I'll do some more searching online to see if I can find someone else with this problem (now that I know more details about it).

thanks for the suggestions,

-Jeff

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Jeff,
>
> Yes, PE Pro uses the same card for transmit as for receive.
>
> You could try plugging a speaker into the various sound card output jacks,
> front and back, then telling PE Pro to transmit and listen for packet
> "braps" on the speaker.
>
> Keep us posted. It sounds like several users are interested in a solution.
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of caspar3259
> Sent: Monday, February 02, 2009 12:41 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] No Output to Sound Card?
>

> Here are the specs:
>
> PEPRO 2007.514
> Windows Vista 64-bit
> Signalink USB
> UI-View32
>
> Problem: I can receive just fine. However, if I try to transmit, I see
> the red indicator at the bottom-left turn on, but my SL-USB does not
> transmit.
>
> I believe I have narrowed it down to PEPRO not sending audio to the
> SL-USB sound card because I can trigger the SL-USB to transmit from
> the windows sound card speaker property window. (If I click the test
> sound button, the SL-USB goes into transmit) This tells me that
> windows knows how to send audio to the correct place.
>
> I find it curious that when I config the radio port I can see an entry
> for the SL-USB as "Microphone (USB Audio CODEC)", but where do I tell
> PEPRO what sound card to use for sending? Perhaps it uses the same one
> that is used for receiving, but I did not read that anywhere.
>
> I tried turning on logging, but did not notice anything meaningful (to
> me anyway).
>
> I have been able to successfully transmit using Flex32 (at least with
> the test PTT button), so I don't think the problem is in the SL-USB.
>
> Is there any way to tell where PEPRO is sending the output audio?
>
> Thanks for any and all help!
>
> -Jeff
>
>
>
> ---
>
> Yahoo! Groups Links
>

985. Re: No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-02-04 07:09:18 UTC
From: caspar3259
Topic: 980 Message: 985

Update: I tried the suggestion from an older post about setting up 2 radio ports in PEPRO (1 for the SL-USB and 1 for the default sound card) and then deleting the non-SL-USB one.

For the time being, this seems to have worked. The SL-USB switched to Tx and the radio keyed up!

...now I just need to see if I'm getting out and if my APRS settings are working.

thanks,

-Jeff

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Jeff,
>
> Yes, PE Pro uses the same card for transmit as for receive.
>
> You could try plugging a speaker into the various sound card output jacks,
> front and back, then telling PE Pro to transmit and listen for packet
> "braps" on the speaker.
>
> Keep us posted. It sounds like several users are interested in a solution.
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of caspar3259
> Sent: Monday, February 02, 2009 12:41 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] No Output to Sound Card?
>
> Here are the specs:
>
> PEPRO 2007.514
> Windows Vista 64-bit
> Signalink USB
> UI-View32
>
> Problem: I can receive just fine. However, if I try to transmit, I see

> the red indicator at the bottom-left turn on, but my SL-USB does not
> transmit.
>
> I believe I have narrowed it down to PEPRO not sending audio to the
> SL-USB sound card because I can trigger the SL-USB to transmit from
> the windows sound card speaker property window. (If I click the test
> sound button, the SL-USB goes into transmit) This tells me that
> windows knows how to send audio to the correct place.
>
> I find it curious that when I config the radio port I can see an entry
> for the SL-USB as "Microphone (USB Audio CODEC)", but where do I tell
> PEPRO what sound card to use for sending? Perhaps it uses the same one
> that is used for receiving, but I did not read that anywhere.
>
> I tried turning on logging, but did not notice anything meaningful (to
> me anyway).
>
> I have been able to successfully transmit using Flex32 (at least with
> the test PTT button), so I don't think the problem is in the SL-USB.
>
> Is there any way to tell where PEPRO is sending the output audio?
>
> Thanks for any and all help!
>
> -Jeff
>
>
>
> ---
>
> Yahoo! Groups Links
>

986. KPC9612+ with add-on board

Yahoo group: agwpe_pro
Date: 2009-02-05 03:50:27 UTC
From: Phil - AD6NH
Topic: 986 Message: 986

Does anyone have a procedure for adding the 3rd port in Packet Engine PRO for a KPC9612+ TNC with an add-on board? I am not able to get a 3rd port added. I appreciate the help. Thanks!

73
Phil - AD6NH

987. pse sendme code

Yahoo group: agwpe_pro
Date: 2009-02-05 18:25:03 UTC
From: raul romero
Topic: 987 Message: 987

N65YQ-4B4HS-6D4N5-DN3UV-WM37H-25YUP-DFH67-VCQDM-HI3YK-QBYPP-VVSN5-DGEAB

tnx george

73 Raul
CE3SOC
CA3SOC

988. Re: KPC9612+ with add-on board

Yahoo group: agwpe_pro
Date: 2009-02-06 00:42:52 UTC
From: Phil - AD6NH
Topic: 986 Message: 988

Additional information... I was able to get a "third port" added, but it is not working 100%. By changing the KISSIDPORTx settings in the ini file, I was able to get UI-View to transmit on the three different ports. However, data coming on all three ports is only being received by AGWPE Pro on port 1. I'm missing something in the ini file that I need to change. This is what I have in the ini files:

```
agwpe.ini
[LANGUAGE]
LANGUAGE=1033
[VERSION]
MAJOR=2007
MINOR=514
[TNC]
GMT=0
MONITORFORMAT=0
ASKONEXIT=0
[MAIN]
PORTS=3
[MANAGER]
STATE=1
VIEW=1
[TCPIPINTERCONNECT]
ENABLE=1
PORT=14439
SECURITYLEVEL=1
LOG=0
[INTERPE]
ENABLE=1
PORTS=1
NAME=AD6NH
PORT=14509
[DEBUG]
TRACE=0
```

```
port0.ini
[TNC]
TYPE=KPC9612+
KISSSUBTYPE=KISS
INITKISS1=INTFACE KISS
INITKISS2=RESET
INITKISS3=
EXITKISS=1
KISSID=0
FREQUENCY=Local Packet 145.090
```

```
MULTIPORT=3
KISSIDPORT2=16
KISSIDPORT3=32
[COMMUNICATION]
PORT=COM6:
BAUD=38400
[DUALPORT]
SECONDPORT=3
MAINPORT=0
[SHARING]
SHARE=1
```

```
port1.ini
[DUALPORT]
SERIALPORT=DISABLE
SECONDPORT=2
MAINPORT=0
[TNC]
TYPE=KPC9612+
FREQUENCY=US APRS 144.390
KISSID=16
MULTIPORT=3
KISSSUBTYPE=KISS
[COMMUNICATION]
PORT=COM6:
BAUD=38400
[SHARING]
SHARE=0
```

```
port2.ini
[DUALPORT]
SERIALPORT=DISABLE
SECONDPORT=3
MAINPORT=0
[TNC]
TYPE=KPC9612+
FREQUENCY=US APRS 144.390
KISSID=32
MULTIPORT=3
KISSSUBTYPE=KISS
[COMMUNICATION]
PORT=COM6:
BAUD=38400
[SHARING]
SHARE=0
```

--- In agwpe_pro@yahoogroups.com, "Phil - AD6NH" <ad6nh_lists@...> wrote:
>
> Does anyone have a procedure for adding the 3rd port in Packet Engine
> PRO for a KPC9612+ TNC with an add-on board? I am not able to get a
> 3rd port added. I appreciate the help. Thanks!

>
> 73
> Phil - AD6NH
>

989. please send me a new code

Yahoo group: agwpe_pro
Date: 2009-02-15 22:52:00 UTC
From: Van Hoof Peter
Topic: 989 Message: 989

Can you please send me a new code
code to send:

G3UVS-SDNH2-9DUN3-YN7TV-YM37N-7VVUP-B7H7A-DQQB5-NS4YQ-PVHIE-5WAP5-CGSAB

73,

On4pvh , Peter Van Hoof

990. RE: [agwpe_pro] please send me a new code

Yahoo group: agwpe_pro
Date: 2009-02-16 08:37:59 UTC
From: (SV2AGW) George Rossopoulos
Topic: 989 Message: 990

Hi

The serial is
HTVDS-Q5NGS-8D4NB-WPBWD-QNTXN-XUV8M-36H3A-V8MT2-NS5GS-PVHIE-5WAP5-CGSAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of Van Hoof Peter
> Sent: Monday, February 16, 2009 12:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] please send me a new code
>
> Can you please send me a new code
> code to send:
>
> G3UVS-SDNH2-9DUN3-YN7TV-YM37N-7VVUP-B7H7A-DQQB5-NS4YQ-PVHIE-5WAP5-CGSAB
>
> 73,
>
> On4pvh , Peter Van Hoof
>
>
>
>

991. Need new Reg. Key also!

Yahoo group: agwpe_pro
Date: 2009-02-21 20:49:36 UTC
From: Gary Oaks
Topic: 991 Message: 991

Greetings, just changed to a different computer and need a new reg.
key, Thanks.

NN6VG-5MMP7-VDWN5-GG3UY-WM37N-27VGP-DGIJA-VQQB8-PBWDG-RJ6HS-7GSPV-CN2AB

73,
Gary - KB9VGD

992. RE: [agwpe_pro] Need new Reg. Key also!

Yahoo group: agwpe_pro
Date: 2009-02-26 19:09:16 UTC
From: (SV2AGW) George Rossopoulos
Topic: 991 Message: 992

Hi Gary

The serial is
PE7DG-4DMNX-UD6ND-EG7XG-NNTXN-S6VUM-5FIFB-D8MT5-PBWVI-RJ6HS-7GSPV-CN2AB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of Gary Oaks
> Sent: Saturday, February 21, 2009 10:50 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new Reg. Key also!
>
> Greetings, just changed to a different computer and need a new reg.
> key, Thanks.
>
> NN6VG-5MMP7-VDWN5-GG3UY-WM37N-27VGP-DGIJA-VQQB8-PBWDG-RJ6HS-7GSPV-CN2AB
>
> 73,
> Gary - KB9VGD
>
>
>
>

993. Need new Reg, new key

Yahoo group: agwpe_pro
Date: 2009-03-02 10:53:19 UTC
From: gabtrop
Topic: 993 Message: 993

Hello George, I want probe a new computer with the PEPro, my old one dont work for the ntdll.dll buffer problem with tcp, you may help me with new one:

HA4YK-45KP2-8GWN5-GG23D-YM37P-PWDQP-DGP68-VWQDG-N3UVG-PB6H2-8G2PT-UNNAB

Thanks
Gabriel Medinas
YV5KXE-4M5G
www.yv5kxe.org

994. New key Please

Yahoo group: agwpe_pro
Date: 2009-03-05 23:34:05 UTC
From: Gus
Topic: 994 Message: 994

Hello George,

It was time to throw away my laptop hard drive and start over. Could I get a new registration please?

Thanks,

Gus Treewater
VE7GTC

995. RE: [agwpe_pro] New key Please

Yahoo group: agwpe_pro
Date: 2009-03-06 09:54:36 UTC
From: (SV2AGW) George Rossopoulos
Topic: 994 Message: 995

Hi Gus

Yes if you send me the "Key to send"

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of Gus
> Sent: Friday, March 06, 2009 1:34 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New key Please
>
> Hello George,
>
> It was time to throw away my laptop hard drive and start over. Could I get
a
> new registration please?
>
> Thanks,
>
> Gus Treewater
> VE7GTC
>
>
>
>

996. Re: New key Please

Yahoo group: agwpe_pro
Date: 2009-03-06 17:30:58 UTC
From: Gus
Topic: 994 Message: 996

Hi George,

That was certainly stupid of me! I forgot to send it:

N24DN-SB2II-7GYN3-XGS3V-8M37N-7XD2P-DGH7A-DCQB3-GN3GI-4MHH6-7YW3M-GNNAB

Gus VE7GTC

>
> Hi Gus
>
> Yes if you send me the "Key to send"
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>

997. Re: No Output to Sound Card?

Yahoo group: agwpe_pro
Date: 2009-03-08 18:26:59 UTC
From: r_vanzon
Topic: 980 Message: 997

Since July 2007 I have (had) the same kind of trouble with soundcards, although various problems were solved, some remained. Even with the beta version 2007.710 George did send me.

After a lot of experimenting I found out it works if you do some manual setting of the systems audio sliders.....
(quote)
I can use the PE for I/O to WinAPRS and AGWterm on the laptop through
both soundcards.
I have to set the audio in- and out levels manual through the WinXP
interface. (PEPro audio interface does not work...yet..) Radioport1=
External USB Soundcard, Radioport2= Internal Soundmax. (active) PTT is
working through LPT1.
So for 'daily use' (APRS/BBS) it works.
(unquote)

In response to this George wrote to me:
Hi Rene
>
> I will fix the audio levels in next version.

So I am still waiting for a version that fixes it.....

René van Zon

998. Radio port manager problem

Yahoo group: agwpe_pro
Date: 2009-03-08 20:12:44 UTC
From: weissje75
Topic: 998 Message: 998

Hello All

Program Status says I have 34 radio ports. When I look under radio port manager it is blank. I am not able to add a radio port. I have uninstalled the program a couple of times, but it shows the same thing when I re-install the program.

Any Ideas?

Thanks, Jim WA7JEW

999. Pro Crashing

Yahoo group: agwpe_pro
Date: 2009-03-28 03:46:55 UTC
From: ekimyerac
Topic: 999 Message: 999

Hi,

I am getting a Mod Name: ntdll.dll modver 5.1.2600.5512 error as the program tells me its quitting.

I was working quite well on my Dell 4150, XP Home, and my USB Signalink.

Any ideas? I did download a new dll and even check my registry.

Runs for 30 sec to a min and then tells me it is shutting down.

Thanks,

Mike

1000. Key request

Yahoo group: agwpe_pro
Date: 2009-03-18 07:16:23 UTC
From: epa808
Topic: 1000 Message: 1000

Hi Georges,

Here is my new installation code request after a PC Crash.
GI3GG-Q36HT-VVUN3-VG23G-WM37P-E7VWP-B7PN8-DWQDI-G7UYG-RJ2P2-7D8QJ-YGEAB

Callsign: F4FMQ

Would you mind send me a new key please ?

Best regards de Michel.

1001. Re: Pro Crashing

Yahoo group: agwpe_pro
Date: 2009-03-28 20:45:15 UTC
From: kz6oscar
Topic: 999 Message: 1001

I had this problem, as well. It was recommended on this group to just reinstall Pro over the top of the current one. I did and the problem cleared up.

Hope this helps
73
Logan, KZ6O

--- In agwpe_pro@yahoogroups.com, "ekimyerac" <ekimyerac@...> wrote:
>
> Hi,
>
> I am getting a Mod Name: ntdll.dll modver 5.1.2600.5512 error as the program tells me its quitting.
>
> I was working quite well on my Dell 4150, XP Home, and my USB Signalink.
>
> Any ideas? I did download a new dll and even check my registry.
>
> Runs for 30 sec to a min and then tells me it is shutting down.
>
> Thanks,
>
> Mike
>

1002. RE: [agwpe_pro] Key request

Yahoo group: agwpe_pro
Date: 2009-03-30 10:29:38 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1000 Message: 1002

Hi Michel

The serial is
HA3YG-PT6GJ-UV4NB-TG65Y-NNTXN-66WAM-36PI8-WEMVF-G7VGI-RJ2P2-7D8QJ-YGEAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of epa808
> Sent: Wednesday, March 18, 2009 9:16 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Key request
>
> Hi Georges,
>
> Here is my new installation code request after a PC Crash.
> GI3GG-Q36HT-VVUN3-VG23G-WM37P-E7VWP-B7PN8-DWQDI-G7UYG-RJ2P2-7D8QJ-YGEAB
>
> Callsign: F4FMQ
>
> Would you mind send me a new key please ?
>
> Best regards de Michel.
>
>
>
>

1003. need a new license key

Yahoo group: agwpe_pro
Date: 2009-03-29 18:44:32 UTC
From: n3hu
Topic: 1003 Message: 1003

George,

Recently updated my computer. Apologies for the direct e-mail.
I didn't realize you sent keys through the forum.

Key to send is:

G26VQ-4B8H6-5DNN3-VHA3V-4M37H-N6VSP-DFHTZ-GIQB4-G67GQ-QJ3P2-6YYQD-GGIAB

tia
rob
n3hu

1004. Re: [agwpe_pro] Re: Pro Crashing

Yahoo group: agwpe_pro
Date: 2009-03-31 21:44:27 UTC
From: Jerald Josephs
Topic: 999 Message: 1004

I continuously encountered this until I disabled TCP/IP in the app.

Best regards,
Jerald, KI6OIF

On Sat, Mar 28, 2009 at 1:45 PM, kz6oscar <lrahnz@...> wrote:

> I had this problem, as well. It was recommended on this group to just
> reinstall Pro over the top of the current one. I did and the problem cleared
> up.
>
> Hope this helps
> 73
> Logan, KZ6O
>
>
> --- In agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>,
> "ekimyerac" <ekimyerac@...> wrote:
> >
> > Hi,
> >
> > I am getting a Mod Name: ntdll.dll modver 5.1.2600.5512 error as the
> program tells me its quitting.
> >
> > I was working quite well on my Dell 4150, XP Home, and my USB Signalink.
> >
> > Any ideas? I did download a new dll and even check my registry.
> >
> > Runs for 30 sec to a min and then tells me it is shutting down.
> >
> > Thanks,
> >
> > Mike
> >
>
>
>

[Non-text portions of this message have been removed]

1005. PK-232MBX transmits ok but doesn't receive using AGWPE_PRO (or AGWPE)

Yahoo group: agwpe_pro
Date: 2009-04-01 15:57:13 UTC
From: k1acl
Topic: 1005 Message: 1005

I've had 3 computers running AGWPE PRO with no problems. On one computer I had to reformat hard drive and start over. Ever since I've had this problem. Tnc seems to configure fine, but will not receive. If I try to connect to another station, they show connected, but I time out as there is no receive on this end. I can see the received packet on the xcvr and the PK-232 decode light comes on, but does not get acknowledged. I'm baffled. I tried the free version and get same results.

The TNC works fine using Hyperterminal and any software not using AGW software. Any suggestions?

Fred, K1ACL

1006. Re: Pro Crashing

Yahoo group: agwpe_pro
Date: 2009-04-05 00:34:02 UTC
From: gabtrop
Topic: 999 Message: 1006

Hello Logan, I try to reinstall the application but the instaler ask about reinstall (option 1) or uninstall (option 2), applied the option 1 and then run the software but the problem dont fix same ntdll.dll error.

Meanwhile, I use the free version AGW to run my Spider, FBB, UI-View and others server apps that dont work with AGWPro... I hope George have a time to fix this bug in AGPro-XP TCP malfuntion. Still wait for any celestial solution others many months.

This is not a general error (XP´s running well agwpepro) is into many computers that have a unknown and special situation with its TCP platform, right George?

73 de Gabriel YV5KXE-4M5G
www.yv5kxe.org

--- In agwpe_pro@yahoogroups.com, "kz6oscar" <lrahnz@...> wrote:
>
> I had this problem, as well. It was recommended on this group to just reinstall Pro over the top of the current one. I did and the problem cleared up.
>
> Hope this helps
> 73
> Logan, KZ6O
>
> --- In agwpe_pro@yahoogroups.com, "ekimyerac" <ekimyerac@> wrote:
> >
> > Hi,
> >
> > I am getting a Mod Name: ntdll.dll modver 5.1.2600.5512 error as the program tells me its quitting.
> >
> > I was working quite well on my Dell 4150, XP Home, and my USB Signalink.
> >
> > Any ideas? I did download a new dll and even check my registry.
> >
> > Runs for 30 sec to a min and then tells me it is shutting down.
> >
> > Thanks,
> >
> > Mike
> >
>

1007. FBBS / HamServ

Yahoo group: agwpe_pro
Date: 2009-04-03 10:24:17 UTC
From: nov0ale
Topic: 1007 Message: 1007

Hi, I've been looking around but haven't found any recent information on how to configure f6fbbs (v7 for windows) or hamserv with packet engine pro.

I'm trying to emulate a hardware TNC to work with FBBS, or a similar bbs software package. If anyone has any information at all, howtos, primers, a point in the right direction, etc it would be greatly appreciated. Thanks!

Chris

1008. Re: [agwpe_pro] FBBS / HamServ

Yahoo group: agwpe_pro
Date: 2009-04-05 06:20:29 UTC
From: KG5KS - Kenny Thompson
Topic: 1007 Message: 1008

I use bpq32 with fbbs software along with rms packet. Contact me off list.

Thank you
73
Kenny
ARS KG5KS

From: nov0ale <nov0ale@...>
To: agwpe_pro@yahoogroups.com
Sent: Friday, April 3, 2009 4:24:17 AM
Subject: [agwpe_pro] FBBS / HamServ

Hi, I've been looking around but haven't found any recent information on how to configure f6fbbs (v7 for windows) or hamserv with packet engine pro.

I'm trying to emulate a hardware TNC to work with FBBS, or a similar bbs software package. If anyone has any information at all, howtos, primers, a point in the right direction, etc it would be greatly appreciated. Thanks!

Chris

[Non-text portions of this message have been removed]

1009. Re-Send Key Please

Yahoo group: agwpe_pro
Date: 2009-04-05 23:06:38 UTC
From: eturkowski
Topic: 1009 Message: 1009

HE6DQ-RMMIS-8DQN3-XN24V-YM37H-N6V2P-B7H28-DKQDM-GS4YN-QJ8H6-4GSQD-DGAAB

Call sign N2KVZ. Computer dead, lost old key, please provide if possible. Thank you in advance for your assistance.
Ed, N2KVZ

1010. RE: [agwpe_pro] FBBS / HamServ

Yahoo group: agwpe_pro
Date: 2009-04-06 17:11:59 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1007 Message: 1010

Hi Chris

Search the sv2agw mailing list http://groups.yahoo.com/group/SV2AGW/
For FBB
You will find step by step instructions .

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of nov0ale
> Sent: Friday, April 03, 2009 1:24 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] FBBS / HamServ
>
> Hi, I've been looking around but haven't found any recent information on
how
> to configure f6fbbs (v7 for windows) or hamserv with packet engine pro.
>
> I'm trying to emulate a hardware TNC to work with FBBS, or a similar bbs
> software package. If anyone has any information at all, howtos, primers, a
> point in the right direction, etc it would be greatly appreciated. Thanks!
>
> Chris
>
>
>
>

1011. RE: [agwpe_pro] Re-Send Key Please

Yahoo group: agwpe_pro
Date: 2009-04-06 17:12:23 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1009 Message: 1011

Hi Ed

The serial is
H66VQ-QDMHI-7DYNB-VN67D-QNTXH-E5WEM-36HW8-V4MVI-GS5GQ-QJ8H6-4GSQD-DGAAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of eturkowski
> Sent: Monday, April 06, 2009 2:07 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re-Send Key Please
>
> HE6DQ-RMMIS-8DQN3-XN24V-YM37H-N6V2P-B7H28-DKQDM-GS4YN-QJ8H6-4GSQD-DGAAB
>
> Call sign N2KVZ. Computer dead, lost old key, please provide if possible.
> Thank you in advance for your assistance.
> Ed, N2KVZ
>
>
>
>

1012. RE: [agwpe_pro] FBBS / HamServ

Yahoo group: agwpe_pro
Date: 2009-04-07 00:56:36 UTC
From: Ralph Milnes
Topic: 1007 Message: 1012

Try this page:
http://kc2rlm.info/soundcardpacket/7FBB.htm

These are instructions written by Art Bertheaume N9ZZK which I host on my web site.

If you try them, let me know how they work, please.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of nov0ale
Sent: Friday, April 03, 2009 3:24 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] FBBS / HamServ

Hi, I've been looking around but haven't found any recent information on how to configure f6fbbs (v7 for windows) or hamserv with packet engine pro.

I'm trying to emulate a hardware TNC to work with FBBS, or a similar bbs software package. If anyone has any information at all, howtos, primers, a point in the right direction, etc it would be greatly appreciated. Thanks!

Chris

Yahoo! Groups Links

1013. Can Pe Pro start minimized?

Yahoo group: agwpe_pro
Date: 2009-04-09 09:13:10 UTC
From: ricoo_st
Topic: 1013 Message: 1013

```
I want to PePro start minimized.
I cant find that option?
73
```

1014. Re: Can Pe Pro start minimized?

Yahoo group: agwpe_pro
Date: 2009-04-10 12:43:29 UTC
From: abertheaume
Topic: 1013 Message: 1014

AGW will start minimized by closing iwhen it is minimized. (ie: right click on the AGW icon in your system trya and choose exit)

AGW always starts in the mode in which it was last closed.

73
Art, N9ZZK

-- In agwpe_pro@yahoogroups.com, "ricoo_st" <zeljko@...> wrote:
>
> I want to PePro start minimized.
> I cant find that option?
> 73
>

1015. Need key code

Yahoo group: agwpe_pro
Date: 2009-04-15 00:44:35 UTC
From: kb9wzm@ymail.com
Topic: 1015 Message: 1015

Had to reinstall my operating system. The key I had no longer works.

Call: KB9WZM
code to send: 6:e;j=5f3817m/=<8<4f9=18j2c:ihng?0b4

Can you send if possible.

Thanks,
Chuck Christison
KB9WZM
KB9WZM@...

1016. New reg key

Yahoo group: agwpe_pro
Date: 2009-04-14 19:41:34 UTC
From: g7jur
Topic: 1016 Message: 1016

Hi George.

Could I please have a new reg key. I had to do a new windows install.

PA6GG-4DPIE-5V2N3-3N7TG-WM37N-29GUP-DFPI9-VNQB5-GN4DY-QJ3PP-UVS2M-CGNAB

Many thanks Philip g7jur.

1017. RE: [agwpe_pro] New reg key

Yahoo group: agwpe_pro
Date: 2009-04-16 06:56:09 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1016 Message: 1017

Hi Philip

The serial is
P26YG-25PG6-4WANB-ZPBVY-NNTXN-S8G8M-5EPFA-D6MT2-GN4V2-QJ3PP-UVS2M-CGNAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of g7jur
> Sent: Tuesday, April 14, 2009 10:42 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New reg key
>
>
>
> Hi George.
>
> Could I please have a new reg key. I had to do a new windows install.
>
> PA6GG-4DPIE-5V2N3-3N7TG-WM37N-29GUP-DFPI9-VNQB5-GN4DY-QJ3PP-UVS2M-CGNAB
>
> Many thanks Philip g7jur.
>
>
>
>

1018. RE: [agwpe_pro] Need key code

Yahoo group: agwpe_pro
Date: 2009-04-16 06:57:38 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1015 Message: 1018

Hi Chuck

You have a very old version PSE install the latest from www.sv2agw.com
downloads section and send me the new "Key to Send"

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of kb9wzm@...
> Sent: Wednesday, April 15, 2009 3:45 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need key code
>
>
>
> Had to reinstall my operating system. The key I had no longer works.
>
> Call: KB9WZM
> code to send: 6:e;j=5f3817m/=<8<4f9=18j2c:ihng?0b4
>
> Can you send if possible.
>
> Thanks,
> Chuck Christison
> KB9WZM
> KB9WZM@... <mailto:KB9WZM%40gmail.com>
>
>
>
>

1019. Re: Need key code

Yahoo group: agwpe_pro
Date: 2009-04-17 00:37:52 UTC
From: kb9wzm@ymail.com
Topic: 1015 Message: 1019

George,
I down loaded your latest version. The key to send is
G27GK-Q5KHW-4YNN3-2GE5Y-4M37H-S6D2P-DGHE8-VCQDK-GJTVW-4MIP3-VV8ND-CGSAB

Thanks for your assistance.

Chuck
KB9WZM

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Chuck
>
> You have a very old version PSE install the latest from www.sv2agw.com
> downloads section and send me the new "Key to Send"
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of kb9wzm@...
> > Sent: Wednesday, April 15, 2009 3:45 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Need key code
> >
> >
> >
> > Had to reinstall my operating system. The key I had no longer works.
> >
> > Call: KB9WZM
> > code to send: 6:e;j=5f3817m/=<8<4f9=18j2c:ihng?0b4
> >
> > Can you send if possible.
> >
> > Thanks,
> > Chuck Christison
> > KB9WZM

> > KB9WZM@... <mailto:KB9WZM%40gmail.com>
> >
> >
> >
> >
>

1020. Re: New reg key

Yahoo group: agwpe_pro
Date: 2009-04-16 20:27:51 UTC
From: g7jur
Topic: 1016 Message: 1020

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos" <sv2agw@...> wrote:

Many thanks George.
Philip g7jur.

>
> Hi Philip
>
> The serial is
> P26YG-25PG6-4WANB-ZPBVY-NNTXN-S8G8M-5EPFA-D6MT2-GN4V2-QJ3PP-UVS2M-CGNAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of g7jur
> > Sent: Tuesday, April 14, 2009 10:42 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] New reg key
> >
> >
> >
> > Hi George.
> >
> > Could I please have a new reg key. I had to do a new windows install.
> >
> > PA6GG-4DPIE-5V2N3-3N7TG-WM37N-29GUP-DFPI9-VNQB5-GN4DY-QJ3PP-UVS2M-CGNAB
> >
> > Many thanks Philip g7jur.
> >
> >
> >
> >
>

1021. New Registration Key

Yahoo group: agwpe_pro
Date: 2009-04-17 13:28:27 UTC
From: Jim Campbell
Topic: 1021 Message: 1021

George,

I have moved all my programs to a new laptop. May I please have a new registration key? The key code is NW5DS-QUBH6-5DUN3-ZGW5V-YM37P-N7GIP-DFPPW-VUQB2-N27GG-3J2HS-8V6N3-ZGWAB

Thank you,

Jim - W4BQP

1022. RE: [agwpe_pro] Re: Need key code

Yahoo group: agwpe_pro
Date: 2009-04-23 08:55:10 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1015 Message: 1022

Hi Chuck

The serial is
HS7YK-PVKGN-3YWNB-YGI8G-UNTXH-I5EEM-5FHA9-DUMVH-GJUDY-4MIP3-VV8ND-CGSAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of kb9wzm@...
> Sent: Friday, April 17, 2009 3:38 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Need key code
>
>
>
> George,
> I down loaded your latest version. The key to send is
> G27GK-Q5KHW-4YNN3-2GE5Y-4M37H-S6D2P-DGHE8-VCQDK-GJTVW-4MIP3-VV8ND-CGSAB
>
> Thanks for your assistance.
>
> Chuck
> KB9WZM
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "\(SV2AGW\) George Rossopoulos" <sv2agw@...> wrote:
> >
> > Hi Chuck
> >
> > You have a very old version PSE install the latest from www.sv2agw.com
> > downloads section and send me the new "Key to Send"
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Anakreontos 14
> > GR-54250, Thessaloniki

> > Greece
> > +306932465216
> > http://www.sv2agw.com <http://www.sv2agw.com>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> >
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> On
> > > Behalf Of kb9wzm@...
> > > Sent: Wednesday, April 15, 2009 3:45 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Need key code
> > >
> > >
> > >
> > > Had to reinstall my operating system. The key I had no longer works.
> > >
> > > Call: KB9WZM
> > > code to send: 6:e;j=5f3817m/=<8<4f9=18j2c:ihng?0b4
> > >
> > > Can you send if possible.
> > >
> > > Thanks,
> > > Chuck Christison
> > > KB9WZM
> > > KB9WZM@... <mailto:KB9WZM%40gmail.com>
> > >
> > >
> > >
> > >
> >
>
>
>
>

1024. AGWPE PRO / FBB / TM-D710A

Yahoo group: agwpe_pro
Date: 2009-04-26 05:18:12 UTC
From: Dedier Dedier
Topic: 1024 Message: 1024

Is any one using agwpe pro fbb with the kenwood tm-d710,i am looking at starting a packet project with agwpe pro ,fbb and the kenwood tm-d710 the agwpe will act as the interface between fbb and the tm-d710 ,i am looking at if such question was pose i can look it in up in the group archives or any one involve in such project can you give any advice for settings to be change in the tm-d710a before setting agwpe pro.

--
73

Julien

9Z4FZ / Trinidad & Tobago
M0JDD / United Kingdom
M0JDD / J3 Grenada

Amateur Radio Station
http://www.ttarl.org

[Non-text portions of this message have been removed]

1025. PnP set up

Yahoo group: agwpe_pro
Date: 2009-04-26 14:41:26 UTC
From: weissje75
Topic: 1025 Message: 1025

Hello All

I am very confused. I'm trying to connect a HP dv-7 running Vista 64 laptop to a rigblaster PnP then to my IC-7000.

I bought the recommendedcable adapter for the IC-7000 to the PnP.

I tryed Packet Radio Pro and couldn't get it to work. Packet radio does, but only to receive. I don't seem to be able to send.

I went thru all the set up directions, but have only become more confused. Does anyone have any ideas? AGW tracker works fine and I can see the stations on the map.

Thanks, Jim WA7JEW

1026. RE: [agwpe_pro] PnP set up

Yahoo group: agwpe_pro
Date: 2009-04-27 04:00:18 UTC
From: Ralph Milnes
Topic: 1025 Message: 1026

Hi Jim,

If you are receiving, that's a pretty good sign.

You'll have to do a little more testing and reporting for us to be able to help you. Here's a page that talks about troubleshooting transmit problems in AGWPE, AGWPE PRO's little brother, but the troubleshooting advice is similar for both programs:

http://kc2rlm.info/soundcardpacket/5probtx.htm

Generally, transmit problems can be either TX audio related (weak audio for example) or PTT related (the interface/adapter is not configured correctly for the radio or perhaps PE PRO). Sometimes radio/propagation may be the problem. The troubleshooting page may help you narrow it down and give us some more information to go on.

For example, can you tell us whether or not the radio is keying up when AGW Tracker sends a beacon?

I'm not familiar with the PnP or the IC-7000. Perhaps someone else with knowledge specific to the IC-7000 and PnP can provide better advice.

73, Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of weissje75
Sent: Sunday, April 26, 2009 7:41 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PnP set up

Hello All

I am very confused. I'm trying to connect a HP dv-7 running Vista 64 laptop to a rigblaster PnP then to my IC-7000.

I bought the recommendedcable adapter for the IC-7000 to the PnP.

I tryed Packet Radio Pro and couldn't get it to work. Packet radio does, but only to receive. I don't seem to be able to send.

I went thru all the set up directions, but have only become more confused. Does anyone have any ideas? AGW tracker works fine and I can see the stations on the map.

Thanks, Jim WA7JEW

Yahoo! Groups Links

1027. Key Request

Yahoo group: agwpe_pro
Date: 2009-04-29 06:15:00 UTC
From: scott_santana
Topic: 1027 Message: 1027

Hello George,
I think I was confused on getting support, I sent direct mail, but looks like I should submit this request here, sorry for any useless mail in your mailbox..

I updated the version of PE pro on my machine to the current one on the site and it required me to remove and now re-register. Is this new version (2007) require me to purchase it again or can I get a new working keycode for this version base on my previous purchase?

Keycode:
GW3GN-RDNIA-5YQN5-DHA2V-6M37P-I7VWP-B6PN9-DKQB2-NN6GI-33XIB-WY2PT-TNEAB

Callsign:
N6SPB

73, Scott

1028. Using AGWPE as a KISS TNC to feed another program over a serial port?

Yahoo group: agwpe_pro
Date: 2009-05-23 18:37:13 UTC
From: Alan Biddle
Topic: 1028 Message: 1028

There are several special purpose programs which expect to see their input from a KISS TNC via a serial port. In my shack, I use MixW outputting as a KISS TNC and a loopback serial port emulator to do this. Is it possible to use AGWPE to do this? I know you can feed a KISS TNC _to_ AGWPE, and I have done this, but I am unclear as to whether the reverse is possible.

This question came to me from another ham. Unfortunately AGWPE will not work with the sound cards in my computer (another issue beaten to death) so I can't do the experimentation locally to answer him.

73s,

Alan
WA4SCA

1029. HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-01 23:15:55 UTC
From: k1acl
Topic: 1029 Message: 1029

Attempting to connect to anyone, the other station immediately shows me as connected, but I show no connection and continue calling until I retry out. AGWPE PRO (or AGWPE)receives NO packets even though I am receiving a strong signal, and can see the TNC decoding them.

The windows firewall shows an exception for the packet engine but doesn't show which ports. I am baffled! One computer (both XP) works fine and I can't see any difference. Both TNCs are PK-232MBX and work fine without the Packet Engine.

HELP - anyone, please.

Fred, K1ACL

1030. Re: Need key code

Yahoo group: agwpe_pro
Date: 2009-05-12 19:51:51 UTC
From: kb9wzm@ymail.com
Topic: 1015 Message: 1030

George,
Thanks very much.

Chuck
KB9WZM
--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Chuck
>
> The serial is
> HS7YK-PVKGN-3YWNB-YGI8G-UNTXH-I5EEM-5FHA9-DUMVH-GJUDY-4MIP3-VV8ND-CGSAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of kb9wzm@...
> > Sent: Friday, April 17, 2009 3:38 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: Need key code
> >
> >
> >
> > George,
> > I down loaded your latest version. The key to send is
> > G27GK-Q5KHW-4YNN3-2GE5Y-4M37H-S6D2P-DGHE8-VCQDK-GJTVW-4MIP3-VV8ND-CGSAB
> >
> > Thanks for your assistance.
> >
> > Chuck
> > KB9WZM
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> > "\(SV2AGW\) George Rossopoulos" <sv2agw@> wrote:
> > >
> > > Hi Chuck

> > >
> > > You have a very old version PSE install the latest from www.sv2agw.com
> > > downloads section and send me the new "Key to Send"
> > >
> > > 73
> > >
> > > (SV2AGW) George Rossopoulos
> > > Anakreontos 14
> > > GR-54250, Thessaloniki
> > > Greece
> > > +306932465216
> > > http://www.sv2agw.com <http://www.sv2agw.com>
> > > http://www.agwtracker.com <http://www.agwtracker.com>
> > >
> > >
> > > > -----Original Message-----
> > > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
> > On
> > > > Behalf Of kb9wzm@
> > > > Sent: Wednesday, April 15, 2009 3:45 AM
> > > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > > > Subject: [agwpe_pro] Need key code
> > > >
> > > >
> > > >
> > > > Had to reinstall my operating system. The key I had no longer works.
> > > >
> > > > Call: KB9WZM
> > > > code to send: 6:e;j=5f3817m/=<8<4f9=18j2c:ihng?0b4
> > > >
> > > > Can you send if possible.
> > > >
> > > > Thanks,
> > > > Chuck Christison
> > > > KB9WZM
> > > > KB9WZM@ <mailto:KB9WZM%40gmail.com>
> > > >
> > > >
> > > >
> > > >
> > >
> >
> >
> >
> >
>

1031. RE: [agwpe_pro] HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-02 14:19:07 UTC
From: Ralph Milnes
Topic: 1029 Message: 1031

What about temporarily turning off the Windows firewall to see if that is the cause. PE Pro uses port 8000 and 8001, by the way.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of k1acl
Sent: Monday, June 01, 2009 7:16 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] HELP! PE PRO does not receive any packets!

Attempting to connect to anyone, the other station immediately shows me as connected, but I show no connection and continue calling until I retry out. AGWPE PRO (or AGWPE)receives NO packets even though I am receiving a strong signal, and can see the TNC decoding them.

The windows firewall shows an exception for the packet engine but doesn't show which ports. I am baffled! One computer (both XP) works fine and I can't see any difference. Both TNCs are PK-232MBX and work fine without the Packet Engine.

HELP - anyone, please.

Fred, K1ACL

Yahoo! Groups Links

1032. Re: [agwpe_pro] HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-02 15:22:31 UTC
From: WA6RKN
Topic: 1029 Message: 1032

Just a note here...No software firewall should ever be used in a home environment. They are easy to 'punch through' and stop a lot of good traffic. Most people think the firewall has to be turned on to stop virii or malware from getting into the computer. Not true. All a firewall is designed to do is to stop outside sources from accessing control of your computer.

If you are multi-millionaire, you might need some sort of firewall, but...us ordinary folks have nothing in our computers that the firewall savvy hackers would want.

If you feel a firewall is really needed, then go buy a mechanical firewall...they are cheap and easy to install and **WILL** prevent unauthorized access to your computer.

Again...turn that crappy, software' firewall off and don't use any of them...Microsoft, McAfee, Norton, Webroot..they are all garbage.

Joe Wolfe
WA6RKN
(Network design and troubleshooting)

----- Original Message -----
From: "Ralph Milnes" <ralphmilnes@...>
Subject: RE: [agwpe_pro] HELP! PE PRO does not receive any packets!

> What about temporarily turning off the Windows firewall to see if that is
> the cause. PE Pro uses port 8000 and 8001, by the way.

1033. Re: HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-02 16:09:35 UTC
From: k1acl
Topic: 1029 Message: 1033

Ralph,

Thanks for the reply. I turned off the firewall, but the problem still exists. Thanks for the port numbers. I knew about 8000 but not 8001. Any other ideas?

Fred, K1ACL
<snip>
> What about temporarily turning off the Windows firewall to see if that is
> the cause. PE Pro uses port 8000 and 8001, by the way.
<snip>
> Ralph KC2RLM

> Subject: [agwpe_pro] HELP! PE PRO does not receive any packets!
>
> Attempting to connect to anyone, the other station immediately shows me as
> connected, but I show no connection and continue calling until I retry out.
> AGWPE PRO (or AGWPE)receives NO packets even though I am receiving a strong
> signal, and can see the TNC decoding them.
>
> The windows firewall shows an exception for the packet engine but doesn't
> show which ports. I am baffled! One computer (both XP) works fine and I
> can't see any difference. Both TNCs are PK-232MBX and work fine without the
> Packet Engine.
>
> HELP - anyone, please.
>
> Fred, K1ACL
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>

1034. Re: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-03 18:52:06 UTC
From: WA6RKN
Topic: 1029 Message: 1034

Make sure **ALL** the firewalls are off. If you are running any major
'internet protection' program (Norton, McAfee, etc.) they have a firewall
that always defaults to on, regardless the state of Microsoft's firewall.

Joe Wolfe
WA6RKN
Reno, Nevada

----- Original Message -----
From: "k1acl" <k1acl@...>
Subject: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

> Ralph,
>
> Thanks for the reply. I turned off the firewall, but the problem still
> exists. Thanks for the port numbers. I knew about 8000 but not 8001.
> Any other ideas?

1035. RE: [agwpe_pro] HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-02 15:56:56 UTC
From: MIKE DURKIN
Topic: 1029 Message: 1035

Wouldn't they want our computers as Spam Bots?? with loads of free bandwidth ... to do things like .. say Denial Of Service attacks ?? ETC etc ??

To: agwpe_pro@yahoogroups.com
From: WA6RKN@...
Date: Tue, 2 Jun 2009 08:22:31 -0700
Subject: Re: [agwpe_pro] HELP! PE PRO does not receive any packets!

Just a note here...No software firewall should ever be used in a home

environment. They are easy to 'punch through' and stop a lot of good

traffic. Most people think the firewall has to be turned on to stop virii

or malware from getting into the computer. Not true. All a firewall is

designed to do is to stop outside sources from accessing control of your

computer.

If you are multi-millionaire, you might need some sort of firewall, but...us

ordinary folks have nothing in our computers that the firewall savvy hackers

would want.

If you feel a firewall is really needed, then go buy a mechanical

firewall...they are cheap and easy to install and **WILL** prevent

unauthorized access to your computer.

Again...turn that crappy, software' firewall off and don't use any of

them...Microsoft, McAfee, Norton, Webroot..they are all garbage.

Joe Wolfe

WA6RKN

(Network design and troubleshooting)

----- Original Message -----

From: "Ralph Milnes" <ralphmilnes@...>

Subject: RE: [agwpe_pro] HELP! PE PRO does not receive any packets!

> What about temporarily turning off the Windows firewall to see if that is

> the cause. PE Pro uses port 8000 and 8001, by the way.

_____
Windows Live? SkyDrive?: Get 25 GB of free online storage.
http://windowslive.com/online/skydrive?ocid=TXT_TAGLM_WL_SD_25GB_062009

[Non-text portions of this message have been removed]

1036. Re: [agwpe_pro] HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-03 19:38:44 UTC
From: WA6RKN
Topic: 1029 Message: 1036

IF you have a business account and have a static IP, yes, but very few of us have static IP's, so our IP's are always changing..makes it very difficult to find to do any damage.....And most businesses that have static IP's also have a full blown router/firewall solution installed.

Keep in mind, software firewalls are very easy to punch through....so, as I said in any earlier post, if one feels a firewall is needed, then go down to your local computer store and buy a hardware firewall.....you will then be secure!

Joe Wolfe
WA6RKN
Reno, Nevada

----- Original Message -----
From: "MIKE DURKIN" <Patriot121@...>
Subject: RE: [agwpe_pro] HELP! PE PRO does not receive any packets!

1037. Re: HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-09 16:13:00 UTC
From: Francisco Diaz
Topic: 1029 Message: 1037

Thanks Joe, for in just a few words contradict all that we IT professionals have said about security and keeping on a firewall. Now we can rest assured many users will have computers available to security vulnerabilities thanks to those unmeasured wise words.

Thanks Very Much...

Francisco Diaz
NP3OD

--- In agwpe_pro@yahoogroups.com, "WA6RKN" <WA6RKN@...> wrote:
>
> Just a note here...No software firewall should ever be used in a home
> environment. They are easy to 'punch through' and stop a lot of good
> traffic. Most people think the firewall has to be turned on to stop virii
> or malware from getting into the computer. Not true. All a firewall is
> designed to do is to stop outside sources from accessing control of your
> computer.
>
> If you are multi-millionaire, you might need some sort of firewall, but...us
> ordinary folks have nothing in our computers that the firewall savvy hackers
> would want.
>
> If you feel a firewall is really needed, then go buy a mechanical
> firewall...they are cheap and easy to install and **WILL** prevent
> unauthorized access to your computer.
>
> Again...turn that crappy, software' firewall off and don't use any of
> them...Microsoft, McAfee, Norton, Webroot..they are all garbage.
>
> Joe Wolfe
> WA6RKN
> (Network design and troubleshooting)
>
> ----- Original Message -----
> From: "Ralph Milnes" <ralphmilnes@...>
> Subject: RE: [agwpe_pro] HELP! PE PRO does not receive any packets!
>
>
> > What about temporarily turning off the Windows firewall to see if that is
> > the cause. PE Pro uses port 8000 and 8001, by the way.
>

1038. Re: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-09 16:54:42 UTC
From: WA6RKN
Topic: 1029 Message: 1038

Oh PULEZE! Gimme a break.....what a load.....

Now, back to AGWPE.....

Joe Wolfe
WA6RKN
Reno, Nevada

----- Original Message -----
From: "Francisco Diaz" <np3od@...>
Subject: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

> Thanks Joe, for in just a few words contradict all that we IT
> professionals have said about security and keeping on a firewall. Now we
> can rest assured many users will have computers available to security
> vulnerabilities thanks to those unmeasured wise words.

1039. Re: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-10 02:11:23 UTC
From: hans oeste
Topic: 1029 Message: 1039

I agree with Francisco. Get a life Joe and quit spreading disinformation. It's unfortunate that you're espousing yourself as some kind of computer genius, when you're talking through your hat.

All firewalls have weaknesses, software and hardware all. Software firewalls have a better chance of being updated to get new rules and to catch new security threats that show up. To rely on had hardware box that is a) often never has the default id's and passwords changed, so infact the firewall is wide open to folks in the know.
b) never is updated

Is just silly. Take a moment and think about it. I happen to run a Linux machine as a firewall and it does a heck of a lot better that that little itty bitty hardware firewall. The only advantage to that hardware firewall is the power savings.... That's it.

Now back to AGWSoft.

Hans Oeste
VE7OES
Victoria, BC

-------Original Message-------

From: WA6RKN
Date: 06/09/09 09:55:22
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

Oh PULEZE! Gimme a break.....what a load.....

Now, back to AGWPE.....

Joe Wolfe
WA6RKN
Reno, Nevada

----- Original Message -----
From: "Francisco Diaz" <np3od@...>
Subject: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!

> Thanks Joe, for in just a few words contradict all that we IT
> professionals have said about security and keeping on a firewall. Now we
> can rest assured many users will have computers available to security
> vulnerabilities thanks to those unmeasured wise words.

[Non-text portions of this message have been removed]

1040. Re: HELP! PE PRO does not receive any packets!

Yahoo group: agwpe_pro
Date: 2009-06-10 03:31:35 UTC
From: k1acl
Topic: 1029 Message: 1040

Yes, Back to AGWPE.
I am running Windows Firewall and AVG Anti-Virus Free. To be sure everything was shut-down, I ran msconfig and shut down all startup items. The problem still exists! My Linksys router has a firewall, but should that matter? AGWPE is localhost. I am stumped! Any other ideas?

Thanks,
Fred, K1ACL

>In agwpe_pro@yahoogroups.com, "WA6RKN" <WA6RKN@...> wrote:
>
> Make sure **ALL** the firewalls are off. If you are running any major
> 'internet protection' program (Norton, McAfee, etc.) they have a firewall
> that always defaults to on, regardless the state of Microsoft's firewall.
>
> Joe Wolfe
> WA6RKN
> Reno, Nevada
>
> ----- Original Message -----
> From: "k1acl" <k1acl@...>
> Subject: [agwpe_pro] Re: HELP! PE PRO does not receive any packets!
>
>
> > Ralph,
> >
> > Thanks for the reply. I turned off the firewall, but the problem still
> > exists. Thanks for the port numbers. I knew about 8000 but not 8001.
> > Any other ideas?
>

1041. Need a new key

Yahoo group: agwpe_pro
Date: 2009-06-13 00:31:47 UTC
From: n3hu
Topic: 1041 Message: 1041

Hi George,

Need a key for my new netbook.

Key to send is:

G3UGK-5DNH7-WGYN3-UG7TV-YM37P-E7DIP-DGII7-YNQB6-G66DI-3MIPW-4GSN3-TNNAB

73
rob
n3hu

1042. RE: [agwpe_pro] Need a new key

Yahoo group: agwpe_pro
Date: 2009-06-16 06:14:32 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1041 Message: 1042

Hi Rob

The serial is
HTUYK-35NGX-VG8NB-SHBWD-QNTXN-66DWM-5FIE8-G6MT3-G66VK-3MIPW-4GSN3-TNNAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

1043. Need another Code

Yahoo group: agwpe_pro
Date: 2009-06-15 23:54:27 UTC
From: ekimyerac
Topic: 1043 Message: 1043

Hi, need another code for my MacBook.

GTVGE-435HW-8VKN5-HGTUV-YM37P-E8VYP-DGHI6-VCQBY-NW7YI-P34PS-4V22J-2GIAB

Thanks,

Michael Carey, KD7GHZ

1044. RE: [agwpe_pro] Need another Code

Yahoo group: agwpe_pro
Date: 2009-06-17 17:54:53 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1043 Message: 1044

Hi

The serial is
HJVYE-3T5GN-7VUND-FGXXD-QNTXN-67WCM-5FHE7-DUMTV-NW8GK-P34PS-4V22J-2GIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ekimyerac
> Sent: Tuesday, June 16, 2009 2:54 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need another Code
>
>
>
> Hi, need another code for my MacBook.
>
> GTVGE-435HW-8VKN5-HGTUV-YM37P-E8VYP-DGHI6-VCQBY-NW7YI-P34PS-4V22J-2GIAB
>
> Thanks,
>
> Michael Carey, KD7GHZ
>
>
>
>

1045. External sound card

Yahoo group: agwpe_pro
Date: 2009-06-17 01:39:24 UTC
From: hans oeste
Topic: 1045 Message: 1045

I'm trying to use an external sound card, the creative XFI 5.1 with AGW on as Acer 5100 and I'm having some trouble. This is a new install on a new install of XP so it's not like it's corrupted.

I was able to chose the line/Mic in on the XFI when I added the port, but when I try to use the tuning aid, there is no input device in the dropdown. I've tried deleing the port, rebooting and re-adding it to no avail. Any-one have any suggestions? Or know if there's an external USB sound card I can use AGW Pro?

Thanks

Hans Oeste

VE7OES

1046. Reinstalled, changed machine name, need code

Yahoo group: agwpe_pro
Date: 2009-06-20 12:49:06 UTC
From: ekgermann
Topic: 1046 Message: 1046

George,

Call is N1ICS

The new key to send is

GS5YE-4CAIA-9GNN3-WGW2D-YM37P-E8VGP-DGHE6-YEQDH-G27VN-33XIA-6D83J-ZNNAB

73,

N1ICS

1047. RE: [agwpe_pro] Reinstalled, changed machine name, need code

Yahoo group: agwpe_pro
Date: 2009-06-23 13:50:36 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1046 Message: 1047

Hi

The serial is
HI6GE-24AG2-8GWNB-UG24V-QNTXN-67VUM-5FHA7-GWMVE-G28DQ-33XIA-6D83J-ZNNAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ekgermann
> Sent: Saturday, June 20, 2009 3:49 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Reinstalled, changed machine name, need code
>
>
>
> George,
>
> Call is N1ICS
>
> The new key to send is
>
> GS5YE-4CAIA-9GNN3-WGW2D-YM37P-E8VGP-DGHE6-YEQDH-G27VN-33XIA-6D83J-ZNNAB
>
> 73,
>
> N1ICS
>
>
>
>

1048. Need My Registration Key for AGW Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2009-06-24 18:12:06 UTC
From: sefarlow412@att.net
Topic: 1048 Message: 1048

I recently had to run a recovery on the hard disk on my laptop from its recovery partition and in doing so apparently it lost the registration as I am getting a message that the trial has expired. I paid for this registration. Please send me my key and instructions for entering it. Thank you.

Stephen Farlow
KJ5YN

1049. New new code

Yahoo group: agwpe_pro
Date: 2009-06-24 18:13:25 UTC
From: ve3odr
Topic: 1049 Message: 1049

```
I have installed the program on a new pc and require a key code.
call is ve3odr
G26YK-SCBP6-5VSN5-FGE4V-4M37H-N7VSP-DGPI8-VQQB8-N67YI-P36H7-WD823-3GAAB
Thanks
Bob
```

1050. RE: [agwpe_pro] New new code

Yahoo group: agwpe_pro
Date: 2009-06-26 06:21:00 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1049 Message: 1050

Hi Bob

Your serial is
HS7GK-Q4BNW-4V2ND-DGI7D-UNTXH-E6V6M-5FPE9-D8MT5-N68GK-P36H7-WD823-3GAAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ve3odr
> Sent: Wednesday, June 24, 2009 9:13 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New new code
>
>
>
> I have installed the program on a new pc and require a key code.
> call is ve3odr
> G26YK-SCBP6-5VSN5-FGE4V-4M37H-N7VSP-DGPI8-VQQB8-N67YI-P36H7-WD823-3GAAB
> Thanks
> Bob
>
>
>
>

1051. RE: [agwpe_pro] Need My Registration Key for AGW Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2009-06-26 06:21:35 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1048 Message: 1051

Hi Stephen

Send me the "Key to Send"

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of sefarlow412@...
> Sent: Wednesday, June 24, 2009 9:12 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need My Registration Key for AGW Packet Engine Pro
>
>
>
> I recently had to run a recovery on the hard disk on my laptop from its
> recovery partition and in doing so apparently it lost the registration as
> I am getting a message that the trial has expired. I paid for this
> registration. Please send me my key and instructions for entering it.
> Thank you.
>
> Stephen Farlow
> KJ5YN
>
>
>
>

1052. Need another Registration Code

Yahoo group: agwpe_pro
Date: 2009-06-30 00:36:00 UTC
From: ekimyerac
Topic: 1052 Message: 1052

Hi, need another code for my laptop.

GPWGQ-RVPPS-6DQN3-3HBTW-AM37P-E9V2P-B7P7Y-GEQDH-GW7YN-4TXPX-UYYND-BNIAB

Thanks,

Michael Carey, KD7GHZ

1053. RE: [agwpe_pro] Need another Registration Code

Yahoo group: agwpe_pro
Date: 2009-07-02 13:18:55 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1052 Message: 1053

Hi Michael

The serial is
HFWYQ-QMPNI-5DYNB-ZHFWD-2NTXN-68WEM-36P3Y-YWMVE-GW8GQ-4TXPX-UYYND-BNIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ekimyerac
> Sent: Tuesday, June 30, 2009 3:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need another Registration Code
>
>
>
> Hi, need another code for my laptop.
>
> GPWGQ-RVPPS-6DQN3-3HBTW-AM37P-E9V2P-B7P7Y-GEQDH-GW7YN-4TXPX-UYYND-BNIAB
>
> Thanks,
>
> Michael Carey, KD7GHZ
>
>
>
>

1054. Request Code

Yahoo group: agwpe_pro
Date: 2009-07-14 13:50:45 UTC
From: Claudio
Topic: 1054 Message: 1054

Hello George,

I have changed my computers with others and I need other code to register agwpro.
There are the two machines:

1) P4
G65VE-4VKII-4YQN3-2HI4V-WM37H-S5DKP-B7H28-DIQB4-GI4GG-3J8IF-VVSNT-UNEAB
2) Netbook:
GN7VK-Q4AIN-9D2N5-EGN2D-UM37H-S8VGP-B6IBW-VNQB2-NS4VE-QT4PW-7YWPD-DGIAB

All others machine are no longer available.

Thanks in advance.

Claudio Ariotti
IK1SLD

1055. RE: [agwpe_pro] Request Code

Yahoo group: agwpe_pro
Date: 2009-07-16 05:03:05 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1054 Message: 1055

Hi

The serials are

HW6DE-3MKHA-3YYNB-YHN7D-NNTXH-I4DYM-36HW8-V2MTZ-GI4YI-3J8IF-VVSNT-UNEAB

HE8DK-PUAHE-8EAND-CGS4V-KNTXH-I7VUM-35H7X-D6MTX-NS5DG-QT4PW-7YWPD-DGIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Claudio
> Sent: Tuesday, July 14, 2009 4:51 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Request Code
>
>
>
> Hello George,
>
> I have changed my computers with others and I need other code to register
> agwpro.
> There are the two machines:
>
> 1) P4
> G65VE-4VKII-4YQN3-2HI4V-WM37H-S5DKP-B7H28-DIQB4-GI4GG-3J8IF-VVSNT-UNEAB
> 2) Netbook:
> GN7VK-Q4AIN-9D2N5-EGN2D-UM37H-S8VGP-B6IBW-VNQB2-NS4VE-QT4PW-7YWPD-DGIAB
>
> All others machine are no longer available.
>
> Thanks in advance.
>
> Claudio Ariotti
> IK1SLD
>
>

>
>

1056. Update

Yahoo group: agwpe_pro
Date: 2009-07-30 19:21:26 UTC
From: robmurray992000
Topic: 1056 Message: 1056

I bought Packet Engine Pro quite some ago, but it has been inactive for some time. I thought recently of starting it up again, and went to the site for an update. The update file insisted I remove the old installation before the new installation msi would run. I did, but it appears the removal also removed the key recognition. I have the old 'key to send' and 'Registration Key' stored in my password safe, but I can't figure out how to get the new installation of Packet Engine Pro to accept them.

Please advise

1057. RE: [agwpe_pro] Update

Yahoo group: agwpe_pro
Date: 2009-07-31 14:45:11 UTC
From: Chip Kroh, N3FUD
Topic: 1056 Message: 1057

Send an email to George with your callsign and the new "key to send."

73 Chip N3FUD

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of robmurray992000
> Sent: Thursday, July 30, 2009 15:21
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Update
>
> I bought Packet Engine Pro quite some ago, but it has been inactive for
> some time. I thought recently of starting it up again, and went to the
> site for an update. The update file insisted I remove the old
> installation before the new installation msi would run. I did, but it
> appears the removal also removed the key recognition. I have the old
> 'key to send' and 'Registration Key' stored in my password safe, but I
> can't figure out how to get the new installation of Packet Engine Pro
> to accept them.
>
> Please advise
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

1058. Re: Update

Yahoo group: agwpe_pro
Date: 2009-07-31 17:13:08 UTC
From: robmurray992000
Topic: 1056 Message: 1058

Thanks, Chip, have just followed your advice.

73

Rob

--- In agwpe_pro@yahoogroups.com, "Chip Kroh, N3FUD" <n3fud@...> wrote:
>
> Send an email to George with your callsign and the new "key to send."
>
> 73 Chip N3FUD
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of robmurray992000
> > Sent: Thursday, July 30, 2009 15:21
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Update
> >
> > I bought Packet Engine Pro quite some ago, but it has been inactive for
> > some time. I thought recently of starting it up again, and went to the
> > site for an update. The update file insisted I remove the old
> > installation before the new installation msi would run. I did, but it
> > appears the removal also removed the key recognition. I have the old
> > 'key to send' and 'Registration Key' stored in my password safe, but I
> > can't figure out how to get the new installation of Packet Engine Pro
> > to accept them.
> >
> > Please advise
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

1059. Re: [agwpe_pro] Update

Yahoo group: agwpe_pro
Date: 2009-07-31 23:35:08 UTC
From: George Sansom
Topic: 1056 Message: 1059

On 7/31/09, Chip Kroh, N3FUD <n3fud@...> wrote:
> Send an email to George with your callsign and the new "key to send."
>
> 73 Chip N3FUD
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>> Behalf Of robmurray992000
>> Sent: Thursday, July 30, 2009 15:21
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] Update
>>
>> I bought Packet Engine Pro quite some ago, but it has been inactive for
>> some time. I thought recently of starting it up again, and went to the
>> site for an update. The update file insisted I remove the old
>> installation before the new installation msi would run. I did, but it
>> appears the removal also removed the key recognition. I have the old
>> 'key to send' and 'Registration Key' stored in my password safe, but I
>> can't figure out how to get the new installation of Packet Engine Pro
>> to accept them.
>>
>> Please advise
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>

1060. FT 897 connections for VHFPacket

Yahoo group: agwpe_pro
Date: 2009-08-13 20:03:03 UTC
From: jlandrig2
Topic: 1060 Message: 1060

I have been trying to use the AGW products (free and pro) with a Yaesu FT 897. I use the G4LPH CAT62 cables, both the straight version and the M version that plugs into the front panel microphone socket. Using a PK232 TNC I have full functionality. However, on soundcard use the only method I can use is for VHF Packet the receive function. I cannot get AGW to initiate a PTT function at all. I have tried both the VOX and the COM1 port and neither works. The CAT cables work with Ham Radio Deluxe and DM780 on HF by setting the RTS and DTR both on.
If I have to, I can build a PTT interface but after spending over 50 bucks for the cables that seems a bit tiresome.
Any help would be appreciated.
John KA4RXP

1061. RE: [agwpe_pro] FT 897 connections for VHFPacket

Yahoo group: agwpe_pro
Date: 2009-08-14 14:00:48 UTC
From: Ralph Milnes
Topic: 1060 Message: 1061

John,

Some cables are wired to work with the DTR pin only. AGWPE uses the RTS pin for it's first/default port. (Many non-packet digital programs use DTR or both the DTR and RTS pins, so the cable will work with those programs.)

Try setting your application to use AGWPE sound card port #2 (it uses DTR) and then try to transmit. If the rig fires, then you know the PTT line in the interface is wired for the DTR. (When you use AGWPE Port #2, you will probably not be able to receive or transmit any sounds, since your audio cables are probably wired to the LEFT channel of the sound card and AGWPE port #2 expects them on RIGHT channel.)

Also make sure about the pinout on the FT 897's mike socket. Some radios have different pins for packet (AFSK) and other digital modes (SSB).

That was sort of an abbreviated response. Give me a shout if you need a little more guidance.

Why did you pick the G4LPH cables? I hadn't heard about them.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jlandrig2
Sent: Thursday, August 13, 2009 4:03 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] FT 897 connections for VHFPacket

I have been trying to use the AGW products (free and pro) with a Yaesu FT 897. I use the G4LPH CAT62 cables, both the straight version and the M version that plugs into the front panel microphone socket. Using a PK232 TNC I have full functionality. However, on soundcard use the only method I can use is for VHF Packet the receive function. I cannot get AGW to initiate a PTT function at all. I have tried both the VOX and the COM1 port and neither works. The CAT cables work with Ham Radio Deluxe and DM780 on HF by setting the RTS and DTR both on.
If I have to, I can build a PTT interface but after spending over 50 bucks for the cables that seems a bit tiresome.
Any help would be appreciated.
John KA4RXP

Yahoo! Groups Links

1062. Re: [agwpe_pro] FT 897 connections for VHFPacket

Yahoo group: agwpe_pro
Date: 2009-08-25 01:07:20 UTC
From: hasan schiers
Topic: 1060 Message: 1062

Ralph (and George if possible),

This may not be the precise group to post my problem to, but it is agwpe pro based...

AGWPRO is not the problem, I'm sure of it. But...sometime in the last week or so, I have encountered a fatal problem with agwuidigi. I've been using ti for a coupole of years without any difficulties. Now, it terminates itself shortly after starting for no apparent reason.

I have uninstalled > repaired, uninstalled > reinstalled....no joy. Even with no other apps running (agwpe pro + agwuidigi only), the program terminates a few seconds after receiving the first packet.

I could say nothing has changed, but as always, that's not true. I have had regular updates to WinXP Pro, but I can't tie any one of them directly to the problem.

WinXP Pro, SP3, 3 gigs ram, AMD Dual Core 5600 processor.

agwpePro continues to work flawlessly as do other agw apps like agwMonitor and agwTerminalTCP and UI-View32 using the agw interface. (All are running real TNCs,)

My best guess is that agwpePRO is perfectly fine, and some recent windows update killed agwuidigi.

The only other possibility I can think of is that there is a mal-formed packet on our network that is killing agwuidigi (because it is not error trapping this particular malformed packet correctly. These are just guesses.

Any ideas about how to proceed?

I'm currently back to running UI-View32's internal digipeater, which is quite good, but agwui-digi is better and I would like to resume running it.

TIA

...hasan, N0AN
>

No virus found in this outgoing message.
Checked by AVG - www.avg.com
Version: 8.5.409 / Virus Database: 270.13.65/2323 - Release Date: 08/24/09 06:05:00

[Non-text portions of this message have been removed]

1063. RE: [agwpe_pro] FT 897 connections for VHFPacket

Yahoo group: agwpe_pro
Date: 2009-08-25 15:13:59 UTC
From: Ralph Milnes
Topic: 1060 Message: 1063

Hasan,

This is Ralph. I'm stumped. I don't run AGWUIDigi. If I have time, I'll run it and see if I can give you any hints.

I hope George SV2AGW will comment but he may be on vacation this month. Or maybe others in the group have some ideas.

Based on what you've told us, I agree it sounds like a AGWUIDigi problem not AGWPE Pro.

Some other things that may reaffirm that:
- test run AGWPE in lieu of AGWPE Pro
- can you capture the packet stream at about the time AGWUIDIgi crashes and look at the packets and perhaps see an unusual packet
- are you sure there are not multiple directories of AGWUIDigi? Rule out that you are not repairing/reinstalling on a second instance by doing a Windows search for AGWUIDigi.

73,

Ralph KC2RLM

_pro@yahoogroups.com] On Behalf Of hasan schiers
Sent: Monday, August 24, 2009 9:07 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] FT 897 connections for VHFPacket

Ralph (and George if possible),

This may not be the precise group to post my problem to, but it is agwpe pro based...

AGWPRO is not the problem, I'm sure of it. But...sometime in the last week or so, I have encountered a fatal problem with agwuidigi. I've been using ti for a coupole of years without any difficulties. Now, it terminates itself shortly after starting for no apparent reason.

I have uninstalled > repaired, uninstalled > reinstalled....no joy. Even with no other apps running (agwpe pro + agwuidigi only), the program terminates a few seconds after receiving the first packet.

I could say nothing has changed, but as always, that's not true. I have had regular updates to WinXP Pro, but I can't tie any one of them directly to the problem.

WinXP Pro, SP3, 3 gigs ram, AMD Dual Core 5600 processor.

agwpePro continues to work flawlessly as do other agw apps like
agwMonitor and agwTerminalTCP and UI-View32 using the agw interface.
(All are running real TNCs,)

My best guess is that agwpePRO is perfectly fine, and some recent
windows update killed agwuidigi.

The only other possibility I can think of is that there is a mal-formed
packet on our network that is killing agwuidigi (because it is not error
trapping this particular malformed packet correctly. These are just guesses.

Any ideas about how to proceed?

I'm currently back to running UI-View32's internal digipeater, which is
quite good, but agwui-digi is better and I would like to resume running it.

TIA

...hasan, N0AN
>

No virus found in this outgoing message.
Checked by AVG - www.avg.com
Version: 8.5.409 / Virus Database: 270.13.65/2323 - Release Date: 08/24/09
06:05:00

[Non-text portions of this message have been removed]

Yahoo! Groups Links

1064. AGWUIDigi was RE: [agwpe_pro] FT 897 connections for VHFPacket

Yahoo group: agwpe_pro
Date: 2009-08-26 08:25:11 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1060 Message: 1064

Hi

Indeed I am on vacations. You can track sv2agw and sv2agw-9 to find where in Greece(Hi,Hi)

AGWUiDigi keeps the setup information in registry CURRENT_USER/Software/AGWSoft/AGWUIDigi

Delete the entries and reconfigure it. It will work. Probably it has a bad configuration.
Try first with a simple configuration to see what happens and proceed with the final configuration step by step.

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Ralph Milnes
> Sent: Tuesday, August 25, 2009 6:14 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] FT 897 connections for VHFPacket
>
>
>
> Hasan,
>
> This is Ralph. I'm stumped. I don't run AGWUIDigi. If I have time, I'll
> run
> it and see if I can give you any hints.
>
> I hope George SV2AGW will comment but he may be on vacation this month. Or
> maybe others in the group have some ideas.
>
> Based on what you've told us, I agree it sounds like a AGWUIDigi problem
> not
> AGWPE Pro.
>
> Some other things that may reaffirm that:

> - test run AGWPE in lieu of AGWPE Pro
> - can you capture the packet stream at about the time AGWUIDIgi crashes
> and
> look at the packets and perhaps see an unusual packet
> - are you sure there are not multiple directories of AGWUIDigi? Rule out
> that you are not repairing/reinstalling on a second instance by doing a
> Windows search for AGWUIDigi.
>
> 73,
>
> Ralph KC2RLM
>
> _pro@yahoogroups.com <mailto:_pro%40yahoogroups.com>] On Behalf Of hasan
> schiers
> Sent: Monday, August 24, 2009 9:07 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] FT 897 connections for VHFPacket
>
> Ralph (and George if possible),
>
> This may not be the precise group to post my problem to, but it is agwpe
> pro based...
>
> AGWPRO is not the problem, I'm sure of it. But...sometime in the last
> week or so, I have encountered a fatal problem with agwuidigi. I've been
> using ti for a coupole of years without any difficulties. Now, it
> terminates itself shortly after starting for no apparent reason.
>
> I have uninstalled > repaired, uninstalled > reinstalled....no joy. Even
> with no other apps running (agwpe pro + agwuidigi only), the program
> terminates a few seconds after receiving the first packet.
>
> I could say nothing has changed, but as always, that's not true. I have
> had regular updates to WinXP Pro, but I can't tie any one of them
> directly to the problem.
>
> WinXP Pro, SP3, 3 gigs ram, AMD Dual Core 5600 processor.
>
> agwpePro continues to work flawlessly as do other agw apps like
> agwMonitor and agwTerminalTCP and UI-View32 using the agw interface.
> (All are running real TNCs,)
>
> My best guess is that agwpePRO is perfectly fine, and some recent
> windows update killed agwuidigi.
>
> The only other possibility I can think of is that there is a mal-formed
> packet on our network that is killing agwuidigi (because it is not error
> trapping this particular malformed packet correctly. These are just
> guesses.
>

> Any ideas about how to proceed?
>
> I'm currently back to running UI-View32's internal digipeater, which is
> quite good, but agwui-digi is better and I would like to resume running
> it.
>
> TIA
>
> ...hasan, N0AN
> >
> ----------
>
> No virus found in this outgoing message.
> Checked by AVG - www.avg.com
> Version: 8.5.409 / Virus Database: 270.13.65/2323 - Release Date: 08/24/09
> 06:05:00
>
> [Non-text portions of this message have been removed]
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

1065. Still Cannot Make Use of Multi-Port TNC!

Yahoo group: agwpe_pro
Date: 2009-08-15 03:22:16 UTC
From: Phil - AD6NH
Topic: 1065 Message: 1065

After many years of trying, I am still unable to get PE Pro (or AGWPE for that matter) to work properly with my 3-port KPC-9612+ TNC. I cannot get it to separate the packets that are being received on the different radios. It will separate the packets that are being transmitted, but it shows every packet as arriving on Port 1 for all three radio ports. Again, I can send a packet to Port 1, Port 2, or Port 3 and it sends them correctly, but all packets being received on Ports 2 and 3 show up as being received on Port 1. Can anyone help me, please? I have tried all of the usual delete the .ini files, uninstall the program, clear the registry, etc. No luck.

Also, shouldn't there be more than one TNC icon in the systray if you are using multiple packet ports?

Thank you for your help.

73
Phil - AD6NH

1066. AGW Pro and Windows 7

Yahoo group: agwpe_pro
Date: 2009-08-26 05:09:50 UTC
From: hans oeste
Topic: 1066 Message: 1066

Has AGW Pro been tested with Windows 7? The reason I ask is that I'm using it with the latest prerelease version of Windows 7 and am having trouble with the sound card part of AGW Pro. Packets are not being decoded. The few that are decoded are decoded incorrectly, i.e. APRS packets are being labeled DANA and EAX packets, of the few that actually decode. I might get 1 or two of these packets a day, otherwise it's not responding at all.

I'm using an Aspire 5500 laptop. I've tried the internal soundcard and an Creative Labs XFI 5.1 external USB soundcard with the same results, which needless to say is disappointing.

If you have a beta that you are testing, I'd be pleased to test too...

Hans Oeste

VE7OES

1067. AGW Pro Registration

Yahoo group: agwpe_pro
Date: 2009-09-04 11:00:01 UTC
From: g1gxb
Topic: 1067 Message: 1067

Hi George

Having another go with Pro, have fitted new bigger hard drive and installed all new software including Windows 7 Evaluation Copy build 7100 and AGW PE is running with no problems and interfacing with Sally OK. I will now try AGW Pro but require a new registration key.
Key to send:-
N23YK-432H3-VVYN3-YGW5V-8M37P-I5GQP-DFHE7-YQQBZ-N64DE-4T7HX-XGW3J-TNIAB

I have noticed that in the Registration KeyCode box there is a "AB" and if I delete it and then close the page, on re-opening it is there again. Would this have something to do with the extra figures generated previously?

Regards Keith G1GXB

1068. RE: [agwpe_pro] AGW Pro Registration

Yahoo group: agwpe_pro
Date: 2009-09-05 06:29:45 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1067 Message: 1068

Hi Keith

Your serial is
PS4GK-3T2GT-UV8NB-WG28D-YNTXP-A4G4M-5EHA8-G8MTW-N64VG-4T7HX-XGW3J-TNIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of g1gxb
> Sent: Friday, September 04, 2009 2:00 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW Pro Registration
>
>
>
> Hi George
>
> Having another go with Pro, have fitted new bigger hard drive and
> installed all new software including Windows 7 Evaluation Copy build 7100
> and AGW PE is running with no problems and interfacing with Sally OK. I
> will now try AGW Pro but require a new registration key.
> Key to send:-
> N23YK-432H3-VVYN3-YGW5V-8M37P-I5GQP-DFHE7-YQQBZ-N64DE-4T7HX-XGW3J-TNIAB
>
> I have noticed that in the Registration KeyCode box there is a "AB" and if
> I delete it and then close the page, on re-opening it is there again.
> Would this have something to do with the extra figures generated
> previously?
>
> Regards Keith G1GXB
>
>
>
>

1069. Re: [agwpe_pro] AGW Pro Registration

Yahoo group: agwpe_pro
Date: 2009-09-05 07:20:08 UTC
From: Keith Ray
Topic: 1067 Message: 1069

Hi George

No problem with the registration this time, been accepted with no problems.
Thank You

regards Keith G1GXB

From: (SV2AGW) George Rossopoulos
Sent: Saturday, September 05, 2009 7:29 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] AGW Pro Registration

Hi Keith

Your serial is
PS4GK-3T2GT-UV8NB-WG28D-YNTXP-A4G4M-5EHA8-G8MTW-N64VG-4T7HX-XGW3J-TNIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of g1gxb
> Sent: Friday, September 04, 2009 2:00 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW Pro Registration
>
>
>
> Hi George
>
> Having another go with Pro, have fitted new bigger hard drive and
> installed all new software including Windows 7 Evaluation Copy build 7100
> and AGW PE is running with no problems and interfacing with Sally OK. I
> will now try AGW Pro but require a new registration key.
> Key to send:-
> N23YK-432H3-VVYN3-YGW5V-8M37P-I5GQP-DFHE7-YQQBZ-N64DE-4T7HX-XGW3J-TNIAB
>
> I have noticed that in the Registration KeyCode box there is a "AB" and if
> I delete it and then close the page, on re-opening it is there again.

> Would this have something to do with the extra figures generated
> previously?
>
> Regards Keith G1GXB
>
>
>
>

[Non-text portions of this message have been removed]

1070. Unhandled exception in newly installed PEPro

Yahoo group: agwpe_pro
Date: 2009-09-06 17:12:56 UTC
From: kernsd2001
Topic: 1070 Message: 1070

Greetings,

I've just registered PEPro for my desktop computer and I'm getting the following error:

Unhandled exception at 0x0044d855 in Packet Engine Pro.exe: 0xC0000005: Access violation reading location 0x00000008.

Windows XP Home Edition Version 2002 SP 3.

Help?

73 de Donald
AE6RF

1071. RE: [agwpe_pro] Unhandled exception in newly installed PEPro

Yahoo group: agwpe_pro
Date: 2009-09-07 19:40:15 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1070 Message: 1071

Hi Donald

Pse delete the ini files. They are either MyDocuments or in the program directory (where the exe is)

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of kernsd2001
> Sent: Sunday, September 06, 2009 8:13 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Unhandled exception in newly installed PEPro
>
>
>
> Greetings,
>
> I've just registered PEPro for my desktop computer and I'm getting the
> following error:
>
> Unhandled exception at 0x0044d855 in Packet Engine Pro.exe: 0xC0000005:
> Access violation reading location 0x00000008.
>
> Windows XP Home Edition Version 2002 SP 3.
>
> Help?
>
> 73 de Donald
> AE6RF
>
>
>
>

1072. New Key

Yahoo group: agwpe_pro
Date: 2009-09-14 16:27:09 UTC
From: jgspears
Topic: 636 Message: 1072

George,

Just install a new computer in the shack and need a key.

HA3DW-4KAP2-4VSN5-GNN3G-2M37H-PYGSP-B7IA8-DQQB2-NN4YQ-QBZIF-UVUND-DNSAB

Thanks.

73 Joe AF1E

1073. RE: [agwpe_pro] New Key

Yahoo group: agwpe_pro
Date: 2009-09-15 06:48:26 UTC
From: (SV2AGW) George Rossopoulos
Topic: 636 Message: 1073

Hi Joe

The serial is
H23VW-3CANS-3V2ND-ENS5Y-SNTXH-FXG6M-36H68-V8MTX-NN5GS-QBZIF-UVUND-DNSAB
73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of jgspears
> Sent: Monday, September 14, 2009 7:27 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key
>
>
>
> George,
>
> Just install a new computer in the shack and need a key.
>
> HA3DW-4KAP2-4VSN5-GNN3G-2M37H-PYGSP-B7IA8-DQQB2-NN4YQ-QBZIF-UVUND-DNSAB
>
> Thanks.
>
> 73 Joe AF1E
>
>
>
>

1074. New Key

Yahoo group: agwpe_pro
Date: 2009-09-22 19:24:08 UTC
From: ad3mham
Topic: 636 Message: 1074

George

Frank Filipkowski AD3M New install of PE Pro. Key to send:

HN3DI-RT5IN-8YNN5-DHI3Y-8M37H-3VVIP-B7HFX-DWQB4-G65YN-RDJH6-8GW3M-FGAAB

Thank you.

1075. Need Another Code

Yahoo group: agwpe_pro
Date: 2009-09-23 01:54:10 UTC
From: Michael
Topic: 1075 Message: 1075

Hi,

Need another code.

GXVDI-P33IS-7V2N5-DHJTV-2M37H-A7DQP-B7H3X-VNQB5-G3UGK-3T4H2-7V2P5-CGWAB

Thanks,

Michael Carey, KD7GHZ

1076. RE: [agwpe_pro] New Key

Yahoo group: agwpe_pro
Date: 2009-09-27 18:09:42 UTC
From: (SV2AGW) George Rossopoulos
Topic: 636 Message: 1076

Hi Frank

The serial is
IE3VI-QJ5HE-7YWND-BHN6G-YNTXH-TUVWM-36HBX-WEMTZ-G66GQ-RDJH6-8GW3M-FGAAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ad3mham
> Sent: Tuesday, September 22, 2009 10:24 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key
>
>
>
> George
>
> Frank Filipkowski AD3M New install of PE Pro. Key to send:
>
> HN3DI-RT5IN-8YNN5-DHI3Y-8M37H-3VVIP-B7HFX-DWQB4-G65YN-RDJH6-8GW3M-FGAAB
>
> Thank you.
>
>
>
>

1077. RE: [agwpe_pro] Need Another Code

Yahoo group: agwpe_pro
Date: 2009-09-27 18:09:16 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1075 Message: 1077

Hi Michael

The serial is
HPVVI-NT3HI-6WAND-BHPWD-SNTXG-26D4M-36HXY-D6MT2-G3UYN-3T4H2-7V2P5-CGWAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Michael
> Sent: Wednesday, September 23, 2009 4:54 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need Another Code
>
>
>
> Hi,
>
> Need another code.
>
> GXVDI-P33IS-7V2N5-DHJTV-2M37H-A7DQP-B7H3X-VNQB5-G3UGK-3T4H2-7V2P5-CGWAB
>
> Thanks,
>
> Michael Carey, KD7GHZ
>
>
>
>

1078. Need new key

Yahoo group: agwpe_pro
Date: 2009-10-01 01:08:44 UTC
From: hans oeste
Topic: 1078 Message: 1078

I am in need of a new key.

GN5DN-RKAQB-WGSN5-HN25Y-WM37H-I8DQP-DFIFZ-DQQDH-GN5YN-PT2PW-4Y2N5-EGIAB

Thanks

Hans Oeste

VE7OES

1079. Hard drive crash

Yahoo group: agwpe_pro
Date: 2009-10-03 22:25:49 UTC
From: mars18us
Topic: 1079 Message: 1079

I had my hard drive crash and lost my AGWPE_PRO. would appreciate a new registration for code N7WDI-RVNHX-VDWN3-YGE4V-2M37N-25GIP-DFII7-DGQDM-N24DQ-4J3H7-VWA3D-FNNAB
Thanks in advance for the help. 73, Bob K9RIJ

1080. RE: [agwpe_pro] Hard drive crash

Yahoo group: agwpe_pro
Date: 2009-10-10 14:18:49 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1079 Message: 1080

Hi Bob

The serial is
PXWVI-QMNGP-UD6NB-WGI7D-SNTXN-S4GWM-5EIE7-VYMVI-N24VS-4J3H7-VWA3D-FNNAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of mars18us
> Sent: Sunday, October 04, 2009 1:26 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Hard drive crash
>
>
>
> I had my hard drive crash and lost my AGWPE_PRO. would appreciate a new
> registration for code

N7WDI-RVNHX-VDWN3-YGE4V-2M37N-25GIP-DFII7-DGQDM-N24DQ-4J3H7-VWA3D-FNNAB
> Thanks in advance for the help. 73, Bob K9RIJ
>
>
>
>

1081. RE: [agwpe_pro] Need new key

Yahoo group: agwpe_pro
Date: 2009-10-10 14:17:23 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1078 Message: 1081

Hi Hans

The serial is
HE5VN-QCAN3-VG2ND-FN68G-NNTXH-A7D4M-5EIBZ-V8MVE-GN6GQ-PT2PW-4Y2N5-EGIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of hans oeste
> Sent: Thursday, October 01, 2009 4:09 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key
>
>
>
> I am in need of a new key.
>
> GN5DN-RKAQB-WGSN5-HN25Y-WM37H-I8DQP-DFIFZ-DQQDH-GN5YN-PT2PW-4Y2N5-EGIAB
>
> Thanks
>
> Hans Oeste
>
> VE7OES
>
>
>

1082. Re: Hard drive crash

Yahoo group: agwpe_pro
Date: 2009-10-12 18:14:49 UTC
From: mars18us
Topic: 1079 Message: 1082

Thank You George for the great service..Bob K9RIJ

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\) George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Bob
>
> The serial is
> PXWVI-QMNGP-UD6NB-WGI7D-SNTXN-S4GWM-5EIE7-VYMVI-N24VS-4J3H7-VWA3D-FNNAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Anakreontos 14
> GR-54250, Thessaloniki
> Greece
> +306932465216
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of mars18us
> > Sent: Sunday, October 04, 2009 1:26 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Hard drive crash
> >
> >
> >
> > I had my hard drive crash and lost my AGWPE_PRO. would appreciate a new
> > registration for code
>
> N7WDI-RVNHX-VDWN3-YGE4V-2M37N-25GIP-DFII7-DGQDM-N24DQ-4J3H7-VWA3D-FNNAB
> > Thanks in advance for the help. 73, Bob K9RIJ
> >
> >
> >
> >
>

1083. RE: [agwpe_pro] Need new key

Yahoo group: agwpe_pro
Date: 2009-10-14 02:15:57 UTC
From: hans oeste
Topic: 1078 Message: 1083

Thanks George!

Hans

-------Original Message-------

From: (SV2AGW) George Rossopoulos
Date: 10/10/2009 7:49:20 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Need new key

Hi Hans

The serial is
HE5VN-QCAN3-VG2ND-FN68G-NNTXH-A7D4M-5EIBZ-V8MVE-GN6GQ-PT2PW-4Y2N5-EGIAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of hans oeste
> Sent: Thursday, October 01, 2009 4:09 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key
>
>
>
> I am in need of a new key.
>
> GN5DN-RKAQB-WGSN5-HN25Y-WM37H-I8DQP-DFIFZ-DQQDH-GN5YN-PT2PW-4Y2N5-EGIAB
>
> Thanks
>
> Hans Oeste
>
> VE7OES
>
>
>

[Non-text portions of this message have been removed]

1084. Lost key code to AGW Packet Engine Pro due to Hard Drive crash.

Yahoo group: agwpe_pro
Date: 2009-10-20 06:48:24 UTC
From: k6pnm
Topic: 1084 Message: 1084

Can you please help me get another copy?

Thanks,

73 de k6pnm,

Phil Migdal

1085. RE: [agwpe_pro] Lost key code to AGW Packet Engine Pro due to Hard Drive crash.

Yahoo group: agwpe_pro
Date: 2009-10-21 08:58:48 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1084 Message: 1085

Hi Phil

Download and install it from www.sv2agw.com downloads section.
PSE send me the new "Key To Send"

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of k6pnm
> Sent: Tuesday, October 20, 2009 9:48 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Lost key code to AGW Packet Engine Pro due to Hard
> Drive crash.
>
>
>
> Can you please help me get another copy?
>
> Thanks,
>
> 73 de k6pnm,
>
> Phil Migdal
>
>
>
>

1086. New Key to Send

Yahoo group: agwpe_pro
Date: 2009-11-07 10:38:57 UTC
From: Keith
Topic: 1086 Message: 1086

Hi George
Just upgraded from Windows 7 Beta to the official issued Windows 7 and require a new Registration Key. My new Key to Send is :
GS4VI-QT2II-5VSN5-GGE6Y-2M37P-I9DKP-DGHW8-DKQB3-NN4DW-3MIHN-8VWNT-2GAAB.

The program gives the appearance of working OK but I only use one AXIP Port

Regards Keith G1GXB

1087. RE: [agwpe_pro] New Key to Send

Yahoo group: agwpe_pro
Date: 2009-11-08 05:57:46 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1086 Message: 1087

Hi Keith

Your serial is
HI5DI-PJ2HA-4V2ND-EGI9G-SNTXP-A8DYM-5FHS8-V4MTY-NN4VY-3MIHN-8VWNT-2GAAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Keith
> Sent: Saturday, November 07, 2009 12:39 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key to Send
>
>
>
> Hi George
> Just upgraded from Windows 7 Beta to the official issued Windows 7 and
> require a new Registration Key. My new Key to Send is :
> GS4VI-QT2II-5VSN5-GGE6Y-2M37P-I9DKP-DGHW8-DKQB3-NN4DW-3MIHN-8VWNT-
> 2GAAB.
>
> The program gives the appearance of working OK but I only use one AXIP
> Port
>
> Regards Keith G1GXB
>
>
>
>

1088. Key to send

Yahoo group: agwpe_pro
Date: 2009-11-10 10:52:44 UTC
From: Keith
Topic: 1088 Message: 1088

Hi George

Thank you very much for the new Registration Code. This time my computer excepted it without generating an extra 2 characters and showed as Registered. Although the program status showed as OK it never sent or received anything. I then copied the directory across from my last known working copy of AGWPe Pro and all is working fine except that it generated a different Key To Send. Please could you send me another Registration code for :

HFUDW-4VQH6-8D2N3-YG25G-YM37H-A8VGP-DGHJZ-DGQB7-HN6YK-QVIHP-VDW23-3NNAB

Apologize for wasting your time.

Keith G1GXB

1089. Key to send

Yahoo group: agwpe_pro
Date: 2009-11-08 23:14:23 UTC
From: rortola
Topic: 1088 Message: 1089

Hi, hope everithing s ok with you !

I had some problems with my computers and I need a new register,

the key to send (notebook) is:

GN3DC-RJ5PS-4VSN3-ZG65Y-6M37P-JYDNP-DGIBA-YIQBX-NS6YG-P5GHN-4YW3M-BG2AB

Thanks

Roberto Ortolani
LU2EOA
Bs As
Argentina

1090. Key to send desk computer

Yahoo group: agwpe_pro
Date: 2009-11-10 00:13:17 UTC
From: rortola
Topic: 1090 Message: 1090

Hi George,

Regards from buenos Aires, as I told you i am recovering from a crush and I need register my desk computer program, the key to send is

HFVDI-439P3-XVYN5-DNW5D-8M37P-BXVGP-B6PTZ-DNQDK-GS7DU-4BZIA-6WA3T-XNNAB

73

LU2EOA
Buenos Aires
Argentina

1091. RE: [agwpe_pro] Key to send

Yahoo group: agwpe_pro
Date: 2009-11-10 17:50:53 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1088 Message: 1091

Hi Keith

The serial is
H7UVW-3MQGW-7EANB-WG67Y-QNTXG-27VUM-5FHFZ-VYMT4-HN7GN-QVIHP-VDW23-3NNAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Keith
> Sent: Tuesday, November 10, 2009 12:53 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Key to send
>
>
>
> Hi George
>
> Thank you very much for the new Registration Code. This time my
> computer excepted it without generating an extra 2 characters and
> showed as Registered. Although the program status showed as OK it never
> sent or received anything. I then copied the directory across from my
> last known working copy of AGWPe Pro and all is working fine except
> that it generated a different Key To Send. Please could you send me
> another Registration code for :
>
> HFUDW-4VQH6-8D2N3-YG25G-YM37H-A8VGP-DGHJZ-DGQB7-HN6YK-QVIHP-VDW23-3NNAB
>
> Apologize for wasting your time.
>
> Keith G1GXB
>
>
>
>

1092. RE: [agwpe_pro] Key to send desk computer

Yahoo group: agwpe_pro
Date: 2009-11-10 17:51:25 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1090 Message: 1092

Hi

The serial is
H7VVI-3T9NT-WV8ND-BN27V-YNTXN-3WVUM-35PPZ-V6MVH-GS7VW-4BZIA-6WA3T-XNNAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of rortola
> Sent: Tuesday, November 10, 2009 2:13 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Key to send desk computer
>
>
>
> Hi George,
>
> Regards from buenos Aires, as I told you i am recovering from a crush
> and I need register my desk computer program, the key to send is
>
> HFVDI-439P3-XVYN5-DNW5D-8M37P-BXVGP-B6PTZ-DNQDK-GS7DU-4BZIA-6WA3T-XNNAB
>
> 73
>
> LU2EOA
> Buenos Aires
> Argentina
>
>
>
>

1093. RE: [agwpe_pro] Key to send

Yahoo group: agwpe_pro
Date: 2009-11-10 17:51:56 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1088 Message: 1093

Hi

The serial is
HE3VC-QB5NI-3V2NB-XHA8G-WNTXP-BXD2M-5FH7B-G2MTU-NS7GI-P5GHN-4YW3M-BG2AB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of rortola
> Sent: Monday, November 09, 2009 1:14 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Key to send
>
>
>
> Hi, hope everithing s ok with you !
>
> I had some problems with my computers and I need a new register,
>
> the key to send (notebook) is:
>
> GN3DC-RJ5PS-4VSN3-ZG65Y-6M37P-JYDNP-DGIBA-YIQBX-NS6YG-P5GHN-4YW3M-BG2AB
>
> Thanks
>
> Roberto Ortolani
> LU2EOA
> Bs As
> Argentina
>
>
>
>

1094. Need new key

Yahoo group: agwpe_pro
Date: 2009-11-10 21:47:39 UTC
From: kb9vgd
Topic: 1078 Message: 1094

Hi George,

I just upgraded to a newer computer and need a new key.

N3VVQ-5DJHX-XYSN3-2GI3Y-4M37N-27YUP-DGPS6-VIQDH-GW5VQ-QJ2PF-XG223-2HEAB

Thanks and 73

Gary - KB9VGD

1095. RE: [agwpe_pro] Need new key

Yahoo group: agwpe_pro
Date: 2009-11-11 15:48:02 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1078 Message: 1095

Hi Gary

The serial is
PTWDQ-35JGP-WY2NB-YGN6G-UNTXN-S6Y8M-5FPN7-D2MVE-GW6DS-QJ2PF-XG223-2HEAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of kb9vgd
> Sent: Tuesday, November 10, 2009 11:48 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key
>
>
>
> Hi George,
>
> I just upgraded to a newer computer and need a new key.
>
> N3VVQ-5DJHX-XYSN3-2GI3Y-4M37N-27YUP-DGPS6-VIQDH-GW5VQ-QJ2PF-XG223-2HEAB
>
> Thanks and 73
>
> Gary - KB9VGD
>
>
>
>

1096. New key needed

Yahoo group: agwpe_pro
Date: 2009-11-11 20:09:19 UTC
From: Guilford Jones
Topic: 1096 Message: 1096

Moving all the ham stuff to a new computer. If I need a new code, then
GI3DK-4T7IF-XVYN3-2HA2V-2M37P-N5YQP-B6HTY-VWQDH-HI6DU-QJXIA-8YWND-CGWAB

--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com
Tweeting at http://twitter.com/captainjustice -- only occasionally because I
don't understand what that's all about! :-)

[Non-text portions of this message have been removed]

1097. RE: [agwpe_pro] New key needed

Yahoo group: agwpe_pro
Date: 2009-11-13 18:33:24 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1096 Message: 1097

Hi Gil

The serial is
HA3VK-3J7G7-WV8NB-YHE5D-SNTXP-E4Y4M-35HPZ-EEMVE-HI6VW-QJXIA-8YWND-CGWAB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Guilford Jones
> Sent: Wednesday, November 11, 2009 10:09 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New key needed
>
>
>
> Moving all the ham stuff to a new computer. If I need a new code, then
> GI3DK-4T7IF-XVYN3-2HA2V-2M37P-N5YQP-B6HTY-VWQDH-HI6DU-QJXIA-8YWND-CGWAB
>
> --
> 73's de KA5GIL
> --
> - gil -
> Musings and Meanderings at http://captjustice.com
> <http://captjustice.com>
> Tweeting at http://twitter.com/captainjustice
> <http://twitter.com/captainjustice> -- only occasionally because I
> don't understand what that's all about! :-)
>
> [Non-text portions of this message have been removed]
>
>
>
>

1098. System crash need new code

Yahoo group: agwpe_pro
Date: 2009-11-15 13:50:53 UTC
From: ffdjeff
Topic: 1098 Message: 1098

George,

my system crashed, installed new computer and need code please.

Here is my key:

NS3DC-RB2QB-XYUN3-2NS5Y-2M37P-I6DGP-B7HXW-VNQDK-G7UGG-PDIPT-XD42T-SHEAB

Thanks
Jeff Standifer
WB5WAJ

1099. Need new key

Yahoo group: agwpe_pro
Date: 2009-11-22 20:29:10 UTC
From: on4pvh
Topic: 1078 Message: 1099

Hi George,

Have new PC , so I need a new registration keycode

key to send is :

GI5DU-P5PH7-WGQN5-GHA4V-6M37N-28YNP-B6IBZ-DKQBY-PA5VG-PDMHS-6YW2J-WGSAB

73 , On4pvh

1100. RE: [agwpe_pro] Need new key

Yahoo group: agwpe_pro
Date: 2009-11-23 07:05:48 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1078 Message: 1100

Hi

The serial is
HA5VU-NVPGX-VGYND-EHE7D-WNTXN-S7Y2M-35H7Z-V4MTV-PA6DI-PDMHS-6YW2J-WGSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of on4pvh
> Sent: Sunday, November 22, 2009 10:29 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key
>
>
>
> Hi George,
>
> Have new PC , so I need a new registration keycode
>
> key to send is :
>
> GI5DU-P5PH7-WGQN5-GHA4V-6M37N-28YNP-B6IBZ-DKQBY-PA5VG-PDMHS-6YW2J-WGSAB
>
> 73 , On4pvh
>
>
>
>

1101. Key Codes

Yahoo group: agwpe_pro
Date: 2009-12-02 14:04:28 UTC
From: kd7cvj
Topic: 1101 Message: 1101

I am installing a new hard drive and want to do a new install, of PEPRO. Is there a way to do this without having to request a new key code?

1102. need to install on new system

Yahoo group: agwpe_pro
Date: 2009-12-03 02:30:07 UTC
From: roderick_hart
Topic: 1102 Message: 1102

I need new key code-

HI7GG-RT3IJ-WYYN5-HNW6D-6M37H-XWDQP-B6HPW-YNQDJ-N27YN-Q5GH2-7Y4P3-UGAAB

Roderick W. Hart, wa3mez

1103. Re: KPC9612+ with add-on board

Yahoo group: agwpe_pro
Date: 2009-12-03 21:01:24 UTC
From: ad6nh
Topic: 986 Message: 1103

Any help? George? Anyone?

73
Phil - AD6NH

--- In agwpe_pro@...m, "Phil - AD6NH" <ad6nh_lists@...> wrote:
>
> Additional information... I was able to get a "third port" added, but
> it is not working 100%. By changing the KISSIDPORTx settings in the
> ini file, I was able to get UI-View to transmit on the three different
> ports. However, data coming on all three ports is only being received
> by AGWPE Pro on port 1. I'm missing something in the ini file that I
> need to change. This is what I have in the ini files:
>
> agwpe.ini
> [LANGUAGE]
> LANGUAGE=1033
> [VERSION]
> MAJOR=2007
> MINOR=514
> [TNC]
> GMT=0
> MONITORFORMAT=0
> ASKONEXIT=0
> [MAIN]
> PORTS=3
> [MANAGER]
> STATE=1
> VIEW=1
> [TCPIPINTERCONNECT]
> ENABLE=1
> PORT=14439
> SECURITYLEVEL=1
> LOG=0
> [INTERPE]
> ENABLE=1
> PORTS=1
> NAME=AD6NH
> PORT=14509
> [DEBUG]
> TRACE=0
>
> port0.ini
> [TNC]
> TYPE=KPC9612+

```
> KISSSUBTYPE=KISS
> INITKISS1=INTFACE KISS
> INITKISS2=RESET
> INITKISS3=
> EXITKISS=1
> KISSID=0
> FREQUENCY=Local Packet 145.090
> MULTIPORT=3
> KISSIDPORT2=16
> KISSIDPORT3=32
> [COMMUNICATION]
> PORT=COM6:
> BAUD=38400
> [DUALPORT]
> SECONDPORT=3
> MAINPORT=0
> [SHARING]
> SHARE=1
>
> port1.ini
> [DUALPORT]
> SERIALPORT=DISABLE
> SECONDPORT=2
> MAINPORT=0
> [TNC]
> TYPE=KPC9612+
> FREQUENCY=US APRS 144.390
> KISSID=16
> MULTIPORT=3
> KISSSUBTYPE=KISS
> [COMMUNICATION]
> PORT=COM6:
> BAUD=38400
> [SHARING]
> SHARE=0
>
> port2.ini
> [DUALPORT]
> SERIALPORT=DISABLE
> SECONDPORT=3
> MAINPORT=0
> [TNC]
> TYPE=KPC9612+
> FREQUENCY=US APRS 144.390
> KISSID=32
> MULTIPORT=3
> KISSSUBTYPE=KISS
> [COMMUNICATION]
> PORT=COM6:
> BAUD=38400
```

> [SHARING]
> SHARE=0
>
> --- In agwpe_pro@yahoogroups.com, "Phil - AD6NH" <ad6nh_lists@> wrote:
> >
> > Does anyone have a procedure for adding the 3rd port in Packet Engine
> > PRO for a KPC9612+ TNC with an add-on board? I am not able to get a
> > 3rd port added. I appreciate the help. Thanks!
> >
> > 73
> > Phil - AD6NH
> >
>

1104. RE: [agwpe_pro] need to install on new system

Yahoo group: agwpe_pro
Date: 2009-12-05 07:25:51 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1102 Message: 1104

Hi

The serial is
IA7YG-QJ3HB-VY8ND-FN28V-WNTXH-PVD4M-35HJX-G6MVG-N28GQ-Q5GH2-7Y4P3-UGAAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of roderick_hart
> Sent: Thursday, December 03, 2009 4:30 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] need to install on new system
>
>
>
> I need new key code-
>
> HI7GG-RT3IJ-WYYN5-HNW6D-6M37H-XWDQP-B6HPW-YNQDJ-N27YN-Q5GH2-7Y4P3-UGAAB
>
> Roderick W. Hart, wa3mez
>
>
>
>

1105. New key code

Yahoo group: agwpe_pro
Date: 2009-12-04 15:38:03 UTC
From: ffdjeff
Topic: 1105 Message: 1105

George, Installing a new system here and need new keycode: Key to send is:
NS3DC-RB2QB-XYUN3-2NS5Y-2M37P-I6DGP-B7HXW-VNQDK-G7UGG-PDIPT-XD42T-SHEAB

Thanks George

Jeff
WB5WAJ

1106. RE: [agwpe_pro] New key code

Yahoo group: agwpe_pro
Date: 2009-12-05 15:27:02 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1105 Message: 1106

Hi Jeff

The serial is
PI3VC-P32N3-WY4NB-YNW8G-SNTXP-A5DUM-36HTX-D6MVH-G7UYI-PDIPT-XD42T-SHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ffdjeff
> Sent: Friday, December 04, 2009 5:38 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New key code
>
>
>
> George, Installing a new system here and need new keycode: Key to send is:
> NS3DC-RB2QB-XYUN3-2NS5Y-2M37P-I6DGP-B7HXW-VNQDK-G7UGG-PDIPT-XD42T-SHEAB
>
> Thanks George
>
> Jeff
> WB5WAJ
>
>
>
>

1107. new key code

Yahoo group: agwpe_pro
Date: 2009-12-10 10:14:45 UTC
From: n3hu
Topic: 1107 Message: 1107

Hi George,

My machine with Vista died of self inflicted wounds. I've reloaded
the machine with Window7. Would you please send me a new
key for pepro?

key to send is:

N66YI-5J5QE-8VYN5-IGPVD-8M37H-S9DKP-B6HI9-YEQBZ-N65GI-Q38HA-8YSPD-ENEAB

tia & 73
rob

1108. RE: [agwpe_pro] new key code

Yahoo group: agwpe_pro
Date: 2009-12-11 08:49:58 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1107 Message: 1108

Hi Rob

The serial is
PW7GI-4B5N6-7V8ND-GGTXV-YNTXH-I8DYM-35HFA-GWMTW-N65YK-Q38HA-8YSPD-ENEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of n3hu
> Sent: Thursday, December 10, 2009 12:15 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] new key code
>
>
>
> Hi George,
>
> My machine with Vista died of self inflicted wounds. I've reloaded
> the machine with Window7. Would you please send me a new
> key for pepro?
>
> key to send is:
>
> N66YI-5J5QE-8VYN5-IGPVD-8M37H-S9DKP-B6HI9-YEQBZ-N65GI-Q38HA-8YSPD-ENEAB
>
> tia & 73
> rob
>
>
>
>

1109. Signalink Transmit Problem

Yahoo group: agwpe_pro
Date: 2009-12-11 01:57:12 UTC
From: rollerbald
Topic: 1109 Message: 1109

Hello all - new guy here (old ham though ☐ licensed 40 years). I hope someone can help me with getting AGWPE Pro working with my HP Netbook 110 running Windows 7 and Signalink USB. The hardware setup is OK because I can run Digipan (both receive and transmit) just fine.

I tried the free version of AGWPE but it locks up (just AGWPE, not the whole computer) when I try to transmit. Receive works fine in Digipan and UI-View. After spending hours trying to get the free version to transmit with this setup I gave up. So now I am trying AGWPE Pro to see if I have any better luck. I don't mind paying for AGWPE Pro if I can get it to work.

In AGWPE Pro setup I select `New Tnc(Port)' - `Sound Card' ☐ `Microphone (USB Audio CODEC)' ☐ `SignaLink'. When I press the `Test PTT' I get an error message `the Serial Port you selected is Invalid or in use! Select a valid one.'

I get the same message when selecting any of the COM ports ☐ the LPT ports will try to test PTT, but of course nothing happens on the SignaLink.

I have searched the message archives here and in the SV2AGW group but so far have not been successful in getting this setup to work.

Suggestions would be much appreciated. Thanks and 73.

Bill ☐ KC5SB

1110. RE: [agwpe_pro] Signalink Transmit Problem

Yahoo group: agwpe_pro
Date: 2009-12-13 20:54:08 UTC
From: Ralph Milnes
Topic: 1109 Message: 1110

Maybe this page would help:
http://kc2rlm.info/soundcardpacket/1signalinkusb.htm

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of rollerbald
Sent: Thursday, December 10, 2009 8:57 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Signalink Transmit Problem

Hello all - new guy here (old ham though - licensed 40 years). I hope someone can help me with getting AGWPE Pro working with my HP Netbook 110 running Windows 7 and Signalink USB. The hardware setup is OK because I can run Digipan (both receive and transmit) just fine.

I tried the free version of AGWPE but it locks up (just AGWPE, not the whole computer) when I try to transmit. Receive works fine in Digipan and UI-View. After spending hours trying to get the free version to transmit with this setup I gave up. So now I am trying AGWPE Pro to see if I have any better luck. I don't mind paying for AGWPE Pro if I can get it to work.

In AGWPE Pro setup I select `New Tnc(Port)' - `Sound Card' - `Microphone (USB Audio CODEC)' - `SignaLink'. When I press the `Test PTT' I get an error message `the Serial Port you selected is Invalid or in use! Select a valid one.'

I get the same message when selecting any of the COM ports - the LPT ports will try to test PTT, but of course nothing happens on the SignaLink.

I have searched the message archives here and in the SV2AGW group but so far have not been successful in getting this setup to work.

Suggestions would be much appreciated. Thanks and 73.

Bill - KC5SB

Yahoo! Groups Links

1111. Re: Signalink Transmit Problem

Yahoo group: agwpe_pro
Date: 2009-12-14 02:11:58 UTC
From: rollerbald
Topic: 1109 Message: 1111

Thanks for the reply Ralph. I had already seen that one. I have decided to solve this problem by avoiding it altogether. I am in the process of setting up a dual boot on the netbook so I can boot into XP or Windows 7. I intend to install AGWPE and UI-View in the XP partition.

73,

Bill KC5SB

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Maybe this page would help:
> http://kc2rlm.info/soundcardpacket/1signalinkusb.htm
>
> Ralph KC2RLM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of rollerbald
> Sent: Thursday, December 10, 2009 8:57 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Signalink Transmit Problem
>
> Hello all - new guy here (old ham though - licensed 40 years). I hope
> someone can help me with getting AGWPE Pro working with my HP Netbook 110
> running Windows 7 and Signalink USB. The hardware setup is OK because I can
> run Digipan (both receive and transmit) just fine.
>
> I tried the free version of AGWPE but it locks up (just AGWPE, not the whole
> computer) when I try to transmit. Receive works fine in Digipan and
> UI-View. After spending hours trying to get the free version to transmit
> with this setup I gave up. So now I am trying AGWPE Pro to see if I have
> any better luck. I don't mind paying for AGWPE Pro if I can get it to work.
>
> In AGWPE Pro setup I select `New Tnc(Port)' - `Sound Card' - `Microphone
> (USB Audio CODEC)' - `SignaLink'. When I press the `Test PTT' I get an
> error message `the Serial Port you selected is Invalid or in use! Select a
> valid one.'
>
> I get the same message when selecting any of the COM ports - the LPT ports
> will try to test PTT, but of course nothing happens on the SignaLink.
>
> I have searched the message archives here and in the SV2AGW group but so far
> have not been successful in getting this setup to work.
>
> Suggestions would be much appreciated. Thanks and 73.

>
> Bill - KC5SB
>
>
>
>
>
> ---
>
> Yahoo! Groups Links
>

1112. New Code for AGWPEpro

Yahoo group: agwpe_pro
Date: 2009-12-19 13:02:25 UTC
From: hb9mhb
Topic: 1112 Message: 1112

Hi George, I changed to Win7 and now I should have a new Code for AGWPEpro. The Key to send is: N7VDN-QMKHN-9D2N3-ZG62G-6M37H-I8VGP-B6IJW-VSQB5-HN6DQ-33XPE-6DUP3-XHEAB. Thanks and have a nice Weekend Rudy HB9MHB

1113. RE: [agwpe_pro] New Code for AGWPEpro

Yahoo group: agwpe_pro
Date: 2009-12-21 16:57:50 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1112 Message: 1113

Hi Rudy

Your new serial is
PXVVN-PDKGE-8EANB-XHA4Y-WNTXH-A7VUM-35IFX-EAMT2-HN6VS-33XPE-6DUP3-XHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of hb9mhb
> Sent: Saturday, December 19, 2009 3:02 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Code for AGWPEpro
>
>
>
> Hi George, I changed to Win7 and now I should have a new Code for
AGWPEpro.
> The Key to send is:

N7VDN-QMKHN-9D2N3-ZG62G-6M37H-I8VGP-B6IJW-VSQB5-HN6DQ-33XPE-6DUP3-XHEAB.
Thanks and have a nice Weekend Rudy HB9MHB
>
>
>
>

1114. AGWMonitor

Yahoo group: agwpe_pro
Date: 2009-12-31 20:03:34 UTC
From: kd0ffg
Topic: 1114 Message: 1114

I am a new ham to Packet have loaded AGWPE Pro and am wondering if the AGWMonitor is the same as the monitor in AGWPE Pro. Also on the monitor in Pro I notice different colors for packet messages. Do the different colors have any meaning, if so where can I find out about them.

Dennis Starr
K0DLS (old call of KD0FFG)

1115. RE: [agwpe_pro] AGWMonitor

Yahoo group: agwpe_pro
Date: 2010-01-02 23:35:08 UTC
From: Ralph Milnes
Topic: 1114 Message: 1115

Dennis,

I think the monitor in PE Pro is for all practical purposes the same as the standalone AGWMonitor program that works with AGWPE, other than the text colors and you cannot change the text colors like you can in AGWMonitor.

On my system the PE Pro monitor has these text colors:
1. Packets I sent - yellow
2. Packets received: header - white; info in the packet - light grey

If you want, you can run the AGWMonitor simultaneously with the PE Pro monitor.

Ralph KC2RLM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kd0ffg
Sent: Thursday, December 31, 2009 3:04 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWMonitor

I am a new ham to Packet have loaded AGWPE Pro and am wondering if the AGWMonitor is the same as the monitor in AGWPE Pro. Also on the monitor in Pro I notice different colors for packet messages. Do the different colors have any meaning, if so where can I find out about them.

Dennis Starr
K0DLS (old call of KD0FFG)

Yahoo! Groups Links

1116. AGWPE Pro and Vista

Yahoo group: agwpe_pro
Date: 2010-01-03 03:31:37 UTC
From: kd0ffg
Topic: 1116 Message: 1116

I have loaded Pro on a Vista (64 bit) laptop and cannot configure ports. I can run the "New Port" config and everything is ok except it will not flash the lights on my Kentronics KAM-XL. I exit the pgm and do a restart and the new ports do not appear. I would blow the pgm away and start over except I have loaded the key and my understanding is you have to get a new key (which seems kind of strange) in order to load it again. Can anyone give me some ideas. And my KAM-XL works fine with OutposPMM and IPserial. Can do PBBS and BBS. So its not the Kentronics.

Dennis
K0DLS

1117. Re: AGWMonitor

Yahoo group: agwpe_pro
Date: 2010-01-03 03:14:24 UTC
From: kd0ffg
Topic: 1114 Message: 1117

It would be nice if you could change the colors....my eyes do not see so good on a lot of colors. Would help if I could change them. I am on of those folks who hates having a lot of pgms open just to one or two things.

Thanks,
Dennis Starr
K0DLS

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Dennis,
>
> I think the monitor in PE Pro is for all practical purposes the same as the
> standalone AGWMonitor program that works with AGWPE, other than the text
> colors and you cannot change the text colors like you can in AGWMonitor.
>
> On my system the PE Pro monitor has these text colors:
> 1. Packets I sent - yellow
> 2. Packets received: header - white; info in the packet - light grey
>
> If you want, you can run the AGWMonitor simultaneously with the PE Pro
> monitor.
>
> Ralph KC2RLM
>
>
> -----Original Message-----
> From: agwpe_pro@...m [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of kd0ffg
> Sent: Thursday, December 31, 2009 3:04 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWMonitor
>
> I am a new ham to Packet have loaded AGWPE Pro and am wondering if the
> AGWMonitor is the same as the monitor in AGWPE Pro. Also on the monitor in
> Pro I notice different colors for packet messages. Do the different colors
> have any meaning, if so where can I find out about them.
>
> Dennis Starr
> K0DLS (old call of KD0FFG)
>
>
>
> ------------------------------------
>

> Yahoo! Groups Links
>

1118. Re: [agwpe_pro] AGWPE Pro and Vista

Yahoo group: agwpe_pro
Date: 2010-01-03 14:18:54 UTC
From: Keith Ray
Topic: 1116 Message: 1118

Hope I am not stating the obvious but is the TNC in Kiss Mode. Try generating a Kiss mode port in AGWPe Pro and then put the TNC into Kiss mode and then see if it works

Keith

G1GXB

From: kd0ffg
Sent: Sunday, January 03, 2010 3:31 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE Pro and Vista

I have loaded Pro on a Vista (64 bit) laptop and cannot configure ports. I can run the "New Port" config and everything is ok except it will not flash the lights on my Kentronics KAM-XL. I exit the pgm and do a restart and the new ports do not appear. I would blow the pgm away and start over except I have loaded the key and my understanding is you have to get a new key (which seems kind of strange) in order to load it again. Can anyone give me some ideas. And my KAM-XL works fine with OutposPMM and IPserial. Can do PBBS and BBS. So its not the Kentronics.

Dennis
K0DLS

No virus found in this outgoing message.
Checked by AVG - www.avg.com
Version: 9.0.725 / Virus Database: 270.14.124/2597 - Release Date: 01/02/10 08:22:00

[Non-text portions of this message have been removed]

1119. Re: [agwpe_pro] AGWPE Pro and Vista

Yahoo group: agwpe_pro
Date: 2010-01-03 16:20:15 UTC
From: Robert Rude
Topic: 1116 Message: 1119

Dennis,

You're still identifing yourself as KD0FFG...

From: kd0ffg <dlstarr46@...> Add to Contacts
To: agwpe_pro@yahoogroups.com
 73 DE K0RAR
Rob Rude

1120. Re: [agwpe_pro] AGWPE Pro and Vista

Yahoo group: agwpe_pro
Date: 2010-01-03 14:14:07 UTC
From: Guilford Jones
Topic: 1116 Message: 1120

On Sat, Jan 2, 2010 at 9:31 PM, kd0ffg <dlstarr46@...> wrote:

> I have loaded Pro on a Vista (64 bit) laptop
>
It works just fine on my Vista 32 bit machine.

> I would blow the pgm away and start over except I have loaded the key and
> my understanding is you have to get a new key (which seems kind of strange)
> in order to load it again.
>
I don't think that is correct. You can reload on the same machine, just be
sure you enter the info the same.
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com
Tweeting at http://twitter.com/captainjustice -- only occasionally because I
don't understand what that's all about! :-)

[Non-text portions of this message have been removed]

1121. AutoStart - Windows 7

Yahoo group: agwpe_pro
Date: 2010-01-03 19:21:54 UTC
From: DonaldF
Topic: 1121 Message: 1121

I am using Packet Engine Pro ver 2007.514 with Windows 7. I am unable to Add programs to the Autostart menu, which was used on another machine with Vista. Compatibility has been set for Windows 95, with Administrator privledges. Help please....tnx.

Don K7BFL

1122. Un Lock Key

Yahoo group: agwpe_pro
Date: 2010-01-04 07:38:05 UTC
From: ddwilson2908
Topic: 1122 Message: 1122

Hi George

The mother board in my XP computer died the other day.

I replaced it with a new computer that uses Windows 7.

The key is:

GN7DG-P32P2-6V6N3-UGN3G-6M37N-3VVGP-DGIBY-VNQB2-N24DW-QVJHE-6V63D-FNEAB

Please send me a new un-lock key.

Thanks

Don N9ZGE

n9zge@...

1123. RE: [agwpe_pro] AGWPE Pro and Vista

Yahoo group: agwpe_pro
Date: 2010-01-05 17:12:37 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1116 Message: 1123

Hi

Kantronic's TNC do NOT flash the Leds. Continue the wizard

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of kd0ffg
> Sent: Sunday, January 03, 2010 5:32 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGWPE Pro and Vista
>
>
>
> I have loaded Pro on a Vista (64 bit) laptop and cannot configure ports. I
> can run the "New Port" config and everything is ok except it will not
flash
> the lights on my Kentronics KAM-XL. I exit the pgm and do a restart and
the
> new ports do not appear. I would blow the pgm away and start over except I
> have loaded the key and my understanding is you have to get a new key
> (which seems kind of strange) in order to load it again. Can anyone give
me
> some ideas. And my KAM-XL works fine with OutposPMM and IPserial. Can do
> PBBS and BBS. So its not the Kentronics.
>
> Dennis
> K0DLS
>
>
>
>

1124. RE: [agwpe_pro] Un Lock Key

Yahoo group: agwpe_pro
Date: 2010-01-05 17:10:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1122 Message: 1124

Hi

Your serial is
HE7VG-NT2NS-5WENB-SGS5Y-WNTXN-TUVUM-5FH7Z-D6MTX-N24VY-QVJHE-6V63D-FNEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ddwilson2908
> Sent: Monday, January 04, 2010 9:38 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Un Lock Key
>
>
>
> Hi George
>
> The mother board in my XP computer died the other day.
>
> I replaced it with a new computer that uses Windows 7.
>
> The key is:
>
> GN7DG-P32P2-6V6N3-UGN3G-6M37N-3VVGP-DGIBY-VNQB2-N24DW-QVJHE-6V63D-FNEAB
>
> Please send me a new un-lock key.
>
> Thanks
>
> Don N9ZGE
>
> n9zge@... <mailto:n9zge%40arrl.net>
>
>
>
>

1125. RE: [agwpe_pro] AutoStart - Windows 7

Yahoo group: agwpe_pro
Date: 2010-01-05 17:11:36 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1121 Message: 1125

Hi

Do NOT use COMPATABILITY mode. Packet Engine Pro works ok under Vista and
Win7 at least the latest version

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of DonaldF
> Sent: Sunday, January 03, 2010 9:22 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AutoStart - Windows 7
>
>
>
> I am using Packet Engine Pro ver 2007.514 with Windows 7. I am unable to
> Add programs to the Autostart menu, which was used on another machine with
> Vista. Compatibility has been set for Windows 95, with Administrator
> privledges. Help please....tnx.
>
> Don K7BFL
>
>
>
>

1126. Newbie Question

Yahoo group: agwpe_pro
Date: 2010-01-09 18:01:07 UTC
From: DonM
Topic: 160 Message: 1126

Hello all,

My name is Don. My call is K0OZ. I am trying to connect AGW Packet Engine PRO to my tiny tracker 4. The TT4 is can act as a KISS TNC. Has anyone done this before.

Is there a good resource that I can go to to walk me through the process of connecting to my TT4?

Don
K0OZ

1127. P E Pro does not transmit with the receive soundcard

Yahoo group: agwpe_pro
Date: 2010-01-07 04:48:57 UTC
From: jhuggins64
Topic: 1127 Message: 1127

All,

I saw some discussion in the archives about this, but never saw resolution.

I have a US Interface Navigator between the PC and the Radio. It works just fine with every Ham program (like MixW, etc.) PEpro Version 2007.514 has a problem associating its transmit audio to the same port it receives with.

In Properties for Port 1 I have "USB Audio CODEC" selected of the multiple choices.

PEpro properly receives packets (from USB Audio CODEC in the Navigator) just fine.

PEpro correctly keys the radio with Com6 (PTT in the Navigator) just fine.

When transmitting, PEpro outputs the sound to the built-in, Sigma Tel Audio, sound card rather than the USB Audio CODEC in the Navigator.

So PEpro properly listens on one sound card and erroneously transmits on the other.

Anyone know if I am missing some PEpro setting?

Thanks.

John

1128. Re: [agwpe_pro] Newbie Question

Yahoo group: agwpe_pro
Date: 2010-01-09 22:22:11 UTC
From: Phillip
Topic: 160 Message: 1128

Hi Don,
Have you asked this of the TT group as well ?

73 Phillip
ZL2TZE

-------Original Message-------

From: DonM
Date: 10/01/2010 11:19:10 a.m.
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Newbie Question

Hello all,

My name is Don. My call is K0OZ. I am trying to connect AGW Packet Engine PRO to my tiny tracker 4. The TT4 is can act as a KISS TNC. Has anyone done this before.

Is there a good resource that I can go to to walk me through the process of connecting to my TT4?

Don
K0OZ

Yahoo! Groups Links

[Non-text portions of this message have been removed]

1129. Re: [agwpe_pro] Newbie Question

Yahoo group: agwpe_pro
Date: 2010-01-10 00:05:10 UTC
From: Don Morris
Topic: 160 Message: 1129

Not yet put that was my next step.

73, Don K0OZ
Rio Rancho, NM, USA

From: Phillip <zl2tze@...>
To: agwpe_pro@yahoogroups.com
Sent: Sat, January 9, 2010 3:22:11 PM
Subject: Re: [agwpe_pro] Newbie Question

Hi Don,
Have you asked this of the TT group as well ?

73 Phillip
ZL2TZE

-------Original Message----- --

From: DonM
Date: 10/01/2010 11:19:10 a.m.
To: agwpe_pro@yahoogrou ps.com
Subject: [agwpe_pro] Newbie Question

Hello all,

My name is Don. My call is K0OZ. I am trying to connect AGW Packet Engine
PRO to my tiny tracker 4. The TT4 is can act as a KISS TNC. Has anyone
done this before.

Is there a good resource that I can go to to walk me through the process of
connecting to my TT4?

Don
K0OZ

--- --- --- ---

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1130. Sound card modem does not work with ASUS eeeBox (VIA HD audio chipset)

Yahoo group: agwpe_pro
Date: 2010-01-13 15:05:31 UTC
From: ik2bcp
Topic: 1130 Message: 1130

I have installed AGWPE Pro on my new ASUS eeeBox but the soundcard modem does not work; same failure with AGWPE free...
The audio chipset is VIA HD and drivers are the latest.
Has anyone had success with this PC / audio chipset?
Any other software that uses sound card works fine: Digipan, Echolink, DM780, etc.
Thanks and 73
Guido, ik2bcp

P.S. Packet Engine works fine with an USB->RS232 adapter and a KAM tnc, but I need to use the soundmodem...

1131. New Laptop validation needed

Yahoo group: agwpe_pro
Date: 2010-01-14 19:25:22 UTC
From: rortola
Topic: 1131 Message: 1131

Hi George,

Regards from Bs As Argentina, I am bothering to you for a validation of the following Key to send:

GN3DC-RJ5PS-4VSN3-ZG65Y-6M37P-JYDNP-DGIBA-YIQBX-NS6YG-P5GHN-4YW3M-BG2AB

Thank you for your support,

Roberto Ortolani

Bs As
Argentina

1132. new registration code needed please

Yahoo group: agwpe_pro
Date: 2010-01-16 02:21:52 UTC
From: peter_belbin
Topic: 1132 Message: 1132

Hi there George,

I've reinstalled my laptop, and need to get a fresh registration key.

here is the challenge code:

NN4VS-5DJIS-7VQN5-EHI5W-EM37P-E7VIP-DGPXY-DEQB6-GW4VY-4T7H2-8D4PV-DNIAB

all the best,
peter
KE5STL

1133. New Laptop validation needed for KE5STL please

Yahoo group: agwpe_pro
Date: 2010-01-16 02:00:03 UTC
From: peter belbin
Topic: 1133 Message: 1133

Hello George,

I've just reinstalled my laptop, and of course I want to get agwpe registered on it.

here is the code it's giving me:

NN4VS-5DJIS-7VQN5-EHI5W-EM37P-E7VIP-DGPXY-DEQB6-GW4VY-4T7H2-8D4PV-DNIAB

all the best,
peter
KE5STL

[Non-text portions of this message have been removed]

1134. RE: [agwpe_pro] New Laptop validation needed

Yahoo group: agwpe_pro
Date: 2010-01-17 08:56:20 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1131 Message: 1134

Hi Roberto

The serial is
HE3VC-QB5NI-3V2NB-XHA8G-WNTXP-BXD2M-5FH7B-G2MTU-NS7GI-P5GHN-4YW3M-BG2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of rortola
> Sent: Thursday, January 14, 2010 9:25 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Laptop validation needed
>
>
>
> Hi George,
>
> Regards from Bs As Argentina, I am bothering to you for a validation of
the
> following Key to send:
>
> GN3DC-RJ5PS-4VSN3-ZG65Y-6M37P-JYDNP-DGIBA-YIQBX-NS6YG-P5GHN-4YW3M-BG2AB
>
> Thank you for your support,
>
> Roberto Ortolani
>
> Bs As
> Argentina
>
>
>
>

1135. RE: [agwpe_pro] new registration code needed please

Yahoo group: agwpe_pro
Date: 2010-01-17 08:56:55 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1132 Message: 1135

Hi Peter

The serial is
PE5DS-35JHI-6VYND-CHN8D-6NTXN-66VWM-5FPTY-VWMT3-GW5D2-4T7H2-8D4PV-DNIAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of peter_belbin
> Sent: Saturday, January 16, 2010 4:22 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] new registration code needed please
>
>
>
> Hi there George,
>
> I've reinstalled my laptop, and need to get a fresh registration key.
>
> here is the challenge code:
>
> NN4VS-5DJIS-7VQN5-EHI5W-EM37P-E7VIP-DGPXY-DEQB6-GW4VY-4T7H2-8D4PV-DNIAB
>
> all the best,
> peter
> KE5STL
>
>
>
>

1136. New registration code...

Yahoo group: agwpe_pro
Date: 2010-01-20 04:15:25 UTC
From: Jeffrey P. Nast
Topic: 1136 Message: 1136

Hello George,

Greetings and salutations for the New Year! I'm installing on a new machine and need a new registration code. Here is the "Key To Send":

NS4GG-439HX-WDKN5-EG3SY-4M37H-N9GIP-B7HTX-YKQBZ-NW3VU-QJ7HW-4YW23-2NWAB

Thank you and 73!

Jeff
KC?MKS

1137. new registration key needed

Yahoo group: agwpe_pro
Date: 2010-01-20 20:55:28 UTC
From: mike.thebike
Topic: 1137 Message: 1137

I have a new computer, a laptop and I need a new registration
key I guess.

The "key to send" is:
HBVVU-QMMHS-6GYN5-HGE4V-2M37P-E9YIP-B6PJA-GQQB2-GI4GG-QT3PS-4VYN3-3G2AB

Mike Stansberry, K0TER

1138. RE: [agwpe_pro] New registration code...

Yahoo group: agwpe_pro
Date: 2010-01-21 14:49:07 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1136 Message: 1138

Hi Jeff

The serial is
PI4YG-3T9GP-VDUND-CG7VG-UNTXH-E8GWM-36HPY-G4MTW-NW4DW-QJ7HW-4YW23-2NWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Jeffrey P. Nast
> Sent: Wednesday, January 20, 2010 6:15 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New registration code...
>
>
>
> Hello George,
>
> Greetings and salutations for the New Year! I'm installing on a new
> machine and need a new registration code. Here is the "Key To Send":
>
> NS4GG-439HX-WDKN5-EG3SY-4M37H-N9GIP-B7HTX-YKQBZ-NW3VU-QJ7HW-4YW23-2NWAB
>
> Thank you and 73!
>
> Jeff
> KCØMKS
>
>
>
>

1139. RE: [agwpe_pro] new registration key needed

Yahoo group: agwpe_pro
Date: 2010-01-21 14:49:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1137 Message: 1139

Hi Mike

The serial is
H3WDU-PDMGI-5G8ND-FGI7D-SNTXN-68YWM-35PFA-Y8MTX-GI4YI-QT3PS-4VYN3-3G2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of mike.thebike
> Sent: Wednesday, January 20, 2010 10:55 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] new registration key needed
>
>
>
>
> I have a new computer, a laptop and I need a new registration
> key I guess.
>
> The "key to send" is:
> HBVVU-QMMHS-6GYN5-HGE4V-2M37P-E9YIP-B6PJA-GQQB2-GI4GG-QT3PS-4VYN3-3G2AB
>
> Mike Stansberry, K0TER
>
>
>
>

1140. AGWTracker New Release

Yahoo group: agwpe_pro
Date: 2010-01-25 08:25:59 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1137 Message: 1140

Hi

Added support for online OpenStreet Maps http://www.openstreetmap.org/
Fixed many Bugs.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1141. Re: [agwpe_pro] new registration code needed please

Yahoo group: agwpe_pro
Date: 2010-01-28 00:56:43 UTC
From: peter belbin
Topic: 1132 Message: 1141

Hi George,

Thank you for the new code.

I have a question for you though:

I'm running windows 7 32 bit, and, every time I start agwpe pro, I get a prompt asking if it's ok for the app to make changes to the computer because the publisher is 'unknown'.

do you have a fix for this so that I won't get prompted every time?

all the best,
peter.

On Sun, Jan 17, 2010 at 2:56 AM, (SV2AGW)George Rossopoulos <
sv2agw@...> wrote:

>
>
> Hi Peter
>
> The serial is
> PE5DS-35JHI-6VYND-CHN8D-6NTXN-66VWM-5FPTY-VWMT3-GW5D2-4T7H2-8D4PV-DNIAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com> [mailto:
> agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>] On
> > Behalf Of peter_belbin
> > Sent: Saturday, January 16, 2010 4:22 AM
> > To: agwpe_pro@yahoogroups.com <agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] new registration code needed please
> >
> >
> >
> > Hi there George,
> >

> > I've reinstalled my laptop, and need to get a fresh registration key.
> >
> > here is the challenge code:
> >
> > NN4VS-5DJIS-7VQN5-EHI5W-EM37P-E7VIP-DGPXY-DEQB6-GW4VY-4T7H2-8D4PV-DNIAB
> >
> > all the best,
> > peter
> > KE5STL
> >
> >
> >
> >
>
>
>

[Non-text portions of this message have been removed]

1142. RE: [agwpe_pro] new registration code needed please

Yahoo group: agwpe_pro
Date: 2010-01-28 18:23:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1132 Message: 1142

Hi

I am running windows 7 but never asks me although UAC is at full level.
It probably asks you for other programs too.
It must has a check to not ask you again.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of peter belbin
> Sent: Thursday, January 28, 2010 2:57 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] new registration code needed please
>
>
>
> Hi George,
>
> Thank you for the new code.
>
> I have a question for you though:
>
> I'm running windows 7 32 bit, and, every time I start agwpe pro, I get a
> prompt asking if it's ok for the app to make changes to the computer
> because
> the publisher is 'unknown'.
>
> do you have a fix for this so that I won't get prompted every time?
>
> all the best,
> peter.
>
> On Sun, Jan 17, 2010 at 2:56 AM, (SV2AGW)George Rossopoulos <
> sv2agw@... <mailto:sv2agw%40freemail.gr> > wrote:
>
> >
> >
> > Hi Peter

> >
> > The serial is
> > PE5DS-35JHI-6VYND-CHN8D-6NTXN-66VWM-5FPTY-VWMT3-GW5D2-4T7H2-8D4PV-DNIAB
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com <http://www.sv2agw.com>
> > http://www.agwtracker.com <http://www.agwtracker.com>
> >
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <agwpe_pro%40yahoogroups.com> [mailto:
> > agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <agwpe_pro%40yahoogroups.com>] On
> > > Behalf Of peter_belbin
> > > Sent: Saturday, January 16, 2010 4:22 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] new registration code needed please
> > >
> > >
> > >
> > > Hi there George,
> > >
> > > I've reinstalled my laptop, and need to get a fresh registration key.
> > >
> > > here is the challenge code:
> > >
> > >
NN4VS-5DJIS-7VQN5-EHI5W-EM37P-E7VIP-DGPXY-DEQB6-GW4VY-4T7H2-8D4PV-DNIAB
> > >
> > > all the best,
> > > peter
> > > KE5STL
> > >
> > >
> > >
> > >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>

>
>

1143. New Registration

Yahoo group: agwpe_pro
Date: 2010-02-01 02:34:29 UTC
From: Fred
Topic: 1143 Message: 1143

Hi George,

I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but I need a new registration. Disabling UAC is next!

The key to send is:
HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB

Thanks,
Fred, K1ACL

1144. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-02-01 16:23:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1143 Message: 1144

Hi Fred

Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
Your serial is
H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Fred
> Sent: Monday, February 01, 2010 4:34 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Registration
>
>
>
> Hi George,
>
> I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but I
> need a new registration. Disabling UAC is next!
>
> The key to send is:
> HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
>
> Thanks,
> Fred, K1ACL
>
>
>
>

1145. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-02-02 01:49:20 UTC
From: peter belbin
Topic: 1143 Message: 1145

Hey there George,

Perhaps he's saying that about disabling the UAC because he has the same problem I do - ie: the dialog appearing every time I start the app checking that I want to allow it to make changes or not...

Perhaps it would be worth asking how many others have the same issue?

Regards,

Peter.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW)George Rossopoulos
Sent: Monday, February 01, 2010 10:24 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] New Registration

Hi Fred

Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
Your serial is
H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> Behalf Of Fred
> Sent: Monday, February 01, 2010 4:34 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: [agwpe_pro] New Registration
>
>
>
> Hi George,
>
> I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but I
> need a new registration. Disabling UAC is next!

>
> The key to send is:
> HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
>
> Thanks,
> Fred, K1ACL
>
>
>
>

[Non-text portions of this message have been removed]

1146. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-02-02 15:29:47 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1143 Message: 1146

Hi Peter

Packet Engine Pro does NOT ask??? Is Vista and WIN7 Aware.
Probably you turned on XP Compatibility.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of peter belbin
> Sent: Tuesday, February 02, 2010 3:49 AM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] New Registration
>
>
>
> Hey there George,
>
> Perhaps he's saying that about disabling the UAC because he has the same
> problem I do - ie: the dialog appearing every time I start the app
checking
> that I want to allow it to make changes or not...
>
> Perhaps it would be worth asking how many others have the same issue?
>
> Regards,
>
> Peter.
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
On
> Behalf
> Of (SV2AGW)George Rossopoulos
> Sent: Monday, February 01, 2010 10:24 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] New Registration
>
> Hi Fred

>
> Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
> Your serial is
> H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of Fred
> > Sent: Monday, February 01, 2010 4:34 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] New Registration
> >
> >
> >
> > Hi George,
> >
> > I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but
> I
> > need a new registration. Disabling UAC is next!
> >
> > The key to send is:
> > HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
> >
> > Thanks,
> > Fred, K1ACL
> >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

1147. Re: New Registration

Yahoo group: agwpe_pro
Date: 2010-02-02 17:34:51 UTC
From: Fred
Topic: 1143 Message: 1147

Hello George, Peter and all,

You are correct Peter. It is frustrating. I am running Win 7, 64 bit. Every time I start agwpe_pro that warning screen pops up. After your post I looked into it a little more.

That warning appears for every program that isn't certified for Win 7. agwpe_pro is not the only one. The icons have a blue & gold shield imposed on top of them. It is interest that agwpe_pro has the shield, but AGWMonitor doesn't. I know that shutting off UAC will eliminate the problem BUT it would also allow other programs to run without your knowledge, which could be hazardous. I suspect that is what George is referring to.

I don't have a good solution.

73,
Fred, K1ACL

--- In agwpe_pro@yahoogroups.com, "peter belbin" <ke5stl@...> wrote:
>
> Hey there George,
>
>
>
> Perhaps he's saying that about disabling the UAC because he has the same
> problem I do - ie: the dialog appearing every time I start the app checking
> that I want to allow it to make changes or not...
>
>
>
> Perhaps it would be worth asking how many others have the same issue?
>
>
>
> Regards,
>
> Peter.
>
>
>
>
>
>
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of (SV2AGW)George Rossopoulos
> Sent: Monday, February 01, 2010 10:24 AM
> To: agwpe_pro@yahoogroups.com

> Subject: RE: [agwpe_pro] New Registration
>
>
>
>
>
> Hi Fred
>
> Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
> Your serial is
> H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of Fred
> > Sent: Monday, February 01, 2010 4:34 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] New Registration
> >
> >
> >
> > Hi George,
> >
> > I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but I
> > need a new registration. Disabling UAC is next!
> >
> > The key to send is:
> > HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
> >
> > Thanks,
> > Fred, K1ACL
> >
> >
> >
> >
>
>
>
>
>

> [Non-text portions of this message have been removed]
>

1148. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-02-04 01:21:32 UTC
From: peter belbin
Topic: 1143 Message: 1148

George,

I have attached a capture of the dialog prompt I get (agwpro1.png) and another showing my UAC setting (agwpro2.PNG) which is at the default setting.

Anything else you need to see?

How about a screen capture showing the version details of the .exe (agwpro3.PNG) !!

Regards,

Peter.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW)George Rossopoulos
Sent: Tuesday, February 02, 2010 9:30 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] New Registration

Hi Peter

Packet Engine Pro does NOT ask??? Is Vista and WIN7 Aware.
Probably you turned on XP Compatibility.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> Behalf Of peter belbin
> Sent: Tuesday, February 02, 2010 3:49 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] New Registration
>
>
>
> Hey there George,
>
> Perhaps he's saying that about disabling the UAC because he has the same

> problem I do - ie: the dialog appearing every time I start the app
checking
> that I want to allow it to make changes or not...
>
> Perhaps it would be worth asking how many others have the same issue?
>
> Regards,
>
> Peter.
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>]
On
> Behalf
> Of (SV2AGW)George Rossopoulos
> Sent: Monday, February 01, 2010 10:24 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] New Registration
>
> Hi Fred
>
> Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
> Your serial is
> H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of Fred
> > Sent: Monday, February 01, 2010 4:34 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] New Registration

> >
> >
> >
> > Hi George,
> >
> > I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but
> I
> > need a new registration. Disabling UAC is next!
> >
> > The key to send is:
> > HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
> >
> > Thanks,
> > Fred, K1ACL
> >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

[Non-text portions of this message have been removed]

1149. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-02-02 23:20:33 UTC
From: peter belbin
Topic: 1143 Message: 1149

Hi George, I'll check that it's not trying to be run in XP Compatibility mode, but, if it is, it's doing it by itself, and not something that I have explicitly set.

And, by the way, this is not something that the app itself is asking, but Windows is asking whether I want to allow the app to make a change to the registry - so - the app is probably doing wanting to do something to the registry, windows is detecting this, noting that the app publisher is not identified, and prompting me to check whether I want to let it run or not.

I have no idea at this point exactly what the difference is, but, it does appear that I'm not the only person that has this issue.

Regards,

Peter.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW)George Rossopoulos
Sent: Tuesday, February 02, 2010 9:30 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] New Registration

Hi Peter

Packet Engine Pro does NOT ask??? Is Vista and WIN7 Aware.
Probably you turned on XP Compatibility.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
> Behalf Of peter belbin
> Sent: Tuesday, February 02, 2010 3:49 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] New Registration
>
>
>

> Hey there George,
>
> Perhaps he's saying that about disabling the UAC because he has the same
> problem I do - ie: the dialog appearing every time I start the app
checking
> that I want to allow it to make changes or not...
>
> Perhaps it would be worth asking how many others have the same issue?
>
> Regards,
>
> Peter.
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>]
On
> Behalf
> Of (SV2AGW)George Rossopoulos
> Sent: Monday, February 01, 2010 10:24 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] New Registration
>
> Hi Fred
>
> Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
> Your serial is
> H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of Fred
> > Sent: Monday, February 01, 2010 4:34 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] New Registration
> >
> >
> >
> > Hi George,
> >
> > I got a new computer running Windows 7 64 bit. AGWPE seems to run ok but
> I
> > need a new registration. Disabling UAC is next!
> >
> > The key to send is:
> > HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
> >
> > Thanks,
> > Fred, K1ACL
> >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

[Non-text portions of this message have been removed]

1150. Update Computer after HD Crash

Yahoo group: agwpe_pro
Date: 2010-02-05 02:36:40 UTC
From: Bob Lovell
Topic: 1150 Message: 1150

I respectifully request an update.

My Key is HE4DS-QVQQA-6YNN5-GGTVD-UM37N-67YKP-B7PI6-GEQB6-G65VN-Q5GPP-XD2N5-FGSAB

thank you,

Robert J. Lovell
KC0EFC

1151. AGWTrackerPPC for Windows Mobile Update

Yahoo group: agwpe_pro
Date: 2010-02-06 11:15:45 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1150 Message: 1151

Hi

Update for AGWTrackerPPC for Windows Mobile 5 and more.

Now can dial and connect correctly to GPRS or 3G cellular networks. Added a second Filter definition for APRS Internet Servers for GPRS or 3G Cellular Networks. That way you can limit the traffic and charges!!!

Check www.agwtracker.com

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1152. RE: [agwpe_pro] Update Computer after HD Crash

Yahoo group: agwpe_pro
Date: 2010-02-06 12:01:29 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1150 Message: 1152

Hi Robert

The serial is
H64VS-PMQN2-5YWND-EGXXV-KNTXN-W6YYM-36PE6-YWMT3-G66DQ-Q5GPP-XD2N5-FGSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Bob Lovell
> Sent: Friday, February 05, 2010 4:37 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Update Computer after HD Crash
>
>
>
> I respectifully request an update.
>
> My Key is

HE4DS-QVQQA-6YNN5-GGTVD-UM37N-67YKP-B7PI6-GEQB6-G65VN-Q5GPP-XD2N5-FGSAB
>
> thank you,
>
> Robert J. Lovell
> KC0EFC
>
>
>
>

1153. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-02-06 12:02:58 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1143 Message: 1153

Hi

Download and use the latest version from www.sv2agw.com downloads section.
If you use a soundcard then backup the Packet Engine's directory in case
latest version does not behave well

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of peter belbin
> Sent: Wednesday, February 03, 2010 1:21 AM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] New Registration
>
>
>
> Hi George, I'll check that it's not trying to be run in XP Compatibility
> mode, but, if it is, it's doing it by itself, and not something that I
have
> explicitly set.
>
> And, by the way, this is not something that the app itself is asking, but
> Windows is asking whether I want to allow the app to make a change to the
> registry - so - the app is probably doing wanting to do something to the
> registry, windows is detecting this, noting that the app publisher is not
> identified, and prompting me to check whether I want to let it run or not.
>
> I have no idea at this point exactly what the difference is, but, it does
> appear that I'm not the only person that has this issue.
>
> Regards,
>
> Peter.
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>]
On
> Behalf

> Of (SV2AGW)George Rossopoulos
> Sent: Tuesday, February 02, 2010 9:30 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] New Registration
>
> Hi Peter
>
> Packet Engine Pro does NOT ask??? Is Vista and WIN7 Aware.
> Probably you turned on XP Compatibility.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com <http://www.sv2agw.com>
> http://www.agwtracker.com <http://www.agwtracker.com>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>] On
> > Behalf Of peter belbin
> > Sent: Tuesday, February 02, 2010 3:49 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: RE: [agwpe_pro] New Registration
> >
> >
> >
> > Hey there George,
> >
> > Perhaps he's saying that about disabling the UAC because he has the same
> > problem I do - ie: the dialog appearing every time I start the app
> checking
> > that I want to allow it to make changes or not...
> >
> > Perhaps it would be worth asking how many others have the same issue?
> >
> > Regards,
> >
> > Peter.
> >
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>

> <mailto:agwpe_pro%40yahoogroups.com>]
> On
> > Behalf
> > Of (SV2AGW)George Rossopoulos
> > Sent: Monday, February 01, 2010 10:24 AM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: RE: [agwpe_pro] New Registration
> >
> > Hi Fred
> >
> > Do NOT disable UAC!!!! Is the best thing on Vista and WIN 7.
> > Your serial is
> > H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com <http://www.sv2agw.com> <http://www.sv2agw.com
> <http://www.sv2agw.com> >
> > http://www.agwtracker.com <http://www.agwtracker.com>
> <http://www.agwtracker.com <http://www.agwtracker.com> >
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>] On
> > > Behalf Of Fred
> > > Sent: Monday, February 01, 2010 4:34 AM
> > > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] New Registration
> > >
> > >
> > >
> > > Hi George,
> > >
> > > I got a new computer running Windows 7 64 bit. AGWPE seems to run ok
> but

> > I
> > > need a new registration. Disabling UAC is next!
> > >
> > > The key to send is:
> > >
HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
> > >
> > > Thanks,
> > > Fred, K1ACL
> > >
> > >
> > >
> > >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

1154. Program will not run

Yahoo group: agwpe_pro
Date: 2010-02-13 19:07:27 UTC
From: wa4pam1
Topic: 1154 Message: 1154

When I click on the Icon i get the following message.
Packet Engine For RadioAmateur has encountered a problem and needs to close. We are sorry for the inconvenience.
How do I fix the problem.

73 Frank

1155. Packet engine has encountered a problem

Yahoo group: agwpe_pro
Date: 2010-02-13 22:56:40 UTC
From: wa4pam1
Topic: 1155 Message: 1155

Can anyone help me with this problem.
Packet Engine For RadioAmateur has encountered a problem and needs to close. We are sorry for the inconvenience.
Frank wa4pam

[Non-text portions of this message have been removed]

1156. Re: [agwpe_pro] Packet engine has encountered a problem

Yahoo group: agwpe_pro
Date: 2010-02-14 22:55:49 UTC
From: Phillip
Topic: 1155 Message: 1156

Hi Frank
Ok some more info would help us out..

What OS

How much Mem

What version of AGWPEPRO

as much as you can give us

73 Phillip
ZL2TZE

-------Original Message-------

From: wa4pam1
Date: 14/02/2010 10:09:57 p.m.
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet engine has encountered a problem

Can anyone help me with this problem.
Packet Engine For RadioAmateur has encountered a problem and needs to
close. We are sorry for the inconvenience.
Frank wa4pam

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

1157. RE: [agwpe_pro] Packet engine has encountered a problem

Yahoo group: agwpe_pro
Date: 2010-02-15 10:09:48 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1155 Message: 1157

Hi

Just delete all the ini files AGWPE.ini and portxx.ini.
The files are either in program files/agwsoft/packet engine pro or
Mydocuments/Packet Engine Pro

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Phillip
> Sent: Monday, February 15, 2010 12:56 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Packet engine has encountered a problem
>
>
>
> Hi Frank
> Ok some more info would help us out..
>
> What OS
>
> How much Mem
>
> What version of AGWPEPRO
>
> as much as you can give us
>
> 73 Phillip
> ZL2TZE
>
>
>
>
> -------Original Message-------
>
> From: wa4pam1
> Date: 14/02/2010 10:09:57 p.m.
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

> Subject: [agwpe_pro] Packet engine has encountered a problem
>
> Can anyone help me with this problem.
> Packet Engine For RadioAmateur has encountered a problem and needs to
> close. We are sorry for the inconvenience.
> Frank wa4pam
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>

1158. Re: [agwpe_pro] Packet engine has encountered a problem

Yahoo group: agwpe_pro
Date: 2010-02-15 08:28:10 UTC
From: Kevin Smith
Topic: 1155 Message: 1158

Hi Frank

Think from memory I had the same problem, re-installed the program haven't had a problem since.

73 Kevin
ZL3JS

On Sun, Feb 14, 2010 at 11:56 AM, wa4pam1 <fcharris44@...> wrote:

>
>
> Can anyone help me with this problem.
> Packet Engine For RadioAmateur has encountered a problem and needs to
> close. We are sorry for the inconvenience.
> Frank wa4pam
>
> [Non-text portions of this message have been removed]
>
>
>

[Non-text portions of this message have been removed]

1159. New computer so I need to get a new registration...

Yahoo group: agwpe_pro
Date: 2010-02-20 02:04:20 UTC
From: john.watkins39
Topic: 1159 Message: 1159

Greeting George,

I got a new computer. It's a 64 bit HP laptop running system 7. Quite an adjustment from the 10 year old system I was using...

I need to get this one registered. The Key To Send is

NS3DG-QVPHT-VVWN3-3GXVG-WM37G-W5VIP-B7HPA-VCQB7-GJVVY-PBXPX-XD23B-ZGIAB

73,

Tuck
W6TUK

1160. RE: [agwpe_pro] New computer so I need to get a new registration...

Yahoo group: agwpe_pro
Date: 2010-02-22 16:09:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1159 Message: 1160

Hi Tuck

Congratulations on the new computer!!!

Your serial is
PI3VG-PMPGJ-UV6NB-ZG3XY-NNTXG-N4VWM-36HJB-DUMT4-GJWD2-PBXPX-XD23B-ZGIAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of john.watkins39
> Sent: Saturday, February 20, 2010 4:04 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New computer so I need to get a new registration...
>
>
>
> Greeting George,
>
> I got a new computer. It's a 64 bit HP laptop running system 7. Quite an
> adjustment from the 10 year old system I was using...
>
> I need to get this one registered. The Key To Send is
>
> NS3DG-QVPHT-VVWN3-3GXVG-WM37G-W5VIP-B7HPA-VCQB7-GJVVY-PBXPX-XD23B-ZGIAB
>
> 73,
>
> Tuck
> W6TUK
>
>
>
>

1161. Re: New computer so I need to get a new registration...

Yahoo group: agwpe_pro
Date: 2010-02-22 17:28:00 UTC
From: john.watkins39
Topic: 1159 Message: 1161

Thanks George.

Unfortunately not all the programs I am use to are running on my new system as well as I would like. AGWpe seems fine. But others like are not up to date or have odd occasional problems. It am suspicious of the driver programs and their interfaces at this point. But the evidence is inconclusive.

If you need someone to run a test on a 64-bit HP Pavilion dv6 with System 7 let me know.

Tuck,

W6TUK

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Tuck
>
> Congratulations on the new computer!!!
>
> Your serial is
> PI3VG-PMPGJ-UV6NB-ZG3XY-NNTXG-N4VWM-36HJB-DUMT4-GJWD2-PBXPX-XD23B-ZGIAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@...m] On
> > Behalf Of john.watkins39
> > Sent: Saturday, February 20, 2010 4:04 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] New computer so I need to get a new registration...
> >
> >
> >
> > Greeting George,
> >
> > I got a new computer. It's a 64 bit HP laptop running system 7. Quite an
> > adjustment from the 10 year old system I was using...
> >

> > I need to get this one registered. The Key To Send is
> >
> > NS3DG-QVPHT-VVWN3-3GXVG-WM37G-W5VIP-B7HPA-VCQB7-GJVVY-PBXPX-XD23B-ZGIAB
> >
> > 73,
> >
> > Tuck
> > W6TUK
> >
> >
> >
> >
>

1162. New code needed

Yahoo group: agwpe_pro
Date: 2010-02-27 01:15:07 UTC
From: hans oeste
Topic: 1162 Message: 1162

I've had to install AGW on a new computer. I would appreciate a new code for to run AGW Pro.

Thanks

GTVVK-RB7IJ-WGSN3-2GS5G-WM37N-3WVSP-B6II9-VIQB7-HA4GG-QJZPX-VD62M-EGWAB

Hans Oeste

VE7OES

1163. Need a key please

Yahoo group: agwpe_pro
Date: 2010-02-27 19:16:12 UTC
From: Guilford Jones
Topic: 1163 Message: 1163

Moving everything over to a new netbook.
HN4VS-4VKH2-7DUN3-UNI4V-4M37G-W6DGP-DGP3X-GNQDJ-NS6VQ-4MKH2-4V63B-WGSAB
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and
http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I
don't understand what that's all about! :-)

[Non-text portions of this message have been removed]

1164. Computer Change

Yahoo group: agwpe_pro
Date: 2010-02-27 18:59:29 UTC
From: robmurray992000
Topic: 1164 Message: 1164

Hi,

I've installed Packet Engine Pro on a new(er) laptop, and need a new registration code. The 'Key to Send' is N65VK-5DKHS-7VYN3-4NPTV-WM37H-BVVWP-DFP29-VQQBX-HN5DU-4B6P2-7DY2J-ZGIAB

Thanks in advance,

Rob VA7RMM

1165. RE: [agwpe_pro] New code needed

Yahoo group: agwpe_pro
Date: 2010-03-01 06:17:37 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1162 Message: 1165

Hi Hans

The serial is
HJWDK-P37HB-VG2NB-YGW7Y-NNTXN-TVV6M-35IFA-D2MT4-HA4YI-QJZPX-VD62M-EGWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of hans oeste
> Sent: Saturday, February 27, 2010 3:15 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New code needed
>
>
>
> I've had to install AGW on a new computer. I would appreciate a new code
> for
> to run AGW Pro.
>
> Thanks
>
> GTVVK-RB7IJ-WGSN3-2GS5G-WM37N-3WVSP-B6II9-VIQB7-HA4GG-QJZPX-VD62M-EGWAB
>
> Hans Oeste
>
> VE7OES
>
>
>

1166. RE: [agwpe_pro] Need a key please

Yahoo group: agwpe_pro
Date: 2010-03-01 06:18:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1163 Message: 1166

Hi

The serial is
IE5DS-3MKGS-6D4NB-SNN7D-UNTXG-N5DUM-5FPXX-Y6MVG-NS7DS-4MKH2-4V63B-WGSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Guilford Jones
> Sent: Saturday, February 27, 2010 9:16 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need a key please
>
>
>
> Moving everything over to a new netbook.
> HN4VS-4VKH2-7DUN3-UNI4V-4M37G-W6DGP-DGP3X-GNQDJ-NS6VQ-4MKH2-4V63B-WGSAB
> --
> 73's de KA5GIL
> --
> - gil -
> Musings and Meanderings at http://captjustice.com <http://captjustice.com>
> and
> http://ka5gil.wordpress.com/ <http://ka5gil.wordpress.com/>
> Tweeting at http://twitter.com/captainjustice
> <http://twitter.com/captainjustice> -- only occasionally because I
> don't understand what that's all about! :-)
>
> [Non-text portions of this message have been removed]
>
>
>
>

1167. RE: [agwpe_pro] Computer Change

Yahoo group: agwpe_pro
Date: 2010-03-01 06:18:47 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1164 Message: 1167

Hi Rob

The serial is
PW6DK-35KGI-6V8NB-2NTWD-NNTXG-3UWAM-5EPXA-D8MTU-HN5VW-4B6P2-7DY2J-ZGIAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of robmurray992000
> Sent: Saturday, February 27, 2010 8:59 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Computer Change
>
>
>
> Hi,
>
> I've installed Packet Engine Pro on a new(er) laptop, and need a new
> registration code. The 'Key to Send' is

N65VK-5DKHS-7VYN3-4NPTV-WM37H-BVVWP-DFP29-VQQBX-HN5DU-4B6P2-7DY2J-ZGIAB
>
> Thanks in advance,
>
> Rob VA7RMM
>
>
>
>

1168. RE: [agwpe_pro] New code needed

Yahoo group: agwpe_pro
Date: 2010-03-02 03:09:45 UTC
From: hans oeste
Topic: 1162 Message: 1168

Thanks George!

Hans
VE7OES

-------Original Message-------

From: (SV2AGW)George Rossopoulos
Date: 28/02/2010 10:17:44 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] New code needed

Hi Hans

The serial is
HJWDK-P37HB-VG2NB-YGW7Y-NNTXN-TVV6M-35IFA-D2MT4-HA4YI-QJZPX-VD62M-EGWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of hans oeste
> Sent: Saturday, February 27, 2010 3:15 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New code needed
>
>
>
> I've had to install AGW on a new computer. I would appreciate a new code
> for
> to run AGW Pro.
>
> Thanks
>
> GTVVK-RB7IJ-WGSN3-2GS5G-WM37N-3WVSP-B6II9-VIQB7-HA4GG-QJZPX-VD62M-EGWAB
>
> Hans Oeste
>
> VE7OES
>
>

>

[Non-text portions of this message have been removed]

1169. key

Yahoo group: agwpe_pro
Date: 2010-03-13 18:21:54 UTC
From: k8khw
Topic: 254 Message: 1169

Hi George I need a new key

N66VG-5MKPS-5GQN3-YGS4D-UM37H-N9VNP-DGHJY-DGQB2-GN3DI-3MGP2-5YSP5-FGNAB

Randy K8KHW

1170. Need new key please

Yahoo group: agwpe_pro
Date: 2010-03-15 02:44:26 UTC
From: Ben Acton
Topic: 1170 Message: 1170

Hi George,

I've reinstalled PE Pro on another computer & need a new key please. The key to send is:

HFUYK-5MNQF-VYSN3-YNS3G-YM37N-26GIP-DGHFA-VUQDM-HN6GN-RBYPP-XDQPT-ZG6AB

Many thanks!

73,

Ben, AA3XH

[Non-text portions of this message have been removed]

1171. RE: [agwpe_pro] Need new key please

Yahoo group: agwpe_pro
Date: 2010-03-15 12:27:41 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1170 Message: 1171

Hi Ben

The serial is
H7VGK-4DNN7-UY2NB-WNW5Y-QNTXN-S5GWM-5FHBB-ECMVI-HN6YQ-RBYPP-XDQPT-ZG6AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Ben Acton
> Sent: Monday, March 15, 2010 4:44 AM
> To: AGWPE_Pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key please
>
>
>
> Hi George,
>
> I've reinstalled PE Pro on another computer & need a new key please. The
> key
> to send is:
>
> HFUYK-5MNQF-VYSN3-YNS3G-YM37N-26GIP-DGHFA-VUQDM-HN6GN-RBYPP-XDQPT-ZG6AB
>
> Many thanks!
>
> 73,
>
> Ben, AA3XH
>
> [Non-text portions of this message have been removed]
>
>
>
>

1172. RE: [agwpe_pro] key

Yahoo group: agwpe_pro
Date: 2010-03-15 12:28:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 254 Message: 1172

Hi Randy

The serial is
PW7DG-4DKNI-4GYNB-WGW6V-KNTXH-E8V2M-5FHFY-VYMTX-GN3VK-3MGP2-5YSP5-FGNAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of k8khw
> Sent: Saturday, March 13, 2010 8:22 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] key
>
>
>
> Hi George I need a new key
>
> N66VG-5MKPS-5GQN3-YGS4D-UM37H-N9VNP-DGHJY-DGQB2-GN3DI-3MGP2-5YSP5-FGNAB
>
> Randy K8KHW
>
>
>
>

1173. link to update site appears to be broken

Yahoo group: agwpe_pro
Date: 2010-03-18 05:29:36 UTC
From: peter belbin
Topic: 254 Message: 1173

Hello George,

I tried checking the update function on agwpe_pro today and found that the link seems to be not working.

Also, I still get the prompt about starting agwpe_pro in windows 7 due to the publisher being 'unknown'..

Any idea when that will be sorted out?

All the best,

Peter.

KE5STL

[Non-text portions of this message have been removed]

1174. New Key

Yahoo group: agwpe_pro
Date: 2010-03-25 03:12:55 UTC
From: okafa6tg
Topic: 636 Message: 1174

Hello again George. I am installing AGWPE PRO on a newer laptop and need a new key for:
Gerald Taylor KC5MWZ/AFA6TG
OKlahoma City, OK 73165
Key to send:
G7TVG-SDPIN-8GNN3-UG26V-WM37H-A8YUP-B6PTY-DUQDH-NN7VI-PJ6HS-7Y2NV-EGAAB
Thanks again for the excellent program and support.

P.S.my old AFMARS call was AFA4TG.

1175. RE: [agwpe_pro] New Key

Yahoo group: agwpe_pro
Date: 2010-03-25 18:51:27 UTC
From: (SV2AGW)George Rossopoulos
Topic: 636 Message: 1175

Hi Gerald

The serial is
HXUDG-Q5PHE-7GWNB-SG69D-NNTXG-27Y8M-35PPY-WCMVE-NN8DK-PJ6HS-7Y2NV-EGAAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of okafa6tg
> Sent: Thursday, March 25, 2010 5:13 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key
>
>
>
> Hello again George. I am installing AGWPE PRO on a newer laptop and need a
> new key for:
> Gerald Taylor KC5MWZ/AFA6TG
> OKlahoma City, OK 73165
> Key to send:
> G7TVG-SDPIN-8GNN3-UG26V-WM37H-A8YUP-B6PTY-DUQDH-NN7VI-PJ6HS-7Y2NV-EGAAB
> Thanks again for the excellent program and support.
>
> P.S.my old AFMARS call was AFA4TG.
>
>
>
>

1176. New Registration Required

Yahoo group: agwpe_pro
Date: 2010-03-27 14:24:37 UTC
From: Keith
Topic: 1176 Message: 1176

Hi George

I am trying once more to get Pro to work. I have done a fresh installation and it has generated a new Key to send

GS4VI-QT2II-5VSN5-GGE6Y-2M37P-I9DKP-DGHW8-DKQB3-NN4DW-3MIHN-8VWNT-2GAAB

Please could you send me a new Registration Code

Whats been happening before is after reinstalling AGW Ppacket Engine Pro on updated computer on Windows 7 and copying configuration files over from previous system all works but on putting in the registration code it adds 4 charactors to the end of it and refuses to accept it. This time I will reconfigure it without using old files.

Regards Keith Ray G1GXB

1177. RE: [agwpe_pro] New Registration Required

Yahoo group: agwpe_pro
Date: 2010-03-27 16:53:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1176 Message: 1177

Hi Keith

The serial is
HI5DI-PJ2HA-4V2ND-EGI9G-SNTXP-A8DYM-5FHS8-V4MTY-NN4VY-3MIHN-8VWNT-2GAAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Keith
> Sent: Saturday, March 27, 2010 4:25 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Registration Required
>
>
>
> Hi George
>
> I am trying once more to get Pro to work. I have done a fresh installation
> and it has generated a new Key to send
>
> GS4VI-QT2II-5VSN5-GGE6Y-2M37P-I9DKP-DGHW8-DKQB3-NN4DW-3MIHN-8VWNT-2GAAB
>
> Please could you send me a new Registration Code
>
> Whats been happening before is after reinstalling AGW Ppacket Engine Pro
on
> updated computer on Windows 7 and copying configuration files over from
> previous system all works but on putting in the registration code it adds
4
> charactors to the end of it and refuses to accept it. This time I will
> reconfigure it without using old files.
>
> Regards Keith Ray G1GXB
>
>
>
>

1178. Installation Problems

Yahoo group: agwpe_pro
Date: 2010-03-28 11:30:59 UTC
From: Keith
Topic: 1178 Message: 1178

Any idea's, Uninstalled Packet Engine Pro and reinstalled, George gave me a new registration code which the program accepted. Went to install a AXIP Port but as soon as I tried to put in the host IP address the programme crashes. After many attempts the programme now says "the trial period has expired" and after the "Radio Port Sharing Disabled there is a line with a couple of strange characters which change every time the programme is re-started plus the last block of 5 digits in the Registration key code changed plus 2 extra blocks of 5 digits added to the end of it. I am using Windows 7 and trying to install the program in a directory C:\Ham Radio\AGW Soft\AGWPePro\

Keith Ray G1GXB

1179. Radio port not recognized

Yahoo group: agwpe_pro
Date: 2010-03-27 02:46:17 UTC
From: okafa6tg
Topic: 1179 Message: 1179

Win XP, PE PRO, UI-View32. UI-view does not open the radio port to communicate with PE PRO.
Same result with UI-View16 and AGWTRACKER.
COM setting in UI-View is AGWPE, LOCALHOST,PORT 8000, COM1.
Net Framework 2 is instaled

GPS not enabled.Recommendations wecomed, thanks.Gerald

1180. RE: [agwpe_pro] Radio port not recognized

Yahoo group: agwpe_pro
Date: 2010-03-29 12:15:20 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1179 Message: 1180

Hi

Turn off the firewall or adjust it properly

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of okafa6tg
> Sent: Saturday, March 27, 2010 4:46 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Radio port not recognized
>
>
>
> Win XP, PE PRO, UI-View32. UI-view does not open the radio port to
> communicate with PE PRO. Same result with UI-View16 and AGWTRACKER.
> COM setting in UI-View is AGWPE, LOCALHOST,PORT 8000, COM1.
> Net Framework 2 is instaled
>
> GPS not enabled.Recommendations wecomed, thanks.Gerald
>
>
>
>

1181. RE: [agwpe_pro] Installation Problems

Yahoo group: agwpe_pro
Date: 2010-03-29 12:16:16 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1178 Message: 1181

Hi

Downlod the latest version and let it install in the proper directory.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Keith
> Sent: Sunday, March 28, 2010 2:31 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Installation Problems
>
>
>
> Any idea's, Uninstalled Packet Engine Pro and reinstalled, George gave me
a
> new registration code which the program accepted. Went to install a AXIP
> Port but as soon as I tried to put in the host IP address the programme
> crashes. After many attempts the programme now says "the trial period has
> expired" and after the "Radio Port Sharing Disabled there is a line with a
> couple of strange characters which change every time the programme is re-
> started plus the last block of 5 digits in the Registration key code
> changed plus 2 extra blocks of 5 digits added to the end of it. I am using
> Windows 7 and trying to install the program in a directory C:\Ham
Radio\AGW
> Soft\AGWPePro\
>
> Keith Ray G1GXB
>
>
>
>

1182. Re: Radio port not recognized

Yahoo group: agwpe_pro
Date: 2010-03-30 05:04:56 UTC
From: okafa6tg
Topic: 1179 Message: 1182

The Win XPHome installation is minimal, no firewall, no service pack, no updates besdides net framework2. The laptop is an older Gateway SOLO 5150 with a 2 gig HD and I only wish to use it for APRS mobil. I did get UIView16 to work with AGWPE after renaming winsock.dll to winsock.nul. Additional sugestions??

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)Georg e Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> Turn off the firewall or adjust it properly
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> > Behalf Of okafa6tg
> > Sent: Saturday, March 27, 2010 4:46 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Radio port not recognized
> >
> >
> >
> > Win XP, PE PRO, UI-View32. UI-view does not open the radio port to
> > communicate with PE PRO. Same result with UI-View16 and AGWTRACKER.
> > COM setting in UI-View is AGWPE, LOCALHOST,PORT 8000, COM1.
> > Net Framework 2 is instaled
> >
> > GPS not enabled.Recommendations wecomed, thanks.Gerald
> >
> >
> >
> >
>

1183. Using AGWPE Pro with SignaLink USB

Yahoo group: agwpe_pro
Date: 2010-04-02 22:10:56 UTC
From: Guilford Jones
Topic: 1183 Message: 1183

My apologies for double-posting, but I'm not sure how these two groups interplay. And it may be a re-post but I never saw my original posting come through plus I have new info.

Brand new SL and having a problem. I've looked high and low on the relevant sites and Googled the problem to no avail.

New SignaLink USB (SL) that immediately worked with my psk31 program. Decoded, transmitted, perfect.

Now setting up for Paclink.
Set up the port in AGWPE Pro.

When Paclink tries to connect, the SL does not get keyed.
I can see the commands going to AGWPE but the PTT on the SL is never lit up.

BUT, if I go into soundcard properties for the SL, for the RX side, and do a "test" then it keys the SL. That tells me the soundcard is getting input from the computer to the SL. But not out of AGWPE.

AND, putting headphones in the MON port on the SL I discovered (using AGW Term) that the audio is going to the INTERNAL soundcard although the USB Codec is properly selected.

I saw a msg suggesting to first create a port on the internal card, then on the SL. That made no difference.

Where should I look next?
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and
http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I don't understand what that's all about! :-)

[Non-text portions of this message have been removed]

1184. Using AGWPE Pro with SignaLink USB

Yahoo group: agwpe_pro
Date: 2010-04-01 20:20:21 UTC
From: Guilford Jones
Topic: 1183 Message: 1184

Brand new SL and having a problem. I've looked high and low on the relevant sites and Googled the problem to no avail.

I have scratched all the hair off of my head on this one.
New SignaLink USB (SL) that immediately worked with my psk31 program.
Decoded, transmitted, perfect.

Now setting up for Paclink.
Set up the port in AGWPE Pro.
It decodes APRS, but not packet. (problem #1)

When Paclink tries to connect, the SL does not get keyed.(Problem #2).
I can see the commands going to AGWPE but the PTT on the SL is never lit up.

BUT, if I go into soundcard properties for the SL, for the RX side, and do a "test" then it keys the SL. That tells me the soundcard is getting input from the computer. But not out of AGWPE.

Where should I look next?
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I don't understand what that's all about! :-)

[Non-text portions of this message have been removed]

1185. Re: Using AGWPE Pro with SignaLink USB

Yahoo group: agwpe_pro
Date: 2010-04-03 12:39:25 UTC
From: Guilford Jones
Topic: 1183 Message: 1185

Follow up. Found the problem. Not likely that the solution will ever apply to anyone else, but just in case here it is.

Diagnosis was done by using the AGW Terminal program. Using it, I could see the packet generated on the AGWPE monitor screen, and the little modem icon transmit indicator would light up. So I knew a signal was going somewhere.

So (this is a Windows 7 computer) I opened the audio playback devices page where I could see all of the audio devices. When I clicked "Ask QRA" I saw where the packet was going -- to TotalRecorder!

TotalRecorder is a fantastic audio program (www.highcriteria.com) that has its own drivers that apparently can intercept playback audio for processing. It was catching the Packet and not letting it get to the SignaLink. I merely disabled those drivers, deleted and redid the AGWPE port and, it works!

An oddity is that my psk31 program did not have that problem (WinWarbler from DXlabs). My guess is that it addresses the SL directly and AGWPE addresses it in some fashion that allowed this interception.

Interesting, frustrating, and mildly educational problem. The solution probably would never apply to anyone else, but maybe the diagnostic steps will.
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and
http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I don't understand what that's all about! :-)

On Fri, Apr 2, 2010 at 5:10 PM, Guilford Jones <captainjustice@...>wrote:

> My apologies for double-posting, but I'm not sure how these two groups
> interplay. And it may be a re-post but I never saw my original posting come
> through plus I have new info.

> New SignaLink USB (SL) that immediately worked with my psk31 program.
> Decoded, transmitted, perfect.
>
> Now setting up for Paclink.
> Set up the port in AGWPE Pro.
>
> When Paclink tries to connect, the SL does not get keyed.
> I can see the commands going to AGWPE but the PTT on the SL is never lit
> up.

>

[Non-text portions of this message have been removed]

1186. monitor shows activity but nothing being sent.... sometimes

Yahoo group: agwpe_pro
Date: 2010-04-05 05:08:49 UTC
From: peter_belbin
Topic: 1186 Message: 1186

ok, I'm running windows 7 (32 bit), agwpe_pro and signalink usb.

I'm finding that if I try to get a connection with another station, and for some reason the other station does not respond or is not heard, after a time, the attempt will time out.

after that failed attempt, it seems that agwpe_pro is still haning onto something, such that if I then try and connect again, I see the message in the monitor from the client app (paclink) but I'm not seeing the radio transmit on outbound messages.

is there some sort of mode agwpe_pro can get into where it thinks it's connected (or still negotiating some message flow) that causes it to ignore other requests?

it seems that the only way to recover from this problem is to restart agwpe_pro.

having done that, it immediately goes back to sending immediately upon request / command to do so by the client app.

any ideas / explanation / tweaks required to get this to be more 'reliable'?

yes, I am using a signalink usb, but, as I've said, restarting agwpe_pro seems to clear the problem, and I don't have any other software like someone else did....

regards,
peter.

1187. Re: [agwpe_pro] Re: Using AGWPE Pro with SignaLink USB

Yahoo group: agwpe_pro
Date: 2010-04-04 02:48:36 UTC
From: John Huggins
Topic: 1183 Message: 1187

Thanks for these tips Gil. Maybe this will help me figure out why AGWPE_PRO refuses to send audio to my external soundcard interface (Navigator by US Interface) while receiving it just fine from same card. All my other programs work fine with the Navigator's USB soundcard, but AGEPE_PRO just will not send audio no matter what I have tried. Your tips might help be stumble onto the solution. Thanks again.

John kx4o

Guilford Jones wrote:
>
>
> Follow up. Found the problem. Not likely that the solution will ever apply
> to anyone else, but just in case here it is.
>
> Diagnosis was done by using the AGW Terminal program. Using it, I
> could see
> the packet generated on the AGWPE monitor screen, and the little modem
> icon
> transmit indicator would light up. So I knew a signal was going somewhere.
>
> So (this is a Windows 7 computer) I opened the audio playback devices page
> where I could see all of the audio devices. When I clicked "Ask QRA" I saw
> where the packet was going -- to TotalRecorder!
>
> TotalRecorder is a fantastic audio program (www.highcriteria.com) that has
> its own drivers that apparently can intercept playback audio for
> processing.
> It was catching the Packet and not letting it get to the SignaLink. I
> merely
> disabled those drivers, deleted and redid the AGWPE port and, it works!
>
> An oddity is that my psk31 program did not have that problem (WinWarbler
> from DXlabs). My guess is that it addresses the SL directly and AGWPE
> addresses it in some fashion that allowed this interception.
>
> Interesting, frustrating, and mildly educational problem. The solution
> probably would never apply to anyone else, but maybe the diagnostic steps
> will.
> --
> 73's de KA5GIL
> --
> - gil -
>

1188. New computer code request

Yahoo group: agwpe_pro
Date: 2010-04-07 00:22:57 UTC
From: Andrew
Topic: 1188 Message: 1188

George-

Would you please send me a code for my new Windows 7 computer? My Windows XT computer had a disk fail. The string is:

HI6DG-P5KIP-XDNN3-3N23V-4M37G-27GUP-B7H69-DNQBZ-N3VDE-4VGHE-6V8NT-WGWAB

Thanks!
Andrew D Littlejohn

1189. Re: [agwpe_pro] Re: Using AGWPE Pro with SignaLink USB

Yahoo group: agwpe_pro
Date: 2010-04-06 11:41:16 UTC
From: Guilford Jones
Topic: 1183 Message: 1189

John - It's actually deeper than my explanation below. I now have to disable both TotalRecorder AND the internal soundcard. For AGWPE use I just disable those, plug in the SignaLink and away we go. When done, I re-enable them. I do that through the drivers tab in Device Manager and do not have to reboot so it's pretty painless.

A local ham (W5RLY) has known George (the author of AGWPE) for many years and said if George said he was going to fix the program in that regard, then he would get it done. So I'm hopeful that a fix is not too far over the horizon. Good luck.
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and
http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I don't understand what that's all about! :-)

On Sat, Apr 3, 2010 at 9:48 PM, John Huggins <john@...> wrote:

>
>
> Thanks for these tips Gil. Maybe this will help me figure out why
> AGWPE_PRO refuses to send audio to my external soundcard interface
> <snip>
>
> Guilford Jones wrote:
> >
> >
> > Follow up. Found the problem. Not likely that the solution will ever
> apply
> > to anyone else, but just in case here it is.
> >
> > Diagnosis was done by using the AGW Terminal program. Using it, I
> > could see
> > the packet generated on the AGWPE monitor screen, and the little modem
> > icon
> > transmit indicator would light up. So I knew a signal was going
> somewhere.
> >
> > So (this is a Windows 7 computer) I opened the audio playback devices
> page
> > where I could see all of the audio devices. When I clicked "Ask QRA" I
> saw
> > where the packet was going -- to TotalRecorder!

>
<snip>

[Non-text portions of this message have been removed]

1190. New Registration Key

Yahoo group: agwpe_pro
Date: 2010-04-07 23:54:39 UTC
From: Fred
Topic: 1021 Message: 1190

Hi George,

I have a new computer with Win 7, 64bit.
The key to send is:
HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB

73,
Fred, K1ACL

1191. Need My Registration Key for AGW Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2010-04-08 21:38:57 UTC
From: Stephen
Topic: 1048 Message: 1191

Here is the key to send
H24VW-235GX-UWENB-TNS4V-KNTXG-S8G8M-35IFB-EAMT3-HI4GU-4B3HN-8DUNJ-THAAB I have a new Win 7 64 bit PC I will now be using for my ham radio digital stuff

1192. Problem connecting Packet Engine Pro to Signalink USB

Yahoo group: agwpe_pro
Date: 2010-04-08 23:20:54 UTC
From: Mark - W8XR
Topic: 1192 Message: 1192

I'm having a problem connecting Packet Engine Pro to Signalink USB. During New RadioPort setup, I select Soundcard, USB Audio CODEC. For PTT setup I select SignaLink. Clicking "test ptt" results in "The Serial Port You Selected is Invalid or in use! Select a valid One."

Also, in SoundCard RX Volume Setup.(Recording) the selections in the pulldown looked like the default sound card. I expected to see "Speaker" and "Wave" - the playback volume controls for USB Audio CODEC.

What am I doing wrong?

1193. Need new Key - Installing Packet Pro on new Win7 64 bit PC

Yahoo group: agwpe_pro
Date: 2010-04-10 01:49:30 UTC
From: Stephen
Topic: 1193 Message: 1193

I need a new key The key to send is:
H24VW-235GX-UWENB-TNS4V-KNTXG-S8G8M-35IFB-EAMT3-HI4GU-4B3HN-8DUNJ-THAAB KJ5YN Stephen Farlow

1194. Question about AGW Packet and AGW Packet Pro

Yahoo group: agwpe_pro
Date: 2010-04-11 18:58:06 UTC
From: saummya123
Topic: 1194 Message: 1194

Hi

I was wondering if either AGW Packet Engine Pro or AGW Packet Engine are capable of 4800 bps with GMSK modulation.

Thank You

1195. Re: [agwpe_pro] Problem connecting Packet Engine Pro to Signalink USB

Yahoo group: agwpe_pro
Date: 2010-04-10 18:09:13 UTC
From: Guilford Jones
Topic: 1192 Message: 1195

If by chance you are using Windows Vista or 7, look here:
http://ka5gil.wordpress.com/2010/04/03/packet-signalink-usb-on-windows-7-netbook/

I had similar problems and also there are other threads on this list (which
I'm in the process of adding to that page above) that explain the problem
and the work-arounds.
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and
http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I
don't understand what that's all about! :-)

On Thu, Apr 8, 2010 at 6:20 PM, Mark - W8XR <mark.amos@...> wrote:

> I'm having a problem connecting Packet Engine Pro to Signalink USB. During
> New RadioPort setup,

[Non-text portions of this message have been removed]

1196. Re: Problem connecting Packet Engine Pro to Signalink USB

Yahoo group: agwpe_pro
Date: 2010-04-12 13:14:59 UTC
From: Mark - W8XR
Topic: 1192 Message: 1196

Gil,

I'm using XP/SP3 - but it sounds like this may be a broader problem.

I'll take a look at making the Signalink the default sound card to see if that solves the problem.

Thanks for your work on this and your suggestion!

Mark

--- In agwpe_pro@yahoogroups.com, Guilford Jones <captainjustice@...> wrote:
>
> If by chance you are using Windows Vista or 7, look here:
> http://ka5gil.wordpress.com/2010/04/03/packet-signalink-usb-on-windows-7-netbook/
>
> I had similar problems and also there are other threads on this list (which
> I'm in the process of adding to that page above) that explain the problem
> and the work-arounds.
> --
> 73's de KA5GIL
> --
> - gil -
> Musings and Meanderings at http://captjustice.com and
> http://ka5gil.wordpress.com/
> Tweeting at http://twitter.com/captainjustice -- only occasionally because I
> don't understand what that's all about! :-)
>
>
>
> On Thu, Apr 8, 2010 at 6:20 PM, Mark - W8XR <mark.amos@...> wrote:
>
> > I'm having a problem connecting Packet Engine Pro to Signalink USB. During
> > New RadioPort setup,
>
>
> [Non-text portions of this message have been removed]
>

1197. Re: Problem connecting Packet Engine Pro to Signalink USB

Yahoo group: agwpe_pro
Date: 2010-04-13 12:43:15 UTC
From: Mark - W8XR
Topic: 1192 Message: 1197

I was able to get SignaLink USB to work by making it the default audio device and then configuring Packet Engine Pro.

It's a kludge, but it works in my case.

Mark

--- In agwpe_pro@yahoogroups.com, Guilford Jones <captainjustice@...> wrote:
>
> If by chance you are using Windows Vista or 7, look here:
> http://ka5gil.wordpress.com/2010/04/03/packet-signalink-usb-on-windows-7-netbook/
>
> I had similar problems and also there are other threads on this list (which
> I'm in the process of adding to that page above) that explain the problem
> and the work-arounds.
> --
> 73's de KA5GIL
> --
> - gil -
> Musings and Meanderings at http://captjustice.com and
> http://ka5gil.wordpress.com/
> Tweeting at http://twitter.com/captainjustice -- only occasionally because I
> don't understand what that's all about! :-)
>
>
>
> On Thu, Apr 8, 2010 at 6:20 PM, Mark - W8XR <mark.amos@...> wrote:
>
> > I'm having a problem connecting Packet Engine Pro to Signalink USB. During
> > New RadioPort setup,
>
>
> [Non-text portions of this message have been removed]
>

1198. Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Yahoo group: agwpe_pro
Date: 2010-04-13 01:22:47 UTC
From: Mark - W8XR
Topic: 1192 Message: 1198

It works if I make the SignaLink the default audio device and then set up the RadioPort in Packet Engine Pro. It's a kludge, but it works...

George, is this something that's likely to be fixed?

Mark

--- In agwpe_pro@yahoogroups.com, "Mark - W8XR" <mark.amos@...> wrote:
>
> Gil,
>
> I'm using XP/SP3 - but it sounds like this may be a broader problem.
>
> I'll take a look at making the Signalink the default sound card to see if that solves the problem.
>
> Thanks for your work on this and your suggestion!
>
> Mark
>
> --- In agwpe_pro@yahoogroups.com, Guilford Jones <captainjustice@> wrote:
> >
> > If by chance you are using Windows Vista or 7, look here:
> > http://ka5gil.wordpress.com/2010/04/03/packet-signalink-usb-on-windows-7-netbook/
> >
> > I had similar problems and also there are other threads on this list (which
> > I'm in the process of adding to that page above) that explain the problem
> > and the work-arounds.
> > --
> > 73's de KA5GIL
> > --
> > - gil -
> > Musings and Meanderings at http://captjustice.com and
> > http://ka5gil.wordpress.com/
> > Tweeting at http://twitter.com/captainjustice -- only occasionally because I
> > don't understand what that's all about! :-)
> >
> >
> >
> > On Thu, Apr 8, 2010 at 6:20 PM, Mark - W8XR <mark.amos@> wrote:
> >
> > > I'm having a problem connecting Packet Engine Pro to Signalink USB. During
> > > New RadioPort setup,
> >

> >
> > [Non-text portions of this message have been removed]
> >
>

1200. RE: [agwpe_pro] Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Yahoo group: agwpe_pro
Date: 2010-04-13 19:26:47 UTC
From: Ralph Milnes
Topic: 1192 Message: 1200

Mark,

We'll await George's answer, but can you tell us in which folder your PE Pro (or AGWPE) files are installed? More specifically, is it "program files" or something else?

Another kludge may be to change the configuration file(s) for PE Pro/ AGWPE In the port0.ini file (settings for PE Port #1) you will find a "SOUNDCARD= " line. If the card number is 0, then the PE/AGWPE port is configured to use the default Windows sound card. If the SignaLink were not the default, you might try editing the port0.ini file and the SOUNDCARD= line to specifying a different sound card number, e.g. SOUNDCARD=1 (or 2). Save the port0.ini file and restart PE Pro /AGWPE and see if PE Pro/AGWPE access the SignaLink.

I still have some more experimentation to do here at my station on an XP system, but I am seeing some strange behavior in how Windows "names" sound cards. For example, I have an "onboard" "sound card", plus my USB web camera and my SignaLink -- all reported as sound cards. I haven't tested this, but I suspect that the ID number which Windows assigns each sound card may change depending on when the device is attached to the computer, i.e. before startup or after.

For example, if the Signalink is attached to the computer at start up, it may be seen as the default sound card and assigned number 0. If it's plugged in AFTER startup, it may be assigned number 1. If that is indeed happening, then PE/AGWPE may have its configuration file incorrect. Here's an example, say you had attached the Signalink after startup when you first configured PE Pro for the SignaLink. If so, then the configuration file (port0.ini) might show SOUNDCARD=1 for the SignaLink. Later on you may have the SignaLink attached at startup and Windows may decide it's the default sound card. If so, the SL will be assigned number 0 and PE PRO/AGWPE will now be configured incorrectly (the port0.ini file will have number 1). Remember that PE Pro/AGWPE doesn't change its configuration file dynamically to match changes in your sound card's assigned number.

Remember this is just a theory -- it needs to be tested.

Does anyone know if there's a way to "lock" a sound card's ID number in Windows so that it is always the same regardless of when it's first "seen" by Windows?

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf

Of Mark - W8XR
Sent: Monday, April 12, 2010 7:23 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

It works if I make the SignaLink the default audio device and then set up the RadioPort in Packet Engine Pro. It's a kludge, but it works...

George, is this something that's likely to be fixed?

Mark

1201. USB Sound Cards including SignaLinks

Yahoo group: agwpe_pro
Date: 2010-04-13 22:33:07 UTC
From: Ralph Milnes
Topic: 1201 Message: 1201

I think I may have discovered an issue with Windows, AGWPE/AGWPE Pro, and removable USB sound "cards". I have seen this happen on my Windows XP system, but perhaps it's also happening with Vista and Windows 7. (Included in the category of removable USB sound cards are USB sound cards, the USB SignaLink, and even USB cameras with microphones.)

In a nutshell, the problem is that Windows can dynamically change the IDs of USB sound cards as they are added or removed from the computer, but the configuration files in AGWPE and AGWPE Pro are not automatically changed to reflect the sound card ID changes.

Let me illustrate. (From this point forward, AGWPE will be used to mean either AGWPE or and AGWPE Pro.)

If my XP computer is started with my USB SignaLink *not plugged in to the computer*, Windows makes my on-board SignaTel "card" the default sound card and assigns it ID number 0 (zero). If I then plug in the USB SignaLink, Windows assigns it ID number 1. Later I start AGWPE and use the port properties routine to select the SignaLink as the card I want to use for AGWPE port 1. AGWPE will write a line in the AGWPE port0.ini file (the config file for AGWPE port 1) that says SOUNDCARD=1, which means use the SignaLink.

Now say I start the computer the next day with the SignaLink already *plugged in*. Windows makes the SignaLink my default sound card 0 (zero) and the onboard sound card 1. This is the opposite of what it was yesterday. Now when I start AGWPE, the port0.ini file still says use SOUNDCARD=1, but today card 1 is not the SignaLink but the onboard card -- not what I wanted!

So what is the workaround?

1. You could try match the computer's setup, i.e. the order in which sound cards were plugged in, from the day you configured AGWPE (might be hard to do) or

2. If think you may have changed the setup (or if you thought you didn't change it, but you're having problems), simply(?) reconfigure the AGWPE port properties by re-selecting the sound card you want use (getting the current sound card ID #s), and then restarting AGWPE.

Vista and Windows 7 users may have an additional problem if AGWPE is installed in their Program Files folder. It's possible that Windows is preventing changes to the port0.ini file and AGWPE will be unable to change it to reflect any changes in sound card ID numbers, i.e. the SOUND CARD= line in the file will be frozen and frozen incorrectly.

I'm not a Vista or Windows 7 user, but other have said the workarounds for that problem are to either:

1. Install AGWPE in a folder that is not in the "Program Files" folder... so that the AGWPE configuration files can be changed if needed.

2. Sign on to Windows as the "Administrator" which gives you (and AGWPE) the authority to change the port0.ini file if needed.

Comments, corrections, or observations are welcome.

Ralph NM5RM

1202. RE: [agwpe_pro] New Registration Key

Yahoo group: agwpe_pro
Date: 2010-04-15 14:36:57 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1021 Message: 1202

Hi Fred

The serial is
H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Fred
> Sent: Thursday, April 08, 2010 2:55 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Registration Key
>
>
>
> Hi George,
>
> I have a new computer with Win 7, 64bit.
> The key to send is:
> HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
>
> 73,
> Fred, K1ACL
>
>
>
>

1203. Re: [agwpe_pro] Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Yahoo group: agwpe_pro
Date: 2010-04-19 17:37:30 UTC
From: Guilford Jones
Topic: 1192 Message: 1203

Ralph -- on my Windows 7 computer the following seems to be working.

1. Internal sound cards are enabled
2. SignaLink is plugged in
3. Boot the computer
4. Set up the soundcard port -- in Port0.ini it gets assigned as 0 although my internal card is set as the default.
5. Edit port0.ini for soundcard=1
6. Edit port1.ini for soundcard=2 (I am only setting up one soundcard port in AGWPE but the .port1.ini automatically set up soundcard=1 and I thought it best not to have both ini files pointing at the same card.

I get a good packet connection.
Have rebooted the computer WITH the SignaLink plugged in and the settings have stayed the same and still get a good packet connection. May just have been luck and I will continue to reboot, both with and without the SL plugged in and see if anything changes.
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I don't understand what that's all about! :-)

On Tue, Apr 13, 2010 at 2:26 PM, Ralph Milnes <ralphmilnes@...> wrote:

> Another kludge may be to change the configuration file(s) for PE Pro/ AGWPE
> In the port0.ini file (settings for PE Port #1) you will find a "SOUNDCARD=
> " line. If the card number is 0, then the PE/AGWPE port is configured to
> use
> the default Windows sound card. If the SignaLink were not the default, you
> might try editing the port0.ini file and the SOUNDCARD= line to specifying
> a
> different sound card number, e.g. SOUNDCARD=1 (or 2). Save the port0.ini
> file and restart PE Pro /AGWPE and see if PE Pro/AGWPE access the
> SignaLink.
>

[Non-text portions of this message have been removed]

1204. new registration code

Yahoo group: agwpe_pro
Date: 2010-04-18 23:28:18 UTC
From: ricktbear
Topic: 1204 Message: 1204

HI6GI-QUAPS-4YWN5-FN64Y-WM37P-FWGIP-B6PTY-VUQB3-GTTVS-4MGHJ-VVWPM-BGNAB

I am transfering this version to another computer and need the registration code.

Thank you so much

Rick Vollbrecht KA7CFM

1205. RE: [agwpe_pro] Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Yahoo group: agwpe_pro
Date: 2010-04-19 21:16:09 UTC
From: Ralph Milnes
Topic: 1192 Message: 1205

Gil,

That sounds like good news.

I think if you use the screen in PE Pro for the Properties for Port 1 and look at the choices for "Soundcard Selection", the choices will be in logical, numerical order, i.e. card 0 at the top, then card 1, card 2, etc. So you can see which number has been assigned by PE Pro (or Windows) to a card.

I notice that if I close that properties screen, then plug in or unplug the SignaLink, then open that properties screen again, PE Pro will have automatically updated the list of available sound cards. So you don't even really have to boot over to test what PE Pro is doing as far as sound card number assignments.

I hope George SV2AGW will update PE Pro as he has for AGWPE to get away from the numerical card assignments.

Have fun!

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Guilford Jones
Sent: Monday, April 19, 2010 11:38 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Ralph -- on my Windows 7 computer the following seems to be working.

1. Internal sound cards are enabled
2. SignaLink is plugged in
3. Boot the computer
4. Set up the soundcard port -- in Port0.ini it gets assigned as 0 although my internal card is set as the default.
5. Edit port0.ini for soundcard=1
6. Edit port1.ini for soundcard=2 (I am only setting up one soundcard port in AGWPE but the .port1.ini automatically set up soundcard=1 and I thought it best not to have both ini files pointing at the same card.

I get a good packet connection.
Have rebooted the computer WITH the SignaLink plugged in and the settings have stayed the same and still get a good packet connection. May just have

been luck and I will continue to reboot, both with and without the SL
plugged in and see if anything changes.
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com and
http://ka5gil.wordpress.com/
Tweeting at http://twitter.com/captainjustice -- only occasionally because I
don't understand what that's all about! :-)

On Tue, Apr 13, 2010 at 2:26 PM, Ralph Milnes <ralphmilnes@...> wrote:

> Another kludge may be to change the configuration file(s) for PE Pro/
AGWPE
> In the port0.ini file (settings for PE Port #1) you will find a
"SOUNDCARD=
> " line. If the card number is 0, then the PE/AGWPE port is configured to
> use
> the default Windows sound card. If the SignaLink were not the default, you
> might try editing the port0.ini file and the SOUNDCARD= line to specifying
> a
> different sound card number, e.g. SOUNDCARD=1 (or 2). Save the port0.ini
> file and restart PE Pro /AGWPE and see if PE Pro/AGWPE access the
> SignaLink.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.801 / Virus Database: 271.1.1/2819 - Release Date: 04/19/10
00:31:00

1206. Re: [agwpe_pro] Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Yahoo group: agwpe_pro
Date: 2010-04-19 21:36:04 UTC
From: Guilford Jones
Topic: 1192 Message: 1206

Ralph - I've not had any luck with AGWPE beta. The selection of the SL USB
does not stick for me. I take it you are getting it to work?
Tricks?
gil

On Mon, Apr 19, 2010 at 4:16 PM, Ralph Milnes <ralphmilnes@...> wrote:

> I hope George SV2AGW will update PE Pro as he has for AGWPE to get away
> from
> the numerical card assignments.
>

[Non-text portions of this message have been removed]

1207. Re: Problem connecting Packet Engine Pro to Signalink USB - sort of fixed...

Yahoo group: agwpe_pro
Date: 2010-04-19 18:22:37 UTC
From: judge33tex
Topic: 1192 Message: 1207

Followup:
-- If reboot with SL disconnected, then plug it in. Not recognized.
-- Then plug it in and reboot, the SL is recognized & works.
-- That is to say, after changing soundcard=1 in port0.ini, the SignaLink continues to be recognized even after rebooting the computer IF the SL is connected at the time of the reboot.
gil

--- In agwpe_pro@yahoogroups.com, Guilford Jones <captainjustice@...> wrote:
>
> Ralph -- on my Windows 7 computer the following seems to be working.
>
> 1. Internal sound cards are enabled
> 2. SignaLink is plugged in
> 3. Boot the computer
> 4. Set up the soundcard port -- in Port0.ini it gets assigned as 0
> although my internal card is set as the default.
> 5. Edit port0.ini for soundcard=1
> 6. Edit port1.ini for soundcard=2 (I am only setting up one soundcard
> port in AGWPE but the .port1.ini automatically set up soundcard=1 and I
> thought it best not to have both ini files pointing at the same card.
>
> I get a good packet connection.
> Have rebooted the computer WITH the SignaLink plugged in and the settings
> have stayed the same and still get a good packet connection. May just have
> been luck and I will continue to reboot, both with and without the SL
> plugged in and see if anything changes.
> --
> 73's de KA5GIL
> --
> - gil -
> Musings and Meanderings at http://captjustice.com and
> http://ka5gil.wordpress.com/
> Tweeting at http://twitter.com/captainjustice -- only occasionally because I
> don't understand what that's all about! :-)
>
>
>
> On Tue, Apr 13, 2010 at 2:26 PM, Ralph Milnes <ralphmilnes@...> wrote:
>
> > Another kludge may be to change the configuration file(s) for PE Pro/ AGWPE
> > In the port0.ini file (settings for PE Port #1) you will find a "SOUNDCARD=
> > " line. If the card number is 0, then the PE/AGWPE port is configured to
> > use

> > the default Windows sound card. If the SignaLink were not the default, you
> > might try editing the port0.ini file and the SOUNDCARD= line to specifying
> > a
> > different sound card number, e.g. SOUNDCARD=1 (or 2). Save the port0.ini
> > file and restart PE Pro /AGWPE and see if PE Pro/AGWPE access the
> > SignaLink.
> >
>
>
> [Non-text portions of this message have been removed]
>

1208. Packet Engine Pro new Update soon.....

Yahoo group: agwpe_pro
Date: 2010-04-23 07:21:16 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1192 Message: 1208

Hi

New Packet Engine Pro uses the name of the Soundcard instead of the ID as new AGW Packet Engine does. Also in new Packet Engine Pro you select separate Soundcards for RX and for TX. Its common problem with new Soundcards that use different names for recording and playback.
I will release the beta version during the week.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1209. Re: [agwpe_pro] Packet Engine Pro new Update soon.....

Yahoo group: agwpe_pro
Date: 2010-04-23 09:51:14 UTC
From: Guido Tedeschi
Topic: 1192 Message: 1209

Hi George,
thanks, this is a good news!
By the way, I have a problem of AGWPEPRO crashing after closing it, if it is set with a kiss TNC (a Kantronics KAM in my case): could you please check this issue?
73 and thanks
Guido, ik2bcp

2010/4/23 (SV2AGW)George Rossopoulos <sv2agw@...>

>
>
> Hi
>
> New Packet Engine Pro uses the name of the Soundcard instead of the ID as
> new AGW Packet Engine does. Also in new Packet Engine Pro you select
> separate Soundcards for RX and for TX. Its common problem with new
> Soundcards that use different names for recording and playback.
> I will release the beta version during the week.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
>

[Non-text portions of this message have been removed]

1210. PePro disappearing when minimized

Yahoo group: agwpe_pro
Date: 2010-04-24 18:22:12 UTC
From: leemaisel
Topic: 1210 Message: 1210

Goes away, cannot get into it, however it still is working (comm with AGWTracker) Have to reboot PC (XP) to get back into interface... settings, etc.

1211. New Key

Yahoo group: agwpe_pro
Date: 2010-04-24 19:06:07 UTC
From: k8khw
Topic: 636 Message: 1211

Hi George I need a key for another computer....Thanks

GXWDQ-5DKHW-6GSN3-WN7UE-CM37H-N5VSP-B7H3W-VIQDG-NPUGG-35IHS-4VWNM-BG2AB

Randy K8KHW

1212. Re: [agwpe_pro] PePro disappearing when minimized

Yahoo group: agwpe_pro
Date: 2010-04-26 01:30:42 UTC
From: hans oeste
Topic: 1210 Message: 1212

I've had the same issue. If you're using the start folder to automagicly load AGW on Windows Start, I would say that AGW's loading too soon, before Windows has finished loading everything in its boot load. Load AGW manually by removing it from the start folder, reboot, and wait for Windows to load and then wait for a few minutes more. Then start AGW. Works for me. No problems since. Follow the same procedure every time you reboot windows, but you want AGW to run after windows starts.

Hans
VE7OES

-------Original Message-------

From: leemaisel
Date: 24/04/2010 3:29:15 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PePro disappearing when minimized

Goes away, cannot get into it, however it still is working (comm with AGWTracker) Have to reboot PC (XP) to get back into interface... settings, etc.

[Non-text portions of this message have been removed]

1213. Re: PePro disappearing when minimized

Yahoo group: agwpe_pro
Date: 2010-04-27 00:20:15 UTC
From: leemaisel
Topic: 1210 Message: 1213

THanks Hans!

It seems that you are Correct!!!

THanks!

Now if they would answer my other problem on the AGWTracker forum, I'd be a happy Camper!!

Lee

--- In agwpe_pro@yahoogroups.com, "hans oeste" <hoeste@...> wrote:
>
> I've had the same issue. If you're using the start folder to automagicly
> load AGW on Windows Start, I would say that AGW's loading too soon, before
> Windows has finished loading everything in its boot load. Load AGW manually
> by removing it from the start folder, reboot, and wait for Windows to load
> and then wait for a few minutes more. Then start AGW. Works for me. No
> problems since. Follow the same procedure every time you reboot windows,
> but you want AGW to run after windows starts.
>
> Hans
> VE7OES
>
>
>
> -------Original Message-------
>
> From: leemaisel
> Date: 24/04/2010 3:29:15 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PePro disappearing when minimized
>
>
> Goes away, cannot get into it, however it still is working (comm with
> AGWTracker) Have to reboot PC (XP) to get back into interface... settings,
> etc.
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1214. Setting Up PEPRO in Vista 64.

Yahoo group: agwpe_pro
Date: 2010-04-27 19:30:07 UTC
From: Edward G
Topic: 1214 Message: 1214

I bought a Toshiba L305-S5937. My misfortune. My probem is Vista wont let me set up any drivers that are not in the 64 bit inf format. It wont read pepro's tcip over the radio set up file or let me install the device in device manager.

my other problem is I can't get pepro to accept a registration code.

Any one run into this before, and how can I get around this. I have not used packet since my gateway died last year!

73's

KE7EAA Ed Goldberg

1215. Setting Up PEPRO in Vista 64.

Yahoo group: agwpe_pro
Date: 2010-04-28 12:32:38 UTC
From: Egil la9raa
Topic: 1214 Message: 1215

HI.

The same problem for my I can't get pepro to accept a registration code.
On win 7 64

Egil Stålesen

LA9RRA

[Non-text portions of this message have been removed]

1216. registration with windows 7

Yahoo group: agwpe_pro
Date: 2010-05-01 21:52:38 UTC
From: mw0mau
Topic: 1216 Message: 1216

how do I register AGW packet engine pro.
Regards,
Mark
MW0MAU

1217. New Key Please

Yahoo group: agwpe_pro
Date: 2010-04-28 16:05:54 UTC
From: Philip
Topic: 1217 Message: 1217

Hi George. I have just finished building a new PC.
Could you please send new a new registration key.
Thanks Philip g7jur.

PA6VQ-5DMIA-7VQN5-GNPTD-2M37N-28VWP-DFPI8-YNQB8-PA7DY-PT2PI-7VQPM-FGSAB

1218. Re: Packet Engine Pro new Update soon.....

Yahoo group: agwpe_pro
Date: 2010-05-03 09:55:56 UTC
From: Philip
Topic: 1192 Message: 1218

That's good news. Looking forward to the beta release of Packet Engine Pro.
I have just built a new PC, but can no longer operate Packet.
As the Motherboard has a Realtek sound chip set, and has an extra input and this put all my other sound cards out of step.
Thanks Philip g7jur.

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> New Packet Engine Pro uses the name of the Soundcard instead of the ID as
> new AGW Packet Engine does. Also in new Packet Engine Pro you select
> separate Soundcards for RX and for TX. Its common problem with new
> Soundcards that use different names for recording and playback.
> I will release the beta version during the week.
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1219. Re: Packet Engine Pro new Update soon.....

Yahoo group: agwpe_pro
Date: 2010-05-03 22:18:05 UTC
From: ki4wrm
Topic: 1192 Message: 1219

That is good news. Very good news.

--- In agwpe_pro@yahoogroups.com, "Philip" <philip.g7jur@...> wrote:
>
> That's good news. Looking forward to the beta release of Packet Engine Pro.
> I have just built a new PC, but can no longer operate Packet.
> As the Motherboard has a Realtek sound chip set, and has an extra input and this put all my other sound cards out of step.
> Thanks Philip g7jur.
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@> wrote:
> >
> > Hi
> >
> > New Packet Engine Pro uses the name of the Soundcard instead of the ID as
> > new AGW Packet Engine does. Also in new Packet Engine Pro you select
> > separate Soundcards for RX and for TX. Its common problem with new
> > Soundcards that use different names for recording and playback.
> > I will release the beta version during the week.
> >
> > 73
> >
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
>

1220. Re: Packet Engine Pro new Update soon.....

Yahoo group: agwpe_pro
Date: 2010-05-06 20:01:52 UTC
From: Philip
Topic: 1192 Message: 1220

Hi George.
How long will it be till you release New Packet Engine Pro.
At the moment I can no longer play packet as this silly realtek
Sound card has messed things up for me.
I hope you don't mind me asking, just keen to get thing running again.
Many Thanks Philip g7jur.

--- In agwpe_pro@yahoogroups.com, "ki4wrm" <billybobby3@...> wrote:
>
> That is good news. Very good news.
>
> --- In agwpe_pro@yahoogroups.com, "Philip" <philip.g7jur@> wrote:
> >
> > That's good news. Looking forward to the beta release of Packet Engine Pro.
> > I have just built a new PC, but can no longer operate Packet.
> > As the Motherboard has a Realtek sound chip set, and has an extra input and this put
all my other sound cards out of step.
> > Thanks Philip g7jur.
> >
> > --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@> wrote:
> > >
> > > Hi
> > >
> > > New Packet Engine Pro uses the name of the Soundcard instead of the ID as
> > > new AGW Packet Engine does. Also in new Packet Engine Pro you select
> > > separate Soundcards for RX and for TX. Its common problem with new
> > > Soundcards that use different names for recording and playback.
> > > I will release the beta version during the week.
> > >
> > > 73
> > >
> > >
> > > (SV2AGW) George Rossopoulos
> > > Mysirli 39
> > > 54250 Thessaloniki
> > > Greece
> > > http://www.sv2agw.com
> > > http://www.agwtracker.com
> > >
> >
>

1221. lost info

Yahoo group: agwpe_pro
Date: 2010-05-12 23:46:22 UTC
From: w5mdp
Topic: 1221 Message: 1221

I purchased two licenses of AGWPE a year or so ago and got away from digital. I am getting back into it and can't find my registration info. Would you have a record of my purchase?

1222. RE: [agwpe_pro] New Key Please

Yahoo group: agwpe_pro
Date: 2010-05-16 16:29:47 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1217 Message: 1222

Hi Philip

Your serial is
P27DQ-35MG2-6VYND-ENTVV-SNTXN-S7WAM-5EPE9-G6MT5-PA7V2-PT2PI-7VQPM-FGSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Philip
> Sent: Wednesday, April 28, 2010 7:06 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key Please
>
>
>
> Hi George. I have just finished building a new PC.
> Could you please send new a new registration key.
> Thanks Philip g7jur.
>
> PA6VQ-5DMIA-7VQN5-GNPTD-2M37N-28VWP-DFPI8-YNQB8-PA7DY-PT2PI-7VQPM-FGSAB
>
>
>
>

1223. RE: [agwpe_pro] registration with windows 7

Yahoo group: agwpe_pro
Date: 2010-05-16 16:30:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1216 Message: 1223

Hi

The same way. Just be sure you are using the latest version.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of mw0mau
> Sent: Sunday, May 02, 2010 12:53 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] registration with windows 7
>
>
>
> how do I register AGW packet engine pro.
> Regards,
> Mark
> MW0MAU
>
>
>
>

1224. Join

Yahoo group: agwpe_pro
Date: 2010-05-29 10:43:34 UTC
From: FREDRICK MARX
Topic: 1224 Message: 1224

Thank you,

Fred

[Non-text portions of this message have been removed]

1225. Registration Key Code

Yahoo group: agwpe_pro
Date: 2010-06-07 06:05:52 UTC
From: fathom_brown
Topic: 1225 Message: 1225

Hello George,

Please send me a new registration key code.

My Key to Send is:

GW5DK-5B3QF-VDYN5-DG24V-8M37P-A7VYP-B6PS9-DUQDH-NPTYI-QTXHS-6DU3J-VNWAB

Thank you,

Bruce Harris, W5HCS
bruce-bonnie@...

1226. RE: [agwpe_pro] Registration Key Code

Yahoo group: agwpe_pro
Date: 2010-06-15 08:50:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1225 Message: 1226

Hi Bruce

Your serial is
HN5VK-333N7-UD8ND-BG67D-YNTXN-26WCM-35PN9-WCMVE-NPUGK-QTXHS-6DU3J-VNWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of fathom_brown
> Sent: Monday, June 07, 2010 9:06 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration Key Code
>
>
>
> Hello George,
>
> Please send me a new registration key code.
>
> My Key to Send is:
>
> GW5DK-5B3QF-VDYN5-DG24V-8M37P-A7VYP-B6PS9-DUQDH-NPTYI-QTXHS-6DU3J-VNWAB
>
> Thank you,
>
> Bruce Harris, W5HCS
> bruce-bonnie@... <mailto:bruce-bonnie%40sbcglobal.net>
>
>
>
>

1227. Re: USB Sound Cards including SignaLinks

Yahoo group: agwpe_pro
Date: 2010-06-27 15:50:15 UTC
From: r_vanzon
Topic: 1201 Message: 1227

Ralph and others on this item,
I experience this problem already since 2007 with PePro. Other external USB soundcards have the same problem (XP)
There are several workarounds like those you mention, but finally the volume settings are not saved/cannot be set either.
Using Administrator rights does not solve this, neither does a different folder than Program Files solve all problems.
I also found out that even when the external soundcard was visible for -for instance- output, the internal one was used.
Until now I always have to check the soundcard and setup the volume levels when I use PePro. I received a beta version 710 once from George and it solved a lot of the problems recognizing the USB soundcard, but volume levels stayed a problem all the way.
For some months I try to get PePro (ver. 710) running on my other -Vista- notebook. But in that case the -installed- virtual networkcard was not found by PePro. Did not try any further yet. (because 30 days expired)
Hope this info is usefull.

René
PE1AWA

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> I think I may have discovered an issue with Windows, AGWPE/AGWPE Pro, and
> removable USB sound "cards". I have seen this happen on my Windows XP
>.....
> Comments, corrections, or observations are welcome.
>
> Ralph NM5RM
>

1228. RE: [agwpe_pro] Re: USB Sound Cards including SignaLinks

Yahoo group: agwpe_pro
Date: 2010-06-28 14:46:25 UTC
From: Ralph Milnes
Topic: 1201 Message: 1228

Thank you for your report, Rene.

I hope George SV2AGW is listening. It looks like these problems will have to be resolved with programming changes.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of r_vanzon
Sent: Sunday, June 27, 2010 11:50 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: USB Sound Cards including SignaLinks

Ralph and others on this item,
I experience this problem already since 2007 with PePro. Other external USB soundcards have the same problem (XP)
There are several workarounds like those you mention, but finally the volume settings are not saved/cannot be set either.
Using Administrator rights does not solve this, neither does a different folder than Program Files solve all problems.
I also found out that even when the external soundcard was visible for -for instance- output, the internal one was used.
Until now I always have to check the soundcard and setup the volume levels when I use PePro. I received a beta version 710 once from George and it solved a lot of the problems recognizing the USB soundcard, but volume levels stayed a problem all the way.
For some months I try to get PePro (ver. 710) running on my other -Vista- notebook. But in that case the -installed- virtual networkcard was not found by PePro. Did not try any further yet. (because 30 days expired)
Hope this info is usefull.

René
PE1AWA

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> I think I may have discovered an issue with Windows, AGWPE/AGWPE Pro, and
> removable USB sound "cards". I have seen this happen on my Windows XP
>.....
> Comments, corrections, or observations are welcome.
>
> Ralph NM5RM
>

Yahoo! Groups Links

1229. New Rigistration code?

Yahoo group: agwpe_pro
Date: 2010-06-30 17:46:54 UTC
From: ka7rgp_1
Topic: 1229 Message: 1229

I don't know how this registration thing works but when I installed PE Pro in a new computer apparently the key to send code changed and thus my old registration doesn't work. Anyway, here is the information I have if someone can tell me what to do to make it work.

Thanks,
Willie
kd7x

New "Key to Send"

N25YE-4T8H7-WDYN3-3HBTV-6M37H-A7YNP-B6HI7-VEQDI-G27VI-4TYPJ-UY2NM-FN2AB

the "old" registration code:

GS4VW-P4AP2-5GYN3-4GI3G-6M37H-N8VGP-DFH3W-VWQBX-NXTVI-PB7HI-5GUPJ-YNEAB

Reg Code for program

HI5DW-NUANS-4G8NB-2GN5Y-WNTXH-E7VUM-5EHXX-EEMTU-NXUDK-PB7HI-5GUPJ-YNEAB

1230. key to send - changed computer

Yahoo group: agwpe_pro
Date: 2010-07-06 14:48:09 UTC
From: kc6cnn
Topic: 1230 Message: 1230

Hello
I had a computer failure so had to change it.
I could not get the registration to work on new computer.
name is Gerald Manthey and my email is kc6cnn@...
my key to send is
GPUDN-P39PX-VDNN5-HGTUY-8M37P-N6DNP-B7IA6-VGQDI-HPUVS-33YHP-XEAQJ-2GEAB

Thank you
Gerald - KC6CNN

1231. Key to Send

Yahoo group: agwpe_pro
Date: 2010-07-04 06:41:12 UTC
From: Donald
Topic: 1231 Message: 1231

Hi

Please the Key Code for:

NW5DI-4T9QA-8DKN5-EGTTY-WM37H-JXGKP-B7IE9-VNQB8-NTTVY-4B3PN-6G4PT-SGAAB

Thanks

Don N9ZGE

1232. Re: New Rigistration code?

Yahoo group: agwpe_pro
Date: 2010-07-07 16:53:48 UTC
From: ka7rgp_1
Topic: 1229 Message: 1232

Not too much traffic on this topic. Is this not the right place for this? Over the years I've paid for a registration at least twice for this program. I'm not going to do it again. If this isn't the place, what is?

Willie

--- In agwpe_pro@yahoogroups.com, "ka7rgp_1" <ka7rgp@...> wrote:
>
> I don't know how this registration thing works but when I installed PE Pro in a new computer apparently the key to send code changed and thus my old registration doesn't work. Anyway, here is the information I have if someone can tell me what to do to make it work.
>
> Thanks,
> Willie
> kd7x
>
> New "Key to Send"
>
> N25YE-4T8H7-WDYN3-3HBTV-6M37H-A7YNP-B6HI7-VEQDI-G27VI-4TYPJ-UY2NM-FN2AB
>
> the "old" registration code:
>
> GS4VW-P4AP2-5GYN3-4GI3G-6M37H-N8VGP-DFH3W-VWQBX-NXTVI-PB7HI-5GUPJ-YNEAB
>
> Reg Code for program
>
> HI5DW-NUANS-4G8NB-2GN5Y-WNTXH-E7VUM-5EHXX-EEMTU-NXUDK-PB7HI-5GUPJ-YNEAB
>

1233. RE: [agwpe_pro] Re: New Rigistration code?

Yahoo group: agwpe_pro
Date: 2010-07-08 13:37:26 UTC
From: Ralph Milnes
Topic: 1229 Message: 1233

Willie,

There is only one person who can send you the code you need -- George SV2AGW. If he happens to notice your posting on this list, he will respond.

BUT the better way is probably to write him directly at sv2agw(at)sv2agw.com. (Plus, you won't be sending an unnecessary email to everyone on this list.)

His policy is to give you a new registration code without charge for a new installation under the same callsign.

Good luck and 73

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ka7rgp_1
Sent: Wednesday, July 07, 2010 12:54 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: New Rigistration code?

Not too much traffic on this topic. Is this not the right place for this? Over the years I've paid for a registration at least twice for this program. I'm not going to do it again. If this isn't the place, what is?

Willie

--- In agwpe_pro@yahoogroups.com, "ka7rgp_1" <ka7rgp@...> wrote:
>
> I don't know how this registration thing works but when I installed PE Pro in a new computer apparently the key to send code changed and thus my old registration doesn't work. Anyway, here is the information I have if someone can tell me what to do to make it work.
>
> Thanks,
> Willie
> kd7x
>
> New "Key to Send"
>
> N25YE-4T8H7-WDYN3-3HBTV-6M37H-A7YNP-B6HI7-VEQDI-G27VI-4TYPJ-UY2NM-FN2AB
>
> the "old" registration code:
>
> GS4VW-P4AP2-5GYN3-4GI3G-6M37H-N8VGP-DFH3W-VWQBX-NXTVI-PB7HI-5GUPJ-YNEAB

>
> Reg Code for program
>
> HI5DW-NUANS-4G8NB-2GN5Y-WNTXH-E7VUM-5EHXX-EEMTU-NXUDK-PB7HI-5GUPJ-YNEAB
>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.830 / Virus Database: 271.1.1/2988 - Release Date: 07/07/10
14:38:00

1234. Prolific USB Driver

Yahoo group: agwpe_pro
Date: 2010-07-09 19:55:04 UTC
From: KC8ZAW
Topic: 1234 Message: 1234

I can't get my usb prolific tnc to work with agwpe_pro someone please help me

1235. Windows 7 64 bit and multiple sound card interfaces

Yahoo group: agwpe_pro
Date: 2010-07-11 02:23:02 UTC
From: David Gilmour
Topic: 1235 Message: 1235

I am running Windows 7 64 bit with multiple sound card interfaces. One sound card is the default card attached to my speakers and the second is a US Interface Navigator. I have noticed that Packet Engine Pro will not transmit audio unless the US Interface is set to the default sound device for both sound and record. Has anyone else encountered this behavior and what did you do to correct it? Could the developer add an additional sound card selection in the radio port configuration, one for transmit and one for receive?

[Non-text portions of this message have been removed]

1236. RE: [agwpe_pro] Prolific USB Driver

Yahoo group: agwpe_pro
Date: 2010-07-11 20:08:20 UTC
From: Steve Finch
Topic: 1234 Message: 1236

My Prolific adapter works for ALL ham programs, including AGWPE Pro. We need more into. Are you using the Prolific driver for your OP system or the MS generic driver? The generic driver □no work!!!!□

Steve Finch, AIØW
Bailey, CO
ai0w@...

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of KC8ZAW
Sent: Friday, July 09, 2010 1:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Prolific USB Driver

I can't get my usb prolific tnc to work with agwpe_pro someone please help me

[Non-text portions of this message have been removed]

1237. Do I have the latest agwpe-pro ? 2007.514

Yahoo group: agwpe_pro
Date: 2010-07-17 16:04:34 UTC
From: peter_belbin
Topic: 1237 Message: 1237

With various messages in the group regarding an update, and other messages saying 'make sure you have the latest', I am curious as to whether I actually have the latest.

The version I have indicates it is 2007.514

please advise.

If it's not the latest, please provide a URL at which I can get the latest.

Much appreciated!

all the best,
peter
KE5STL

1238. RE: [agwpe_pro] Prolific USB Driver

Yahoo group: agwpe_pro
Date: 2010-07-11 22:03:22 UTC
From: Caleb Squires
Topic: 1234 Message: 1238

I finally found the problem it was windows Vista... i went back to Windows XP, and everything worked !!! i'm so happy :-)

Igate (Digipeater) KK1G-10
Mobile APRS KK1G-11

73's

Caleb, KK1G

--- On Sun, 7/11/10, Steve Finch <ai0w@...> wrote:

From: Steve Finch <ai0w@...>
Subject: RE: [agwpe_pro] Prolific USB Driver
To: agwpe_pro@yahoogroups.com
Date: Sunday, July 11, 2010, 4:08 PM

My Prolific adapter works for ALL ham programs, including AGWPE Pro. We

need more into. Are you using the Prolific driver for your OP system or the

MS generic driver? The generic driver “no work!!!!”

Steve Finch, AIØW

Bailey, CO

ai0w@...

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf

Of KC8ZAW

Sent: Friday, July 09, 2010 1:55 PM

To: agwpe_pro@yahoogroups.com

Subject: [agwpe_pro] Prolific USB Driver

I can't get my usb prolific tnc to work with agwpe_pro someone please help

me

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1239. do I have the latest version of agwe_pro ? 2007.514

Yahoo group: agwpe_pro
Date: 2010-07-18 07:02:36 UTC
From: peter belbin
Topic: 1239 Message: 1239

With all of the messages about there being a new agwe_pro, I have to ask:

Am I using the latest version?

It seems to be: 2007.514

All the best,

Peter

KE5STL

[Non-text portions of this message have been removed]

1240. RE: [agwpe_pro] Do I have the latest agwpe-pro ? 2007.514

Yahoo group: agwpe_pro
Date: 2010-07-24 15:11:38 UTC
From: Ralph Milnes
Topic: 1237 Message: 1240

Yes, 2007.514 is the most recent:

http://www.sv2agw.com/downloads/default.htm

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of peter_belbin
Sent: Saturday, July 17, 2010 10:05 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Do I have the latest agwpe-pro ? 2007.514

With various messages in the group regarding an update, and other messages
saying 'make sure you have the latest', I am curious as to whether I
actually have the latest.

The version I have indicates it is 2007.514

please advise.

If it's not the latest, please provide a URL at which I can get the latest.

Much appreciated!

all the best,
peter
KE5STL

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.851 / Virus Database: 271.1.1/3024 - Release Date: 07/23/10
12:36:00

1242. Update: New AGWTracker Look and Feel Beta Release

Yahoo group: agwpe_pro
Date: 2010-07-28 17:32:57 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1192 Message: 1242

Hi

I changed compiler and decided to change also AGWTracker's feel and look. It is for Vista and Win7. It may work on WinXP SP3.
Have a look
www.agwtracker.com/AGWTracker_new1.jpg
www.agwtracker.com/AGWTracker_new2.jpg

This is a Beta version and may have bugs(a Lot!!!)
To test it PSE do the follow
1.Run AGWTracker you have installed now and change Language to English.
2.Download the beta version from www.sv2agw.com/beta/AGWTracker.exe
3.Drop the executable into Documents directory
4.Run it from there.

PSE report the bugs in details.

If you wish to translate AGWTracker to your language PSE read this www.agwtracker.com/trkinternational.htm Translators get free registrations for all my programs Packet Engine Pro AGWTracker, AGWDxCluster etc.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1243. RE: [agwpe_pro] Update: New AGWTracker Look and Feel Beta Release

Yahoo group: agwpe_pro
Date: 2010-07-29 19:39:31 UTC
From: David Stamps
Topic: 1192 Message: 1243

It started right and runs on my Microsoft Server 2003.

Regards,
David
W1DBS

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW)George Rossopoulos
Sent: Wednesday, July 28, 2010 1:33 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Update: New AGWTracker Look and Feel Beta Release

Hi

I changed compiler and decided to change also AGWTracker's feel and look. It
is for Vista and Win7. It may work on WinXP SP3.
Have a look
www.agwtracker.com/AGWTracker_new1.jpg
www.agwtracker.com/AGWTracker_new2.jpg

This is a Beta version and may have bugs(a Lot!!!)
To test it PSE do the follow
1.Run AGWTracker you have installed now and change Language to English.
2.Download the beta version from www.sv2agw.com/beta/AGWTracker.exe
3.Drop the executable into Documents directory
4.Run it from there.

PSE report the bugs in details.

If you wish to translate AGWTracker to your language PSE read this
www.agwtracker.com/trkinternational.htm Translators get free registrations
for all my programs Packet Engine Pro AGWTracker, AGWDxCluster etc.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

Yahoo! Groups Links

1244. Signalink not Transmitting

Yahoo group: agwpe_pro
Date: 2010-05-12 22:00:03 UTC
From: dbstampss
Topic: 1244 Message: 1244

I have successfully setup Signalink to interface with my FT-2800M as far as DigiPan is concerned - both tx & rx.
In agwpe_pro/agwuidigi/agwtracker rx signals work fine but not tx.
Since the TX works with DigiPan I am assuming I am not configuring the agwpe incorrectly.
Any suggestions would be appreciated.
de W1DBS
73

1245. RE: [agwpe_pro] Signalink not Transmitting

Yahoo group: agwpe_pro
Date: 2010-08-10 12:56:51 UTC
From: David Stamps
Topic: 1244 Message: 1245

The post is two months old! Why is it coming now?
The problem has long since been resolved by disabling the sound card in the system.

Regards,
David
-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of dbstampss
Sent: Wednesday, May 12, 2010 6:00 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Signalink not Transmitting

I have successfully setup Signalink to interface with my FT-2800M as far as DigiPan is concerned - both tx & rx.
In agwpe_pro/agwuidigi/agwtracker rx signals work fine but not tx.
Since the TX works with DigiPan I am assuming I am not configuring the agwpe incorrectly.
Any suggestions would be appreciated.
de W1DBS
73

Yahoo! Groups Links

1246. RE: [agwpe_pro] Prolific USB Driver

Yahoo group: agwpe_pro
Date: 2010-08-12 03:43:08 UTC
From: peter belbin
Topic: 1234 Message: 1246

I too have used the prolific drivers for USB ßà RS-232 adapters successfully on XP, Vista and Windows 7, variations on x86 and x64.

however it can take some time finding just the *right* version of the driver to use.

Not all Prolific chipset based products are ‘equal’ it seems.

Ie: the drivers from the prolific site did not work for me.

Your mileage may vary.

Regards,

Peter

KE5STL

[Non-text portions of this message have been removed]

1247. AGWPE Pro installation

Yahoo group: agwpe_pro
Date: 2010-08-29 14:53:21 UTC
From: Paul King
Topic: 1247 Message: 1247

I want to be able to put AGWPE Pro in the startup folder so that it runs automatically when the machine boots up. This doesn't work, because every time I run the program, windows forces me to acknowledge that I want it to run. Under Vista, it would at least tell you that a program in the startup was not run and let you chose to run it manually. I have recently upgraded my machine to Win7, and it does not even do this much - it just doesn't run the program. The non-pro version of the program does not have this problem.

I uninstalled and reinstalled the program so that it is not in the "Program Files" directory, thinking this would solve the problem, but it did not help. Plus, now the program thinks it is not registered, so I need a new registration key, as well.

Is there a way to install AGWPE-Pro so that it will run without windows prompting me every time to verify that I want it to run?

Should I reinstall in the default directory ("Program Files"), or just leave it in its own directory?

73,
Paul
K4ETY

1248. AGW PE pro - which zip do I need?

Yahoo group: agwpe_pro
Date: 2010-08-16 00:10:52 UTC
From: k9kuvasz7
Topic: 1248 Message: 1248

AGW PE Pro

For Windows XP -- To start from scratch, do I need both ZIP's -or- just the PePro_update.zip?

This verbage is a bit confusing to me.
For ....Setup.zip it states -- 'for first time setup'
For ....Update.zip it states -- 'also full installation for WINXP/Vista'

Thanks, Edwin K9KUV

1249. Key

Yahoo group: agwpe_pro
Date: 2010-08-30 00:58:28 UTC
From: k8khw
Topic: 1249 Message: 1249

George can I get a new key please.

GXWDQ-5DKHW-6GSN3-WN7UE-CM37H-N5VSP-B7H3W-VIQDG-NPUGG-35IHS-4VWNM-BG2AB

Randy K8KHW

1250. Key Code Needed

Yahoo group: agwpe_pro
Date: 2010-09-02 16:02:45 UTC
From: radiopolice
Topic: 1250 Message: 1250

George,

My hard drive crashed and I had to reinstall the Packet Engine Pro. Can you send me a new registration code. Here is my key to send.

3969@Ci:3744m/=kie4e??c88fe:;8ng8716

Thanks!!

73's Jim KB9MMC

1251. KEY

Yahoo group: agwpe_pro
Date: 2010-09-12 02:10:58 UTC
From: ke7ego
Topic: 1251 Message: 1251

Hi George..
I had to install on a new machine...the key to copy is:

N7VVN-R35PS-8GUN3-3GI5W-AM37H-FYGQP-DFPPY-DIQB2-NS6VN-QJ2PS-7GS3B-WHEAB

Thanks and 73
Jay
KE7EGO

1252. New Code

Yahoo group: agwpe_pro
Date: 2010-09-12 18:25:23 UTC
From: ricktbear
Topic: 1252 Message: 1252

the code I have for this program HA4GK-45KIT-XVNN3-YGS6G-YM37H-I7DGP-B6PJY-DWQDK-HA3GI-P5JHJ-UVUPD-EGAAB does not seem to be oerking. Please send the correct code

1253. Trouble receiving

Yahoo group: agwpe_pro
Date: 2010-09-12 01:12:43 UTC
From: w4vab
Topic: 1253 Message: 1253

I just installed AGWPE PRO. It works well with my VHF TNC, but I cannot get it to work properly with a sound card. It does not decode HF APRS. The tuning aid indicates that the signals are strong and on the correct frequency but nothing decodes.

Before installing AGWPE Pro I used the free version with no problems.

Now that the Pro version is installed the free version does not decode HF APRS either.

Any suggestions?

I'm running XP and a home brew interface that works well with APRS Messenger, RMS Express, Ham Radio Deluxe, and in the past with the AGWPE free version.

Hugh Morgan, W4VAB
Knoxville, TN

1254. Re: Trouble receiving

Yahoo group: agwpe_pro
Date: 2010-09-13 12:41:50 UTC
From: w4vab
Topic: 1253 Message: 1254

I'll answer my own question. The problem was the clocking speed. I turned the speed setting down from 4 to 3 and it now works. I'd need to purchase a better sound card.

Hugh, W4VAB
Knoxville, TN

--- In agwpe_pro@yahoogroups.com, "w4vab" <w4vab@...> wrote:
>
> I just installed AGWPE PRO. It works well with my VHF TNC, but I cannot get it to work properly with a sound card. It does not decode HF APRS. The tuning aid indicates that the signals are strong and on the correct frequency but nothing decodes.
>
> Before installing AGWPE Pro I used the free version with no problems.
>
> Now that the Pro version is installed the free version does not decode HF APRS either.
>
> Any suggestions?
>
> I'm running XP and a home brew interface that works well with APRS Messenger, RMS Express, Ham Radio Deluxe, and in the past with the AGWPE free version.
>
> Hugh Morgan, W4VAB
> Knoxville, TN
>

1255. Sound Card

Yahoo group: agwpe_pro
Date: 2010-09-17 19:19:01 UTC
From: w4vab
Topic: 1255 Message: 1255

I am running HF APRS and APRS Messenger simultaneously with AGWPE Pro and UI-View32 but I want a better sound card.

My desktop is fully populated so I'll have to use an external sound card.

If you are running a similar configuration and are satisfied with your sound card please let me know the make, model, sampling rate, and number of bits of your sound card.

Your comments and suggestions will be very much appreciated.

Hugh W4VAB
Knoxville, TN

1256. New registration code please

Yahoo group: agwpe_pro
Date: 2010-09-29 09:28:24 UTC
From: Denis
Topic: 1256 Message: 1256

Hello I have a registered copy of packet engine pro and I have had to reinstall the program on a new computer and need a new registration code please.my key to send is
:8:l@o>53;9cm/=f7e4=jAe8ffd2989e9aa0

My name is Denis Bill
My call sign is VK4XDB
New code via email would be fine please

Regards,
Denis VK4XDB

1257. Current Version

Yahoo group: agwpe_pro
Date: 2010-09-30 20:28:06 UTC
From: kg4yxp
Topic: 1257 Message: 1257

I'm currently running 2007.514. What is the current version of the software and where do I get it?

Thanks and 73,
Anthony

1258. Win7 and AGWPE Pro

Yahoo group: agwpe_pro
Date: 2010-10-02 01:05:34 UTC
From: Paul, K4ETY
Topic: 1258 Message: 1258

I installed Win7 and now need a new key. My key to send is:

N24DU-QKAQE-7DQN3-YNI5Y-8M37P-BXDGP-B6P68-GQQB4-HI7DG-QJ6PS-6YUN3-2G2AB

Also, I want to be able to put AGWPE Pro in the startup folder so that it runs automatically when the machine boots up. This doesn't work, because every time I run the program, windows forces me to acknowledge that I want it to run. Under Vista, it would at least tell you that a program in the startup was not run and let you chose to run it manually. With Win7, it does not even do this much - it just doesn't run the program. The non-pro version of the program does not have this problem.

I uninstalled and reinstalled the program so that it is not in the "Program Files" directory, thinking this would solve the problem, but it did not help. Plus, now the program thinks it is not registered, so I need a new registration key, as well.

Is there a way to install AGWPE-Pro so that it will run without windows prompting me every time to verify that I want it to run?

Should I reinstall in the default directory ("Program Files"), or just leave it in its own directory?

Thanks,
Paul
K4ETY

1259. RE: [agwpe_pro] New registration code please

Yahoo group: agwpe_pro
Date: 2010-10-14 16:27:19 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1256 Message: 1259

Hi Dennis

Your new serial is
@9:g@e<909:hi25d5k/<iBm.cfe3989e9aa0

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Denis
> Sent: Wednesday, September 29, 2010 12:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New registration code please
>
>
>
> Hello I have a registered copy of packet engine pro and I have had to
> reinstall the program on a new computer and need a new registration code
> please.my key to send is
> :8:l@o>53;9cm/=f7e4=jAe8ffd2989e9aa0
>
> My name is Denis Bill
> My call sign is VK4XDB
> New code via email would be fine please
>
> Regards,
> Denis VK4XDB
>
>
>
>

1260. RE: [agwpe_pro] KEY

Yahoo group: agwpe_pro
Date: 2010-10-14 16:26:22 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1251 Message: 1260

Hi Jay

Your new serial is

PXWDN-QT5NI-7G4NB-ZGN8D-2NTXG-7XG4M-5EPJY-V2MTX-NS7DQ-QJ2PS-7GS3B-WHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of ke7ego
> Sent: Sunday, September 12, 2010 5:11 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] KEY
>
>
>
> Hi George..
> I had to install on a new machine...the key to copy is:
>
> N7VVN-R35PS-8GUN3-3GI5W-AM37H-FYGQP-DFPPY-DIQB2-NS6VN-QJ2PS-7GS3B-WHEAB
>
> Thanks and 73
> Jay
> KE7EGO
>
>
>
>

1261. New Registration

Yahoo group: agwpe_pro
Date: 2010-10-15 01:30:22 UTC
From: Fred
Topic: 1143 Message: 1261

Hi George,
Glad to see you back. It has been a while. Hope everything is okey!

I needed to reinstall agwpe_pro on my laptop. The key to send is:
NW6VG-R5JQE-6VUN3-ZG7VD-WM37G-W8YIP-DFHE6-DCQDG-NXUVI-4DKPN-5GYP3-UNNAB

73,
Fred, K1ACL

1262. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2010-10-21 15:40:02 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1143 Message: 1262

Hi

Your serial is
PN7DG-QVJN6-5V4NB-XHBXV-NNTXG-N7YWM-5EHA6-VUMVD-NXVDK-4DKPN-5GYP3-UNNAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Fred
> Sent: Friday, October 15, 2010 4:30 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Registration
>
>
>
> Hi George,
> Glad to see you back. It has been a while. Hope everything is okey!
>
> I needed to reinstall agwpe_pro on my laptop. The key to send is:
> NW6VG-R5JQE-6VUN3-ZG7VD-WM37G-W8YIP-DFHE6-DCQDG-NXUVI-4DKPN-5GYP3-UNNAB
>
> 73,
> Fred, K1ACL
>
>
>
>

1263. need new code

Yahoo group: agwpe_pro
Date: 2010-10-22 01:52:24 UTC
From: KaroR
Topic: 1263 Message: 1263

My name Dane Robinson Call sign = W5KRO
After a recent problem with my computer I reinstalled AGWPE Pro that I had a code for but now it wont work here is all info I have.

Key to send

N27VG-RMMP7-XVWN3-VGS5D-2M37P-A9GUP-DFIA9-VCQB8-GW7VU-PVKPW-4GUND-GNWAB

OLD CODE ?
HN7DG-3J9HI-4Y4NB-3N69D-4NTXN-S4V8M-5EHI7-Y2MTY-GTVDY-QDGH2-5V4QB-SHEAB

1264. RE: [agwpe_pro] need new code

Yahoo group: agwpe_pro
Date: 2010-10-24 17:48:22 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1263 Message: 1264

Hi Dane

Your serial is
PS8DG-QDMNX-WV6NB-TGW7V-SNTXN-28G8M-5EH7A-DUMT5-GW8DW-PVKPW-4GUND-GNWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of KaroR
> Sent: Friday, October 22, 2010 4:52 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] need new code
>
>
>
> My name Dane Robinson Call sign = W5KRO
> After a recent problem with my computer I reinstalled AGWPE Pro that I had
> a code for but now it wont work here is all info I have.
>
> Key to send
>
> N27VG-RMMP7-XVWN3-VGS5D-2M37P-A9GUP-DFIA9-VCQB8-GW7VU-PVKPW-4GUND-GNWAB
>
> OLD CODE ?
> HN7DG-3J9HI-4Y4NB-3N69D-4NTXN-S4V8M-5EHI7-Y2MTY-GTVDY-QDGH2-5V4QB-SHEAB
>
>
>
>

1265. What am I doing wrong

Yahoo group: agwpe_pro
Date: 2010-10-29 13:45:27 UTC
From: Keith
Topic: 1265 Message: 1265

I am running AGWPe ver 2010.414 with Windows 7 with one port AXIP over a LAN to another computer running Xrouter. This works fine but have a registered copy of AGWPe Pro and I just cant get it to work. On openning it, it shows as a registered copy, I raise a Port AXIP then go to put the Host IP Address in and as soon as I put 192 in the first field it crashes and closes down. I have tried cheating and copy the Port and .INI fille over from the working version and Ha it shows a working Port and my Sally PMS Packet program connect to it OK. Only problem is is sees nothing from Xrouter and Xrouter sees nothing from it, in other words it is dead.
The port and .INI file from working copy.

```
Port0
[TNC]
TYPE=AXIP (External Dll)
KISSSUBTYPE=KISS
INITKISS1=
INITKISS2=@...
INITKISS3=
EXITKISS=1
KISSID=0
KISSIDPORT2=0
KISSIDPORT3=0
KISSIDPORT4=0
FREQUENCY=Lan Link
ONAIR=0
MULTIPORT=1
AUTO=1
PERSIST=128
SLOTIME=15
TXTAIL=4
TXDELAY=25
RETRIES=10
MAXFRAME=6
TIMER1=4
TIMER2=5
TIMER3=120
SOFTDCD=0
FULLDUPLEX=0
SDCDTHRESHOLD=64
DAMASUPPORT=0
EAX25SUPPORT=0
[COMMUNICATION]
PORT=COM8: (Have to change to COM1 for Pro)
BAUD=9600
```

```
@...
AXIPDRV]
DEST_ADDR=192.168.0.3
DEST_PORT=93
DEST_HOST=
CALLSIGN=g1gxb-11
UDP_PORT=93
DEBUG=1
```

Regards Keith G1GXB

1266. PEpro vs PE latest?

Yahoo group: agwpe_pro
Date: 2010-10-29 15:37:48 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1266 Message: 1266

I've been running PE pro (paid) Ver 2007.514 and have had some trouble recently on Windows 7. It seems that after a few hours of operation, audio is no longer being sent out the sound card (soundcard interface, Signalink USB w/VOX, KAM tones).

I went looking for a new version and noticed that the free version has been recently updated. I downloaded it, but don't see anywhere to set the tones to be used for 300baud HF Soundcard. Can this version do the KAM tones? Or is there an update available for the paid (pro) version?

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

1267. RE: [agwpe_pro] PEpro vs PE latest?

Yahoo group: agwpe_pro
Date: 2010-10-29 17:30:32 UTC
From: Ralph Milnes
Topic: 1266 Message: 1267

Hi Lynn,

Both the free and paid versions have bugs when running on Windows 7. I won't pretend to know the reason, but I think it stems from Windows 7's ability to use different sound cards for receive and transmit, and AGWPE and PE Pro's inability to deal with that scheme (it assumes the same card will be used for both). More specifically, in Windows the RX on, say, the Signalink might be designated as card #1 and the TX might be designated as Card #2. AGWPE can't deal with that.

George SV2AGW has made some progress in correcting this in Windows XP, but I think he is still working on it in Windows 7. You have the most recent version of PE Pro.

Perhaps one workaround is to designate the SignaLink as the default sound card in Windows 7.

No, the free version can't do the KAM tones. Sorry.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Lynn W. Deffenbaugh (Mr)
Sent: Friday, October 29, 2010 9:38 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PEpro vs PE latest?

I've been running PE pro (paid) Ver 2007.514 and have had some trouble recently on Windows 7. It seems that after a few hours of operation, audio is no longer being sent out the sound card (soundcard interface, Signalink USB w/VOX, KAM tones).

I went looking for a new version and noticed that the free version has been recently updated. I downloaded it, but don't see anywhere to set the tones to be used for 300baud HF Soundcard. Can this version do the KAM tones? Or is there an update available for the paid (pro) version?

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

Yahoo! Groups Links

1268. New Key

Yahoo group: agwpe_pro
Date: 2010-10-29 21:58:31 UTC
From: gabtrop
Topic: 636 Message: 1268

Hello Iam Gabriel Medinas an put a new Win7 laptop with this key

GS3DI-RB5IE-8YQN3-WHFSV-6M37H-S7YIP-DGIA9-DGQDI-HE5DW-336PS-5EA23-XGWAB

Thanks George.

Gabriel YV5KXE

1269. RE: [agwpe_pro] New Key

Yahoo group: agwpe_pro
Date: 2010-10-30 07:16:21 UTC
From: (SV2AGW)George Rossopoulos
Topic: 636 Message: 1269

Hi Gabriel

The serial is
HI3VI-P35G6-7YYNB-UHJVD-WNTXH-I6YWM-5FH69-VYMVF-HE5VY-336PS-5EA23-XGWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of gabtrop
> Sent: Saturday, October 30, 2010 12:59 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key
>
>
>
> Hello Iam Gabriel Medinas an put a new Win7 laptop with this key
>
> GS3DI-RB5IE-8YQN3-WHFSV-6M37H-S7YIP-DGIA9-DGQDI-HE5DW-336PS-5EA23-XGWAB
>
> Thanks George.
>
> Gabriel YV5KXE
>
>
>
>

1271. RE: [agwpe_pro] PEpro vs PE latest?

Yahoo group: agwpe_pro
Date: 2010-11-01 02:41:08 UTC
From: Ralph Milnes
Topic: 1266 Message: 1271

Lynn,

A correction to my earlier posting ==

I re-checked my notes and the free AGWPE version WILL do the KAM tones. In fact in AGWPE if you select 300 baud for the sound card on air baud rate it automatically uses the KAM tones. Sorry for the earlier incorrect info. (AGWPE will not do the PK-232 tones.)

Another thought on the PE Pro problem: Is it possible the computer's power saving mode kicks in after a few hours of inactivity? Anything else happening at that point in time, perhaps another program kicking in?

Ralph NM5RM

Hi Lynn,

Both the free and paid versions have bugs when running on Windows 7. I won't pretend to know the reason, but I think it stems from Windows 7's ability to use different sound cards for receive and transmit, and AGWPE and PE Pro's inability to deal with that scheme (it assumes the same card will be used for both). More specifically, in Windows the RX on, say, the Signalink might be designated as card #1 and the TX might be designated as Card #2. AGWPE can't deal with that.

George SV2AGW has made some progress in correcting this in Windows XP, but I think he is still working on it in Windows 7. You have the most recent version of PE Pro.

Perhaps one workaround is to designate the SignaLink as the default sound card in Windows 7.

No, the free version can't do the KAM tones. Sorry.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Lynn W. Deffenbaugh (Mr)
Sent: Friday, October 29, 2010 9:38 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PEpro vs PE latest?

I've been running PE pro (paid) Ver 2007.514 and have had some trouble recently on Windows 7. It seems that after a few hours of operation, audio is no longer being sent out the sound card (soundcard interface, Signalink USB w/VOX, KAM tones).

I went looking for a new version and noticed that the free version has been recently updated. I downloaded it, but don't see anywhere to set the tones to be used for 300baud HF Soundcard. Can this version do the KAM tones? Or is there an update available for the paid (pro) version?

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

Yahoo! Groups Links

1272. new key

Yahoo group: agwpe_pro
Date: 2010-11-05 01:53:03 UTC
From: w5mdp
Topic: 1272 Message: 1272

trying some new layouts and may be changing computers a few times.

NTTVS-4T9PS-7D6N3-5GI3W-AM37G-68DUP-DGIE6-DNQB2-GI4YS-4J2PE-4EAQM-GNEAB

1273. RE: [agwpe_pro] new key

Yahoo group: agwpe_pro
Date: 2010-11-25 10:55:49 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1272 Message: 1273

Hi

The serial is
PJUDS-3J9NI-6EENB-3GN6D-2NTXG-W7D8M-5FIA6-V6MTX-GI5GU-4J2PE-4EAQM-GNEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of w5mdp
> Sent: Friday, November 05, 2010 3:53 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] new key
>
>
>
> trying some new layouts and may be changing computers a few times.
>
> NTTVS-4T9PS-7D6N3-5GI3W-AM37G-68DUP-DGIE6-DNQB2-GI4YS-4J2PE-4EAQM-GNEAB
>
>
>
>

1274. New Reg key

Yahoo group: agwpe_pro
Date: 2010-11-25 13:20:55 UTC
From: our_gang_2
Topic: 1274 Message: 1274

Just upgraded to Win 7 and somehow messeded up my Pro install.. It is telling me demo period ended.
I'm a registered user and the new code is;
GS5DU-4B7HS-8VYN5-DN65W-EM37H-I7VIP-DGHN7-DQQB8-NN4DU-QJ8HI-7YW2T-2GWAB

Is it possible to get a new key?
Ken
AG2K

Used the email address of kmiddleton@cloud9.net to originally register in I think 2007..

Thanks

1275. agwpe_pro

Yahoo group: agwpe_pro
Date: 2010-12-02 03:53:00 UTC
From: John
Topic: 1275 Message: 1275

I thought that the man that ran this program passed away who is running it now and do we still have to pay for it now that he is gone and if so where does the money go and or who get's it?

1276. RE: [agwpe_pro] agwpe_pro

Yahoo group: agwpe_pro
Date: 2010-12-02 17:43:58 UTC
From: Ralph Milnes
Topic: 1275 Message: 1276

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John
Sent: Wednesday, December 01, 2010 8:53 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] agwpe_pro

I thought that the man that ran this program passed away who is running it now and do we still have to pay for it now that he is gone and if so where does the money go and or who get's it?

John,

I assume you mean PE Pro.

No, George SV2AGW, the PE Pro author is still alive and kicking. You get a 30 day free trial with PE Pro and, if you like it, then you pay George via a third party:
https://secure.bmtmicro.com/servlets/Orders.ShoppingCart?CID=6&PRODUCTID=3560000

(This info is also in the PE Pro program menu under "Other".)

Your registration payment will be good for all computers you own or will own. You will, however, have to write George to ask for a unique Registration Key Code for PE Pro running on different computers: each instance of PE Pro will generate a unique "Key to Send", which you send to George and he will then reply with a unique Registration Key Code to enter into the program.

The person that you thought passed away was probably Roger Barker G4IDE, who was the author of the WinPack packet terminal program. He left us over 5 years ago. If by chance you were interested in WinPack, that is now a free program but requires a registration code provided by some volunteer hams. Although free, Roger asked that anyone registering the program consider a donation to their local cancer research organization. WinPack is at: http://www.apritch.myby.co.uk/uiview.htm Registration info is on that site as well

73

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of John

Sent: Wednesday, December 01, 2010 8:53 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] agwpe_pro

I thought that the man that ran this program passed away who is running it now and do we still have to pay for it now that he is gone and if so where does the money go and or who get's it?

1277. Registration

Yahoo group: agwpe_pro
Date: 2010-12-03 09:18:10 UTC
From: Keith
Topic: 245 Message: 1277

Having another try at getting Agwpe Pro to work. my new "Key To Sent" is:-
:e6jlpi737cf=/=<=d4<Bmb8f6h:ehje<1a6

Not very happy with it as it looks currupt but if it is OK please could I have a new registration Code

Keith G1GXB

1278. I need help installing with a tm-d700a

Yahoo group: agwpe_pro
Date: 2010-12-06 11:44:52 UTC
From: JohnW
Topic: 1278 Message: 1278

I am triing to install with a tm-D700-a kenwood. I like the tracker program and all the neat posibilities, but I can not get it to receive. I have the radio on comm 1 in the pkt mode and I get a green flashing light when trafic is received but record no station heard. I could not find any specific setup but assume the radio port data rate 1200 and on air baud rate 1200 as well. Is this correct?

1279. Re: [agwpe_pro] I need help installing with a tm-d700a

Yahoo group: agwpe_pro
Date: 2010-12-06 16:07:03 UTC
From: M Brown
Topic: 1278 Message: 1279

Try the radio port data rate at 9600

Murry VE9MB

On 12/6/2010 7:44 AM, JohnW wrote:
> I am triing to install with a tm-D700-a kenwood. I like the tracker program and all the neat posibilities, but I can not get it to receive. I have the radio on comm 1 in the pkt mode and I get a green flashing light when trafic is received but record no station heard. I could not find any specific setup but assume the radio port data rate 1200 and on air baud rate 1200 as well. Is this correct?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

1280. RE: [agwpe_pro] I need help installing with a tm-d700a

Yahoo group: agwpe_pro
Date: 2010-12-06 17:46:12 UTC
From: w4ccq@fmcaarc.com
Topic: 1278 Message: 1280

Thank you I have the program receiving stations now but no maps. When I tell it to use Google it goes to a search page. Google earth brings up an error message. Is there a way to correct the internet search page to Google?

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of M Brown
Sent: Monday, December 06, 2010 10:07 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] I need help installing with a tm-d700a

Try the radio port data rate at 9600

Murry VE9MB

On 12/6/2010 7:44 AM, JohnW wrote:
> I am triing to install with a tm-D700-a kenwood. I like the tracker program and all the neat posibilities, but I can not get it to receive. I have the radio on comm 1 in the pkt mode and I get a green flashing light when trafic is received but record no station heard. I could not find any specific setup but assume the radio port data rate 1200 and on air baud rate 1200 as well. Is this correct?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

1281. Re: [agwpe_pro] I need help installing with a tm-d700a

Yahoo group: agwpe_pro
Date: 2010-12-07 13:30:01 UTC
From: M Brown
Topic: 1278 Message: 1281

Glad that helped.
What software are you using for APRS?

On 12/6/2010 1:46 PM, w4ccq@... wrote:
> Thank you I have the program receiving stations now but no maps. When I
> tell it to use Google it goes to a search page. Google earth brings up an
> error message. Is there a way to correct the internet search page to
> Google?
>
>
>
> _____
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of M Brown
> Sent: Monday, December 06, 2010 10:07 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] I need help installing with a tm-d700a
>
>
>
>
>
>
> Try the radio port data rate at 9600
>
> Murry VE9MB
>
> On 12/6/2010 7:44 AM, JohnW wrote:
>> I am triing to install with a tm-D700-a kenwood. I like the tracker
> program and all the neat posibilities, but I can not get it to receive. I
> have the radio on comm 1 in the pkt mode and I get a green flashing light
> when trafic is received but record no station heard. I could not find any
> specific setup but assume the radio port data rate 1200 and on air baud rate
> 1200 as well. Is this correct?
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>>
>

>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>
>

1282. RE: [agwpe_pro] I need help installing with a tm-d700a

Yahoo group: agwpe_pro
Date: 2010-12-08 11:37:12 UTC
From: w4ccq@fmcaarc.com
Topic: 1278 Message: 1282

I am using tracker and I uninstalled and reinstalled the program and for now it is working. I downloaded it on trial and was about to give up and not pay the registration but I got it working yesterday by re-installing again. Now if I can get my weather station to talk to it we will be set. Do you know if usage is allowed on a home station and mobile under the same registration or is it necessary to pay for mutable installs ?

Thanks for answering my help request. 73's

John w4ccq

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of M Brown
Sent: Tuesday, December 07, 2010 7:30 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] I need help installing with a tm-d700a

Glad that helped.
What software are you using for APRS?

On 12/6/2010 1:46 PM, w4ccq@... <mailto:w4ccq%40fmcaarc.com> wrote:
> Thank you I have the program receiving stations now but no maps. When I
> tell it to use Google it goes to a search page. Google earth brings up an
> error message. Is there a way to correct the internet search page to
> Google?
>
>
>
> -----
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On Behalf
> Of M Brown
> Sent: Monday, December 06, 2010 10:07 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] I need help installing with a tm-d700a
>
>
>
>
>
>
> Try the radio port data rate at 9600

>
> Murry VE9MB
>
> On 12/6/2010 7:44 AM, JohnW wrote:
>> I am triing to install with a tm-D700-a kenwood. I like the tracker
> program and all the neat posibilities, but I can not get it to receive. I
> have the radio on comm 1 in the pkt mode and I get a green flashing light
> when trafic is received but record no station heard. I could not find any
> specific setup but assume the radio port data rate 1200 and on air baud
rate
> 1200 as well. Is this correct?
>>
>>
>> ---
>>
>> Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

1283. RE: [agwpe_pro] PE Pro Registration

Yahoo group: agwpe_pro
Date: 2010-12-10 01:11:09 UTC
From: Ralph Milnes
Topic: 1278 Message: 1283

I took the liberty of re-naming the subject line ...

Your registration payment will be good for all computers you own or will own. You will, however, have to write George SV2AGW, the program author, (sv2agw (at) sv2agw.com) to ask for a unique Registration Key Code for PE Pro instances running on different computers: each instance of PE Pro will generate a unique "Key to Send", which you send to George and he will then reply with a unique Registration Key Code to enter into the program.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w4ccq@...
Sent: Wednesday, December 08, 2010 4:37 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] I need help installing with a tm-d700a

I am using tracker and I uninstalled and reinstalled the program and for now it is working. I downloaded it on trial and was about to give up and not pay the registration but I got it working yesterday by re-installing again. Now if I can get my weather station to talk to it we will be set. Do you know if usage is allowed on a home station and mobile under the same registration or is it necessary to pay for mutable installs ?

Thanks for answering my help request. 73's

John w4ccq

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of M Brown
Sent: Tuesday, December 07, 2010 7:30 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] I need help installing with a tm-d700a

Glad that helped.
What software are you using for APRS?

On 12/6/2010 1:46 PM, w4ccq@... <mailto:w4ccq%40fmcaarc.com> wrote:
> Thank you I have the program receiving stations now but no maps. When I
> tell it to use Google it goes to a search page. Google earth brings up an
> error message. Is there a way to correct the internet search page to
> Google?
>
>

>
> _____
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
Behalf
> Of M Brown
> Sent: Monday, December 06, 2010 10:07 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] I need help installing with a tm-d700a
>
>
>
>
>
>
> Try the radio port data rate at 9600
>
> Murry VE9MB
>
> On 12/6/2010 7:44 AM, JohnW wrote:
>> I am triing to install with a tm-D700-a kenwood. I like the tracker
> program and all the neat posibilities, but I can not get it to receive. I
> have the radio on comm 1 in the pkt mode and I get a green flashing light
> when trafic is received but record no station heard. I could not find any
> specific setup but assume the radio port data rate 1200 and on air baud
rate
> 1200 as well. Is this correct?
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>

>
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

1284. RE: [agwpe_pro] PE Pro Registration

Yahoo group: agwpe_pro
Date: 2010-12-10 12:09:00 UTC
From: w4ccq@fmcaarc.com
Topic: 1278 Message: 1284

Thank you,

Tracker (and agwpe-pro) is a great program, it is evident the massive effort to put all this together.

Thanks

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Thursday, December 09, 2010 7:11 PM
To: agwpe_pro@yahoogroups.com
Cc: w4ccq@...
Subject: RE: [agwpe_pro] PE Pro Registration

I took the liberty of re-naming the subject line ...

Your registration payment will be good for all computers you own or will own. You will, however, have to write George SV2AGW, the program author, (sv2agw (at) sv2agw.com) to ask for a unique Registration Key Code for PE Pro instances running on different computers: each instance of PE Pro will generate a unique "Key to Send", which you send to George and he will then reply with a unique Registration Key Code to enter into the program.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On Behalf
Of w4ccq@... <mailto:w4ccq%40fmcaarc.com>
Sent: Wednesday, December 08, 2010 4:37 AM
To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
Subject: RE: [agwpe_pro] I need help installing with a tm-d700a

I am using tracker and I uninstalled and reinstalled the program and for now it is working. I downloaded it on trial and was about to give up and not pay the registration but I got it working yesterday by re-installing again. Now if I can get my weather station to talk to it we will be set. Do you know if usage is allowed on a home station and mobile under the same registration or is it necessary to pay for mutable installs ?

Thanks for answering my help request. 73's

John w4ccq

From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On
Behalf
Of M Brown
Sent: Tuesday, December 07, 2010 7:30 AM
To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
Subject: Re: [agwpe_pro] I need help installing with a tm-d700a

Glad that helped.
What software are you using for APRS?

On 12/6/2010 1:46 PM, w4ccq@... <mailto:w4ccq%40fmcaarc.com>
<mailto:w4ccq%40fmcaarc.com> wrote:
> Thank you I have the program receiving stations now but no maps. When I
> tell it to use Google it goes to a search page. Google earth brings up an
> error message. Is there a way to correct the internet search page to
> Google?
>
>
>
> _____
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>] On
Behalf
> Of M Brown
> Sent: Monday, December 06, 2010 10:07 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
<mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] I need help installing with a tm-d700a
>
>
>
>
>
>
> Try the radio port data rate at 9600
>
> Murry VE9MB
>
> On 12/6/2010 7:44 AM, JohnW wrote:
>> I am triing to install with a tm-D700-a kenwood. I like the tracker
> program and all the neat posibilities, but I can not get it to receive. I
> have the radio on comm 1 in the pkt mode and I get a green flashing light
> when trafic is received but record no station heard. I could not find any
> specific setup but assume the radio port data rate 1200 and on air baud
rate
> 1200 as well. Is this correct?
>>
>>

>> ----------
>>
>> Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

1285. registration key

Yahoo group: agwpe_pro
Date: 2010-12-10 01:38:27 UTC
From: Loyd
Topic: 1285 Message: 1285

GTUYQ-RT6P2-6VNN5-GN65E-EM37P-PXVKP-DFPW7-YIQB8-G63DN-PMMPS-4G2N3-SGAAB
my send to key.

1286. Will It Run on Windows 7 64 bit

Yahoo group: agwpe_pro
Date: 2010-12-14 05:11:42 UTC
From: bawinters@ymail.com
Topic: 1286 Message: 1286

I installed program on my Win 7 x64 notebook and while I can run the program, when I push the detect button during setup of a new TNC it causes a program failure. Help please if there is a way to make this work. It does fine on a 32 bit Win 7 machine.

1287. AGWPE Pro error

Yahoo group: agwpe_pro
Date: 2010-12-14 22:18:53 UTC
From: mike.thebike
Topic: 1287 Message: 1287

Can anyone tell me what the following means:

2010/12/14 22:16:07 Packet initialization failed
AGW-PE version
Error! Firmware too old!

when opening the packet client within Airmail.
What "firmware" could the error message be referring
to?

The TNC is a TNC-X and I am running AM-PE Streams.

I know I had this working at one time.

73, Mike, K0TER

1288. please disregard my previous message

Yahoo group: agwpe_pro
Date: 2010-12-14 22:29:27 UTC
From: Mike
Topic: 1288 Message: 1288

Please disregard my message about the error with
AGWPE Pro and Airmail. I figured it out.

I should not work with this stuff when I have a headache!!

73, Mike, K0TER

1289. Multiple problems with AGWPE

Yahoo group: agwpe_pro
Date: 2010-12-15 16:52:23 UTC
From: Mike
Topic: 1289 Message: 1289

Well, I thought I had things working but....

Setup:

AGWPE Pro 2007.514
Computer(s): XP Home and Windows 7 Home premium (32 bit)

TNC(s): KPC-3 and TNC-X

Common problem: On both the XP and Windows 7 computers
I so far have only been able to get one program to cause
the TNC (and radio) to transmit. That program is Winpack.

Programs not working:
Outpost (2.4.0 c99 on XP, 2.4.0 c82 on Windows 7).
Airmail (3.3.081 on both XP and Windows 7).

I'm using AMPE streams 2.2 with Airmail.

I'm almost sure that I at one time had this working. I've
been over and over setting up the TNCs, checking various
parameters and I just cannot figure out why the TNCs
will not go into transmit with Airmail and Outpost.

Additional problem: On the Windows 7 computer I cannot
shut down AGWPE, even with the task manager. I have to
shut down the computer.

Any ideas and help with these issues is much appreciated.

73, Mike, K0TER

1290. RE: [agwpe_pro] Multiple problems with AGWPE

Yahoo group: agwpe_pro
Date: 2010-12-16 15:20:56 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1289 Message: 1290

Hi Mike

Consider asking about outpost and Airmail on their forum.
Since Winpack works this means that Packet Engine is configured and works
ok.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of Mike
> Sent: Wednesday, December 15, 2010 6:52 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Multiple problems with AGWPE
>
>
>
>
> Well, I thought I had things working but....
>
> Setup:
>
> AGWPE Pro 2007.514
> Computer(s): XP Home and Windows 7 Home premium (32 bit)
>
> TNC(s): KPC-3 and TNC-X
>
> Common problem: On both the XP and Windows 7 computers
> I so far have only been able to get one program to cause
> the TNC (and radio) to transmit. That program is Winpack.
>
> Programs not working:
> Outpost (2.4.0 c99 on XP, 2.4.0 c82 on Windows 7).
> Airmail (3.3.081 on both XP and Windows 7).
>
> I'm using AMPE streams 2.2 with Airmail.
>
> I'm almost sure that I at one time had this working. I've
> been over and over setting up the TNCs, checking various

> parameters and I just cannot figure out why the TNCs
> will not go into transmit with Airmail and Outpost.
>
> Additional problem: On the Windows 7 computer I cannot
> shut down AGWPE, even with the task manager. I have to
> shut down the computer.
>
> Any ideas and help with these issues is much appreciated.
>
> 73, Mike, K0TER
>
>
>
>

1291. Re: Multiple problems with AGWPE

Yahoo group: agwpe_pro
Date: 2010-12-17 14:20:14 UTC
From: Mike
Topic: 1289 Message: 1291

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Mike
>
> Consider asking about outpost and Airmail on their forum.
> Since Winpack works this means that Packet Engine is configured and works
> ok.

Thanks for the reply.

In a short burst of insight, I decided to try the latest
version of the free AGWPE. Everything started working just
fine. I suspect that I may still have something not set
up right when using AGWPE Pro but I haven't a clue what it
may be. So I guess for now I'm going to be using the
free version.

I had also had problems with a program called WinTNC and
email correspondence with its author led me to try the
free version.

73, Mike, K0TER

1292. Errors after Windows update

Yahoo group: agwpe_pro
Date: 2010-12-18 00:15:20 UTC
From: WB4YDL
Topic: 1292 Message: 1292

Hello:

I'm new to the group - after sending an error report to SV2AGW, decided to see what info I can find here. I normally run RMS Packet and UI-View via AGWPE Pro. I have RMS Packet configured to auto-start and runs through a KAM+; UI-View runs through a sound card interface, manual start.

After a Windows Update of my WinXP SP3 system, I'm now unable to run AGWPE Pro with any of the above programs. After RMS Packet starts, I receive an error message that states the program must close due to an error. It references ntdll.dll. Now, I can start AGWPE Pro by itself fine, but as soon as I start RMS Packet, I get the error. If I try UI-View, it gives a different AGWPE error.

I have now successfully gotten RMS Packet to run via direct TNC setup, no problem. With UI-View, I'm just using internet 'beaconing' - can't transmit without the AGW interface.

The best I can tell, ntdll.dll hasn't been updated since Feb. 2009, but I could be wrong. I tried to do a system restore to last month, but Windows did not allow this - I guess because of the update. I of course tried to run the program repair from the install file, and when that didn't work, I tried uninstalling / reinstalling. I also tried doing an msconfig and running a 'clean boot' without startup items and non-MS services running. No joy - still the same problems.

Any help would be appreciated.

73, Jamie
WB4YDL

1293. Packet Engine Pro problems in Windows 7

Yahoo group: agwpe_pro
Date: 2011-01-13 16:55:19 UTC
From: Adrian Lane
Topic: 1293 Message: 1293

Hi,
I have installed Windows 7 & Packet Engine Pro, what a mistake. Since I have done this Winpack, Agwtracker & UI View do not seem to get any received data, has anybody got any ideas.

Regards

Adrian (2E0SDR)

1294. New Code

Yahoo group: agwpe_pro
Date: 2011-01-16 01:36:48 UTC
From: Reuben
Topic: 1252 Message: 1294

My name is Reuben Meeks, W8GUC.
I had to rebuild my computer after failure. I need a new code for this id string please.
GJVGK-Q4BPS-8VYN3-VGE5V-8M37H-JWVNP-B7HFA-VIQDK-N3UDI-RB8HF-VVWPJ-XNEAB
Thanks,
Reuben Meeks
W8GUC
1345 Helke Rd
Vandalia, OH 45377

1295. RE: [agwpe_pro] New Code

Yahoo group: agwpe_pro
Date: 2011-01-16 16:13:26 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1252 Message: 1295

Hi

your serial is
HBVYK-PUBNI-7V8NB-TGI8D-YNTXH-BVV2M-36HBB-D2MVH-N3UVK-RB8HF-VVWPJ-XNEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Reuben
> Sent: Sunday, January 16, 2011 3:37 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Code
>
>
>
> My name is Reuben Meeks, W8GUC.
> I had to rebuild my computer after failure. I need a new code for this id
string
> please.
> GJVGK-Q4BPS-8VYN3-VGE5V-8M37H-JWVNP-B7HFA-VIQDK-N3UDI-RB8HF-VVWPJ-XNEAB
> Thanks,
> Reuben Meeks
> W8GUC
> 1345 Helke Rd
> Vandalia, OH 45377
>
>
>
>

1296. RE: [agwpe_pro] Packet Engine Pro problems in Windows 7

Yahoo group: agwpe_pro
Date: 2011-01-16 16:14:21 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1293 Message: 1296

Hi

Packet Engine PRO and AGWTracker are Windows 7 aware.
DO NOT run in compatibility mode.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Adrian Lane
> Sent: Thursday, January 13, 2011 6:55 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro problems in Windows 7
>
>
>
> Hi,
> I have installed Windows 7 & Packet Engine Pro, what a mistake. Since I
have
> done this Winpack, Agwtracker & UI View do not seem to get any received
> data, has anybody got any ideas.
>
> Regards
>
> Adrian (2E0SDR)
>
>
>
>

1297. Re: Packet Engine Pro problems in Windows 7

Yahoo group: agwpe_pro
Date: 2011-01-14 19:36:34 UTC
From: kd7nax
Topic: 1293 Message: 1297

Try running Windows 7 in the XP mode and install your programs. I had the same problem with PE Pro and this resolved the problem.

Scott

--- In agwpe_pro@yahoogroups.com, "Adrian Lane" <2e0sdr@...> wrote:
>
> Hi,
> I have installed Windows 7 & Packet Engine Pro, what a mistake. Since I have done this Winpack, Agwtracker & UI View do not seem to get any received data, has anybody got any ideas.
>
> Regards
>
> Adrian (2E0SDR)
>

1298. Need new code

Yahoo group: agwpe_pro
Date: 2011-01-30 00:56:58 UTC
From: Michael
Topic: 1298 Message: 1298

Hi, new computer and need new code. Please

GN3GG-RB7IN-8VYN5-DGW3V-2M37N-29YKP-DFPTX-VGQBX-G64GG-3TZH6-5DYNJ-SHAAB

Thanks,

Michael, KD7GHZ

1299. RE: [agwpe_pro] Need new code

Yahoo group: agwpe_pro
Date: 2011-02-03 11:53:15 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1298 Message: 1299

Hi

Your serial is
HE3YG-P37HE-7V8ND-BG26D-SNTXN-S8YYM-5EPPY-DYMTU-G64YI-3TZH6-5DYNJ-SHAAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Michael
> Sent: Sunday, January 30, 2011 2:57 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new code
>
>
>
> Hi, new computer and need new code. Please
>
> GN3GG-RB7IN-8VYN5-DGW3V-2M37N-29YKP-DFPTX-VGQBX-G64GG-3TZH6-5DYNJ-SHAAB
>
> Thanks,
>
> Michael, KD7GHZ
>
>
>
>

1300. TX Start

Yahoo group: agwpe_pro
Date: 2011-02-08 16:50:07 UTC
From: kenwood1995
Topic: 1300 Message: 1300

I use both AGW Packet Engine and PRO and my interface
is the Signalink SL-1, which produces my PTT for my radio.
Is there some way to make AGW transmit a sound or something before it transmits the packet info, so that the transmitter is keyed before the info gets to be transmitted?

1301. forced close, cannot open

Yahoo group: agwpe_pro
Date: 2011-02-10 12:23:59 UTC
From: John
Topic: 1301 Message: 1301

used pro for about a day, made some adjustments, next opening a windows(XP) message comes up. "has encountered a problem and needs to close" and now I cannot open the AGW at all. can I uninstall and re-install with same key?

1302. Re: [agwpe_pro] forced close, cannot open

Yahoo group: agwpe_pro
Date: 2011-02-11 07:38:33 UTC
From: k4lch@yahoo.com
Topic: 1301 Message: 1302

Go in to the agwpe directory delete or rename the port0.ini file, there is an agwpe.ini file you can try if port0.ini doesn't work then try to open AGWPE pro before removing program.
Sent from my Verizon Wireless BlackBerry
Loyd C. Headrick

-----Original Message-----
From: "John" <kb1rot@...>
Sender: agwpe_pro@yahoogroups.com
Date: Thu, 10 Feb 2011 12:23:59
To: <agwpe_pro@yahoogroups.com>
Reply-To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] forced close, cannot open

used pro for about a day, made some adjustments, next opening a windows(XP) message comes up. "has encountered a problem and needs to close" and now I cannot open the AGW at all. can I uninstall and re-install with same key?

[Non-text portions of this message have been removed]

1303. Key for PePro

Yahoo group: agwpe_pro
Date: 2011-02-14 19:56:39 UTC
From: r_vanzon
Topic: 1303 Message: 1303

I want to use PePro on my Vista Notebook. It seems this is the correct place to ask for a new key.
Key to send is:
HN5DS-RUBIS-7GWN3-5GFUE-AM37G-W6VWP-B7HPX-DIQDJ-GS4VK-3JZHE-7VSPB-XNNAB

Thanks!
R van Zon
PE1AWA

1304. RE: [agwpe_pro] Key for PePro

Yahoo group: agwpe_pro
Date: 2011-02-15 16:26:04 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1303 Message: 1304

Hi

Your serial is
IE5VS-QKBHI-6G6NB-3GJWV-2NTXG-N5WAM-36HJX-V2MVG-GS5DN-3JZHE-7VSPB-XNNAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of r_vanzon
> Sent: Monday, February 14, 2011 9:57 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Key for PePro
>
>
>
> I want to use PePro on my Vista Notebook. It seems this is the correct
place to
> ask for a new key.
> Key to send is:
> HN5DS-RUBIS-7GWN3-5GFUE-AM37G-W6VWP-B7HPX-DIQDJ-GS4VK-3JZHE-7VSPB-XNNAB
>
> Thanks!
> R van Zon
> PE1AWA
>
>
>
>

1305. PEPro RX Problem

Yahoo group: agwpe_pro
Date: 2011-02-22 01:53:12 UTC
From: ad6nh
Topic: 1305 Message: 1305

Hi, all! I'm running the latest version of PEPro with a 3 port KPC-9612+. For some reason, all received packets are showing up on port 1. I can transmit to the 3 ports separately, but all RX traffic from all three ports are showing up on port 1, and thus the programs that are accessing the various ports are not working properly. Can anyone help? I can post the .ini files if needed. Thanks!

73
Phil - AD6NH

1306. AGWPE Pro sound card calibration

Yahoo group: agwpe_pro
Date: 2011-02-23 00:11:07 UTC
From: Ralph Milnes
Topic: 1306 Message: 1306

Julian,

I saw this on the APRSSIG mail list,

I am thinking you might get a better answer from the PE Pro Google group. If you are not a member, you can join at:

http://groups.yahoo.com/group/agwpe_pro/

There is a way to enter an adjustment for the sound card clock in PE Pro. Under a port's properties screen on the left you will see a way to "Adjust Sound Card Clock. Default is 4". The problem is that the program author, George SV2AGW, doesn't tell us how much of a sampling rate adjustment is made for each value. But I have more on my AGWPE Help site:

http://kc2rlm.info/soundcardpacket/5probrx.htm#RXbaddriver

If the value doesn't stick, then editing the .ini files should work: save the ini file and restart PE Pro. Note that my site deals with AGWPE, not PE Pro. They should be very similar however.

I didn't think that sound card sample rate affected the basic baud rate, just the modulation of the signal. I hadn'tr really thought about it though and I'm not expert on audio/modulation properties.

Yes, I agree it would be better if the program had a sampling rate adjustment you could understand. Perhaps it would help to write the author, George SV2AGW at sv2agw@...

Ralph NM5RM

Message: 16

Date: Tue, 22 Feb 2011 08:56:45 +0000

From: "Julian, G4ILO"

Subject: [aprssig] To: TAPR APRS Mailing List <aprssig@...>

Message-ID:

<AANLkTinXnmb8f02=tdPb3p5YuErFhSawoMZ6gTH3g8dV@...>

Content-Type: text/plain; charset=ISO-8859-1

Does anyone know if it is possible to change the sample rate in AGWPE Pro to compensate for clock errors?

I have several USB sound devices that I use to interface with radios for various purposes. They all tend to have sample rate errors which affect the baud rate of packet transmissions. I have particularly become aware of this since getting the Kenwood TH-D72 which seems particularly sensitive to baud rate.

Using MixW to monitor using another receiver with a pretty accurate sound card I can measure the baud rate and it was 1208baud. There seems to be no way in AGWPE to change the sample rate. There is a number you can change on the configuration dialog but I can't get the value to "stick" between restarts, nor does it seem to affect the baud rate when I change it by editing the .ini file. Using TrueTTY I can get the correct baud rate on one sound card by setting the sample rate to 11050Hz and on another one by setting it to 11100Hz. Most digital mode programs have the facility to fune tune the sample rate. I am surprised AGWPE doesn't - or am I missing something?

Julian, G4ILO

G4ILO's Shack: www.g4ilo.com

[Non-text portions of this message have been removed]

1307. New key for PEPRO

Yahoo group: agwpe_pro
Date: 2011-02-22 19:23:45 UTC
From: Carl F4CWH
Topic: 1307 Message: 1307

Hello all, hello George,

I'd like to register a new installation under Windows 7 (x64)... It seems to work perfectly for a few hours.

The key to send is :
HJTVG-P5PIP-WD2N5-HGN2G-2M37P-JXVGP-DFPTA-DUQBY-N3TVG-QT8HA-6VSQB-WNWAB

Thanks is advance,
73
--
Carl, F4CWH

1308. Need new key

Yahoo group: agwpe_pro
Date: 2011-02-23 07:35:55 UTC
From: f4cwh
Topic: 1078 Message: 1308

Hello George, hello all,

I'd like to register a new installation under win 7 (x64)... It seems to work perfectly for a few hours.

The key to send is :
HJTVG-P5PIP-WD2N5-HGN2G-2M37P-JXVGP-DFPTA-DUQBY-N3TVG-QT8HA-6VSQB-WNWAB

Thanks is advance,
73
--
Carl, F4CWH

1309. RE: [agwpe_pro] Need new key

Yahoo group: agwpe_pro
Date: 2011-02-23 10:27:15 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1078 Message: 1309

Hi Carl

Your serial is
IBUDG-NVPHF-VEAND-FGS4Y-SNTXP-BWVUM-5EPPA-WCMTV-N3UDI-QT8HA-6VSQB-WNWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of f4cwh
> Sent: Wednesday, February 23, 2011 9:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key
>
>
>
> Hello George, hello all,
>
> I'd like to register a new installation under win 7 (x64)... It seems to
work
> perfectly for a few hours.
>
> The key to send is :
> HJTVG-P5PIP-WD2N5-HGN2G-2M37P-JXVGP-DFPTA-DUQBY-N3TVG-QT8HA-6VSQB-WNWAB
>
> Thanks is advance,
> 73
> --
> Carl, F4CWH
>
>
>
>

1310. key code.

Yahoo group: agwpe_pro
Date: 2011-02-23 17:18:40 UTC
From: Egil la9raa
Topic: 1310 Message: 1310

Please send me a new registration key code.
PA5DW-P5PPW-8DUN5-DG24G-2M37G-W7VUP-B6PS6-DKQB2-GN5DK-3J7PJ-XGU3D-CNSAB

Egil Stålesen

4362 Vigrestad

mob: 92093035

[Non-text portions of this message have been removed]

1311. RE: [agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2011-02-23 20:36:38 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1310 Message: 1311

Hi Egil

The serial is
P25VW-NVPNN-7D4ND-BG66Y-SNTXG-N6V8M-35PN6-V4MTX-GN5VN-3J7PJ-XGU3D-CNSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Egil la9raa
> Sent: Wednesday, February 23, 2011 7:19 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] key code.
>
>
>
> Please send me a new registration key code.
> PA5DW-P5PPW-8DUN5-DG24G-2M37G-W7VUP-B6PS6-DKQB2-GN5DK-3J7PJ-XGU3D-CNSAB
>
> Egil Stålesen
>
> 4362 Vigrestad
>
> mob: 92093035
>
> [Non-text portions of this message have been removed]
>
>
>
>

1312. Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 11:38:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1312 Message: 1312

Hi

New Beta version!!! Needs Vista or Win7. It may work on XP SP3.
www.sv2agw.com/beta/Packet Engine Pro.zip

Unzip and put the executable in any directory/folder. Do NOT replace the original Executable.
If you already use Packet Engine Pro then backup/delete your ini files (agwpe.ini and portxx.ini)
Run the new Exe. All the ini files are in Documents/Packet Engine Pro directory.
Now support different Soundcards for Receive and for Transmit.

Beta reports PSE here

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Egil la9raa
> Sent: Wednesday, February 23, 2011 7:19 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] key code.
>
>
>
> Please send me a new registration key code.
> PA5DW-P5PPW-8DUN5-DG24G-2M37G-W7VUP-B6PS6-DKQB2-GN5DK-3J7PJ-
> XGU3D-CNSAB
>
> Egil Stålesen
>
> 4362 Vigrestad
>
> mob: 92093035
>
> [Non-text portions of this message have been removed]
>
>

>
>

1313. Re: [agwpe_pro] Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 12:03:55 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1312 Message: 1313

When you try to use that link, make sure to add the (at least in my e-mail client) <space>Engine<space>Pro.zip. And remember that most web servers are CaSe SeNsItIve.

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

On 2/24/2011 6:38 AM, (SV2AGW)George Rossopoulos wrote:
> Hi
>
> New Beta version!!! Needs Vista or Win7. It may work on XP SP3.
> www.sv2agw.com/beta/Packet Engine Pro.zip
>
> Unzip and put the executable in any directory/folder. Do NOT replace the
> original Executable.
> If you already use Packet Engine Pro then backup/delete your ini files
> (agwpe.ini and portxx.ini)
> Run the new Exe. All the ini files are in Documents/Packet Engine Pro
> directory.
> Now support different Soundcards for Receive and for Transmit.
>
> Beta reports PSE here
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
>> On Behalf Of Egil la9raa
>> Sent: Wednesday, February 23, 2011 7:19 PM
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] key code.
>>
>>
>>
>> Please send me a new registration key code.
>> PA5DW-P5PPW-8DUN5-DG24G-2M37G-W7VUP-B6PS6-DKQB2-GN5DK-3J7PJ-
>> XGU3D-CNSAB
>>

>> Egil St?lesen
>>
>> 4362 Vigrestad
>>
>> mob: 92093035
>>
>> [Non-text portions of this message have been removed]
>>
>>
>>
>>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>
>

1314. Re: [agwpe_pro] Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 14:04:48 UTC
From: Loyd Headrick
Topic: 1312 Message: 1314

Hi George
Downloaded the beta version
I setup the beta for my port settings within 2 minutes it was decoding packet much improved over old version
I running it on winows 7 home premium 64bit with 4gb ram
The new interface looks easier to use will try more later after work also will see if any problems with it when I get home

Loyd C.Headrick K4LCH

K4LCH

Vol State Hosting

From: (SV2AGW)George Rossopoulos <sv2agw@...>
To: agwpe_pro@yahoogroups.com
Cc:
Sent: Thursday, February 24, 2011 6:38 AM
Subject: [agwpe_pro] Packet Engine Pro BETA Version (At Last!!!!)

Hi

New Beta version!!! Needs Vista or Win7. It may work on XP SP3.
www.sv2agw.com/beta/Packet Engine Pro.zip

Unzip and put the executable in any directory/folder. Do NOT replace the original Executable.
If you already use Packet Engine Pro then backup/delete your ini files (agwpe.ini and portxx.ini)
Run the new Exe. All the ini files are in Documents/Packet Engine Pro directory.
Now support different Soundcards for Receive and for Transmit.

Beta reports PSE here

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Egil la9raa
> Sent: Wednesday, February 23, 2011 7:19 PM

> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] key code.
>
>
>
> Please send me a new registration key code.
> PA5DW-P5PPW-8DUN5-DG24G-2M37G-W7VUP-B6PS6-DKQB2-GN5DK-3J7PJ-
> XGU3D-CNSAB
>
> Egil Stålesen
>
> 4362 Vigrestad
>
> mob: 92093035
>
> [Non-text portions of this message have been removed]
>
>
>
>

[Non-text portions of this message have been removed]

1315. Re: Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 16:55:39 UTC
From: r_vanzon
Topic: 1312 Message: 1315

Thank you George for continuing the support of PePro! The interface has drasticly changed, but I could find everything easy until now.
The beta I have is ver.2011.224
- It runs without a system or program crash until now.(some hours)
- I use Vista Home premium SP1 with an external USB soundcard. Running PePro from C:AGWSoft/Packet Engine Pro/
- (RX) port setup is working. But wave hight (audio in) does not respond to the RX setting slider during setup.
- Tuning aid: now i can set RX level. (at last!)
- With Set level and Restore level checked, Volume is not restored correct when I close down PePro and start it again.
- Monitoring is possible and Heard stations appear in the list
- Connecting to programs is possible (tested APRS-IS) and stations are showed.
- When I review the setting through Edit Radio Port, a different soundcard is shown (my internal) for RX. It just won't keep the card I choose.
- At the same time the Tuning aid still shows the activity from my receiver throught the external USB card.

Have to wait for my ordered USB-to-Parallel cable to test TX part.

Hope this helps.
73's René

1316. Re: Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 17:34:46 UTC
From: r_vanzon
Topic: 1312 Message: 1316

Additional:
I cannot find any portx.ini and AGWPE.ini files (only the renamed old ones to xxxx.ini.2007)in my Packet Engine Pro map.
Where have they gone since a port is created?
73's
René

1317. Re: Need new key

Yahoo group: agwpe_pro
Date: 2011-02-23 10:45:25 UTC
From: f4cwh
Topic: 1078 Message: 1317

Thanks George.

Sorry for posting twice.

All working for a whole day under win 7 x64 using a tmd 700.

73.

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Carl
>
> Your serial is
> IBUDG-NVPHF-VEAND-FGS4Y-SNTXP-BWVUM-5EPPA-WCMTV-N3UDI-QT8HA-6VSQB-WNWAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> > On Behalf Of f4cwh
> > Sent: Wednesday, February 23, 2011 9:36 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Need new key
> >
> >
> >
> > Hello George, hello all,
> >
> > I'd like to register a new installation under win 7 (x64)... It seems to
> work
> > perfectly for a few hours.
> >
> > The key to send is :
> > HJTVG-P5PIP-WD2N5-HGN2G-2M37P-JXVGP-DFPTA-DUQBY-N3TVG-QT8HA-6VSQB-WNWAB
> >
> > Thanks is advance,
> > 73
> > --

> > Carl, F4CWH
> >
> >
> >
> >
>

1318. Re: Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 19:21:26 UTC
From: wa4sca
Topic: 1312 Message: 1318

George,

It says might work with XP SP3. I have XP Pro SP3 and gave it a try. It does not detect any of th several sound cards. The drop down box is blank for both RX and TX.

Alan
WA4SCA

1319. Re: Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-24 20:03:29 UTC
From: ve7dfj
Topic: 1312 Message: 1319

Same here

Jack VE7DFJ

--- In agwpe_pro@yahoogroups.com, "wa4sca" <alanbiddle70@...> wrote:
>
> George,
>
> It says might work with XP SP3. I have XP Pro SP3 and gave it a try. It does not detect any of th several sound cards. The drop down box is blank for both RX and TX.
>
> Alan
> WA4SCA
>

1320. Packet Engine Pro Beta. So Far.....

Yahoo group: agwpe_pro
Date: 2011-02-25 08:23:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1320 Message: 1320

Hi

1. Indeed I should change the link, without spaces....
2. From Vista and more Microsoft changed the audio interface drastically,
it's difficult to keep compatibility with XP.
When I will finish beta testing I will try to fix the XP problem.

Thank you for bug reporting. I will fix them and come back with new beta.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of ve7dfj
> Sent: Thursday, February 24, 2011 10:03 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Packet Engine Pro BETA Version (At Last!!!!)
>
>
>
> Same here
>
> Jack VE7DFJ
>
> --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "wa4sca" <alanbiddle70@...>
> wrote:
> >
> > George,
> >
> > It says might work with XP SP3. I have XP Pro SP3 and gave it a try. It
does not
> detect any of th several sound cards. The drop down box is blank for both
RX
> and TX.
> >
> > Alan
> > WA4SCA
> >

>
>
>
>

1321. New code

Yahoo group: agwpe_pro
Date: 2011-02-25 10:32:26 UTC
From: pmgg7
Topic: 1321 Message: 1321

Hi

I need a new code my key to send is:

GN5DE-P39PS-7GYN3-UGPTW-AM37G-7VYNP-DFIE9-DUQBZ-G3UDU-3J3HS-5WA3D-CGAAB

Paul Green G7VTS

1322. New Beta Uploaded

Yahoo group: agwpe_pro
Date: 2011-02-25 15:03:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1322 Message: 1322

Hi

www.sv2agw.com/beta/PacketEnginePro.zip

Fixed all the , so far known, bugs with the soundcard volume.
The Setup dialog now reports correctly the Soundcard(s) in use.
This version will not run on XP.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of (SV2AGW)George Rossopoulos
> Sent: Friday, February 25, 2011 10:23 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro Beta. So Far.....
>
>
>
> Hi
>
> 1. Indeed I should change the link, without spaces....
> 2. From Vista and more Microsoft changed the audio interface drastically,
it's
> difficult to keep compatibility with XP.
> When I will finish beta testing I will try to fix the XP problem.
>
> Thank you for bug reporting. I will fix them and come back with new beta.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----

> > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> >] On Behalf Of ve7dfj
> > Sent: Thursday, February 24, 2011 10:03 PM
> > To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] Re: Packet Engine Pro BETA Version (At Last!!!!)
> >
> >
> >
> > Same here
> >
> > Jack VE7DFJ
> >
> > --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com> , "wa4sca" <alanbiddle70@...>
> > wrote:
> > >
> > > George,
> > >
> > > It says might work with XP SP3. I have XP Pro SP3 and gave it a try.
> > > It
> does not
> > > detect any of th several sound cards. The drop down box is blank for
> > > both
> RX
> > > and TX.
> > >
> > > Alan
> > > WA4SCA
> > >
> >
> >
> >
> >
>
>
>
>

1323. SV: [agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2011-02-25 16:47:51 UTC
From: Egil la9raa
Topic: 1310 Message: 1323

Please send me a new registration key code.
NN4YG-QMQH7-WGUN5-EN23V-2M37H-I8YQP-B7PPX-VCQB5-G7WGQ-4B5IA-4Y423-WNIAB

Egil Stålesen la9raa

4362 Vigrestad
mob: 92093035

[Non-text portions of this message have been removed]
>
>
>
>

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1204 / Virus Database: 1435/3463 - Release Date: 02/23/11

[Non-text portions of this message have been removed]

1324. Re: Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-25 13:14:02 UTC
From: Robert Murray
Topic: 1312 Message: 1324

As a long time (five years?) and continuing user of PEPro, I'd hate for operation under Windows XP to become problematic, or worse. There are a lot us who use computers with XP for our ham shack/digital comm requirements, as an awful lot of amateur radio software works well with XP, and not so well under the other operating systems.

While I'm glad to know that PEPro is still being maintained, even advanced, I suggest that if the new version does not/will not work with XP that the old version continue to be maintained, and that the difference in computer platform requirements between them continue to be clearly stated.

73

Rob

R. M. Murray VA7RMM

H - 888 Head Rd

Armstrong, BC V0E 1B7

Phone (250) 546 2154

Cell (250) 540 5791

[Non-text portions of this message have been removed]

1325. Re: [agwpe_pro] New Beta Uploaded

Yahoo group: agwpe_pro
Date: 2011-02-25 16:31:27 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1322 Message: 1325

Installation / Configuration comments:

1) It was definitely not obvious that I needed to click the RadioPort Manager icon under the Setup tab to enable the New TNC button for clicking. If there's no TNCs configured, you might want to automatically do this if the Setup tab is entered as there's not much other reason for being there.

2) The SoundCard PTT Setup should disable the Test PTT button if SignaLink is selected in the dropdown. Pressing it in this mode says "The Serial Port You Selected is Invalid or in use! Select a valid One.". (Interesting mix of capitalization and non, BTW). Or give a different message like "SignaLink is a VOX device and cannot test PTT". Or better yet, generate a test tone for a SignaLink and have the Test PTT actually test the PTT!

3) Thank you, thank you, thank you for preserving access to the 300baud KAM tones! However, the text on the Right Channel is truncated as shown in the partial screen cap below.

4) Even though I selected "Microphone (2 - USB Audio CODEC) on the SoundCard Selection (vs the other "(High Definition Audio Device)"), the SoundCard RX Volume Setup (Recording) only responds to input from the on-board microphone on my laptop. I'm hoping that once the device is fully configured, it will actually listen to the selected input device.

5) The SoundCard TX Volume Setup (PlayBack) didn't seem to do anything to the SignaLink, but when I clicked the TX Flags button a few times, the program ended up not responding to Windows and had to be terminated.

6) It's strange to see a slider go to zero at the top and 51 (RX) or 100 (TX_ at the bottom. Seems upside-down and what do the numbers mean?

7) After completing the configuration of my SignaLink USB with 300baud KAM tones, the RadioPort Manager still didn't show it in the list. After I closed and restarted the program, the RadioPort showed up.

8) After the restart, even though the Microphone (2 - USB Audio CODEC) was selected on the RadioPort, the onboard microphone was still being listened to (based on the tuning aid behavior when tapping the microphone). Also, the Left Channel configuration changed from 300 (KAM) to 300 (PK232). Changing it back to 300 (KAM), clicking OK, and going back into Edit RadioPort still changed it back to 300 (PK232). The Receive SoundCard selection does the same thing. Even if I change it to the (High Definition Audio Device) (trying to see if I can get it to listen to the SignaLink), when I OK and go back into Edit, it goes back to the (2 USB Audio CODEC).

9) The whole Tnc Commands tab (why isn't TNC all caps?) seems like it would not apply to a SignaLink device? Should it be simply disabled or have the tab disappear?

10) When I close the program, it pauses for 2-3 seconds before actually going away. Is this normal?

At this point, I'm unable to test anything further because I can't get PEpro to listen to the SignaLink USB.

Lynn (D) -KJ4ERJ - Anxious to actually see the new PEpro work!

On 2/25/2011 10:03 AM, (SV2AGW)George Rossopoulos wrote:
> Hi
>
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> Fixed all the , so far known, bugs with the soundcard volume.
> The Setup dialog now reports correctly the Soundcard(s) in use.
> This version will not run on XP.
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
>> On Behalf Of (SV2AGW)George Rossopoulos
>> Sent: Friday, February 25, 2011 10:23 AM
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] Packet Engine Pro Beta. So Far.....
>>
>>
>>
>> Hi
>>
>> 1. Indeed I should change the link, without spaces....
>> 2. From Vista and more Microsoft changed the audio interface drastically,
> it's
>> difficult to keep compatibility with XP.
>> When I will finish beta testing I will try to fix the XP problem.
>>
>> Thank you for bug reporting. I will fix them and come back with new beta.
>>
>> 73

>>
>> (SV2AGW) George Rossopoulos
>> Mysirli 39
>> 54250 Thessaloniki
>> Greece
>> http://www.sv2agw.com
>> http://www.agwtracker.com
>>
>>> -----Original Message-----
>>> From: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>> [mailto:agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>>] On Behalf Of ve7dfj
>>> Sent: Thursday, February 24, 2011 10:03 PM
>>> To: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>> Subject: [agwpe_pro] Re: Packet Engine Pro BETA Version (At Last!!!!)
>>>
>>>
>>>
>>> Same here
>>>
>>> Jack VE7DFJ
>>>
>>> --- In agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>> <mailto:agwpe_pro%40yahoogroups.com> , "wa4sca"<alanbiddle70@...>
>>> wrote:
>>>> George,
>>>>
>>>> It says might work with XP SP3. I have XP Pro SP3 and gave it a try.
>>>> It
>> does not
>>> detect any of th several sound cards. The drop down box is blank for
>>> both
>> RX
>>> and TX.
>>>> Alan
>>>> WA4SCA
>>>>
>>>
>>>
>>>
>>
>>
>>
>
>
> ----------

>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

1326. Re: [agwpe_pro] New Beta Uploaded

Yahoo group: agwpe_pro
Date: 2011-02-25 15:32:09 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1322 Message: 1326

I'm downloading it now, but does that zip contain both the 64 and 32 bit versions?

Lynn (D) - KJ4ERJ - Hoping to turn it on later today on Windows 7 64 bit with USB Signalink

On 2/25/2011 10:03 AM, (SV2AGW)George Rossopoulos wrote:
> Hi
>
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> Fixed all the , so far known, bugs with the soundcard volume.
> The Setup dialog now reports correctly the Soundcard(s) in use.
> This version will not run on XP.
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
>> On Behalf Of (SV2AGW)George Rossopoulos
>> Sent: Friday, February 25, 2011 10:23 AM
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] Packet Engine Pro Beta. So Far.....
>>
>>
>>
>> Hi
>>
>> 1. Indeed I should change the link, without spaces....
>> 2. From Vista and more Microsoft changed the audio interface drastically,
> it's
>> difficult to keep compatibility with XP.
>> When I will finish beta testing I will try to fix the XP problem.
>>
>> Thank you for bug reporting. I will fix them and come back with new beta.
>>

>> 73
>>
>> (SV2AGW) George Rossopoulos
>> Mysirli 39
>> 54250 Thessaloniki
>> Greece
>> http://www.sv2agw.com
>> http://www.agwtracker.com
>>
>>> -----Original Message-----
>>> From: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>> [mailto:agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>>] On Behalf Of ve7dfj
>>> Sent: Thursday, February 24, 2011 10:03 PM
>>> To: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>> Subject: [agwpe_pro] Re: Packet Engine Pro BETA Version (At Last!!!!)
>>>
>>>
>>>
>>> Same here
>>>
>>> Jack VE7DFJ
>>>
>>> --- In agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>>> <mailto:agwpe_pro%40yahoogroups.com> , "wa4sca"<alanbiddle70@...>
>>> wrote:
>>>> George,
>>>>
>>>> It says might work with XP SP3. I have XP Pro SP3 and gave it a try.
>>>> It
>> does not
>>> detect any of th several sound cards. The drop down box is blank for
>>> both
>> RX
>>> and TX.
>>>> Alan
>>>> WA4SCA
>>>>
>>>
>>>
>>>
>>
>>
>>
>
>

> ---
>
> Yahoo! Groups Links
>
>
>
>

1327. Re: New Beta Uploaded

Yahoo group: agwpe_pro
Date: 2011-02-25 16:36:07 UTC
From: r_vanzon
Topic: 1322 Message: 1327

Hi George,
Are you sure this is a new Beta? The one from yesterday has the same version numbers 2008.0.0.1 externnal and 2011.224 internal and (still) has the same errors as yesterday???

73
René
PE1AWA

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> Fixed all the , so far known, bugs with the soundcard volume.
> The Setup dialog now reports correctly the Soundcard(s) in use.
> This version will not run on XP.
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1328. New Beta Uploaded 26FEB2011

Yahoo group: agwpe_pro
Date: 2011-02-26 08:40:19 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1328 Message: 1328

Hi

New beta uploaded. Most problems fixed.
Lynn thank you for the excellent error report. 64bit will be available soon.

www.sv2agw.com/beta/PacketEnginePro.zip

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1329. RE: [agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2011-02-26 08:43:16 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1310 Message: 1329

Hi Egil

Your serial is
PE5GG-PDQGX-VG4ND-CN66D-SNTXH-A7Y4M-36PJY-DUMT2-G7WYS-4B5IA-4Y423-WNIAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Egil la9raa
> Sent: Friday, February 25, 2011 6:48 PM
> To: agwpe_pro@yahoogroups.com
> Subject: SV: [agwpe_pro] key code.
>
>
>
>
>
> Please send me a new registration key code.
> NN4YG-QMQH7-WGUN5-EN23V-2M37H-I8YQP-B7PPX-VCQB5-G7WGQ-4B5IA-4Y423-WNIAB
>
> Egil Stålesen la9raa
>
> 4362 Vigrestad
> mob: 92093035
>
> [Non-text portions of this message have been removed]
> >
> >
> >
> >
>
> _____
>
> No virus found in this message.
> Checked by AVG - www.avg.com
> Version: 10.0.1204 / Virus Database: 1435/3463 - Release Date: 02/23/11
>
> [Non-text portions of this message have been removed]

>
>
>
>

1330. AGWTracker interesting mobile Installations

Yahoo group: agwpe_pro
Date: 2011-03-02 17:37:31 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1330 Message: 1330

Hi

Have a look to this new WEB page about interesting AGWTracker/Packet Engine Installations.
For the moment there is a Sheriff and SV7BZF Bus.

www.agwtracker.com/trkInstallations.htm

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1331. Packet Engine Pro Key

Yahoo group: agwpe_pro
Date: 2011-03-02 19:01:13 UTC
From: pmgg7
Topic: 1331 Message: 1331

Hi George

Need a New key for my new netbook

the key to send is:

GN5DE-P39PS-7GYN3-UGPTW-AM37G-7VYNP-DFIE9-DUQBZ-G3UDU-3J3HS-5WA3D-CGAAB

Paul Green
G7VTS

1332. Re: [agwpe_pro] New Beta Uploaded 26FEB2011

Yahoo group: agwpe_pro
Date: 2011-03-03 02:33:37 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1328 Message: 1332

Finally got a chance to install this newest beta, but didn't get much further.

In the Setup Tab, RadioPort Manager, Edit RadioPort, the Receive SoundCard now sticks across dialog closes and restarts, but the Tunning Aid (spelling error on the main Setup page) still only shows reactions to my laptop's microphone and not the USB Signalink, no matter which option I select.

So it seems that the user interface control is working properly and the configuration is being saved, the the actual sound card being used is unaffected.

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

On 2/26/2011 3:40 AM, (SV2AGW)George Rossopoulos wrote:
> Hi
>
> New beta uploaded. Most problems fixed.
> Lynn thank you for the excellent error report. 64bit will be available soon.
>
> www.sv2agw.com/beta/PacketEnginePro.zip
>
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

1333. PE Pro Reinstall

Yahoo group: agwpe_pro
Date: 2011-02-26 20:21:05 UTC
From: Alan
Topic: 1333 Message: 1333

Had to install PE Pro (2007) on a new computer after many years of successful use. Setup is seeing good sinewave input from the Mic but when it tries Autoconfig, no input line is found. I also note that there are no entries in the drop-down menu preventing completion of the port setup.

Suggestion on how to repair?

Thanks
KK6ZL

1334. Re: New Beta Uploaded 26FEB2011

Yahoo group: agwpe_pro
Date: 2011-02-26 15:03:03 UTC
From: gary_n7xoo
Topic: 1328 Message: 1334

Hi George,

I'm running your latest PE Pro v 2011,226 on a Win7 64 bit system using a Signalink USB. I could only make it work after assigning the Signalink's USB Audio Codec as the default Recording device in Win7.

Other applications using the Signalink USB in Win7 do not require the the USB Audio Codecs (recording or playback)be set as the default devices in order for the applications to work.

The Playback USB Audio Codec does not have this problem in your program and seems to be working well although it is not set as the default Playback device in Win7.

I've also tested your latest release with a real TNC using a serial port and that configuration seems to work fine.

You mentioned "64bit will be available soon" This 32 bit version seems run fine on a 64 bit system, so I'm curious as to the reason why you are planning to release a 64 bit version.

Thanks for all your hard work. I think you are getting real close to a fully working program for Win 7.

73,
Gary N7XOO

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> New beta uploaded. Most problems fixed.
> Lynn thank you for the excellent error report. 64bit will be available soon.
>
> www.sv2agw.com/beta/PacketEnginePro.zip
>
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1335. Re: Packet Engine Pro BETA Version (At Last!!!!)

Yahoo group: agwpe_pro
Date: 2011-02-26 16:13:40 UTC
From: gary_n7xoo
Topic: 1312 Message: 1335

Hi Alan,

I've been able to make the latest beta release 2011,226 work on XP SP3. The solution is edit the port0.ini file located in the \My Documents\Packet Engine Pro folder. Assign a soundcard number to the "SOUNDCARD=" and the "SOUNDCARDTX=" entries. In my case I've disabled the internal soundcard on my XP system and I am using a Signalink USB interface. Therefore my settings are SOUNDCARD=0 AND SOUNCARDTX=0. You may have to experiment a little with the number if you have multiple active sound cards installed in your XP system. For example if your system has an active built in sound card and a Signalink USB, you may have to set the number to "1" in order for the Signalink to work.

I'm sure George will be able to get this to work properly in a future release, but this "workaround" should get you going for now.

Hope this helps.

73,
Gary N7XOO

--- In agwpe_pro@yahoogroups.com, "wa4sca" <alanbiddle70@...> wrote:
>
> George,
>
> It says might work with XP SP3. I have XP Pro SP3 and gave it a try. It does not detect any of th several sound cards. The drop down box is blank for both RX and TX.
>
> Alan
> WA4SCA
>

1336. Re: New Beta Uploaded 26FEB2011

Yahoo group: agwpe_pro
Date: 2011-02-26 11:10:23 UTC
From: r_vanzon
Topic: 1328 Message: 1336

Hi,
The beta I used is ver.2011.226
Solved- (RX) port setup is working. But wave hight (audio in) does not respond to the RX setting slider during setup.
Solved- With Set level and Restore level checked, Volume is not restored correct when I close down PePro and start it again.
Solved- When I review the setting through Edit Radio Port, a different soundcard is shown (my internal) for RX. It just won't keep the card I choose.

Removing and creating ports works OK.
Still no .ini files. settings are saved in the registry now?

- Other settings,"On exit ask OK to exit" does not work. If checked PePro still exits immediatly.

73 René
PE1AWA

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> New beta uploaded. Most problems fixed.
> Lynn thank you for the excellent error report. 64bit will be available soon.
>
> www.sv2agw.com/beta/PacketEnginePro.zip
>
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1337. RE: [agwpe_pro] Packet Engine Pro Key

Yahoo group: agwpe_pro
Date: 2011-03-03 08:17:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1331 Message: 1337

Hi Paul

The serial is
HE5VE-NT9NI-6G8NB-SGTWD-2NTXG-XUY2M-5EIA9-WCMTW-G3UVW-3J3HS-5WA3D-CGAAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of pmgg7
> Sent: Wednesday, March 02, 2011 9:01 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Packet Engine Pro Key
>
>
>
> Hi George
>
> Need a New key for my new netbook
>
> the key to send is:
>
> GN5DE-P39PS-7GYN3-UGPTW-AM37G-7VYNP-DFIE9-DUQBZ-G3UDU-3J3HS-5WA3D-CGAAB
>
> Paul Green
> G7VTS
>
>
>
>

1338. Re: New Beta Uploaded 26FEB2011

Yahoo group: agwpe_pro
Date: 2011-03-03 13:51:17 UTC
From: r_vanzon
Topic: 1328 Message: 1338

Hi George,
I finally found the .ini files in the folder: (must have searched wrong)
C:\Users\"username"\Documents\Packet Engine Pro

Tried to run only Packet Engine Pro.exe Beta at the created folder:
C:\Program Files\AGWSoft\Packet Engine Pro
and this seems to work OK. Data written to the .ini's is allways updated in the above user folder.
Ist seems that this way PePro Beta can be installed correctly in the Program Folder of -in my case- Vista.

It seems that audiolevels are not always saved or interpreted correct. I cannot find a reason why. I created some ports and deleted them. Without changing the input level of the radio or the soundcard, in some cases they show a much higer input level (look more sensitive) than in other cases.

73's
René
PE1AWA

1339. New Beta 4MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-04 16:39:13 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1339 Message: 1339

Hi

New beta. Tested with external USB soundcard and is ok.
www.sv2agw.com/beta/PacketEnginePro.zip

PSE each time delete all ini files and start from scratch the configuration.
The ini files directory is displayed in the main status page.
It is Documents/Packet Engine Pro

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Lynn W. Deffenbaugh (Mr)
> Sent: Thursday, March 03, 2011 4:34 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] New Beta Uploaded 26FEB2011
>
>
>
> Finally got a chance to install this newest beta, but didn't get much
further.
>
> In the Setup Tab, RadioPort Manager, Edit RadioPort, the Receive SoundCard
> now sticks across dialog closes and restarts, but the Tunning Aid
(spelling error
> on the main Setup page) still only shows reactions to my laptop's
microphone
> and not the USB Signalink, no matter which option I select.
>
> So it seems that the user interface control is working properly and the
> configuration is being saved, the the actual sound card being used is
> unaffected.
>
> Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32
>
> On 2/26/2011 3:40 AM, (SV2AGW)George Rossopoulos wrote:
> > Hi
> >

> > New beta uploaded. Most problems fixed.
> > Lynn thank you for the excellent error report. 64bit will be available
soon.
> >
> > www.sv2agw.com/beta/PacketEnginePro.zip
> >
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
> >
> >
> >
> > ----------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>
>
>
>

1340. Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-07 14:29:55 UTC
From: lweaver
Topic: 1340 Message: 1340

Hi all,
I am just trying to use the new beta of PEP on a Windows 7 32bit computer. I have three sound cards in this computer. One is the integrated sound card, one PCI sound card and a USB Signalink. I want to use the integrated sound card for system sounds and the PCI card for PEP. The Signalink is being used on a HF application. The problem is that regardless of which card is selected in the TNC configuration the default system card is the only card that will work. When I restart PEP after configuring the TNC the card I selected is always shown but if it is not the system default sound card there is no input or output.

Any suggestions would be greatly appreciated.

Thanks,
Larry W8LIW

1341. Re: New Beta 4MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-07 16:12:19 UTC
From: r_vanzon
Topic: 1339 Message: 1341

additional: Forgot to say: 50% is the input level of the soundcard settings in Windows sound.
Knowing this I also found that if the tuning aid volume checkboxes are unchecked, a restart does not return the 50% level, but the level that is set after the "correction" took place of the previous set RX volume.
So set 3 lines, returns 2 lines even after a restart. Check the boxes again and the 50% level returns. Could it be possible that the function of the checkboxes is inverted? Does not solve the 3 to 2 lines changes, but definitely the reason why the 50% level returns.

73's
René
PE1AWA
--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> New beta. Tested with external USB soundcard and is ok.
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> PSE each time delete all ini files and start from scratch the configuration.
> The ini files directory is displayed in the main status page.
> It is Documents/Packet Engine Pro
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>

1342. Re: New Beta 4MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-07 10:43:03 UTC
From: r_vanzon
Topic: 1339 Message: 1342

Beta Version 2011.304, external USB soundcard.
I deleted the .ini files before running this beta.
I focused to the audio input levels.
This is not yet working correct.
- when I create a port it is possible to vary the input level.
- after restart this level is not saved. Setup/tuning aid shows a 50% (left) level slider(right one is at the top). Even with "set these levels.." and "Restore levels.." checked.
- it is possible to vary the levels with the tuning aid, but after restart (closing down the program or using "Restart TNC") it's on the 50% level again.
- When I set the level with Setup/tuning aid to for instance the third line from the bottom, and I review the setting later on (no restart, but yes, I used OK to confirm) it has changed to the second line from the bottom. The use of the checkboxes does not have any effect on his. The next time I look, the level is still on the second line. If -for instance- I set the RX volume on the 9th line it goes down to the fifth line (and stays there) when I look again.

73's
René van Zon
PA1AWA

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> New beta. Tested with external USB soundcard and is ok.
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> PSE each time delete all ini files and start from scratch the configuration.
> The ini files directory is displayed in the main status page.
> It is Documents/Packet Engine Pro
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1343. 1[redacted]ad5prGood online store[redacted]

Yahoo group: agwpe_pro
Date: 2011-03-08 22:43:53 UTC
From: robtdavis1@aol.com
Topic: 1343 Message: 1343

[Body unavailable in the source archive]

1344. My apologies

Yahoo group: agwpe_pro
Date: 2011-03-09 13:14:38 UTC
From: robtdavis1@aol.com
Topic: 1344 Message: 1344

Someone hijacked my email and sent a bunch of spam messages. My sincerest apologies.
robert ad5nr

1345. New Beta 9MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-09 14:35:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1345 Message: 1345

Hi

Finally I found and fixed the "Volume level" problem.
www.sv2agw.com/beta/PacketEnginePro.zip

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1346. Re: [agwpe_pro] New Beta 9MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-09 15:35:32 UTC
From: MICHAEL ECONOMOU
Topic: 1345 Message: 1346

George 73

GS4GG-P5KPW-5GUN3-4HE4E-AM37H-25GKP-B6HW7-DIQDK-GPUYI-QJ4PT-VV6N3-VNWAB

From: (SV2AGW)George Rossopoulos <sv2agw@...>
To: agwpe_pro@yahoogroups.com
Sent: Wed, March 9, 2011 4:35:40 PM
Subject: [agwpe_pro] New Beta 9MAR2011

Hi

Finally I found and fixed the "Volume level" problem.
www.sv2agw.com/beta/PacketEnginePro.zip

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

[Non-text portions of this message have been removed]

1347. Re: New Beta 9MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-09 16:33:11 UTC
From: lweaver
Topic: 1345 Message: 1347

Hi George and All,
I just tried the new beta and am still having the same issue with only the system default sound card working even though the second card is listed properly in Packet Engine Pro after creating a new TNC and then restarting the program. I did delete both ini files in "My Documents/Packet Engine Pro" folder before using the new beta. I may be the only user with this issue so trying to figure out what I have setup wrong. I am using Windows 7 Home Premium 32 bit OS.

73,
Larry W8LIW

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
>
> Finally I found and fixed the "Volume level" problem.
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1348. Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-10 01:28:38 UTC
From: jhuggins64
Topic: 1340 Message: 1348

Hi Larry,

Well, I have had the same problem with my various installs where multiple sound cards are available on the computer. Oddly, I don't have this issue with the hamware version AGW Packet Engine; It selects alternative sound cards fine for me.

The only other program I have seen with a similar issue is N1MM. There the problem seems to stem when the built-in motherboard sound card uses the Realtek chipset. Because of the way the Realtek numbers their outputs and inputs, N1MM just can't handle a secondary sound device (like that found in the USI Navigator) unless it is made the default sound device for the entire computer.

Other programs which utilize sound devices, such as Writelog and MixW, have no issue selecting the alternate sound device... at least not for me.

There is a finger pointing game between software developers and hardware chipset conventions. I don't know who is right. All I do know is there is a way to program around this as other software titles demonstrate.

Do any of your sound devices use the Realtek chip set?

John

--- In agwpe_pro@yahoogroups.com, "lweaver" <larryiweaver@...> wrote:
>
> Hi all,
> I am just trying to use the new beta of PEP on a Windows 7 32bit computer. I have three sound cards in this computer. One is the integrated sound card, one PCI sound card and a USB Signalink. I want to use the integrated sound card for system sounds and the PCI card for PEP. The Signalink is being used on a HF application. The problem is that regardless of which card is selected in the TNC configuration the default system card is the only card that will work. When I restart PEP after configuring the TNC the card I selected is always shown but if it is not the system default sound card there is no input or output.
>
> Any suggestions would be greatly appreciated.
>
> Thanks,
> Larry W8LIW
>

1349. RE: [agwpe_pro] New Beta 9MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-10 15:47:11 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1345 Message: 1349

Hi

Serial is
HI4YG-NVKNN-4G4NB-2HI6V-2NTXH-S4GYM-35HS7-V2MVH-GPVGK-QJ4PT-VV6N3-VNWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of MICHAEL ECONOMOU
> Sent: Wednesday, March 09, 2011 5:36 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] New Beta 9MAR2011
>
>
>
> George 73
>
> GS4GG-P5KPW-5GUN3-4HE4E-AM37H-25GKP-B6HW7-DIQDK-GPUYI-QJ4PT-
> VV6N3-VNWAB
>
> _____
> From: (SV2AGW)George Rossopoulos <sv2agw@...
> <mailto:sv2agw%40freemail.gr> >
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Sent: Wed, March 9, 2011 4:35:40 PM
> Subject: [agwpe_pro] New Beta 9MAR2011
>
> Hi
>
> Finally I found and fixed the "Volume level" problem.
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece

> http://www.sv2agw.com
> http://www.agwtracker.com
>
> [Non-text portions of this message have been removed]
>
>
>
>

1350. RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-10 15:50:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1340 Message: 1350

Hi

Latest version of 9Mar2011 in the status screen it says 2011.309 works fine
with any card.
Has been tested with 3 sound cards simultaneously connected to my laptop. 2
of them USB connected.
Check if you have the latest beta.
Also the problem with the volume levels has been fixed.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of jhuggins64
> Sent: Thursday, March 10, 2011 3:29 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
>
>
>
> Hi Larry,
>
> Well, I have had the same problem with my various installs where multiple
> sound cards are available on the computer. Oddly, I don't have this issue
with
> the hamware version AGW Packet Engine; It selects alternative sound cards
fine
> for me.
>
> The only other program I have seen with a similar issue is N1MM. There the
> problem seems to stem when the built-in motherboard sound card uses the
> Realtek chipset. Because of the way the Realtek numbers their outputs and
> inputs, N1MM just can't handle a secondary sound device (like that found
in
> the USI Navigator) unless it is made the default sound device for the
entire
> computer.
>
> Other programs which utilize sound devices, such as Writelog and MixW,

have
> no issue selecting the alternate sound device... at least not for me.
>
> There is a finger pointing game between software developers and hardware
> chipset conventions. I don't know who is right. All I do know is there is
a way to
> program around this as other software titles demonstrate.
>
> Do any of your sound devices use the Realtek chip set?
>
> John
>
> --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "lweaver" <larryiweaver@...>
> wrote:
> >
> > Hi all,
> > I am just trying to use the new beta of PEP on a Windows 7 32bit
computer. I
> have three sound cards in this computer. One is the integrated sound card,
one
> PCI sound card and a USB Signalink. I want to use the integrated sound
card for
> system sounds and the PCI card for PEP. The Signalink is being used on a
HF
> application. The problem is that regardless of which card is selected in
the TNC
> configuration the default system card is the only card that will work.
When I
> restart PEP after configuring the TNC the card I selected is always shown
but if
> it is not the system default sound card there is no input or output.
> >
> > Any suggestions would be greatly appreciated.
> >
> > Thanks,
> > Larry W8LIW
> >
>
>
>
>

1351. Re: New Beta 9MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-10 09:42:17 UTC
From: r_vanzon
Topic: 1345 Message: 1351

Hi George,

Version 2011.309
The problem that the level changes some lines is indeed solved.
Still no solution for the way the checkboxes to save/restore levels in the tuning aid work?

73's
René
PE1AWA

1352. Re: New Beta 9MAR2011

Yahoo group: agwpe_pro
Date: 2011-03-10 14:44:14 UTC
From: gary_n7xoo
Topic: 1345 Message: 1352

Same here with latest beta 2011.309 version. Win 7 64 bit using a USB Signalink. The USB Audio Codec still must be set as the default recording device in Win 7 for the program to work. I've also discovered that the "Autostart Other Programs" feature is not working.

73,
Gary N7XOO

--- In agwpe_pro@yahoogroups.com, "lweaver" <larryiweaver@...> wrote:
>
> Hi George and All,
> I just tried the new beta and am still having the same issue with only the system default sound card working even though the second card is listed properly in Packet Engine Pro after creating a new TNC and then restarting the program. I did delete both ini files in "My Documents/Packet Engine Pro" folder before using the new beta. I may be the only user with this issue so trying to figure out what I have setup wrong. I am using Windows 7 Home Premium 32 bit OS.
>
> 73,
> Larry W8LIW
>
> --- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@> wrote:
> >
> > Hi
> >
> >
> > Finally I found and fixed the "Volume level" problem.
> > www.sv2agw.com/beta/PacketEnginePro.zip
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
>

1353. Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-10 16:54:15 UTC
From: Philip
Topic: 1340 Message: 1353

Hi George.

Does this version work with Win XP.

Philip g7jur

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> Latest version of 9Mar2011 in the status screen it says 2011.309 works fine
> with any card.
> Has been tested with 3 sound cards simultaneously connected to my laptop. 2
> of them USB connected.
> Check if you have the latest beta.
> Also the problem with the volume levels has been fixed.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> > On Behalf Of jhuggins64
> > Sent: Thursday, March 10, 2011 3:29 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
> >
> >
> >
> > Hi Larry,
> >
> > Well, I have had the same problem with my various installs where multiple
> > sound cards are available on the computer. Oddly, I don't have this issue
> with
> > the hamware version AGW Packet Engine; It selects alternative sound cards
> fine
> > for me.
> >
> > The only other program I have seen with a similar issue is N1MM. There the

> > problem seems to stem when the built-in motherboard sound card uses the
> > Realtek chipset. Because of the way the Realtek numbers their outputs and
> > inputs, N1MM just can't handle a secondary sound device (like that found
> in
> > the USI Navigator) unless it is made the default sound device for the
> entire
> > computer.
> >
> > Other programs which utilize sound devices, such as Writelog and MixW,
> have
> > no issue selecting the alternate sound device... at least not for me.
> >
> > There is a finger pointing game between software developers and hardware
> > chipset conventions. I don't know who is right. All I do know is there is
> a way to
> > program around this as other software titles demonstrate.
> >
> > Do any of your sound devices use the Realtek chip set?
> >
> > John
> >
> > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "lweaver" <larryiweaver@>
> > wrote:
> > >
> > > Hi all,
> > > I am just trying to use the new beta of PEP on a Windows 7 32bit
> computer. I
> > have three sound cards in this computer. One is the integrated sound card,
> one
> > PCI sound card and a USB Signalink. I want to use the integrated sound
> card for
> > system sounds and the PCI card for PEP. The Signalink is being used on a
> HF
> > application. The problem is that regardless of which card is selected in
> the TNC
> > configuration the default system card is the only card that will work.
> When I
> > restart PEP after configuring the TNC the card I selected is always shown
> but if
> > it is not the system default sound card there is no input or output.
> > >
> > > Any suggestions would be greatly appreciated.
> > >
> > > Thanks,
> > > Larry W8LIW
> > >
> >
> >
> >

> >
>

1354. Re: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-10 12:51:01 UTC
From: Larry Weaver
Topic: 1340 Message: 1354

Hi John,
Thank you for the reply. Here is a list of the sound devices in the computer in question:

Soundmax Integrated Digital Audio (sound hardware on motherboard)
C-Media PCI Audio Device (Diamond Xtreme Sound 7.1)
USB Audio Codec (SignaLink USB device)

This is a Windows 7 Home Premium 32 bit OS. All drivers are up to date along with Windows 7. This is not a make or break issue since this computer only runs Ham software but I would like to have system sounds available for some of the software running on this box. I installed the newest beta that George released yesterday with the same results.

Once again, thank you for the reply John.

73,
Larry W8LIW

From: jhuggins64
Sent: Wednesday, March 09, 2011 8:28 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Hi Larry,

Well, I have had the same problem with my various installs where multiple sound cards are available on the computer. Oddly, I don't have this issue with the hamware version AGW Packet Engine; It selects alternative sound cards fine for me.

The only other program I have seen with a similar issue is N1MM. There the problem seems to stem when the built-in motherboard sound card uses the Realtek chipset. Because of the way the Realtek numbers their outputs and inputs, N1MM just can't handle a secondary sound device (like that found in the USI Navigator) unless it is made the default sound device for the entire computer.

Other programs which utilize sound devices, such as Writelog and MixW, have no issue selecting the alternate sound device... at least not for me.

There is a finger pointing game between software developers and hardware chipset conventions. I don't know who is right. All I do know is there is a way to program around this as other software titles demonstrate.

Do any of your sound devices use the Realtek chip set?

John

--- In mailto:agwpe_pro%40yahoogroups.com, "lweaver" <larryiweaver@...> wrote:
>
> Hi all,

> I am just trying to use the new beta of PEP on a Windows 7 32bit computer. I have three sound cards in this computer. One is the integrated sound card, one PCI sound card and a USB Signalink. I want to use the integrated sound card for system sounds and the PCI card for PEP. The Signalink is being used on a HF application. The problem is that regardless of which card is selected in the TNC configuration the default system card is the only card that will work. When I restart PEP after configuring the TNC the card I selected is always shown but if it is not the system default sound card there is no input or output.
>
> Any suggestions would be greatly appreciated.
>
> Thanks,
> Larry W8LIW
>

[Non-text portions of this message have been removed]

1355. Re: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-10 23:32:12 UTC
From: Larry Weaver
Topic: 1340 Message: 1355

Hi George,
Yes, I am using the last beta build of 9Mar2011. Here is my sound card configuration:

Soundmax Integrated Digital Audio (sound hardware on motherboard)
C-Media PCI Audio Device (Diamond Xtreme Sound 7.1)
USB Audio Codec (SignaLink USB device)
This is a Windows 7 Home Premium 32 bit OS. All drivers are up to date along with Windows 7.

It seems that regardless of what sound card Packet Engine Pro reports to be in use the sound in/out still goes through the default card unless the sound card configured in the TNC is the SignaLink. If I configure a TNC using the SignaLink USB device the TNC works properly and I can use either of the other two sound cards any way I want. If I use either the PCI card or the integrated sound device Packet Engine Pro will report the correct card as being used but the actual audio in/out still comes from whatever card is set as the default system card. Would it be possible for you to try a system with two or more sound cards that are not USB devices to see if you can repeat this same situation? It seems that when using a USB device everything works properly but not when other types of sound cards are being used.

This problem could very well be with my computer only so I am just trying to figure out what I am doing wrong.

73 George and thanks for all your work,

Larry W8LIW

From: (SV2AGW)George Rossopoulos
Sent: Thursday, March 10, 2011 10:50 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Hi

Latest version of 9Mar2011 in the status screen it says 2011.309 works fine
with any card.
Has been tested with 3 sound cards simultaneously connected to my laptop. 2
of them USB connected.
Check if you have the latest beta.
Also the problem with the volume levels has been fixed.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece

http://www.sv2agw.com
http://www.agwtracker.com

[Non-text portions of this message have been removed]

1356. RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-11 07:38:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1340 Message: 1356

Hi Larry

PSE do the follow.
1.Turn on debugging from Setup/Setup/Other Settings and exit PEPRO
2.Delete all ini files from Documents/Packet Engine Pro
3.Start PEPRO configure again and exit
4.Start PEPRO check which card uses and exit
5.Send me the AGWPE.LOG file
6.Turn OFF debugging because it keeps filling the file with debug messages

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Larry Weaver
> Sent: Friday, March 11, 2011 1:32 AM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine
> Pro
>
>
>
> Hi George,
> Yes, I am using the last beta build of 9Mar2011. Here is my sound card
> configuration:
>
> Soundmax Integrated Digital Audio (sound hardware on motherboard) C-Media
> PCI Audio Device (Diamond Xtreme Sound 7.1) USB Audio Codec (SignaLink USB
> device) This is a Windows 7 Home Premium 32 bit OS. All drivers are up to
date
> along with Windows 7.
>
> It seems that regardless of what sound card Packet Engine Pro reports to
be in
> use the sound in/out still goes through the default card unless the sound
card
> configured in the TNC is the SignaLink. If I configure a TNC using the
SignaLink
> USB device the TNC works properly and I can use either of the other two

sound
> cards any way I want. If I use either the PCI card or the integrated sound
device
> Packet Engine Pro will report the correct card as being used but the
actual
> audio in/out still comes from whatever card is set as the default system
card.
> Would it be possible for you to try a system with two or more sound cards
that
> are not USB devices to see if you can repeat this same situation? It seems
that
> when using a USB device everything works properly but not when other types
> of sound cards are being used.
>
> This problem could very well be with my computer only so I am just trying
to
> figure out what I am doing wrong.
>
> 73 George and thanks for all your work,
>
> Larry W8LIW
>
> From: (SV2AGW)George Rossopoulos
> Sent: Thursday, March 10, 2011 10:50 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine
> Pro
>
> Hi
>
> Latest version of 9Mar2011 in the status screen it says 2011.309 works
fine
> with any card.
> Has been tested with 3 sound cards simultaneously connected to my laptop.
2
> of them USB connected.
> Check if you have the latest beta.
> Also the problem with the volume levels has been fixed.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> [Non-text portions of this message have been removed]
>

>
>
>

1357. RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-11 07:39:24 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1340 Message: 1357

Hi Philip

NO new version will not support XP. XP users will use the current official version.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Philip
> Sent: Thursday, March 10, 2011 6:54 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
>
>
>
> Hi George.
>
> Does this version work with Win XP.
>
> Philip g7jur
>
> --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "\(SV2AGW\)George Rossopoulos"
> <sv2agw@...> wrote:
> >
> > Hi
> >
> > Latest version of 9Mar2011 in the status screen it says 2011.309 works
> > fine with any card.
> > Has been tested with 3 sound cards simultaneously connected to my
> > laptop. 2 of them USB connected.
> > Check if you have the latest beta.
> > Also the problem with the volume levels has been fixed.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39

> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com
> > > <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of jhuggins64
> > > Sent: Thursday, March 10, 2011 3:29 AM
> > > To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet
> > > Engine Pro
> > >
> > >
> > >
> > > Hi Larry,
> > >
> > > Well, I have had the same problem with my various installs where
> > > multiple sound cards are available on the computer. Oddly, I don't
> > > have this issue
> > with
> > > the hamware version AGW Packet Engine; It selects alternative sound
> > > cards
> > fine
> > > for me.
> > >
> > > The only other program I have seen with a similar issue is N1MM.
> > > There the problem seems to stem when the built-in motherboard sound
> > > card uses the Realtek chipset. Because of the way the Realtek
> > > numbers their outputs and inputs, N1MM just can't handle a secondary
> > > sound device (like that found
> > in
> > > the USI Navigator) unless it is made the default sound device for
> > > the
> > entire
> > > computer.
> > >
> > > Other programs which utilize sound devices, such as Writelog and
> > > MixW,
> > have
> > > no issue selecting the alternate sound device... at least not for me.
> > >
> > > There is a finger pointing game between software developers and
> > > hardware chipset conventions. I don't know who is right. All I do
> > > know is there is
> > a way to

> > > program around this as other software titles demonstrate.
> > >
> > > Do any of your sound devices use the Realtek chip set?
> > >
> > > John
> > >
> > > --- In agwpe_pro@yahoogroups.com
> > > <mailto:agwpe_pro%40yahoogroups.com>
> > > <mailto:agwpe_pro%40yahoogroups.com> , "lweaver" <larryiweaver@>
> > > wrote:
> > > >
> > > > Hi all,
> > > > I am just trying to use the new beta of PEP on a Windows 7 32bit
> > computer. I
> > > > have three sound cards in this computer. One is the integrated sound
> > > > card,
> > one
> > > > PCI sound card and a USB Signalink. I want to use the integrated
> > > > sound
> > card for
> > > > system sounds and the PCI card for PEP. The Signalink is being used
> > > > on a
> > HF
> > > > application. The problem is that regardless of which card is
> > > > selected in
> > the TNC
> > > > configuration the default system card is the only card that will work.
> > When I
> > > > restart PEP after configuring the TNC the card I selected is always
> > > > shown
> > but if
> > > > it is not the system default sound card there is no input or output.
> > > > >
> > > > > Any suggestions would be greatly appreciated.
> > > > >
> > > > > Thanks,
> > > > > Larry W8LIW
> > > > >
> > >
> > >
> > >
> > >
> >
>
>
>
>

1358. New registration

Yahoo group: agwpe_pro
Date: 2011-03-12 11:51:40 UTC
From: Keith
Topic: 1358 Message: 1358

Hi George

I am having another go at getting AGWPe Pro to work for me. I only use 1 Port an AXIP using external DLL. I have it working with no problems on normal AGWPe and the beta version but blowed if I can get it to work on Pro. If I uyse exactly the same paramators I get " 1 Port1 AXIP (External DLL> AXIP (Ext IDLE; Idle (Error ini)". Is there a Help file anywhere for raising a AXIP Port.
Please could I have a new registration key for
HN3VK-RDKHW-8V2N3-WHI3D-8M37G-7WDSP-DGHI8-GEQDG-PA6DK-3J7PW-6VY2M-GGAAB

1359. Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-12 13:14:05 UTC
From: r_vanzon
Topic: 1340 Message: 1359

Hi,

Version 2011.309, Vista
I added the default internal soundcard as port2. (USB was already port1)
Internal soundcard chipset is Realtek. There is no problem in using (RX)each of the ports separately here.
Hope this helps.

73's
René
PE1AWA

1360. RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-14 07:53:13 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1340 Message: 1360

Hi

With the help of Larry W8LIW the problem found and fixed.
Latest beta is in www.sv2agw.com/beta/PacketEnginePro.zip

I am preparing to release the official version.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of r_vanzon
> Sent: Saturday, March 12, 2011 3:14 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
>
>
>
> Hi,
>
> Version 2011.309, Vista
> I added the default internal soundcard as port2. (USB was already port1)
> Internal soundcard chipset is Realtek. There is no problem in using
(RX)each of
> the ports separately here.
> Hope this helps.
>
> 73's
> René
> PE1AWA
>
>
>
>

1361. Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-14 11:59:02 UTC
From: r_vanzon
Topic: 1340 Message: 1361

Hi George,
The problem with the checkboxes in the set volume screen of the tuning aid is still not solved. Or am I doing something wrong?

73's
René
PE1AWA

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> With the help of Larry W8LIW the problem found and fixed.
> Latest beta is in www.sv2agw.com/beta/PacketEnginePro.zip
>
> I am preparing to release the official version.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> > On Behalf Of r_vanzon
> > Sent: Saturday, March 12, 2011 3:14 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
> >
> >
> >
> > Hi,
> >
> > Version 2011.309, Vista
> > I added the default internal soundcard as port2. (USB was already port1)
> > Internal soundcard chipset is Realtek. There is no problem in using
> (RX)each of
> > the ports separately here.
> > Hope this helps.
> >
> > 73's

> > René
> > PE1AWA
> >
> >
> >
> >
>

1362. RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-14 17:19:17 UTC
From: Dave
Topic: 1340 Message: 1362

Hi George,

I think I messed up and downloaded the ZIP. I'm using the regular version.
Will extracting this mess the regular version?

Dave

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW)George Rossopoulos
Sent: Monday, March 14, 2011 01:53
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine
Pro

Hi

With the help of Larry W8LIW the problem found and fixed.
Latest beta is in www.sv2agw.com/beta/PacketEnginePro.zip

I am preparing to release the official version.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of r_vanzon
> Sent: Saturday, March 12, 2011 3:14 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
>
>
>
> Hi,
>
> Version 2011.309, Vista
> I added the default internal soundcard as port2. (USB was already port1)
> Internal soundcard chipset is Realtek. There is no problem in using
(RX)each of

> the ports separately here.
> Hope this helps.
>
> 73's
> René
> PE1AWA
>
>
>
>

Yahoo! Groups Links

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1204 / Virus Database: 1498/3505 - Release Date: 03/13/11

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1204 / Virus Database: 1498/3506 - Release Date: 03/14/11

[Non-text portions of this message have been removed]

1363. RE: [agwpe_pro] New registration

Yahoo group: agwpe_pro
Date: 2011-03-16 15:06:44 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1358 Message: 1363

Hi

Serial is
IE4DK-P5KGN-7WANB-UHN5V-YNTXG-XVD6M-5FHE8-YWMVD-PA6VN-3J7PW-6VY2M-GGAAB

For the AXIP setup things are quite simple just run the new tnc wizard and
select the "Other (LoopBack,AXIP)" as TNC category selection.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Keith
> Sent: Saturday, March 12, 2011 1:52 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New registration
>
>
>
> Hi George
>
> I am having another go at getting AGWPe Pro to work for me. I only use 1
Port
> an AXIP using external DLL. I have it working with no problems on normal
> AGWPe and the beta version but blowed if I can get it to work on Pro. If I
uyse
> exactly the same paramators I get " 1 Port1 AXIP (External DLL> AXIP (Ext
IDLE;
> Idle (Error ini)". Is there a Help file anywhere for raising a AXIP Port.
> Please could I have a new registration key for

HN3VK-RDKHW-8V2N3-WHI3D-8M37G-7WDSP-DGHI8-GEQDG-PA6DK-3J7PW-6VY2M-GGAAB
>
>
>
>

1364. Re: [agwpe_pro] New registration

Yahoo group: agwpe_pro
Date: 2011-03-17 13:53:41 UTC
From: Keith
Topic: 1358 Message: 1364

Hi

That is what I did, AXIP Port, Host Ip Address 192.168.0.15 (Fixed address of Ethernet adapter for PC with AGWPe Pro on)
Host Call G1GXB-13. With re-start get Port 1, AXIP(External Dll>NOTHING IDLE) Status Idle (Error ini)

Working Config for AGWPE is the following

[TNC]
TYPE=AXIP (External Dll) KISSSUBTYPE=KISS INITKISS1= INITKISS2=@... INITKISS3= EXITKISS=1
KISSID=0 KISSIDPORT2=0 KISSIDPORT3=0 KISSIDPORT4=0
FREQUENCY=Lan Link ONAIR=0 MULTIPORT=1 AUTO=1 PERSIST=128 SLOTIME=15 TXTAIL=4 TXDELAY=25
RETRIES=10 MAXFRAME=6 TIMER1=4 TIMER2=5
TIMER3=120 SOFTDCD=0 FULLDUPLEX=0 SDCDTHRESHOLD=64 DAMASUPPORT=0 EAX25SUPPORT=0
[COMMUNICATION] PORT=COM8: BAUD=9600

g1gxn.ini

[AXIPDRV] DEST_ADDR=192.168.0.3 DEST_PORT=93 DEST_HOST= CALLSIGN=g1gxb-11 UDP_PORT=93
DEBUG=1

Where am I going wrong?

Regards Keith G1GXB

From: (SV2AGW)George Rossopoulos
Sent: Wednesday, March 16, 2011 3:06 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] New registration

Hi

For the AXIP setup things are quite simple just run the new tnc wizard and
select the "Other (LoopBack,AXIP)" as TNC category selection.
IP (SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece

[Non-text portions of this message have been removed]

1365. Registration for new laptop

Yahoo group: agwpe_pro
Date: 2011-03-18 03:38:41 UTC
From: ulterior713
Topic: 1365 Message: 1365

```
Code is:
NPVYE-R36H2-4V2N5-HGI4D-2M37P-PWYIP-B7HW7-DNQBZ-NXTYN-4JXHW-5DUPB-WHEAB

73,
W5TUX
```

1366. Registration for new laptop

Yahoo group: agwpe_pro
Date: 2011-03-18 14:49:09 UTC
From: ulterior713
Topic: 1365 Message: 1366

```
Code is:
NPVYE-R36H2-4V2N5-HGI4D-2M37P-PWYIP-B7HW7-DNQBZ-NXTYN-4JXHW-5DUPB-WHEAB

73,
W5TUX
```

1367. Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-20 09:48:44 UTC
From: r_vanzon
Topic: 1340 Message: 1367

Hi George,
ver 2011.311, vista
Setup/other settings/on exit ask me if OK to exit, still does not work.(if checked there is no "question" when I exit PePro)
It is even impossible to keep it unchecked. If I do, it is checked again after I start PePro again.

Auto Start Other Programs is not yet active in the Beta-version either? (Can add a program, but it is not started)

73's
René
PE1AWA

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> With the help of Larry W8LIW the problem found and fixed.
> Latest beta is in www.sv2agw.com/beta/PacketEnginePro.zip
>
> I am preparing to release the official version.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1368. RE: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2011-03-22 07:29:04 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1340 Message: 1368

Hi

Rene thank you for the help.
Have in mind that "AskOnExit" ask you only if there are programs connected
to Packet Engine. If not then exits without asking.

I uploaded a new beta at www.sv2agw.com/beta/PacketEnginePro.zip

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of r_vanzon
> Sent: Sunday, March 20, 2011 11:49 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: Must use Default Soundcard with Packet Engine Pro
>
>
>
> Hi George,
> ver 2011.311, vista
> Setup/other settings/on exit ask me if OK to exit, still does not work.(if
checked
> there is no "question" when I exit PePro) It is even impossible to keep it
> unchecked. If I do, it is checked again after I start PePro again.
>
> Auto Start Other Programs is not yet active in the Beta-version either?
(Can add
> a program, but it is not started)
>
> 73's
> René
> PE1AWA
>
> --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "\(SV2AGW\)George Rossopoulos"
> <sv2agw@...> wrote:
> >
> > Hi

> >
> > With the help of Larry W8LIW the problem found and fixed.
> > Latest beta is in www.sv2agw.com/beta/PacketEnginePro.zip
> >
> > I am preparing to release the official version.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
>
>
>
>

1369. RE: [agwpe_pro] Registration for new laptop

Yahoo group: agwpe_pro
Date: 2011-03-23 14:14:31 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1365 Message: 1369

Hi

The serial is
PFWGE-QT6GS-3WAND-FGN6V-SNTXP-FVYWM-36HS7-V6MTW-NXUGQ-4JXHW-5DUPB-WHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of ulterior713
> Sent: Friday, March 18, 2011 4:49 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Registration for new laptop
>
>
>
> Code is:
> NPVYE-R36H2-4V2N5-HGI4D-2M37P-PWYIP-B7HW7-DNQBZ-NXTYN-4JXHW-
> 5DUPB-WHEAB
>
> 73,
> W5TUX
>
>
>
>

1370. Re: Registration for new laptop

Yahoo group: agwpe_pro
Date: 2011-03-27 00:28:12 UTC
From: ulterior713
Topic: 1365 Message: 1370

Thank you! Works well.
73,
W5TUX
--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> The serial is
> PFWGE-QT6GS-3WAND-FGN6V-SNTXP-FVYWM-36HS7-V6MTW-NXUGQ-4JXHW-5DUPB-WHEAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> > On Behalf Of ulterior713
> > Sent: Friday, March 18, 2011 4:49 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Registration for new laptop
> >
> >
> >
> > Code is:
> > NPVYE-R36H2-4V2N5-HGI4D-2M37P-PWYIP-B7HW7-DNQBZ-NXTYN-4JXHW-
> > 5DUPB-WHEAB
> >
> > 73,
> > W5TUX
> >
> >
> >
> >
>

1371. Using AGWPE with Byonics TinyTrak4

Yahoo group: agwpe_pro
Date: 2011-03-28 22:30:17 UTC
From: Mitch
Topic: 1371 Message: 1371

Has anyone been successful getting Packet Engine Pro working with the Byonics TinyTrak4 in KISS mode?

I have the tracker tranmitting APRS data ok so it is talking to the radio but I have not been successful setting it up as a TNC with Packet Engine Pro.

Any pointers to information on how to do this would be greatly appreciated!

Thanks & Best Regards,

Mitch, AE5HO

1372. New Computer

Yahoo group: agwpe_pro
Date: 2011-03-31 04:09:44 UTC
From: okafa6tg
Topic: 1372 Message: 1372

Hi George, great work on revision of AGWPE PRO to work with Win7. I need a new registration, key to send is:

HFVDG-5MKQE-7D4N3-XGE5Y-WM37H-S5VGP-DFPPX-DGQDK-HE7GK-QMMPW-4DYNJ-2N2AB

Gerald Taylor KC5MWZ/AFA6TG thank you for your continued support of amateur radio.

1373. data sent on localhost:8001 from AGW PE pro (trial)

Yahoo group: agwpe_pro
Date: 2011-04-02 14:30:17 UTC
From: sindrege
Topic: 1373 Message: 1373

Hello everyone.
In my bachelor assignment I'm integrating a GPS to a CanSat for "real time" tracking of the cansat when it is released from the rocket. The Cansat is sending the GPS NMEA strings via AX.25 UI frame packets. I'm receiveing the data through a handheld radio scanner that is connected to my soundcard. Now, I'm using AGW packet engine for decoding the packets which works fine. For tracking the cansat I've planned to use Google Earth. The data route looks like this at the receiveing end:

Scanner -> AGW PE -> localhost:8001 -> (TCP/IP to virtual com port sw) -> Google Earth

The TCP/IP to serial software I'm using is Serial Port Redirector ver. 2.5.3 from Febual Tech.

When looking at the monitor in the AGW PE the NMEA string is perfectly received, just like this:

$GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,41.5,M,,0000*65

I've created a hyperterminal connection to localhost:8001 to see what data the PE is sending on localhost. Now here is the problem. In addition to the GPS string there is garbage characters that looks like this:

DDd□¢@@@@`¦¨□□□nb¨□□□□@ð$GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,41.5,M,,0000*65

Google Earth will not connect to the TCP/IP to serial software and i think it is because of these garbage characters.

Anyone have any idea what to do with this or any other idea how to get the GPS data to Google Earth?

Best Regards

Sindre Georgsen
Student
University college of Sør-Trøndelag

1374. Signalink USB and VHF RMS Station

Yahoo group: agwpe_pro
Date: 2011-04-03 20:38:27 UTC
From: iceworm4000
Topic: 1374 Message: 1374

Could someone please help? I am using a Signalink USB ONLY. I am trying to connect into a VHF RMS station using just the signalink only without any other tnc. I have been able to connect to the station using the mixw program so I know that connecting is possible. I have been told that I have to have a hardware tnc for this to work. Is this true, or has anyone been able to send and receive mail with just a soundcard system?

1375. New Registration

Yahoo group: agwpe_pro
Date: 2011-04-03 18:49:49 UTC
From: w6ajo
Topic: 1143 Message: 1375

Hi George

Installed AGWPE Pro on the wife's netbook back in late December. Ran it for a class I did in early January. Forgot that I didn't send you a payment until the program errored out on expiration. This weekend I did an online payment and received the new code from you. Thanks.

Entered new code into expired AGWPE Pro, but would not reverse the expiration. Eventually uninstalled then reinstalled. Still shows expired even though the code shows.

Uninstalled again but this time installed the beta. Seems to be working. SO... I will need a new code.

The Key To Send is

HJWDN-4VQQE-4YSN3-VG7TY-2M37P-A9DKP-B7II6-YKQB4-NXTYN-RJ2PX-VVQ2M-CGEAB

Thanks.

Bob Bass
W6AJO

1376. Re: [agwpe_pro] Signalink USB and VHF RMS Station

Yahoo group: agwpe_pro
Date: 2011-04-04 15:47:30 UTC
From: Donald K
Topic: 1374 Message: 1376

On 4/3/2011 1:38 PM, iceworm4000 wrote:
> Could someone please help? I am using a Signalink USB ONLY. I am trying to connect into a VHF RMS station using just the signalink only without any other tnc. I have been able to connect to the station using the mixw program so I know that connecting is possible. I have been told that I have to have a hardware tnc for this to work. Is this true, or has anyone been able to send and receive mail with just a soundcard system?
>
What (RMS) client are you using?

The versions of RMS Express I've used don't support AGW...

Paclink will.

-Donald

1377. RE: [agwpe_pro] New Registration

Yahoo group: agwpe_pro
Date: 2011-04-04 16:23:13 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1143 Message: 1377

Hi Bob

The serial is
IBWVN-3MQN6-3Y2NB-THBWG-SNTXN-28DYM-36IE7-G4MTZ-NXUGQ-RJ2PX-VVQ2M-CGEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of w6ajo
> Sent: Sunday, April 03, 2011 9:50 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Registration
>
>
>
> Hi George
>
> Installed AGWPE Pro on the wife's netbook back in late December. Ran it
for a
> class I did in early January. Forgot that I didn't send you a payment
until the
> program errored out on expiration. This weekend I did an online payment
and
> received the new code from you. Thanks.
>
> Entered new code into expired AGWPE Pro, but would not reverse the
> expiration. Eventually uninstalled then reinstalled. Still shows expired
even
> though the code shows.
>
> Uninstalled again but this time installed the beta. Seems to be working.
SO... I
> will need a new code.
>
> The Key To Send is
>
> HJWDN-4VQQE-4YSN3-VG7TY-2M37P-A9DKP-B7II6-YKQB4-NXTYN-RJ2PX-VVQ2M-CGEAB
>

> Thanks.
>
> Bob Bass
> W6AJO
>
>
>
>

1378. Packet Engine Pro Beta version

Yahoo group: agwpe_pro
Date: 2011-04-04 16:24:36 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1378 Message: 1378

Hi

This probably the final beta before official release
www.sv2agw.com/beta/PacketEnginePro.zip

Thank you for the help and support.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1379. New laptop, code request

Yahoo group: agwpe_pro
Date: 2011-04-11 02:09:13 UTC
From: Andrew
Topic: 1379 Message: 1379

Code is: GS3DK-4B7IT-WD4N3-5GS5G-8M37H-N9GNP-DFP3A-GEQB3-GS5DI-QB8HN-4VQQD-GGEAB

73 Andy W5ROX

1380. RE: [agwpe_pro] New laptop, code request

Yahoo group: agwpe_pro
Date: 2011-04-11 13:43:45 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1379 Message: 1380

Hi Andy

The serial is
HI3VK-237HJ-VECNB-3GW7Y-YNTXH-E8G2M-5EPXA-YWMTY-GS5VK-QB8HN-4VQQD-GGEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Andrew
> Sent: Monday, April 11, 2011 5:09 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New laptop, code request
>
>
>
> Code is:
GS3DK-4B7IT-WD4N3-5GS5G-8M37H-N9GNP-DFP3A-GEQB3-GS5DI-QB8HN-4VQQD-GGEAB
>
> 73 Andy W5ROX
>
>
>
>

1381. Re: data sent on localhost:8001 from AGW PE pro (trial)

Yahoo group: agwpe_pro
Date: 2011-04-11 21:08:48 UTC
From: sindrege
Topic: 1373 Message: 1381

I've come to learn that the packet engine sends the header in addition to data on localhost. So i need to make a small program that connects to localhost:8000 and retreive data.I've been trying to create a socket connection to packet engine but I'm inexperienced with programming. MSDN has a functional socket client source code that I've been using. at first it did connect to packet engine, then suddenly i get "recv failed with error: 10054". Can anyone help me with the problem or tell me if I'm on the right track or not.

Source code:

```
#define WIN32_LEAN_AND_MEAN

#include <windows.h>
#include <winsock2.h>
#include <ws2tcpip.h>
#include <stdlib.h>
#include <stdio.h>

// Need to link with Ws2_32.lib, Mswsock.lib, and Advapi32.lib
#pragma comment (lib, "Ws2_32.lib")
#pragma comment (lib, "Mswsock.lib")
#pragma comment (lib, "AdvApi32.lib")

#define DEFAULT_BUFLEN 1024
#define DEFAULT_PORT "8000"

int __cdecl main(int argc, char **argv)
{
WSADATA wsaData;
SOCKET ConnectSocket = INVALID_SOCKET;
struct addrinfo *result = NULL,
*ptr = NULL,
hints;
char *sendbuf = "0000m00000000000000000000000000000000";
char recvbuf[DEFAULT_BUFLEN];
int iResult;
int recvbuflen = DEFAULT_BUFLEN;

// Validate the parameters //have to comment this if sentence out or else it wont connect
-Sindre
/* if (argc != 2) {
printf("usage: %s server-name\n", argv[0]);
return 1;
}
*/
// Initialize Winsock
iResult = WSAStartup(MAKEWORD(2,2), &wsaData);
if (iResult != 0) {
```

```
printf("WSAStartup failed with error: %d\n", iResult);
return 1;
}

ZeroMemory( &hints, sizeof(hints) );
hints.ai_family = AF_UNSPEC;
hints.ai_socktype = SOCK_STREAM;
hints.ai_protocol = IPPROTO_TCP;

// Resolve the server address and port
iResult = getaddrinfo("127.0.0.1"/*argv[1]*/, DEFAULT_PORT, &hints, &result);
if ( iResult != 0 ) {
printf("getaddrinfo failed with error: %d\n", iResult);
WSACleanup();
return 1;
}

// Attempt to connect to an address until one succeeds
for(ptr=result; ptr != NULL ;ptr=ptr->ai_next) {

// Create a SOCKET for connecting to server
ConnectSocket = socket(ptr->ai_family, ptr->ai_socktype,
ptr->ai_protocol);
if (ConnectSocket == INVALID_SOCKET) {
printf("socket failed with error: %ld\n", WSAGetLastError());
WSACleanup();
return 1;
}

// Connect to server.
iResult = connect( ConnectSocket, ptr->ai_addr, (int)ptr->ai_addrlen);
if (iResult == SOCKET_ERROR) {
closesocket(ConnectSocket);
ConnectSocket = INVALID_SOCKET;
continue;
}
break;
}

freeaddrinfo(result);

if (ConnectSocket == INVALID_SOCKET) {
printf("Unable to connect to server!\n");
WSACleanup();
return 1;
}

// Send an initial buffer
iResult = send( ConnectSocket, sendbuf, (int)strlen(sendbuf), 0 );
if (iResult == SOCKET_ERROR) {
printf("send failed with error: %d\n", WSAGetLastError());
closesocket(ConnectSocket);
```

```
WSACleanup();
return 1;
}

printf("Bytes Sent: %ld\n", iResult);

// shutdown the connection since no more data will be sent
iResult = shutdown(ConnectSocket, SD_SEND);
if (iResult == SOCKET_ERROR) {
printf("shutdown failed with error: %d\n", WSAGetLastError());
closesocket(ConnectSocket);
WSACleanup();
return 1;
}

// Receive until the peer closes the connection
do {
printf("Test do_while"); //This text is displayed

iResult = recv(ConnectSocket, recvbuf, recvbuflen, 0);
if ( iResult > 0 )
printf("Bytes received: %d\n", iResult);
else if ( iResult == 0 )
printf("Connection closed\n");

else
printf("recv failed with error: %d\n", WSAGetLastError());

} while( iResult > 0 );

system("PAUSE");

// cleanup
closesocket(ConnectSocket);
WSACleanup();

return 0;
}
```

--- In agwpe_pro@yahoogroups.com, "sindrege" <sindre.georgsen@...> wrote:
>
> Hello everyone.
> In my bachelor assignment I'm integrating a GPS to a CanSat for "real time" tracking of the cansat when it is released from the rocket. The Cansat is sending the GPS NMEA strings via AX.25 UI frame packets. I'm receiveing the data through a handheld radio scanner that is connected to my soundcard. Now, I'm using AGW packet engine for decoding the packets which works fine. For tracking the cansat I've planned to use Google Earth. The data route looks like this at the receiveing end:
>
> Scanner -> AGW PE -> localhost:8001 -> (TCP/IP to virtual com port sw) -> Google Earth
>
> The TCP/IP to serial software I'm using is Serial Port Redirector ver. 2.5.3 from Febual Tech.
>

> When looking at the monitor in the AGW PE the NMEA string is perfectly received, just like this:
>
> $GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,41.5,M,,0000*65
>
> I've created a hyperterminal connection to localhost:8001 to see what data the PE is sending on localhost. Now here is the problem. In addition to the GPS string there is garbage characters that looks like this:
>
> DDd□¢@@@@`¦¨□□□nb¨□□□□@að$GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,41.5,M,,0000*65
>
> Google Earth will not connect to the TCP/IP to serial software and i think it is because of these garbage characters.
>
> Anyone have any idea what to do with this or any other idea how to get the GPS data to Google Earth?
>
>
> Best Regards
>
> Sindre Georgsen
> Student
> University college of Sør-Trøndelag
>

1382. Re: [agwpe_pro] Re: data sent on localhost:8001 from AGW PE pro (trial)

Yahoo group: agwpe_pro
Date: 2011-04-12 05:06:08 UTC
From: steve
Topic: 1373 Message: 1382

Have you tried a com port redirector? There are a few free ones out there.

Steve N0FPF

On 4/11/2011 2:08 PM, sindrege wrote:
>
> I've come to learn that the packet engine sends the header in addition
> to data on localhost. So i need to make a small program that connects
> to localhost:8000 and retreive data.I've been trying to create a
> socket connection to packet engine but I'm inexperienced with
> programming. MSDN has a functional socket client source code that I've
> been using. at first it did connect to packet engine, then suddenly i
> get "recv failed with error: 10054". Can anyone help me with the
> problem or tell me if I'm on the right track or not.
>
> Source code:
>
> #define WIN32_LEAN_AND_MEAN
>
> #include <windows.h>
> #include <winsock2.h>
> #include <ws2tcpip.h>
> #include <stdlib.h>
> #include <stdio.h>
>
> // Need to link with Ws2_32.lib, Mswsock.lib, and Advapi32.lib
> #pragma comment (lib, "Ws2_32.lib")
> #pragma comment (lib, "Mswsock.lib")
> #pragma comment (lib, "AdvApi32.lib")
>
> #define DEFAULT_BUFLEN 1024
> #define DEFAULT_PORT "8000"
>
> int __cdecl main(int argc, char **argv)
> {
> WSADATA wsaData;
> SOCKET ConnectSocket = INVALID_SOCKET;
> struct addrinfo *result = NULL,
> *ptr = NULL,
> hints;
> char *sendbuf = "0000m00000000000000000000000000000000";
> char recvbuf[DEFAULT_BUFLEN];
> int iResult;
> int recvbuflen = DEFAULT_BUFLEN;
>

```
> // Validate the parameters //have to comment this if sentence out or
> else it wont connect -Sindre
> /* if (argc != 2) {
> printf("usage: %s server-name\n", argv[0]);
> return 1;
> }
> */
> // Initialize Winsock
> iResult = WSAStartup(MAKEWORD(2,2), &wsaData);
> if (iResult != 0) {
> printf("WSAStartup failed with error: %d\n", iResult);
> return 1;
> }
>
> ZeroMemory( &hints, sizeof(hints) );
> hints.ai_family = AF_UNSPEC;
> hints.ai_socktype = SOCK_STREAM;
> hints.ai_protocol = IPPROTO_TCP;
>
> // Resolve the server address and port
> iResult = getaddrinfo("127.0.0.1"/*argv[1]*/, DEFAULT_PORT, &hints,
> &result);
> if ( iResult != 0 ) {
> printf("getaddrinfo failed with error: %d\n", iResult);
> WSACleanup();
> return 1;
> }
>
> // Attempt to connect to an address until one succeeds
> for(ptr=result; ptr != NULL ;ptr=ptr->ai_next) {
>
> // Create a SOCKET for connecting to server
> ConnectSocket = socket(ptr->ai_family, ptr->ai_socktype,
> ptr->ai_protocol);
> if (ConnectSocket == INVALID_SOCKET) {
> printf("socket failed with error: %ld\n", WSAGetLastError());
> WSACleanup();
> return 1;
> }
>
> // Connect to server.
> iResult = connect( ConnectSocket, ptr->ai_addr, (int)ptr->ai_addrlen);
> if (iResult == SOCKET_ERROR) {
> closesocket(ConnectSocket);
> ConnectSocket = INVALID_SOCKET;
> continue;
> }
> break;
> }
>
```

```
> freeaddrinfo(result);
>
> if (ConnectSocket == INVALID_SOCKET) {
> printf("Unable to connect to server!\n");
> WSACleanup();
> return 1;
> }
>
> // Send an initial buffer
> iResult = send( ConnectSocket, sendbuf, (int)strlen(sendbuf), 0 );
> if (iResult == SOCKET_ERROR) {
> printf("send failed with error: %d\n", WSAGetLastError());
> closesocket(ConnectSocket);
> WSACleanup();
> return 1;
> }
>
> printf("Bytes Sent: %ld\n", iResult);
>
> // shutdown the connection since no more data will be sent
> iResult = shutdown(ConnectSocket, SD_SEND);
> if (iResult == SOCKET_ERROR) {
> printf("shutdown failed with error: %d\n", WSAGetLastError());
> closesocket(ConnectSocket);
> WSACleanup();
> return 1;
> }
>
> // Receive until the peer closes the connection
> do {
> printf("Test do_while"); //This text is displayed
>
> iResult = recv(ConnectSocket, recvbuf, recvbuflen, 0);
> if ( iResult > 0 )
> printf("Bytes received: %d\n", iResult);
> else if ( iResult == 0 )
> printf("Connection closed\n");
>
> else
> printf("recv failed with error: %d\n", WSAGetLastError());
>
> } while( iResult > 0 );
>
> system("PAUSE");
>
> // cleanup
> closesocket(ConnectSocket);
> WSACleanup();
>
> return 0;
```

> }
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>,
> "sindrege" <sindre.georgsen@...> wrote:
> >
> > Hello everyone.
> > In my bachelor assignment I'm integrating a GPS to a CanSat for
> "real time" tracking of the cansat when it is released from the
> rocket. The Cansat is sending the GPS NMEA strings via AX.25 UI frame
> packets. I'm receiveing the data through a handheld radio scanner that
> is connected to my soundcard. Now, I'm using AGW packet engine for
> decoding the packets which works fine. For tracking the cansat I've
> planned to use Google Earth. The data route looks like this at the
> receiveing end:
> >
> > Scanner -> AGW PE -> localhost:8001 -> (TCP/IP to virtual com port
> sw) -> Google Earth
> >
> > The TCP/IP to serial software I'm using is Serial Port Redirector
> ver. 2.5.3 from Febual Tech.
> >
> > When looking at the monitor in the AGW PE the NMEA string is
> perfectly received, just like this:
> >
> >
> $GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,41.5,M,,0000*65
>
> >
> > I've created a hyperterminal connection to localhost:8001 to see
> what data the PE is sending on localhost. Now here is the problem. In
> addition to the GPS string there is garbage characters that looks like
> this:
> >
> >
> DDd+¢@@@@`¦¨"oe+nb¨S(~S(s(@að$GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,
41.5,M,,0000*65
> >
> > Google Earth will not connect to the TCP/IP to serial software and i
> think it is because of these garbage characters.
> >
> > Anyone have any idea what to do with this or any other idea how to
> get the GPS data to Google Earth?
> >
> >
> > Best Regards
> >
> > Sindre Georgsen
> > Student
> > University college of Sør-Trøndelag
> >

>
>

[Non-text portions of this message have been removed]

1383. Re: data sent on localhost:8001 from AGW PE pro (trial)

Yahoo group: agwpe_pro
Date: 2011-04-12 06:53:34 UTC
From: sindrege
Topic: 1373 Message: 1383

Yes, I've tried a com port redirector and it works, it relays the data from localhost:8000 to a virtual com port. The problem is that I need to isolate the GPS $GPGGA strings only. For that I need a small program which reads localhost:8000 (or a virtual com port) and strips it of any unuseful data and sends it on another localhost port (or another virtual com port).

- Sindre

--- In agwpe_pro@yahoogroups.com, steve <stevewa206@...> wrote:
>
> Have you tried a com port redirector? There are a few free ones out there.
>
> Steve N0FPF
>
> On 4/11/2011 2:08 PM, sindrege wrote:
> >
> > I've come to learn that the packet engine sends the header in addition
> > to data on localhost. So i need to make a small program that connects
> > to localhost:8000 and retreive data.I've been trying to create a
> > socket connection to packet engine but I'm inexperienced with
> > programming. MSDN has a functional socket client source code that I've
> > been using. at first it did connect to packet engine, then suddenly i
> > get "recv failed with error: 10054". Can anyone help me with the
> > problem or tell me if I'm on the right track or not.
> >
> > Source code:
> >
> > #define WIN32_LEAN_AND_MEAN
> >
> > #include <windows.h>
> > #include <winsock2.h>
> > #include <ws2tcpip.h>
> > #include <stdlib.h>
> > #include <stdio.h>
> >
> > // Need to link with Ws2_32.lib, Mswsock.lib, and Advapi32.lib
> > #pragma comment (lib, "Ws2_32.lib")
> > #pragma comment (lib, "Mswsock.lib")
> > #pragma comment (lib, "AdvApi32.lib")
> >
> > #define DEFAULT_BUFLEN 1024
> > #define DEFAULT_PORT "8000"
> >
> > int __cdecl main(int argc, char **argv)
> > {

```
> > WSADATA wsaData;
> > SOCKET ConnectSocket = INVALID_SOCKET;
> > struct addrinfo *result = NULL,
> > *ptr = NULL,
> > hints;
> > char *sendbuf = "0000m00000000000000000000000000000000";
> > char recvbuf[DEFAULT_BUFLEN];
> > int iResult;
> > int recvbuflen = DEFAULT_BUFLEN;
> >
> > // Validate the parameters //have to comment this if sentence out or
> > else it wont connect -Sindre
> > /* if (argc != 2) {
> > printf("usage: %s server-name\n", argv[0]);
> > return 1;
> > }
> > */
> > // Initialize Winsock
> > iResult = WSAStartup(MAKEWORD(2,2), &wsaData);
> > if (iResult != 0) {
> > printf("WSAStartup failed with error: %d\n", iResult);
> > return 1;
> > }
> >
> > ZeroMemory( &hints, sizeof(hints) );
> > hints.ai_family = AF_UNSPEC;
> > hints.ai_socktype = SOCK_STREAM;
> > hints.ai_protocol = IPPROTO_TCP;
> >
> > // Resolve the server address and port
> > iResult = getaddrinfo("127.0.0.1"/*argv[1]*/, DEFAULT_PORT, &hints,
> > &result);
> > if ( iResult != 0 ) {
> > printf("getaddrinfo failed with error: %d\n", iResult);
> > WSACleanup();
> > return 1;
> > }
> >
> > // Attempt to connect to an address until one succeeds
> > for(ptr=result; ptr != NULL ;ptr=ptr->ai_next) {
> >
> > // Create a SOCKET for connecting to server
> > ConnectSocket = socket(ptr->ai_family, ptr->ai_socktype,
> > ptr->ai_protocol);
> > if (ConnectSocket == INVALID_SOCKET) {
> > printf("socket failed with error: %ld\n", WSAGetLastError());
> > WSACleanup();
> > return 1;
> > }
> >
```

```
> > // Connect to server.
> > iResult = connect( ConnectSocket, ptr->ai_addr, (int)ptr->ai_addrlen);
> > if (iResult == SOCKET_ERROR) {
> > closesocket(ConnectSocket);
> > ConnectSocket = INVALID_SOCKET;
> > continue;
> > }
> > break;
> > }
> >
> > freeaddrinfo(result);
> >
> > if (ConnectSocket == INVALID_SOCKET) {
> > printf("Unable to connect to server!\n");
> > WSACleanup();
> > return 1;
> > }
> >
> > // Send an initial buffer
> > iResult = send( ConnectSocket, sendbuf, (int)strlen(sendbuf), 0 );
> > if (iResult == SOCKET_ERROR) {
> > printf("send failed with error: %d\n", WSAGetLastError());
> > closesocket(ConnectSocket);
> > WSACleanup();
> > return 1;
> > }
> >
> > printf("Bytes Sent: %ld\n", iResult);
> >
> > // shutdown the connection since no more data will be sent
> > iResult = shutdown(ConnectSocket, SD_SEND);
> > if (iResult == SOCKET_ERROR) {
> > printf("shutdown failed with error: %d\n", WSAGetLastError());
> > closesocket(ConnectSocket);
> > WSACleanup();
> > return 1;
> > }
> >
> > // Receive until the peer closes the connection
> > do {
> > printf("Test do_while"); //This text is displayed
> >
> > iResult = recv(ConnectSocket, recvbuf, recvbuflen, 0);
> > if ( iResult > 0 )
> > printf("Bytes received: %d\n", iResult);
> > else if ( iResult == 0 )
> > printf("Connection closed\n");
> >
> > else
> > printf("recv failed with error: %d\n", WSAGetLastError());
```

```
> >
> > } while( iResult > 0 );
> >
> > system("PAUSE");
> >
> > // cleanup
> > closesocket(ConnectSocket);
> > WSACleanup();
> >
> > return 0;
> > }
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>,
> > "sindrege" <sindre.georgsen@> wrote:
> > >
> > > Hello everyone.
> > > In my bachelor assignment I'm integrating a GPS to a CanSat for
> > "real time" tracking of the cansat when it is released from the
> > rocket. The Cansat is sending the GPS NMEA strings via AX.25 UI frame
> > packets. I'm receiveing the data through a handheld radio scanner that
> > is connected to my soundcard. Now, I'm using AGW packet engine for
> > decoding the packets which works fine. For tracking the cansat I've
> > planned to use Google Earth. The data route looks like this at the
> > receiveing end:
> > >
> > > Scanner -> AGW PE -> localhost:8001 -> (TCP/IP to virtual com port
> > sw) -> Google Earth
> > >
> > > The TCP/IP to serial software I'm using is Serial Port Redirector
> > ver. 2.5.3 from Febual Tech.
> > >
> > > When looking at the monitor in the AGW PE the NMEA string is
> > perfectly received, just like this:
> > >
> > >
> > $GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,M,41.5,M,,0000*65
> >
> > >
> > > I've created a hyperterminal connection to localhost:8001 to see
> > what data the PE is sending on localhost. Now here is the problem. In
> > addition to the GPS string there is garbage characters that looks like
> > this:
> > >
> > >
> > DDd+¢@@@@`¦¨"oe+nb¨S(~S(s(@að$GPGGA,103652.000,6325.7008,N,01023.3197,E,1,04,3.9,57.7,
M,41.5,M,,0000*65
> > >
> > > Google Earth will not connect to the TCP/IP to serial software and i
> > think it is because of these garbage characters.
> > >
```

> > > Anyone have any idea what to do with this or any other idea how to
> > get the GPS data to Google Earth?
> > >
> > >
> > > Best Regards
> > >
> > > Sindre Georgsen
> > > Student
> > > University college of Sør-Trøndelag
> > >
> >
> >
>
>
>
> [Non-text portions of this message have been removed]
>

1384. key

Yahoo group: agwpe_pro
Date: 2011-04-14 14:33:30 UTC
From: Robert C. Gauthier
Topic: 254 Message: 1384

Georges,
I have come to the end of my trayal time of the version of agwpe.
I already have purchased the PE program in the past. could you please send me the key for this one?

GI5VG-RUAPX-XVUN5-GGXSY-2M37H-PXGUP-B6P28-DNQDM-N3VDU-QMJH6-5DYP5-CHEAB

Robert C. Gauthier
VE2DEW
Lacolle Qc.
Canada J0J 1J0

Thanks

[Non-text portions of this message have been removed]

1385. New reg key please

Yahoo group: agwpe_pro
Date: 2011-04-24 21:29:13 UTC
From: Philip
Topic: 1385 Message: 1385

Hi George.

Just had to do a new install of Windows. Could you please give me a new key.

NXVYG-Q35IE-7YQN3-XG64V-8M37G-XYD2P-B6HN6-DSQB4-N24GS-4JXH7-WVU3M-EG6AB

Many Thanks Philip. g7jur.

1386. RE: [agwpe_pro] New reg key please

Yahoo group: agwpe_pro
Date: 2011-04-26 18:01:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1385 Message: 1386

Hi Philip

The serial is
PPWGG-PT5G6-6YYNB-VHA7D-YNTXG-PXEEM-35HI6-WAMTZ-N24YU-4JXH7-WVU3M-EG6AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Philip
> Sent: Monday, April 25, 2011 12:29 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New reg key please
>
>
>
> Hi George.
>
> Just had to do a new install of Windows. Could you please give me a new
key.
>
> NXVYG-Q35IE-7YQN3-XG64V-8M37G-XYD2P-B6HN6-DSQB4-N24GS-4JXH7-WVU3M-EG6AB
>
> Many Thanks Philip. g7jur.
>
>
>
>

1387. com ports

Yahoo group: agwpe_pro
Date: 2011-04-26 19:11:05 UTC
From: Robert C. Gauthier
Topic: 1387 Message: 1387

I experienced a conflict with the IP address of my UiView and the wiFi.
I had to reprogram the port of PePro.
Now I have two ports. One is working fine and the other is inactive.
How do I delete the inactive one?

Robert
VE2DEW
NNNN

[Non-text portions of this message have been removed]

1388. New key for registered PEP

Yahoo group: agwpe_pro
Date: 2011-04-29 13:01:18 UTC
From: jhjipping@ameritech.net
Topic: 1388 Message: 1388

```
George --- had to replace my laptop and need a new key --- will you send me one, please ?
GXTVS-Q32IT-WVKN5-INXTD-6M37P-E6VIP-DGP3X-VGQBZ-PBVDW-P5JH3-WYW3J-2GSAB
```

1389. New registrations key

Yahoo group: agwpe_pro
Date: 2011-05-01 18:58:04 UTC
From: Russ Denny
Topic: 1389 Message: 1389

Hi,

I just moved AGW_Pro to another computer. Can I get an new registration key?

The key to send is

N3WDK-4DKIS-4YQN3-UGN6V-WM37H-I8YQP-B7HW7-DIQDM-GN5GK-QBZIE-8V6P3-ZN2AB

Thanks,

Russ

[Non-text portions of this message have been removed]

1390. RE: [agwpe_pro] New registrations key

Yahoo group: agwpe_pro
Date: 2011-05-04 13:35:05 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1389 Message: 1390

Hi Russ

The serial is
PTWVK-25KHI-3YYNB-SGS9D-NNTXH-A7Y4M-36HS7-V2MVI-GN5YN-QBZIE-8V6P3-ZN2AB
73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
> On Behalf Of Russ Denny
> Sent: Sunday, May 01, 2011 9:58 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New registrations key
>
>
>
> Hi,
>
> I just moved AGW_Pro to another computer. Can I get an new registration
key?
>
> The key to send is
>
> N3WDK-4DKIS-4YQN3-UGN6V-WM37H-I8YQP-B7HW7-DIQDM-GN5GK-QBZIE-8V6P3-ZN2AB
>
> Thanks,
>
> Russ
>
> [Non-text portions of this message have been removed]
>
>
>
>

1391. Trouble with Registration Keys

Yahoo group: agwpe_pro
Date: 2011-05-04 16:08:06 UTC
From: Fred
Topic: 1391 Message: 1391

George,

I am having a serious problem with AGWPE Pro on 2 computers. I have no idea what happened! RF in the shack? Power Surge? malware? Both were registered, but when I turned them on last week AGWPE Pro would not run, instead I get the message the my 30 day trial is over, and it has to be registered. The data has somehow become corrupted. I have uninstalled both, run malware checks with McAfee, Malwarebytes' Anti-Malware, and Windows Defender and cleaned the registry with CCleaner and Windowns 7 Manager. I reinstalled AGWPE Pro and got the same results. I then tried to install the "free" version of AGWPE and was stopped with a "copyright violation". I am stumped!

Dell StudioXPS 8000, When I click on the Registration button I get:
Key to send: HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
Registration Keycode: H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GH
HIA-QJACT-Q9XK7-YNVXA-AAB

Toshiba Satellite Laptop, When I click on the Registration button I get:
Key to send: GN3GK-R5QQE-8V4N3-WG63V-UM37H-I6DIP-B7H69-VEQB6-PA3VS-P38HT-WD42J-SHEAB
Registration Keycode:
PN7DG-QVJN6-5V4NB-XHBXV-NNTXG-N7YWM-5EHA6-VUMVD-NXVDK-4DKPN-5GYP3-UNNAB

I am HOPING a new registration Keycode will take care of this!

ALSO
ON 14 Apr I sent you an email (off list) requesting a Registration Keycode for a new computer and I have not received it yet.

IMB Clone
Key to send: GTWGK-QUAHS-5YNN3-UN25Y-YM37N-68YKP-DGPXY-GGQB8-G3VDW-334IA-6D4PJ-UGWAB

Your help is greatly appreciated!

73,
Fred, K1ACL

1392. Need to password

Yahoo group: agwpe_pro
Date: 2011-05-10 18:43:10 UTC
From: Donald
Topic: 1392 Message: 1392

Hi George

My key to sent is:

PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB

Please me the new password.

Thanks

Donald D Wilson
N9ZGE

n9zge@...

1393. RE: [agwpe_pro] Need to password

Yahoo group: agwpe_pro
Date: 2011-05-11 06:31:25 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1392 Message: 1393

Hi Donald

The serial is
P3UDE-QJ8NI-6V6NB-YGS8V-QNTXN-TXD4M-5EHW7-ECMT3-N25YS-3J3IB-UV8PJ-ZGWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Donald
> Sent: Tuesday, May 10, 2011 9:43 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need to password
>
>
>
> Hi George
>
> My key to sent is:
>
> PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB
>
> Please me the new password.
>
> Thanks
>
> Donald D Wilson
> N9ZGE
>
> n9zge@... <mailto:n9zge%40arrl.net>
>
>
>
>

1394. Yo

Yahoo group: agwpe_pro
Date: 2011-05-11 20:02:17 UTC
From: Doyle Wilcox
Topic: 1394 Message: 1394

i want this http://ruequim.com/lrx.htm

[Non-text portions of this message have been removed]

1395. Need New Password

Yahoo group: agwpe_pro
Date: 2011-05-12 04:19:05 UTC
From: Donald
Topic: 1395 Message: 1395

Hi George

I need a password for Key to Send:

G7WDQ-5DPIE-9GYN5-EHA3E-EM37H-25DYP-DGHXY-GEQDK-GPVGG-Q3YH2-4VWQB-WGSAB

Thanks

Don

N9ZGE

1396. RE: [agwpe_pro] Need New Password

Yahoo group: agwpe_pro
Date: 2011-05-12 12:03:48 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1395 Message: 1396

Hi Don

The serial is
HXWVQ-35PG6-8G8ND-CHE5V-6NTXH-S4ECM-5FHTY-YWMVH-GPVYI-Q3YH2-4VWQB-WGSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Donald
> Sent: Thursday, May 12, 2011 7:19 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need New Password
>
>
>
> Hi George
>
> I need a password for Key to Send:
>
> G7WDQ-5DPIE-9GYN5-EHA3E-EM37H-25DYP-DGHXY-GEQDK-GPVGG-Q3YH2-4VWQB-WGSAB
>
> Thanks
>
> Don
>
> N9ZGE
>
>
>
>

1397. Packet Engine Pro 2011.404 - Paclink 4.3.0.2 - Windows 7 64-bit

Yahoo group: agwpe_pro
Date: 2011-05-12 14:55:03 UTC
From: Donald
Topic: 1397 Message: 1397

Hi

I'm using Windows 7 64-bit as the OS.

Both Packet Engine Pro version 2007.514 and version 2011.404 work great with APRSPoint version 4.5.6.

Packet Engine Pro version 2007.514 works great with Paclink 4.3.0.2.

BUT Packet Engine Pro 2011.404 does not seem to work with Paclink version 4.3.0.2

I'm sure the problems is where Windows 7 puts the Packet Engine Pro "ini" files??? Paclink does not seem to find Packet Engine Pro???

Any help in getting Packet Engine Pro version 2011.404 to work with Paclink version 4.3.0.2 would be much appreciated.

Thanks

Don N9ZGE

n9zge@...

1398. Beta Trial Expired

Yahoo group: agwpe_pro
Date: 2011-05-12 18:00:32 UTC
From: lweaver
Topic: 1398 Message: 1398

My beta version of PEP Pro has expired and can no longer be used. I have not noticed anyone else having this problem so I can only guess I have done something wrong when using the beta version. I do have a registered version of PEP but ran the beta version from the desktop when using it. What do I have to change to continue using the beta until a new version comes out.

Thank you,

Larry W8LIW

1399. RE: [agwpe_pro] Beta Trial Expired

Yahoo group: agwpe_pro
Date: 2011-05-12 19:33:26 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1398 Message: 1399

Hi Larry

Send me the "Key to send"

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of lweaver
> Sent: Thursday, May 12, 2011 9:01 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Beta Trial Expired
>
>
>
> My beta version of PEP Pro has expired and can no longer be used. I have
not
> noticed anyone else having this problem so I can only guess I have done
> something wrong when using the beta version. I do have a registered
version
> of PEP but ran the beta version from the desktop when using it. What do I
> have to change to continue using the beta until a new version comes out.
>
> Thank you,
>
> Larry W8LIW
>
>
>
>

1400. Re: [agwpe_pro] Beta Trial Expired

Yahoo group: agwpe_pro
Date: 2011-05-12 20:10:02 UTC
From: Larry Weaver
Topic: 1398 Message: 1400

Hi George,
Here is the “Key to Send”
GS5VU-5DNPW-9DQN3-5G23V-WM37N-25VYP-DFP3W-YEQBX-GS3YN-3J2H6-8GS3J-2NWAB

Thanks George

Larry W8LIW

From: (SV2AGW)George Rossopoulos
Sent: Thursday, May 12, 2011 3:33 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Beta Trial Expired

Hi Larry

Send me the "Key to send"

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: mailto:agwpe_pro%40yahoogroups.com
> [mailto:mailto:agwpe_pro%40yahoogroups.com] On Behalf Of lweaver
> Sent: Thursday, May 12, 2011 9:01 PM
> To: mailto:agwpe_pro%40yahoogroups.com
> Subject: [agwpe_pro] Beta Trial Expired
>
>
>
> My beta version of PEP Pro has expired and can no longer be used. I have
not
> noticed anyone else having this problem so I can only guess I have done
> something wrong when using the beta version. I do have a registered
version
> of PEP but ran the beta version from the desktop when using it. What do I
> have to change to continue using the beta until a new version comes out.
>
> Thank you,
>
> Larry W8LIW
>

>
>
>

[Non-text portions of this message have been removed]

1401. RE: [agwpe_pro] Beta Trial Expired

Yahoo group: agwpe_pro
Date: 2011-05-13 18:07:07 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1398 Message: 1401

Hi Larry

The serial is
HI6DU-35NNN-8DYNB-3G66D-NNTXN-S4WCM-5EPXX-GWMTU-GS4GQ-3J2H6-8GS3J-2NWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Larry Weaver
> Sent: Thursday, May 12, 2011 11:10 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Beta Trial Expired
>
>
>
> Hi George,
> Here is the “Key to Send”
GS5VU-5DNPW-9DQN3-5G23V-WM37N-25VYP-DFP3W-YEQBX-GS3YN-3J2H6-8GS3J-2NWAB
>
> Thanks George
>
> Larry W8LIW
>
> From: (SV2AGW)George Rossopoulos
> Sent: Thursday, May 12, 2011 3:33 PM
> To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] Beta Trial Expired
>
> Hi Larry
>
> Send me the "Key to send"
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki

> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: mailto:agwpe_pro%40yahoogroups.com
> > [mailto:mailto:agwpe_pro%40yahoogroups.com] On Behalf Of lweaver
> > Sent: Thursday, May 12, 2011 9:01 PM
> > To: mailto:agwpe_pro%40yahoogroups.com
> > Subject: [agwpe_pro] Beta Trial Expired
> >
> >
> >
> > My beta version of PEP Pro has expired and can no longer be used. I
> > have
> not
> > noticed anyone else having this problem so I can only guess I have
> > done something wrong when using the beta version. I do have a
> > registered
> version
> > of PEP but ran the beta version from the desktop when using it. What
> > do I have to change to continue using the beta until a new version comes
> out.
> >
> > Thank you,
> >
> > Larry W8LIW
> >
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

1402. Re: New Registration

Yahoo group: agwpe_pro
Date: 2011-05-13 14:41:54 UTC
From: w6ajo
Topic: 1143 Message: 1402

Hi George

Installing version 2011.404 on my desktop pc. Will need a new code.

The key to send is as follows :

NTWGE-R36IA-5D4N3-WGI5D-6M37P-A9VWP-B7HI7-VUQB8-G66DS-PB5PN-7YUQB-YNSAB

Thanks.

Robert Bass
W6AJO

1403. Need KeyCode

Yahoo group: agwpe_pro
Date: 2011-05-16 21:06:20 UTC
From: Fred
Topic: 1403 Message: 1403

Hi George,

Key to send is:
GTWGK-QUAHS-5YNN3-UN25Y-YM37N-68YKP-DGPXY-GGQB8-G3VDW-334IA-6D4PJ-UGWAB

73,
Fred, K1ACL

1404. New key

Yahoo group: agwpe_pro
Date: 2011-05-16 18:52:45 UTC
From: jhjipping@ameritech.net
Topic: 1404 Message: 1404

George:
I'm sorry to you again, but, now, my "trial" period has expired. I sent you several requests bwfore. No problem, you are a busy guy.
I had to replace my laptop and need a new key for the new install. I am a registered PEP user. The key to send is
GXTVS-Q32IT-WVKN5-INXTD-6M37P-E6VIP-DGP3X-VGQBZ-PBVDW-P5JH3-WYW3J-2GSAB
PLease send a new key.

Thanks, Jim J , W8MRR

1405. RE: [agwpe_pro] Need KeyCode

Yahoo group: agwpe_pro
Date: 2011-05-17 17:34:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1403 Message: 1405

Hi Fred

The serial is
GTWGK-QUAHS-5YNN3-UN25Y-YM37N-68YKP-DGPXY-GGQB8-G3VDW-334IA-6D4PJ-UGWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Fred
> Sent: Tuesday, May 17, 2011 12:06 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need KeyCode
>
>
>
> Hi George,
>
> Key to send is:
> GTWGK-QUAHS-5YNN3-UN25Y-YM37N-68YKP-DGPXY-GGQB8-G3VDW-334IA-6D4PJ-UGWAB
>
> 73,
> Fred, K1ACL
>
>
>
>

1406. RE: [agwpe_pro] Re: New Registration

Yahoo group: agwpe_pro
Date: 2011-05-17 17:35:55 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1143 Message: 1406

Hi Robert

The serial is
PJWYE-QT6G2-4ECNB-UGN7V-WNTXN-28WAM-36HE8-ECMT5-G66VU-PB5PN-7YUQB-YNSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of w6ajo
> Sent: Friday, May 13, 2011 5:42 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: New Registration
>
>
>
> Hi George
>
> Installing version 2011.404 on my desktop pc. Will need a new code.
>
> The key to send is as follows :
>
> NTWGE-R36IA-5D4N3-WGI5D-6M37P-A9VWP-B7HI7-VUQB8-G66DS-PB5PN-7YUQB-YNSAB
>
> Thanks.
>
> Robert Bass
> W6AJO
>
>
>
>

1407. old call new instalation

Yahoo group: agwpe_pro
Date: 2011-05-19 09:44:36 UTC
From: aprsrdw
Topic: 1407 Message: 1407

```
just installed agwpe pro on a new pc
key to send:
HI3GG-Q34H7-VVWN5-EGN3D-6M37N-27GKP-DGHI6-GQQB3-HFVDU-QB6IB-VVQN5-BG6AB

thanks
PE1RDW
```

1408. Registration

Yahoo group: agwpe_pro
Date: 2011-05-20 16:21:32 UTC
From: abertheaume
Topic: 245 Message: 1408

Hi George,
My trusty ole Emachine has quit on me. I have obtained a new computer and have installed AGW Pro. I need a registration number please. The key-to-send is:

PA3VK-4DJQB-WGQN3-XG22Y-4M37G-7VVUP-DGHW9-VSQDM-GXWDI-RMMHN-6YSPT-2G2AB

Thank you,
Art, N9ZZk

1409. need a new key

Yahoo group: agwpe_pro
Date: 2011-05-22 16:40:31 UTC
From: Russ Denny
Topic: 1409 Message: 1409

Hi,

AGWPE-Pro says my trial period has ended. I started getting this message when I changed the compatibility on a Windows 7 system to Windows XP (Service Pack 2).

Here is the key to send

N3WDK-4DKIS-4YQN3-UGN6V-WM37H-I8YQP-B7HW7-DIQDM-GN5GK-QBZIE-8V6P3-ZN2AB

Please send me a new key unless there is something else I should do.

Thanks,

Russ

[Non-text portions of this message have been removed]

1410. expired beta

Yahoo group: agwpe_pro
Date: 2011-05-22 21:18:46 UTC
From: Loyd
Topic: 1410 Message: 1410

```
send to key
HJUVQ-R37P6-5GNN3-VHI6V-4M37H-E9VIP-B7PJY-YIQB5-PA4DY-PMIHT-XG2P5-FGIAB
```

1411. RE: [agwpe_pro] need a new key

Yahoo group: agwpe_pro
Date: 2011-05-29 16:46:01 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1409 Message: 1411

Hi Russ

The serial is
PTWVK-25KHI-3YYNB-SGS9D-NNTXH-A7Y4M-36HS7-V2MVI-GN5YN-QBZIE-8V6P3-ZN2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Russ Denny
> Sent: Sunday, May 22, 2011 7:41 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] need a new key
>
>
>
> Hi,
>
> AGWPE-Pro says my trial period has ended. I started getting this message
> when I changed the compatibility on a Windows 7 system to Windows XP
> (Service Pack 2).
>
> Here is the key to send
>
> N3WDK-4DKIS-4YQN3-UGN6V-WM37H-I8YQP-B7HW7-DIQDM-GN5GK-QBZIE-8V6P3-ZN2AB
>
> Please send me a new key unless there is something else I should do.
>
> Thanks,
>
> Russ
>
> [Non-text portions of this message have been removed]
>
>
>
>

1412. RE: [agwpe_pro] old call new instalation

Yahoo group: agwpe_pro
Date: 2011-05-29 16:46:53 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1407 Message: 1412

Hi

The serial is
IA3YG-PT4GX-UV6ND-CGS5V-WNTXN-S6GYM-5FHE6-Y8MTY-HFVVW-QB6IB-VVQN5-BG6AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of aprsrdw
> Sent: Thursday, May 19, 2011 12:45 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] old call new instalation
>
>
>
> just installed agwpe pro on a new pc
> key to send:
> HI3GG-Q34H7-VVWN5-EGN3D-6M37N-27GKP-DGHI6-GQQB3-HFVDU-QB6IB-VVQN5-BG6AB
>
> thanks
> PE1RDW
>
>
>
>

1413. Need New Key

Yahoo group: agwpe_pro
Date: 2011-05-30 04:11:27 UTC
From: Donald
Topic: 643 Message: 1413

Hi George

The key to send is:

NW7GE-SB3H7-XYNN3-WGTTD-4M37P-N8V2P-DFH68-YQQDJ-HA5YG-4DHIA-4VSQM-FN2AB

Thanks

Don N9ZGE

1414. RE: [agwpe_pro] Need New Key

Yahoo group: agwpe_pro
Date: 2011-05-30 16:07:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 643 Message: 1414

Hi Don

The serial is
PN7YE-Q33GX-WYWNB-UGXVV-UNTXP-E7WEM-5EH29-G8MVG-HA6GI-4DHIA-4VSQM-FN2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Donald
> Sent: Monday, May 30, 2011 7:11 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need New Key
>
>
>
> Hi George
>
> The key to send is:
>
> NW7GE-SB3H7-XYNN3-WGTTD-4M37P-N8V2P-DFH68-YQQDJ-HA5YG-4DHIA-4VSQM-FN2AB
>
> Thanks
>
> Don N9ZGE
>
>
>
>

1415. AGWTracker Update (Official Release)

Yahoo group: agwpe_pro
Date: 2011-05-31 16:38:42 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1415 Message: 1415

Hi

I have just uploaded the Update.
1.Support for OVi (Nokia) online Maps
2.AGWTracker 64 bit release
3.Fixed some Alarm problems

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1416. SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7

Yahoo group: agwpe_pro
Date: 2011-05-31 07:35:48 UTC
From: ripmyyellow
Topic: 1416 Message: 1416

Hello and thank you for your interest in my post. I have attempted to install the SV2AGW TCPIP over radio driver into Windows Vista and also a Windows 7 system without success. I have previously had success with Windows XP. Although the driver appears to install into Vista/Windows 7, on further inspection, I find no reference to it when using the IPCONFIG command in a 'DOS' window. Also the SV2AGW packet engine/Packet Engine Pro program fails to find the driver and reports this on startup. The driver/adapter is however listed within the Device Manager, although it states that it is 'not connected'.
I would be very grateful if a kind person could perhaps point me in the direction of a solution to my problem, maybe I have missed something, although I have not found any reference to this matter within this group.

Kind regards,

Jason

1417. RE: [agwpe_pro] SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7

Yahoo group: agwpe_pro
Date: 2011-06-01 17:22:34 UTC
From: Ralph Milnes
Topic: 1416 Message: 1417

Jason,

I'm sorry to say there is no solution. TCP/IP over Radio will not work in Vista/Windows 7. There are no drivers for those O.S.s.

This was reported by the software author, SV2GW, in the AGWPE Google group. AGWPE and PE Pro are sister programs, so I'm pretty sure if there are no drivers for AGWPE, then there are none for PE Pro.

73,

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ripmyyellow
Sent: Tuesday, May 31, 2011 1:36 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7

Hello and thank you for your interest in my post. I have attempted to install the SV2AGW TCPIP over radio driver into Windows Vista and also a Windows 7 system without success. I have previously had success with Windows XP. Although the driver appears to install into Vista/Windows 7, on further inspection, I find no reference to it when using the IPCONFIG command in a 'DOS' window. Also the SV2AGW packet engine/Packet Engine Pro program fails to find the driver and reports this on startup. The driver/adapter is however listed within the Device Manager, although it states that it is 'not connected'.
I would be very grateful if a kind person could perhaps point me in the direction of a solution to my problem, maybe I have missed something, although I have not found any reference to this matter within this group.

Kind regards,

Jason

1418. Hiya

Yahoo group: agwpe_pro
Date: 2011-06-03 15:24:42 UTC
From: Doyle Wilcox
Topic: 1418 Message: 1418

hullo!
there are a lot of discounts http://ibppeterson.org/softstore.html

Sent from my iPhone.

[Non-text portions of this message have been removed]

1419. IniKiss1..3

Yahoo group: agwpe_pro
Date: 2011-06-03 21:32:45 UTC
From: sholtofish
Topic: 1419 Message: 1419

Hi George,

Is there an easy fix to have more than 3 initial "kiss" commands in PE Pro?

I am using a SCS PTC in Robust Packet and my config file looks like this:

```
[TNC]
TYPE=TAPR TNC2
KISSSUBTYPE=KISS
INITKISS1=packet
INITKISS2=baud r300
INITKISS3=kiss on
....
```

What I would like to have is room for another few "ini" commands so I can set power level and default tones in the modem.

The actual sequence I would prefer is:

```
PSKA 120
TONES 2
MARK 1600
SPACE 1400
PACKET
BAUD R300
KISS ON
```

Is there any way to do this?

73

Sholto
K7TMG

1420. Re: SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7

Yahoo group: agwpe_pro
Date: 2011-06-05 17:31:07 UTC
From: ripmyyellow
Topic: 1416 Message: 1420

Hi Ralph,

Thank you for responding to my question. It is a shame to hear that the tcpip over radio with AGWPE will no longer function after Windows XP. I have enjoyed many hours of using the feature over the years. Your excellent pages on soundcard packet and setting up the tcpip over radio feature have been a great help to me, thank you. I guess I will need to keep Windows XP running for as long as I can.

Kind regards,

Jason

--- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Jason,
>
> I'm sorry to say there is no solution. TCP/IP over Radio will not work in
> Vista/Windows 7. There are no drivers for those O.S.s.
>
> This was reported by the software author, SV2GW, in the AGWPE Google group.
> AGWPE and PE Pro are sister programs, so I'm pretty sure if there are no
> drivers for AGWPE, then there are none for PE Pro.
>
> 73,
>
> Ralph NM5RM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of ripmyyellow
> Sent: Tuesday, May 31, 2011 1:36 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7
>
> Hello and thank you for your interest in my post. I have attempted to
> install the SV2AGW TCPIP over radio driver into Windows Vista and also a
> Windows 7 system without success. I have previously had success with Windows
> XP. Although the driver appears to install into Vista/Windows 7, on further
> inspection, I find no reference to it when using the IPCONFIG command in a
> 'DOS' window. Also the SV2AGW packet engine/Packet Engine Pro program fails
> to find the driver and reports this on startup. The driver/adapter is
> however listed within the Device Manager, although it states that it is 'not
> connected'.
> I would be very grateful if a kind person could perhaps point me in the
> direction of a solution to my problem, maybe I have missed something,
> although I have not found any reference to this matter within this group.

>
> Kind regards,
>
> Jason
>

1421. Need new keycode

Yahoo group: agwpe_pro
Date: 2011-06-07 11:25:54 UTC
From: sholtofish
Topic: 1421 Message: 1421

Hi George,

I changed my computer from XP to Vista and I need a new keycode.

The key to send is:

GJUDW-4T9IA-6GWN3-VGW3D-WM37P-N6YKP-DGII7-YEQBX-NW4VN-QJXPJ-VG2P5-BGIAB

My call is K7TMG and I paid for a license.

73

Sholto

1422. RE: [agwpe_pro] Need new keycode

Yahoo group: agwpe_pro
Date: 2011-06-07 13:57:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1421 Message: 1422

Hi

The serial is
HBUVW-3J9G2-5G6NB-TG25V-NNTXP-E5YYM-5FIE8-GWMTU-NW5DQ-QJXPJ-VG2P5-BGIAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of sholtofish
> Sent: Tuesday, June 07, 2011 2:26 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new keycode
>
>
>
> Hi George,
>
> I changed my computer from XP to Vista and I need a new keycode.
>
> The key to send is:
>
> GJUDW-4T9IA-6GWN3-VGW3D-WM37P-N6YKP-DGII7-YEQBX-NW4VN-QJXPJ-VG2P5-BGIAB
>
> My call is K7TMG and I paid for a license.
>
> 73
>
> Sholto
>
>
>
>

1423. Password

Yahoo group: agwpe_pro
Date: 2011-06-08 03:06:01 UTC
From: Donald
Topic: 1423 Message: 1423

Hi George

I need a new password for Packet Engine Pro

The key to send is:

HA6YG-4MPP7-WVYN3-ZNW4D-8M37P-E9VKP-DGH7Y-VQQBY-PA7VW-4MHIE-7GS3T-2NWAB

Upgrade my Laptop Computer from Vista to Windows 7

Thanks

Don N9ZGE

1424. RE: [agwpe_pro] Password

Yahoo group: agwpe_pro
Date: 2011-06-08 16:30:25 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1423 Message: 1424

Hi

The serial is
H27GG-3DPNX-VV8NB-XN26V-YNTXN-68VYM-5FH3Z-D8MTV-PA8DY-4MHIE-7GS3T-2NWAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Donald
> Sent: Wednesday, June 08, 2011 6:06 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Password
>
>
>
> Hi George
>
> I need a new password for Packet Engine Pro
>
> The key to send is:
>
> HA6YG-4MPP7-WVYN3-ZNW4D-8M37P-E9VKP-DGH7Y-VQQBY-PA7VW-4MHIE-7GS3T-2NWAB
>
> Upgrade my Laptop Computer from Vista to Windows 7
>
> Thanks
>
> Don N9ZGE
>
>
>
>

1425. Need a key

Yahoo group: agwpe_pro
Date: 2011-06-08 20:26:36 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1425 Message: 1425

I've been running the 4/4/2011 PEpro version for a while now and it just went "idle" pending a new registration code. The key is:

GTUGE-RJ9HN-6D4N3-UHFSY-2M37N-28DUP-DGP29-GKQDH-N65GN-PT5IA-6D4N3-YGIAB

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

1426. RE: [agwpe_pro] Need a key

Yahoo group: agwpe_pro
Date: 2011-06-09 05:27:34 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1425 Message: 1426

Hi Lynn

The serial is
HJUYE-QB9GE-5ECNB-SHJVG-SNTXN-S7D8M-5FPW9-Y4MVE-N65YQ-PT5IA-6D4N3-YGIAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Lynn W. Deffenbaugh
> (Mr)
> Sent: Wednesday, June 08, 2011 11:27 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need a key
>
>
>
> I've been running the 4/4/2011 PEpro version for a while now and it just
went
> "idle" pending a new registration code. The key is:
>
> GTUGE-RJ9HN-6D4N3-UHFSY-2M37N-28DUP-DGP29-GKQDH-N65GN-PT5IA-6D4N3-YGIAB
>
> Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32
>
>
>
>

1427. Need New Key

Yahoo group: agwpe_pro
Date: 2011-06-10 18:28:21 UTC
From: kd7nax
Topic: 643 Message: 1427

Need to key please for install on new netbook KD7NAX

NW6VU-QDMIN-8VNN3-5GPSY-6M37H-FWD2P-B6HJZ-GEQB8-NW3YK-338H2-7YS23-YNEAB

Thank you

1428. Re: [agwpe_pro] Packet Engine Pro Beta version

Yahoo group: agwpe_pro
Date: 2011-06-12 18:15:11 UTC
From: Guilford Jones
Topic: 1378 Message: 1428

I have lost track of the status of changes to AGWPE Pro.
Is the April beta the latest? At
http://www.sv2agw.com/downloads/default.htm there
is the entry pepro_update.zip<http://www.sv2agw.com/downloads/pepro_update.zip>
Packet
Engine Pro Update.(Also full installation for WINXP/Vista/Win7)

and I don't know if that has a final release or what?
I did a repair and got (predictably) the 2007 version of the exe again. Do I
need to first remove and then install?

I saw discussion of varying behavior with Paclink. I am using version
4.2.0.0 pf Paclink.

So the question is: use the april beta and simply replace Packet Engine
Pro.exe, or remove and reinstall using the download mentioned above.
73 from KA5GIL
--
- gil -
Musings and Meanderings at http://captjustice.com (has a link where you can
subscribe to scintillating updates!)

"Pain is temporary. It may last a minute, or an hour, or a day, or a year,
but eventually it will subside and something else will take its place.
If I quit, however, it lasts forever." -- Lance Armstrong

On Mon, Apr 4, 2011 at 11:24 AM, (SV2AGW)George Rossopoulos <
sv2agw@freemail.gr> wrote:

>
>
> Hi
>
> This probably the final beta before official release
> www.sv2agw.com/beta/PacketEnginePro.zip
>
> Thank you for the help and support.
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com

>
>
>

[Non-text portions of this message have been removed]

1429. RE: [agwpe_pro] Need New Key

Yahoo group: agwpe_pro
Date: 2011-06-14 09:43:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 643 Message: 1429

Hi
The serial is
PN7DU-N5MHE-7VWNB-3GTVG-WNTXG-7VEEM-35HFZ-YWMT5-NW4GN-338H2-7YS23-YNEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kd7nax
> Sent: Friday, June 10, 2011 9:28 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need New Key
>
>
>
> Need to key please for install on new netbook KD7NAX
>
> NW6VU-QDMIN-8VNN3-5GPSY-6M37H-FWD2P-B6HJZ-GEQB8-NW3YK-
> 338H2-7YS23-YNEAB
>
> Thank you
>
>
>
>

1430. RE: [agwpe_pro] Packet Engine Pro Beta version

Yahoo group: agwpe_pro
Date: 2011-06-14 09:45:07 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1378 Message: 1430

Hi

Just replace the executable.
Official release will be released soon.....and only for Vista , Win7 and
more
XP users will use the current version

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Guilford Jones
> Sent: Sunday, June 12, 2011 9:15 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Packet Engine Pro Beta version
>
>
>
> I have lost track of the status of changes to AGWPE Pro.
> Is the April beta the latest? At
> http://www.sv2agw.com/downloads/default.htm there is the entry
> pepro_update.zip<http://www.sv2agw.com/downloads/pepro_update.zip>
> Packet
> Engine Pro Update.(Also full installation for WINXP/Vista/Win7)
>
> and I don't know if that has a final release or what?
> I did a repair and got (predictably) the 2007 version of the exe again. Do
I need
> to first remove and then install?
>
> I saw discussion of varying behavior with Paclink. I am using version
> 4.2.0.0 pf Paclink.
>
> So the question is: use the april beta and simply replace Packet Engine
> Pro.exe, or remove and reinstall using the download mentioned above.
> 73 from KA5GIL
> --
> - gil -
> Musings and Meanderings at http://captjustice.com (has a link where you

can
> subscribe to scintillating updates!)
>
> "Pain is temporary. It may last a minute, or an hour, or a day, or a year,
but
> eventually it will subside and something else will take its place.
> If I quit, however, it lasts forever." -- Lance Armstrong
>
> On Mon, Apr 4, 2011 at 11:24 AM, (SV2AGW)George Rossopoulos <
> sv2agw@... <mailto:sv2agw%40freemail.gr> > wrote:
>
> >
> >
> > Hi
> >
> > This probably the final beta before official release
> > www.sv2agw.com/beta/PacketEnginePro.zip
> >
> > Thank you for the help and support.
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

1431. New Key Code

Yahoo group: agwpe_pro
Date: 2011-06-14 21:31:22 UTC
From: Walter Kaelin
Topic: 1431 Message: 1431

Good day George, would you please send me a new key code, as I have a new computer.
The new key is G23VS-RB7H2-7VNN5-FNPSW-EM37H-29DGP-B6H28-YGQDJ-NXVDI-QJYH6-8D8PT-YG6AB
I bought my license on 2/21/2010
73, Walter KB6BT

1432. Need new key

Yahoo group: agwpe_pro
Date: 2011-06-14 21:46:35 UTC
From: James
Topic: 1078 Message: 1432

Hello, George:

I need a new key for my new laptop (Windows 7). The old one quit on me.
My key to send is
GXTVS-Q32IT-WVKN5-INXTD-6M37P-E6VIP-DGP3X-VGQBZ-PBVDW-P5JH3-WYW3J-2GSAB

Thank you

Jim Jipping

1433. RE: [agwpe_pro] Need new key

Yahoo group: agwpe_pro
Date: 2011-06-19 07:42:47 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1078 Message: 1433

Hi

The serial is
HPUDS-PT2HJ-VVUND-GN3VV-WNTXN-65VWM-5FPXY-DYMTW-PBVVY-P5JH3-WYW3J-2GSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of James
> Sent: Wednesday, June 15, 2011 12:47 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new key
>
>
>
> Hello, George:
>
> I need a new key for my new laptop (Windows 7). The old one quit on me.
> My key to send is
> GXTVS-Q32IT-WVKN5-INXTD-6M37P-E6VIP-DGP3X-VGQBZ-PBVDW-P5JH3-WYW3J-2GSAB
>
> Thank you
>
> Jim Jipping
>
>
>
>

1434. SoundCard Problems

Yahoo group: agwpe_pro
Date: 2011-06-20 13:46:59 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1434 Message: 1434

Hi

Seems that now is ok.

PSE download and test if you have problems with your soundcard.
www.sv2agw.com/beta/PEPro7.zip for Vista and Win7
www.sv2agw.com/beta/PEProXP.zip for WinXP and Win2000

PSE inform me. If ok I will try to update AGWPE too.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1435. Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-20 23:02:55 UTC
From: judge33tex
Topic: 1435 Message: 1435

Getting this error when attempting connection via paclink:
*** Connecting to Packet Engine
*** Registering KA5GIL-10 with AGW Engine
*** REGISTRATION of KA5GIL-10 FAILED!

I saw earlier messages indicating this is a problem with AGWPE Pro.
So I removed the program, then removed all registry keys to it.
Reinstalled using the pepro_update.zip file.
Copied the beta build of 6/19/2011 to the program directory.
Entered the previously obtained key, it was accepted.

Still get this error.
Paclink version is 4.2.0.0
Setup is with SignaLink USB.

This installation used to work. It went south when I started trying to use the newer versions of AGWPE Pro to solve the problem of the AGWPE Pro ceasing to send data.

Having searched hi and low for answers -- now officially stuck.
Gil

KA5GIL

1436. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-21 15:33:38 UTC
From: Ralph Milnes
Topic: 1435 Message: 1436

Assuming PE Pro is running before PacLink starts, PacLink would try to hook to PE Pro using TCP port 8000, the default port, or some other port that you have purposely elected. But the point is that both PE Pro and PacLink must be configured to the same port.

I would guess that a port mismatch is the most likely reason for a failed registration. Or your router/firewall program is blocking port 8000. A final thought is that, if another program was running with that callsign and registered with PE Pro, then PE Pro might not accept a second, identical callsign-SSID. (If you close PE Pro -- clearing the registrations -- and re-open it, does it work?)

Let us know if you need any help figuring out where to check/set the TCP port in either program.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of judge33tex
Sent: Monday, June 20, 2011 5:03 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Paclink registration with AGW engine failed

Getting this error when attempting connection via paclink:
*** Connecting to Packet Engine
*** Registering KA5GIL-10 with AGW Engine
*** REGISTRATION of KA5GIL-10 FAILED!

I saw earlier messages indicating this is a problem with AGWPE Pro.
So I removed the program, then removed all registry keys to it.
Reinstalled using the pepro_update.zip file.
Copied the beta build of 6/19/2011 to the program directory.
Entered the previously obtained key, it was accepted.

Still get this error.
Paclink version is 4.2.0.0
Setup is with SignaLink USB.

This installation used to work. It went south when I started trying to use the newer versions of AGWPE Pro to solve the problem of the AGWPE Pro ceasing to send data.

Having searched hi and low for answers -- now officially stuck.
Gil

KA5GIL

Yahoo! Groups Links

1437. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-21 15:52:43 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1435 Message: 1437

Hi

Unless you have specified a login Password from Packet Engine the problem is
from Paclink.
You can check the new beta versions from my previous email to see if works
ok with SignalLink

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of judge33tex
> Sent: Tuesday, June 21, 2011 2:03 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Paclink registration with AGW engine failed
>
>
>
> Getting this error when attempting connection via paclink:
> *** Connecting to Packet Engine
> *** Registering KA5GIL-10 with AGW Engine
> *** REGISTRATION of KA5GIL-10 FAILED!
>
> I saw earlier messages indicating this is a problem with AGWPE Pro.
> So I removed the program, then removed all registry keys to it.
> Reinstalled using the pepro_update.zip file.
> Copied the beta build of 6/19/2011 to the program directory.
> Entered the previously obtained key, it was accepted.
>
> Still get this error.
> Paclink version is 4.2.0.0
> Setup is with SignaLink USB.
>
> This installation used to work. It went south when I started trying to use
the
> newer versions of AGWPE Pro to solve the problem of the AGWPE Pro ceasing
> to send data.
>
> Having searched hi and low for answers -- now officially stuck.

> Gil
>
> KA5GIL
>
>
>
>

1438. Re: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-21 16:12:13 UTC
From: Guilford Jones
Topic: 1435 Message: 1438

I double-checked the ports already, and the default port 8000 is specified in both. I tried disabling the firewall. Still get the same error. Separate msg from George says to look at a Paclink issue.

And I only have the one program running relative to AGW or Paclink. Have also reinstalled Paclink recently in case that was a problem but no change in symptoms.

--
- gil -
Musings and Meanderings at http://captjustice.com (has a link where you can subscribe to scintillating updates!)

"Pain is temporary. It may last a minute, or an hour, or a day, or a year, but eventually it will subside and something else will take its place. If I quit, however, it lasts forever." -- Lance Armstrong

On Tue, Jun 21, 2011 at 10:33 AM, Ralph Milnes <ralphmilnes@...>wrote:

> Assuming PE Pro is running before PacLink starts, PacLink would try to hook
> to PE Pro using TCP port 8000, the default port, or some other port that
> you
> have purposely elected. But the point is that both PE Pro and PacLink must
> be configured to the same port.
>
> I would guess that a port mismatch is the most likely reason for a failed
> registration. Or your router/firewall program is blocking port 8000. A
> final
> thought is that, if another program was running with that callsign and
> registered with PE Pro, then PE Pro might not accept a second, identical
> callsign-SSID. (If you close PE Pro -- clearing the registrations -- and
> re-open it, does it work?)
>
> Let us know if you need any help figuring out where to check/set the TCP
> port in either program.
>

[Non-text portions of this message have been removed]

1439. Re: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-21 16:18:08 UTC
From: Guilford Jones
Topic: 1435 Message: 1439

No login has been set up in PE. I am already using the June 19 beta of AGWPE Pro.

I see in PE that it says the ini files are in the My Documents area. Is that the correct location? I also have them in the PE Pro directory where the program is installed, but the one under My Docs appears to be the one currently in use.

I think I'm back stuck again!

--
- gil -
Musings and Meanderings at http://captjustice.com (has a link where you can subscribe to scintillating updates!)

"Pain is temporary. It may last a minute, or an hour, or a day, or a year, but eventually it will subside and something else will take its place. If I quit, however, it lasts forever." -- Lance Armstrong

On Tue, Jun 21, 2011 at 10:52 AM, (SV2AGW)George Rossopoulos < sv2agw@...> wrote:

> Unless you have specified a login Password from Packet Engine the problem
> is
> from Paclink.
> You can check the new beta versions from my previous email to see if works
> ok with SignalLink
>

[Non-text portions of this message have been removed]

1440. Re: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-21 18:18:03 UTC
From: Guilford Jones
Topic: 1435 Message: 1440

More data.
I can substitute the OLD AGWPE Pro (the 2007 version) .exe and everything works.
Put the June 19 beta in and Paclink will not register it.
Some sort of incompatibility there? I **think** I saw a msg that the newest paclink and the PE beta don't play well together but I'm not able to find that msg again.

--
- gil -
Musings and Meanderings at http://captjustice.com (has a link where you can subscribe to scintillating updates!)

"Pain is temporary. It may last a minute, or an hour, or a day, or a year, but eventually it will subside and something else will take its place. If I quit, however, it lasts forever." -- Lance Armstrong

On Tue, Jun 21, 2011 at 11:12 AM, Guilford Jones <captainjustice@...>wrote:

> I double-checked the ports already, and the default port 8000 is specified
> in both. I tried disabling the firewall. Still get the same error. Separate
> msg from George says to look at a Paclink issue.
>
> And I only have the one program running relative to AGW or Paclink. Have
> also reinstalled Paclink recently in case that was a problem but no change
> in symptoms.
>

[Non-text portions of this message have been removed]

1441. Re: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-21 19:15:36 UTC
From: Guilford Jones
Topic: 1435 Message: 1441

Found the old msg referenced below. It is msg # 1397 in pertinent part:

BUT Packet Engine Pro 2011.404 does not seem to work with Paclink version 4.3.0.2

I'm sure the problems is where Windows 7 puts the Packet Engine Pro "ini" files??? Paclink does not seem to find Packet Engine Pro???

That message was never answered and the description of the problem is sparse, but this user may be having the same registration problem that I was.
gil / ka5gil

On Tue, Jun 21, 2011 at 1:18 PM, Guilford Jones <captainjustice@...>wrote:

> More data.
> I can substitute the OLD AGWPE Pro (the 2007 version) .exe and everything
> works.
> Put the June 19 beta in and Paclink will not register it.
> Some sort of incompatibility there? I **think** I saw a msg that the
> newest paclink and the PE beta don't play well together but I'm not able to
> find that msg again.
>

[Non-text portions of this message have been removed]

1442. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-22 06:31:30 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1435 Message: 1442

Hi

Why Paclink needs the ini files of Packet Engine Pro??

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Guilford Jones
> Sent: Tuesday, June 21, 2011 10:16 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] Paclink registration with AGW engine failed
>
>
>
> Found the old msg referenced below. It is msg # 1397 in pertinent part:
>
> BUT Packet Engine Pro 2011.404 does not seem to work with Paclink version
> 4.3.0.2
>
> I'm sure the problems is where Windows 7 puts the Packet Engine Pro "ini"
> files??? Paclink does not seem to find Packet Engine Pro???
>
> That message was never answered and the description of the problem is
> sparse, but this user may be having the same registration problem that I
was.
> gil / ka5gil
>
> On Tue, Jun 21, 2011 at 1:18 PM, Guilford Jones <captainjustice@...
> <mailto:captainjustice%40gmail.com> >wrote:
>
> > More data.
> > I can substitute the OLD AGWPE Pro (the 2007 version) .exe and
> > everything works.
> > Put the June 19 beta in and Paclink will not register it.
> > Some sort of incompatibility there? I **think** I saw a msg that the
> > newest paclink and the PE beta don't play well together but I'm not
> > able to find that msg again.
> >

>
> [Non-text portions of this message have been removed]
>
>
>
>

1443. Re: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-22 14:13:11 UTC
From: Guilford Jones
Topic: 1435 Message: 1443

I don't presume that paclink does need the PE Pro ini files, but was just tossing out that earlier message from someone who supposed that to be a possible problem.

Let me reiterate where I am with this.
First, with my installation using the 2007 version of PE Pro executable and Paclink 4.2.0.0 everything works and works well. For some reason, PE Pro does not "stall" and quit sending as it previously did. Likely due to my total flushing of my installation (explained below).

The failure of paclink to register with PE Pro is when I substitute the beta version of the executable. No other changes are made.

When I say I "flushed" my installation, here is what I did:

1. Deleted paclink
2. Removed PE Pro using the removal option when starting up the pepro_update.zip.
3. Edited the registry to delete every instance of the key "AGWsoft"
4. Did not remove the ../Packet Engine Pro/ directory or its files.
5. Installed PE Pro using the pepro_update.zip. Entered my original key.
6. Installed earlier version of paclink which updated itself to 4.2.0.0

That gave me the 2007 version of the executable. It runs.
Now substitute the June 19 build of the executable (and enter the new key), I get the failure to register.
73

--
- gil -

On Wed, Jun 22, 2011 at 1:31 AM, (SV2AGW)George Rossopoulos <
sv2agw@...> wrote:

> Hi
>
> Why Paclink needs the ini files of Packet Engine Pro??
>
> <snip>
> > Found the old msg referenced below. It is msg # 1397 in pertinent part:
> >
> > BUT Packet Engine Pro 2011.404 does not seem to work with Paclink version
> > 4.3.0.2
> >
> > I'm sure the problems is where Windows 7 puts the Packet Engine Pro "ini"
> > files??? Paclink does not seem to find Packet Engine Pro???
> ><snip>

[Non-text portions of this message have been removed]

1444. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-22 13:50:10 UTC
From: Riley Carruthers
Topic: 1435 Message: 1444

George,

Paclink can either use a TNC or a soundcard as the means to send data.
When we use a soundcard Paclink must call Packet Engine Pro and
therefore needs the location of the ini files.

Best Wishes,

Riley Carruthers

W5RLY

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf Of (SV2AGW)George Rossopoulos
Sent: Wednesday, June 22, 2011 1:32 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed

Hi

Why Paclink needs the ini files of Packet Engine Pro??

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
] On Behalf Of Guilford Jones
> Sent: Tuesday, June 21, 2011 10:16 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: Re: [agwpe_pro] Paclink registration with AGW engine failed
>
>
>
> Found the old msg referenced below. It is msg # 1397 in pertinent
part:
>
> BUT Packet Engine Pro 2011.404 does not seem to work with Paclink
version
> 4.3.0.2

>
> I'm sure the problems is where Windows 7 puts the Packet Engine Pro
"ini"
> files??? Paclink does not seem to find Packet Engine Pro???
>
> That message was never answered and the description of the problem is
> sparse, but this user may be having the same registration problem that
I
was.
> gil / ka5gil
>
> On Tue, Jun 21, 2011 at 1:18 PM, Guilford Jones
<captainjustice@... <mailto:captainjustice%40gmail.com>
> <mailto:captainjustice%40gmail.com> >wrote:
>
> > More data.
> > I can substitute the OLD AGWPE Pro (the 2007 version) .exe and
> > everything works.
> > Put the June 19 beta in and Paclink will not register it.
> > Some sort of incompatibility there? I **think** I saw a msg that the
> > newest paclink and the PE beta don't play well together but I'm not
> > able to find that msg again.
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1382 / Virus Database: 1513/3718 - Release Date: 06/21/11

[Non-text portions of this message have been removed]

1445. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-23 07:50:08 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1435 Message: 1445

Hi Riley

And I am asking again why it needs the location of ini files and not the location of the executable?

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Riley Carruthers
> Sent: Wednesday, June 22, 2011 4:50 PM
> To: agwpe_pro@yahoogroups.com
> Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed
>
>
>
> George,
>
> Paclink can either use a TNC or a soundcard as the means to send data.
> When we use a soundcard Paclink must call Packet Engine Pro and therefore
> needs the location of the ini files.
>
> Best Wishes,
>
> Riley Carruthers
>
> W5RLY
>
> From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of (SV2AGW)George
> Rossopoulos
> Sent: Wednesday, June 22, 2011 1:32 AM
> To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed
>
> Hi

>
> Why Paclink needs the ini files of Packet Engine Pro??
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
>] On Behalf Of Guilford Jones
> > Sent: Tuesday, June 21, 2011 10:16 PM
> > To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: Re: [agwpe_pro] Paclink registration with AGW engine failed
> >
> >
> >
> > Found the old msg referenced below. It is msg # 1397 in pertinent
> part:
> >
> > BUT Packet Engine Pro 2011.404 does not seem to work with Paclink
> version
> > 4.3.0.2
> >
> > I'm sure the problems is where Windows 7 puts the Packet Engine Pro
> "ini"
> > files??? Paclink does not seem to find Packet Engine Pro???
> >
> > That message was never answered and the description of the problem is
> > sparse, but this user may be having the same registration problem that
> I
> was.
> > gil / ka5gil
> >
> > On Tue, Jun 21, 2011 at 1:18 PM, Guilford Jones
> <captainjustice@... <mailto:captainjustice%40gmail.com>
> <mailto:captainjustice%40gmail.com>
> > <mailto:captainjustice%40gmail.com> >wrote:
> >

> > > More data.
> > > I can substitute the OLD AGWPE Pro (the 2007 version) .exe and
> > > everything works.
> > > Put the June 19 beta in and Paclink will not register it.
> > > Some sort of incompatibility there? I **think** I saw a msg that the
> > > newest paclink and the PE beta don't play well together but I'm not
> > > able to find that msg again.
> > >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
>
> ---
>
> No virus found in this message.
> Checked by AVG - www.avg.com
> Version: 10.0.1382 / Virus Database: 1513/3718 - Release Date: 06/21/11
>
> [Non-text portions of this message have been removed]
>
>
>
>

1446. Re: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-23 12:56:32 UTC
From: Guilford Jones
Topic: 1435 Message: 1446

Would that still be true if PE Pro is already running when Paclink starts?
I'm starting PE Pro manually, first. I also tried copying the ini files to
the PE Pro directory and that made no difference.

--
- gil -

On Wed, Jun 22, 2011 at 8:50 AM, Riley Carruthers <
riley.carruthers@...> wrote:

> Paclink can either use a TNC or a soundcard as the means to send data.
> When we use a soundcard Paclink must call Packet Engine Pro and
> therefore needs the location of the ini files.
>

[Non-text portions of this message have been removed]

1447. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-23 14:29:56 UTC
From: Riley Carruthers
Topic: 1435 Message: 1447

George,

I'll put the question on the Winlink group BB.

Best Wishes,

Riley

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf Of (SV2AGW)George Rossopoulos
Sent: Thursday, June 23, 2011 2:50 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed

Hi Riley

And I am asking again why it needs the location of ini files and not the
location of the executable?

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
] On Behalf Of Riley Carruthers
> Sent: Wednesday, June 22, 2011 4:50 PM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed
>
>
>
> George,
>
> Paclink can either use a TNC or a soundcard as the means to send data.
> When we use a soundcard Paclink must call Packet Engine Pro and
therefore
> needs the location of the ini files.
>
> Best Wishes,
>

> Riley Carruthers
>
> W5RLY
>
> From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of (SV2AGW)George
> Rossopoulos
> Sent: Wednesday, June 22, 2011 1:32 AM
> To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed
>
> Hi
>
> Why Paclink needs the ini files of Packet Engine Pro??
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>

> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
<mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
>] On Behalf Of Guilford Jones
> > Sent: Tuesday, June 21, 2011 10:16 PM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: Re: [agwpe_pro] Paclink registration with AGW engine failed
> >
> >
> >
> > Found the old msg referenced below. It is msg # 1397 in pertinent
> part:
> >
> > BUT Packet Engine Pro 2011.404 does not seem to work with Paclink
> version

> > 4.3.0.2
> >
> > I'm sure the problems is where Windows 7 puts the Packet Engine Pro
> "ini"
> > files??? Paclink does not seem to find Packet Engine Pro???
> >
> > That message was never answered and the description of the problem
is
> > sparse, but this user may be having the same registration problem
that
> I
> was.
> > gil / ka5gil
> >
> > On Tue, Jun 21, 2011 at 1:18 PM, Guilford Jones
> <captainjustice@... <mailto:captainjustice%40gmail.com>
<mailto:captainjustice%40gmail.com>
> <mailto:captainjustice%40gmail.com>
> > <mailto:captainjustice%40gmail.com> >wrote:
> >
> > > More data.
> > > I can substitute the OLD AGWPE Pro (the 2007 version) .exe and
> > > everything works.
> > > Put the June 19 beta in and Paclink will not register it.
> > > Some sort of incompatibility there? I **think** I saw a msg that
the
> > > newest paclink and the PE beta don't play well together but I'm
not
> > > able to find that msg again.
> > >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
>
> ---
>
> No virus found in this message.
> Checked by AVG - www.avg.com
> Version: 10.0.1382 / Virus Database: 1513/3718 - Release Date:
06/21/11
>
> [Non-text portions of this message have been removed]
>
>
>
>

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1382 / Virus Database: 1513/3720 - Release Date: 06/22/11

[Non-text portions of this message have been removed]

1448. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-23 16:30:33 UTC
From: dkerns@cruzio.com
Topic: 1435 Message: 1448

PacLink only calls/starts AGWPE if AGWPE isn't already running.

Have you tried starting the Packet Engine first?

73 de Donald
AE6RF

> Hi Riley
>
> And I am asking again why it needs the location of ini files and not the
> location of the executable?
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com
>> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Riley Carruthers
>> Sent: Wednesday, June 22, 2011 4:50 PM
>> To: agwpe_pro@yahoogroups.com
>> Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed
>>
>>
>>
>> George,
>>
>> Paclink can either use a TNC or a soundcard as the means to send data.
>> When we use a soundcard Paclink must call Packet Engine Pro and
>> therefore
>> needs the location of the ini files.
>>
>> Best Wishes,
>>
>> Riley Carruthers
>>
>> W5RLY
>>
>> From: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>

>> [mailto:agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of (SV2AGW)George
>> Rossopoulos
>> Sent: Wednesday, June 22, 2011 1:32 AM
>> To: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>> Subject: RE: [agwpe_pro] Paclink registration with AGW engine failed
>>
>> Hi
>>
>> Why Paclink needs the ini files of Packet Engine Pro??
>>
>> 73
>>
>> (SV2AGW) George Rossopoulos
>> Mysirli 39
>> 54250 Thessaloniki
>> Greece
>> http://www.sv2agw.com
>> http://www.agwtracker.com
>>
>> > -----Original Message-----
>> > From: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>> > <mailto:agwpe_pro%40yahoogroups.com>
>> > [mailto:agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>> > <mailto:agwpe_pro%40yahoogroups.com>
>>] On Behalf Of Guilford Jones
>> > Sent: Tuesday, June 21, 2011 10:16 PM
>> > To: agwpe_pro@yahoogroups.com
>> <mailto:agwpe_pro%40yahoogroups.com>
>> > <mailto:agwpe_pro%40yahoogroups.com>
>> > Subject: Re: [agwpe_pro] Paclink registration with AGW engine failed
>> >
>> >
>> >
>> > Found the old msg referenced below. It is msg # 1397 in pertinent
>> part:
>> >
>> > BUT Packet Engine Pro 2011.404 does not seem to work with Paclink
>> version
>> > 4.3.0.2
>> >
>> > I'm sure the problems is where Windows 7 puts the Packet Engine Pro
>> "ini"
>> > files??? Paclink does not seem to find Packet Engine Pro???
>> >
>> > That message was never answered and the description of the problem is
>> > sparse, but this user may be having the same registration problem that

>> I
>> was.
>> > gil / ka5gil
>> >
>> > On Tue, Jun 21, 2011 at 1:18 PM, Guilford Jones
>> <captainjustice@... <mailto:captainjustice%40gmail.com>
>> <mailto:captainjustice%40gmail.com>
>> > <mailto:captainjustice%40gmail.com> >wrote:
>> >
>> > > More data.
>> > > I can substitute the OLD AGWPE Pro (the 2007 version) .exe and
>> > > everything works.
>> > > Put the June 19 beta in and Paclink will not register it.
>> > > Some sort of incompatibility there? I **think** I saw a msg that the
>> > > newest paclink and the PE beta don't play well together but I'm not
>> > > able to find that msg again.
>> > >
>> >
>> > [Non-text portions of this message have been removed]
>> >
>> >
>> >
>> >
>>
>> ---
>>
>> No virus found in this message.
>> Checked by AVG - www.avg.com
>> Version: 10.0.1382 / Virus Database: 1513/3718 - Release Date: 06/21/11
>>
>> [Non-text portions of this message have been removed]
>>
>>
>>
>>
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

1449. Re: SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7

Yahoo group: agwpe_pro
Date: 2011-06-30 11:26:15 UTC
From: ripmyyellow
Topic: 1416 Message: 1449

Hi,

Just to conclude this topic, I can report that I have fortunately
found a solution to my problem with the SV2AGW driver and Windows 7.
My solution has been to switch to running the JNOS2 application within
the Linux operating system. Seems to work very well and I am pleased
with the results.

Kind regards,

Jason.

--- In agwpe_pro@yahoogroups.com, "ripmyyellow" <ripmyyellow@...> wrote:
>
> Hi Ralph,
>
> Thank you for responding to my question. It is a shame to hear that the tcpip over radio with AGWPE will no longer function after Windows XP. I have enjoyed many hours of using the feature over the years. Your excellent pages on soundcard packet and setting up the tcpip over radio feature have been a great help to me, thank you. I guess I will need to keep Windows XP running for as long as I can.
>
> Kind regards,
>
> Jason
>
> --- In agwpe_pro@yahoogroups.com, "Ralph Milnes" <ralphmilnes@> wrote:
> >
> > Jason,
> >
> > I'm sorry to say there is no solution. TCP/IP over Radio will not work in
> > Vista/Windows 7. There are no drivers for those O.S.s.
> >
> > This was reported by the software author, SV2GW, in the AGWPE Google group.
> > AGWPE and PE Pro are sister programs, so I'm pretty sure if there are no
> > drivers for AGWPE, then there are none for PE Pro.
> >
> > 73,
> >
> > Ralph NM5RM
> >
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> > Of ripmyyellow
> > Sent: Tuesday, May 31, 2011 1:36 AM
> > To: agwpe_pro@yahoogroups.com

> > Subject: [agwpe_pro] SV2AGW TCPIP over radio NDIS driver in VISTA/Windows 7
> >
> > Hello and thank you for your interest in my post. I have attempted to
> > install the SV2AGW TCPIP over radio driver into Windows Vista and also a
> > Windows 7 system without success. I have previously had success with Windows
> > XP. Although the driver appears to install into Vista/Windows 7, on further
> > inspection, I find no reference to it when using the IPCONFIG command in a
> > 'DOS' window. Also the SV2AGW packet engine/Packet Engine Pro program fails
> > to find the driver and reports this on startup. The driver/adapter is
> > however listed within the Device Manager, although it states that it is 'not
> > connected'.
> > I would be very grateful if a kind person could perhaps point me in the
> > direction of a solution to my problem, maybe I have missed something,
> > although I have not found any reference to this matter within this group.
> >
> > Kind regards,
> >
> > Jason
> >
>

1450. RE: [agwpe_pro] Paclink registration with AGW engine failed

Yahoo group: agwpe_pro
Date: 2011-06-23 18:48:36 UTC
From: Riley Carruthers
Topic: 1435 Message: 1450

I guess I agree with George in that the location of the executable
should be sufficient for Paclink. I forwarded the issue to the Winlink
Development group but they prefer TNCs rather than soundcards.

Best Wishes,

Riley W5RLY

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf Of Guilford Jones
Sent: Thursday, June 23, 2011 7:57 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Paclink registration with AGW engine failed

Would that still be true if PE Pro is already running when Paclink
starts?
I'm starting PE Pro manually, first. I also tried copying the ini files
to
the PE Pro directory and that made no difference.

--
- gil -

On Wed, Jun 22, 2011 at 8:50 AM, Riley Carruthers <
riley.carruthers@... <mailto:riley.carruthers%40datavise.net> >
wrote:

> Paclink can either use a TNC or a soundcard as the means to send data.
> When we use a soundcard Paclink must call Packet Engine Pro and
> therefore needs the location of the ini files.
>

[Non-text portions of this message have been removed]

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1382 / Virus Database: 1513/3721 - Release Date: 06/23/11

[Non-text portions of this message have been removed]

1451. Need new code

Yahoo group: agwpe_pro
Date: 2011-07-01 09:07:10 UTC
From: Ronnie
Topic: 1298 Message: 1451

Hi George,

I need a new code for Win7.

GS3DW-SB6P7-WD2N3-XGN6G-4M37H-I8GNP-B6H29-DKQB7-GS5DG-4T5HA-4YWNB-TN2AB

73 de SM7DKF

Ronnie

1452. RE: [agwpe_pro] Need new code

Yahoo group: agwpe_pro
Date: 2011-07-02 06:15:35 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1298 Message: 1452

Hi Ronnie

The serial is
HI3VW-Q36NX-VEANB-VGS8Y-UNTXH-A7G2M-35HW9-V4MT4-GS5VI-4T5HA-4YWNB-TN2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ronnie
> Sent: Friday, July 01, 2011 12:07 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new code
>
>
>
> Hi George,
>
> I need a new code for Win7.
>
> GS3DW-SB6P7-WD2N3-XGN6G-4M37H-I8GNP-B6H29-DKQB7-GS5DG-4T5HA-4YWNB-TN2A
> B
>
> 73 de SM7DKF
>
> Ronnie
>
>
>
>

1453. I need new keycode, please.

Yahoo group: agwpe_pro
Date: 2011-07-02 11:54:48 UTC
From: Guido Tedeschi
Topic: 1298 Message: 1453

Sorry for the bandwidth, but I already wrote two times directly to
George, but no answer...

George,
the key you sent to me on June 2nd, after two weeks elapsed.
Please, send me a new keycode for 2007.514 version, the key is:
G23YI-QJ8H2-8VQN3-UG24Y-6M37H-JXDSP-B7P7Y-DQQDM-NPUGQ-337IA-4YWQJ-YNNAB
Btw, when will be ready a new version of PePro?
Thanks and 73
Guido, ik2bcp

1454. New Keycode Needed

Yahoo group: agwpe_pro
Date: 2011-07-02 14:01:03 UTC
From: Fred
Topic: 1454 Message: 1454

Hi George,

Key to send is:
N7VDS-SB8IN-6DNN3-5GW3Y-4M37G-69VWP-B7HPY-GGQBZ-NN4DI-RB2PI-4DSPM-DNEAB

73,
Fred, K1ACL

1455. RE: [agwpe_pro] I need new keycode, please.

Yahoo group: agwpe_pro
Date: 2011-07-03 15:59:42 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1298 Message: 1455

Hi

The serial is
HS4GI-PB8GS-7VYNB-SG67G-WNTXH-BWD6M-36P3Y-V8MVI-NPUYS-337IA-4YWQJ-YNNAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Guido Tedeschi
> Sent: Saturday, July 02, 2011 2:55 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] I need new keycode, please.
>
>
>
> Sorry for the bandwidth, but I already wrote two times directly to George,
but
> no answer...
>
> George,
> the key you sent to me on June 2nd, after two weeks elapsed.
> Please, send me a new keycode for 2007.514 version, the key is:
> G23YI-QJ8H2-8VQN3-UG24Y-6M37H-JXDSP-B7P7Y-DQQDM-NPUGQ-337IA-4YWQJ-YNNAB
> Btw, when will be ready a new version of PePro?
> Thanks and 73
> Guido, ik2bcp
>
>
>
>

1456. RE: [agwpe_pro] New Keycode Needed

Yahoo group: agwpe_pro
Date: 2011-07-03 16:00:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1454 Message: 1456

Hi Fred

The serial is
PXVVS-Q38HE-5DWNB-3G26G-UNTXG-W8WAM-36HJY-YYMTW-NN4VK-RB2PI-4DSPM-DNEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Fred
> Sent: Saturday, July 02, 2011 5:01 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Keycode Needed
>
>
>
> Hi George,
>
> Key to send is:
> N7VDS-SB8IN-6DNN3-5GW3Y-4M37G-69VWP-B7HPY-GGQBZ-NN4DI-RB2PI-4DSPM-DNEAB
>
> 73,
> Fred, K1ACL
>
>
>
>

1457. Need new Key Code for New Computer

Yahoo group: agwpe_pro
Date: 2011-07-06 04:27:19 UTC
From: David
Topic: 1457 Message: 1457

Finally after 4 years of happy operation it is time to change computers.

The new computer says "key to send:
HN6VI-QT4PS-7D6N5-EHBUV-YM37P-BWDIP-B7HFA-DNQDG-HE4VI-35GHP-WYWQB-TNEAB

THANKS !!!

David Martin, WA7FFM
drmartin@ivie.com

The old registration email was

From: "\(SV2AGW\)George Rossopoulos" <george@...>
To: <drmartin@...>

Subject: Packet Engine Pro Registration
Date: Thu, 11 Oct 2007

Hi David

Thank you for the registration.

Your serial is
H7WVI-Q36GN-6VWND-GG26V-6NTXN-XVG2M-5EH68-WCMVE-GJUGI-P33H2-7G2N3-TGSAB

And the tcpip over radio code is 1195

73

(SV2AGW) George Rossopoulos

1458. Re: [agwpe_pro] I need new keycode, please.

Yahoo group: agwpe_pro
Date: 2011-07-06 05:25:03 UTC
From: Guido Tedeschi
Topic: 1298 Message: 1458

Hi George,
sorry, but it is the same code you sent me on June 2nd and that
already elapsed.
It does not work...
Please advise
73 de Guido, ik2bcp

Il 03/07/2011 17:59, (SV2AGW)George Rossopoulos ha scritto:
>
> Hi
>
> The serial is
> HS4GI-PB8GS-7VYNB-SG67G-WNTXH-BWD6M-36P3Y-V8MVI-NPUYS-337IA-4YWQJ-YNNAB
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > [mailto:agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of Guido Tedeschi
> > Sent: Saturday, July 02, 2011 2:55 PM
> > To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
> > Subject: [agwpe_pro] I need new keycode, please.
> >
> >
> >
> > Sorry for the bandwidth, but I already wrote two times directly to
> George,
> but
> > no answer...
> >
> > George,
> > the key you sent to me on June 2nd, after two weeks elapsed.
> > Please, send me a new keycode for 2007.514 version, the key is:
> > G23YI-QJ8H2-8VQN3-UG24Y-6M37H-JXDSP-B7P7Y-DQQDM-NPUGQ-337IA-4YWQJ-YNNAB
> > Btw, when will be ready a new version of PePro?
> > Thanks and 73
> > Guido, ik2bcp

> >
> >
> >
> >
>
>

[Non-text portions of this message have been removed]

1459. RE: [agwpe_pro] I need new keycode, please.

Yahoo group: agwpe_pro
Date: 2011-07-06 09:09:55 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1298 Message: 1459

Hi

If you run it on Vista or WIN7 do not run un compatibility mode.
Send me the new "Key TO Send"

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Guido Tedeschi
> Sent: Wednesday, July 06, 2011 8:25 AM
> To: agwpe_pro@yahoogroups.com
> Cc: (SV2AGW)George Rossopoulos
> Subject: Re: [agwpe_pro] I need new keycode, please.
>
>
>
> Hi George,
> sorry, but it is the same code you sent me on June 2nd and that already
> elapsed.
> It does not work...
> Please advise
> 73 de Guido, ik2bcp
>
> Il 03/07/2011 17:59, (SV2AGW)George Rossopoulos ha scritto:
> >
> > Hi
> >
> > The serial is
> > HS4GI-PB8GS-7VYNB-SG67G-WNTXH-BWD6M-36P3Y-V8MVI-NPUYS-337IA-
> 4YWQJ-YNNA
> > B
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece

> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > > <mailto:agwpe_pro%40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com
> > > <mailto:agwpe_pro%40yahoogroups.com>
> > <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of Guido Tedeschi
> > > Sent: Saturday, July 02, 2011 2:55 PM
> > > To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > > <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] I need new keycode, please.
> > >
> > >
> > >
> > > Sorry for the bandwidth, but I already wrote two times directly to
> > George,
> > but
> > > no answer...
> > >
> > > George,
> > > the key you sent to me on June 2nd, after two weeks elapsed.
> > > Please, send me a new keycode for 2007.514 version, the key is:
> > > G23YI-QJ8H2-8VQN3-UG24Y-6M37H-JXDSP-B7P7Y-DQQDM-NPUGQ-
> 337IA-4YWQJ-YN
> > > NAB Btw, when will be ready a new version of PePro?
> > > Thanks and 73
> > > Guido, ik2bcp
> > >
> > >
> > >
> > >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>

1460. RE: [agwpe_pro] Need new Key Code for New Computer

Yahoo group: agwpe_pro
Date: 2011-07-06 09:10:22 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1457 Message: 1460

Hi David

The serial is
IE7DI-PJ4NI-6EEND-CHFXD-QNTXN-3VDWM-36HBA-V6MVD-HE5DK-35GHP-WYWQB-TNEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of David
> Sent: Wednesday, July 06, 2011 7:27 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new Key Code for New Computer
>
>
>
> Finally after 4 years of happy operation it is time to change computers.
>
> The new computer says "key to send:
> HN6VI-QT4PS-7D6N5-EHBUV-YM37P-BWDIP-B7HFA-DNQDG-HE4VI-35GHP-WYWQB-TNEAB
>
> THANKS !!!
>
> David Martin, WA7FFM
> drmartin@... <mailto:drmartin%40ivie.com>
>
> ----------
>
> The old registration email was
>
> From: "\(SV2AGW\)George Rossopoulos" <george@...
> <mailto:george%40elcom.gr> >
> To: <drmartin@... <mailto:drmartin%40ivie.com> >
>
> Subject: Packet Engine Pro Registration
> Date: Thu, 11 Oct 2007
>
> Hi David
>

> Thank you for the registration.
>
> Your serial is
> H7WVI-Q36GN-6VWND-GG26V-6NTXN-XVG2M-5EH68-WCMVE-GJUGI-
> P33H2-7G2N3-TGSAB
>
> And the tcpip over radio code is 1195
>
> 73
>
> (SV2AGW) George Rossopoulos
>
>
>
>

1461. I am moving my packet enging pro to a different computer. Need new Key, please !

Yahoo group: agwpe_pro
Date: 2011-07-06 18:55:30 UTC
From: kb6bt
Topic: 1461 Message: 1461

Hi George, I really would appreciate a new key ...my trial period on this computer has expired..I bought my license on 2/21/10
The key to send says "
G23VS-RB7H2-7VNN5-FNPSW-EM37H-29DGP-B6H28-YGQDJ-NXVDI-QJYH6-8D8PT-YG6AB "
Thank you, 73 Walter

first message June 14, 2011 re new key needed

1462. Re: [agwpe_pro] I need new keycode, please.

Yahoo group: agwpe_pro
Date: 2011-07-06 21:23:06 UTC
From: Guido Tedeschi
Topic: 1298 Message: 1462

Disabling compatibility mode make it working on W7!
Thanks and 73
Guido, ik2bcp

Il 06/07/2011 11:09, (SV2AGW)George Rossopoulos ha scritto:
>
> Hi
>
> If you run it on Vista or WIN7 do not run un compatibility mode.
>

[Non-text portions of this message have been removed]

1463. Sound Card Packet Page Has Moved

Yahoo group: agwpe_pro
Date: 2011-07-08 17:57:05 UTC
From: Ralph Milnes
Topic: 1463 Message: 1463

The Sound Card Packet pages formerly at www.kc2rlm.info/soundcardpacket have moved to a new host with a new URL.

The new URL is www.soundcardpacket.org

As you can see, the URL is much shorter, easier to remember, and no longer part of my personal page.

This website provides information about using the AGWPE program to provide packet connectivity via your computer sound card instead of a separate TNC (although AGWPE can also act as a TNC manager). Many packet programs , including APRS clients, WinLink, WInPack, and UISS, can link to AGWPE -- and by using virtual serial ports, many other packet programs may also be able to link to AGWPE.

Although the site does not provide direct support for PE Pro, there may be information of value to PE Pro users, since the two programs are similar in nature.

The new site host and domain name is owned by the AGWPE author, George Rossopoulos SV2AGW, although I will continue to maintain the pages for George for the foreseeable future.

If you have links to the old URL on any of your web pages, you may want to update them.

Also, please let me know if you detect any hyperlink errors on pages at the new site.

73

[Non-text portions of this message have been removed]

1464. Men Are Just Happier People

Yahoo group: agwpe_pro
Date: 2011-07-11 12:01:30 UTC
From: doyle
Topic: 1464 Message: 1464

Men Are Just Happier People

NICKNAMES

· If Laura, Kate and Sarah go out for lunch, they will call each other Laura, Kate and Sarah.

· If Mike, Dave and John go out, they will affectionately refer to each other as Fat Boy, Dickhead and Shit for Brains.

EATING OUT

· When the bill arrives, Mike, Dave and John will each throw in $20, even though it's only for $32.50. None of them will have anything smaller and none will actually admit they want change back.

· When the girls get their bill, out come the pocket calculators.

MONEY

· A man will pay $2 for a $1 item he needs.

· A woman will pay $1 for a $2 item that she doesn't need but it's on sale.

BATHROOMS

· A man has six items in his bathroom: toothbrush and toothpaste, shaving cream, razor, a bar of soap, and a towel.

· The average number of items in the typical woman's bathroom is 337. A man would not be able to identify more than 20 of these items.

ARGUMENTS

· A woman has the last word in any argument.

· Anything a man says after that is the beginning of a new argument.

FUTURE

· A woman worries about the future until she gets a husband.

· A man never worries about the future until he gets a wife.

SUCCESS

· A successful man is one who makes more money than his wife can spend.

· A successful woman is one who can find such a man.

MARRIAGE

· A woman marries a man expecting he will change, but he doesn't.

· A man marries a woman expecting that she won't change, but she does.

DRESSING UP

· A woman will dress up to go shopping, water the plants, empty the trash, answer the phone, read a book, and get the mail.

· A man will dress up for weddings and funerals.

NATURAL

· Men wake up as good-looking as they went to bed.

· Women somehow deteriorate during the night.

OFFSPRING

· Ah, children. A woman knows all about her children. She knows about dentist appointments and romances, best friends, favorite foods, secret fears and hopes and dreams.

· A man is vaguely aware of some short people living in the house.

THOUGHT FOR THE DAY

A married man should forget his mistakes. There's no use in two people remembering the same thing!

SO, send this to the women who have a sense of humor and who can handle it .....and to the men who will enjoy reading it.

[Non-text portions of this message have been removed]

1465. Re: [agwpe_pro] Men Are Just Happier People

Yahoo group: agwpe_pro
Date: 2011-07-11 14:00:09 UTC
From: Joe
Topic: 1464 Message: 1465

I would bet this was a mis-end, right Doyle? It IS funny, but...this group seems mighty uptight for this one. LOL.

----- Original Message -----
From: "doyle" <wb7oxj@...>
Subject: [agwpe_pro] Men Are Just Happier People

Men Are Just Happier People

1466. RE: [agwpe_pro] I am moving my packet enging pro to a different computer. Need new Key, please !

Yahoo group: agwpe_pro
Date: 2011-07-12 08:25:10 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1461 Message: 1466

Hi

The serial is
HS4DS-P37GS-6VWND-DNTVD-6NTXH-S8DUM-35HW9-GYMVG-NXVVK-QJYH6-8D8PT-YG6AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kb6bt
> Sent: Wednesday, July 06, 2011 9:56 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] I am moving my packet enging pro to a different
> computer. Need new Key, please !
>
>
>
> Hi George, I really would appreciate a new key ...my trial period on this
> computer has expired..I bought my license on 2/21/10 The key to send says
"
> G23VS-RB7H2-7VNN5-FNPSW-EM37H-29DGP-B6H28-YGQDJ-NXVDI-QJYH6-8D8PT-YG6AB "
> Thank you, 73 Walter
>
> first message June 14, 2011 re new key needed
>
>
>
>

1467. Re: [agwpe_pro] Men Are Just Happier People

Yahoo group: agwpe_pro
Date: 2011-07-15 13:01:34 UTC
From: doyle
Topic: 1464 Message: 1467

Joe, sorry..Spam.. have fixed the problem, I hope
doyle..wb7oxj

From: Joe
Sent: Monday, July 11, 2011 7:00 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Men Are Just Happier People

I would bet this was a mis-end, right Doyle? It IS funny, but...this group
seems mighty uptight for this one. LOL.

----- Original Message -----
From: "doyle" <mailto:wb7oxj%40msn.com>
Subject: [agwpe_pro] Men Are Just Happier People

Men Are Just Happier People

[Non-text portions of this message have been removed]

1468. Need new KeyCode

Yahoo group: agwpe_pro
Date: 2011-07-25 03:57:54 UTC
From: drwoolweaver
Topic: 1468 Message: 1468

George:

Hard drive died. Re loaded program, but need Registration KeyCode.

Key to send:

NW7DK-4B5PW-4VUN3-WG22W-CM37P-PXDUP-DFHI6-YKQBY-HN3DK-PJ6HP-WD4N5-DGNAB

Thank you for your good work and excellent programs.

David

1469. New Key Code

Yahoo group: agwpe_pro
Date: 2011-07-25 15:48:34 UTC
From: wholmesjr
Topic: 1431 Message: 1469

Move to a new computer

N5PHR
William Holmes Jr
Email: wholmesjr@...m
Phone: 903.693.2471

Key to Send: N24GK-436IA-7YNN5-EHI5G-8M37H-29GNP-DGPS8-YEQDK-N24VQ-RBYHT-WYWNT-3N2AB

Thanks George, Best 73's from a very hot East Texas. Hope you and family are doing fine.

1470. RE: [agwpe_pro] New Key Code

Yahoo group: agwpe_pro
Date: 2011-07-27 06:12:17 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1431 Message: 1470

Hi

The serial is

PS4YK-3T6G2-6YWND-CHN7Y-YNTXH-S8G2M-5FPN9-GWMVH-N25DS-RBYHT-WYWNT-3N2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of wholmesjr
> Sent: Monday, July 25, 2011 6:49 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Key Code
>
>
>
> Move to a new computer
>
> N5PHR
> William Holmes Jr
> Email: wholmesjr@... <mailto:wholmesjr%40hotmail.com>
> Phone: 903.693.2471
>
> Key to Send:

N24GK-436IA-7YNN5-EHI5G-8M37H-29GNP-DGPS8-YEQDK-N24VQ-RBYHT-WYWNT-3N2AB
>
> Thanks George, Best 73's from a very hot East Texas. Hope you and family
are
> doing fine.
>
>
>
>

1471. Need new Code

Yahoo group: agwpe_pro
Date: 2011-08-01 03:16:53 UTC
From: KaroR
Topic: 1471 Message: 1471

Sorry to be a pest but I had to change drives and couldn't get information off old drive so I need a new code.
Key to send HI6VS-Q5MPX-WYQN3-UG24G-2M37G-XVYUP-B7H3Z-DSQDJ-GJWDQ-PMHPW-7WA2M-CGNAB

Thanks again W5KRO

W5KRO@...

1472. RE: [agwpe_pro] Need new Code

Yahoo group: agwpe_pro
Date: 2011-08-02 06:05:04 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1471 Message: 1472

Hi

The serial is
IA7DS-PVMNP-VYYNB-SG66Y-SNTXG-PUY8M-36HXZ-WAMVG-GJWVS-PMHPW-7WA2M-CGNAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of KaroR
> Sent: Monday, August 01, 2011 6:17 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Need new Code
>
>
>
>
> Sorry to be a pest but I had to change drives and couldn't get information
off
> old drive so I need a new code.
> Key to send
HI6VS-Q5MPX-WYQN3-UG24G-2M37G-XVYUP-B7H3Z-DSQDJ-GJWDQ-PMHPW-7WA2M-CGNAB
>
> Thanks again W5KRO
>
> W5KRO@... <mailto:W5KRO%40ymail.com>
>
>
>
>

1473. need new key

Yahoo group: agwpe_pro
Date: 2011-08-04 03:50:37 UTC
From: n3hu
Topic: 572 Message: 1473

Hi,

Picked up a nice used laptop for $50 (amazing). Need a new
key for it. Key to send

PBUYI-QT8PW-8YQN3-3NTUD-6M37G-W9GQP-DGPI6-VQQB8-N26VS-QTYPE-7YY2T-ZHEAB

73
rob
n3hu

1474. New Keycode Needed

Yahoo group: agwpe_pro
Date: 2011-08-07 03:08:43 UTC
From: Fred
Topic: 1454 Message: 1474

Hi George,

Reloading computer; key to send;
HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB

73,
Fred, K1ACL

1475. RE: [agwpe_pro] need new key

Yahoo group: agwpe_pro
Date: 2011-08-07 14:35:41 UTC
From: (SV2AGW)George Rossopoulos
Topic: 572 Message: 1475

Hi rob

The serial is
P3VGI-PJ8NN-7YYNB-ZNXWV-WNTXG-N8G4M-5FPE7-D8MT5-N27DU-QTYPE-7YY2T-ZHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n3hu
> Sent: Thursday, August 04, 2011 6:51 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] need new key
>
>
>
> Hi,
>
> Picked up a nice used laptop for $50 (amazing). Need a new key for it. Key
to
> send
>
> PBUYI-QT8PW-8YQN3-3NTUD-6M37G-W9GQP-DGPI6-VQQB8-N26VS-QTYPE-7YY2T-ZHEAB
>
> 73
> rob
> n3hu
>
>
>
>

1476. RE: [agwpe_pro] New Keycode Needed

Yahoo group: agwpe_pro
Date: 2011-08-07 14:36:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1454 Message: 1476

Hi Fred

The serial is
H65DU-QT7G3-VG8ND-GHI7D-2NTXH-FUVYM-36PE9-VUMT4-G26VK-QBXHS-4D2PD-GHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Fred
> Sent: Sunday, August 07, 2011 6:09 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Keycode Needed
>
>
>
> Hi George,
>
> Reloading computer; key to send;
> HE4VU-R37IB-WGYN5-IHE4W-AM37H-PVVKP-B7PI9-DCQB7-G26DI-QBXHS-4D2PD-GHEAB
>
> 73,
> Fred, K1ACL
>
>
>
>

1477. Using Packet Engine Pro with the Flex radio 5000

Yahoo group: agwpe_pro
Date: 2011-08-07 15:22:57 UTC
From: RiverRat
Topic: 1477 Message: 1477

I got receive up and running. I am trying to figure out how to key the radio via software virtual comm port. Anyone use SDR for VHF packet radio before?

Dave

1478. Re: need new key

Yahoo group: agwpe_pro
Date: 2011-08-07 17:26:55 UTC
From: n3hu
Topic: 572 Message: 1478

Hi George,

Dunno what happened. Key to send is different now.
I've got:

G66YN-QUAHN-5VUN3-VG22V-8M37N-68GSP-DFP7X-VUQBX-GW3VW-4MMHX-WYYN3-XG2AB

Would you please send a new key at your convenience

tia
73
rob
n3hu

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi rob
>
> The serial is
> P3VGI-PJ8NN-7YYNB-ZNXWV-WNTXG-N8G4M-5FPE7-D8MT5-N27DU-QTYPE-7YY2T-ZHEAB
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
> > [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n3hu
> > Sent: Thursday, August 04, 2011 6:51 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] need new key
> >
> >
> >
> > Hi,
> >
> > Picked up a nice used laptop for $50 (amazing). Need a new key for it. Key
> to
> > send

> >
> > PBUYI-QT8PW-8YQN3-3NTUD-6M37G-W9GQP-DGPI6-VQQB8-N26VS-QTYPE-7YY2T-ZHEAB
> >
> > 73
> > rob
> > n3hu
> >
> >
> >
> >
>

1479. RE: [agwpe_pro] Re: need new key

Yahoo group: agwpe_pro
Date: 2011-08-09 07:52:33 UTC
From: (SV2AGW)George Rossopoulos
Topic: 572 Message: 1479

Hi Rob

Do not run in Compatibility mode!!!!

The serial is
HW7GN-PKAGE-4V4NB-TG65D-YNTXN-W7G6M-5EP3Y-ECMTU-GW4DY-4MMHX-WYYN3-XG2AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n3hu
> Sent: Sunday, August 07, 2011 8:27 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: need new key
>
>
>
> Hi George,
>
> Dunno what happened. Key to send is different now.
> I've got:
>
> G66YN-QUAHN-5VUN3-VG22V-8M37N-68GSP-DFP7X-VUQBX-GW3VW-4MMHX-WYYN3-XG2AB
>
> Would you please send a new key at your convenience
>
> tia
> 73
> rob
> n3hu
>
> --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "\(SV2AGW\)George
> Rossopoulos" <sv2agw@...> wrote:
> >
> > Hi rob
> >
> > The serial is

> > P3VGI-PJ8NN-7YYNB-ZNXWV-WNTXG-N8G4M-5FPE7-D8MT5-N27DU-
> QTYPE-7YY2T-ZHEA
> > B
> >
> > 73
> >
> >
> > (SV2AGW) George Rossopoulos
> > Mysirli 39
> > 54250 Thessaloniki
> > Greece
> > http://www.sv2agw.com
> > http://www.agwtracker.com
> >
> >
> > > -----Original Message-----
> > > From: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > > [mailto:agwpe_pro@yahoogroups.com
> > > <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of n3hu
> > > Sent: Thursday, August 04, 2011 6:51 AM
> > > To: agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com>
> > > Subject: [agwpe_pro] need new key
> > >
> > >
> > >
> > > Hi,
> > >
> > > Picked up a nice used laptop for $50 (amazing). Need a new key for
> > > it. Key
> > to
> > > send
> > >
> > > PBUYI-QT8PW-8YQN3-3NTUD-6M37G-W9GQP-DGPI6-VQQB8-N26VS-
> QTYPE-7YY2T-ZH
> > > EAB
> > >
> > > 73
> > > rob
> > > n3hu
> > >
> > >
> > >
> > >
> >
>
>
>
>

1480. Re: need new key

Yahoo group: agwpe_pro
Date: 2011-08-09 20:01:51 UTC
From: n3hu
Topic: 572 Message: 1480

thanks George. That got it. Dunno what the problem was. I'm running
XP so no compatibility code. (I suspect a conspiracy!)

73
rob
n3hu

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Rob
>
> Do not run in Compatibility mode!!!!
>
> The serial is
> HW7GN-PKAGE-4V4NB-TG65D-YNTXN-W7G6M-5EP3Y-ECMTU-GW4DY-4MMHX-WYYN3-XG2AB
>
> 73
>
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
> > [mailto:agwpe_pro@yahoogroups.com] On Behalf Of n3hu
> > Sent: Sunday, August 07, 2011 8:27 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: need new key
> >
> >
> >
> > Hi George,
> >
> > Dunno what happened. Key to send is different now.
> > I've got:
> >
> > G66YN-QUAHN-5VUN3-VG22V-8M37N-68GSP-DFP7X-VUQBX-GW3VW-4MMHX-WYYN3-XG2AB
> >
> > Would you please send a new key at your convenience
> >
> > tia

> > 73
> > rob
> > n3hu
> >
> > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "\(SV2AGW\)George
> > Rossopoulos" <sv2agw@> wrote:
> > >
> > > Hi rob
> > >
> > > The serial is
> > > P3VGI-PJ8NN-7YYNB-ZNXWV-WNTXG-N8G4M-5FPE7-D8MT5-N27DU-
> > QTYPE-7YY2T-ZHEA
> > > B
> > >
> > > 73
> > >
> > >
> > > (SV2AGW) George Rossopoulos
> > > Mysirli 39
> > > 54250 Thessaloniki
> > > Greece
> > > http://www.sv2agw.com
> > > http://www.agwtracker.com
> > >
> > >
> > > > -----Original Message-----
> > > > From: agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com>
> > > > [mailto:agwpe_pro@yahoogroups.com
> > > > <mailto:agwpe_pro%40yahoogroups.com>] On Behalf Of n3hu
> > > > Sent: Thursday, August 04, 2011 6:51 AM
> > > > To: agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com>
> > > > Subject: [agwpe_pro] need new key
> > > >
> > > >
> > > >
> > > > Hi,
> > > >
> > > > Picked up a nice used laptop for $50 (amazing). Need a new key for
> > > > it. Key
> > > to
> > > > send
> > > >
> > > > PBUYI-QT8PW-8YQN3-3NTUD-6M37G-W9GQP-DGPI6-VQQB8-N26VS-
> > QTYPE-7YY2T-ZH
> > > > EAB
> > > >
> > > > 73

> > > > rob
> > > > n3hu
> > > >
> > > >
> > > >
> > > >
> > >
> >
> >
> >
> >
>

1481. Tcpip needs code

Yahoo group: agwpe_pro
Date: 2011-08-10 12:58:12 UTC
From: Karo Robinson
Topic: 1481 Message: 1481

Sorry, George but ever since the new install of AGWPE Pro I get a message that says tcpip needs registration please register I dont know if I need to send any more info for a code but my name is Dane Robinson "W5KRO" as always thanks and I love your program it runs here 24/7 .

W5KRO Dane Robinson

[Non-text portions of this message have been removed]

1482. New Keycode Needed

Yahoo group: agwpe_pro
Date: 2011-08-11 02:28:25 UTC
From: Fred
Topic: 1454 Message: 1482

Hi George,

Key to send is:
GN3GK-R5QQE-8V4N3-WG63V-UM37H-I6DIP-B7H69-VEQB6-PA3VS-P38HT-WD42J-SHEAB

I suspect I put in the wrong keycode a while back when I requested two of them at the same time.

73,
Fred K1ACL

1483. tcpip needs code

Yahoo group: agwpe_pro
Date: 2011-08-12 14:09:29 UTC
From: Karo Robinson
Topic: 1483 Message: 1483

Please disregard. Sorry to have bothered you I found an old email from you. And all is well as always thanks again
W5KRO Dane Robinson

[Non-text portions of this message have been removed]

1484. RE: [agwpe_pro] New Keycode Needed

Yahoo group: agwpe_pro
Date: 2011-08-14 13:59:29 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1454 Message: 1484

Hi Fred

The serial is
HE3YK-QVQN6-7WCNB-UHA6D-KNTXH-A5DWM-36H3A-DWMT3-PA4DU-P38HT-WD42J-SHEAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Fred
> Sent: Thursday, August 11, 2011 5:28 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Keycode Needed
>
>
>
> Hi George,
>
> Key to send is:
> GN3GK-R5QQE-8V4N3-WG63V-UM37H-I6DIP-B7H69-VEQB6-PA3VS-P38HT-WD42J-SHEAB
>
> I suspect I put in the wrong keycode a while back when I requested two of
> them at the same time.
>
> 73,
> Fred K1ACL
>
>
>
>

1485. Need a new key please

Yahoo group: agwpe_pro
Date: 2011-08-18 01:59:39 UTC
From: k7fed
Topic: 1485 Message: 1485

The I-GATE computer died and now I need a new key to get this back online again please.

N65VW-4T7HS-5VSN3-5NW5V-WM37G-7VYIP-B6PJY-DEQB8-PA5VW-3VHHW-5V22V-GGAAB

Thanks in advance,

Andy Hansis
K7FED

1486. AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-18 19:54:31 UTC
From: jdami123
Topic: 1486 Message: 1486

Recently purchased AGWPE Pro 7 beta for $49, expecting it would work with PacLink as had all previous versions.

Wrong!

This new version has a great new UI for Win7 and it clearly provides the best ease of use and readability of the monitor screen... it's a wonderful advancement in the series that decodes packet streams better than anything else I have found... except it won't work for me with PacLink for audio TNCs!

Apparently this has to do with Pro 7 placing .ini (and possibly other) files in a location different from where the .exe file is installed, and clearly different from where these files were installed by all previous versions that worked just fine with PacLink.

When I discussed this with the author he immediately pointed to PacLink as the rogue element here, and showed not the slightest inclination to place all the critical files back where they worked perfectly before. (If something works, why break it?) He even described PacLink programmers as using 'unorthodox' programming techniques and indicated quite strongly it was up to them to fix this bug in *their* software in response to his new design.

I'm guessing this new PEPro7 file structure is for added protection against bootlegging... but as I suggested to the author, wouldn't it be better to support a mainstream co-app that would increase your market sector, rather than force people to use the free (but not as user friendly) version? (Where is the Simon Brown approach to supporting users when we need it? Ha ha)

In the course of our discussion, the author suggested several mods to using PacLink, (such as, installing the .exe file in the new directory with the .ini files) but unfortunately for me, none of these worked.

So has anyone else found their own workaround for the 'Failed to Register bug' in AGWPE Pro 7, please?

Or, apart from that, is there a viable alternative to PacLink that AGWPE Pro 7 will still play nice with>

Thanks!

-rb-

1487. Issues with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-18 20:22:53 UTC
From: jdami123
Topic: 1487 Message: 1487

Ok, so I now understand from reading elsewhere that PacLink is not up to date for Win7 and that AGWPE Pro7 meets these new Win7 security requirements and that PacLink does not interface well with programs that do.

AGWPro7 is a wonderful program, no question... so, then what is the alternative to PacLink?

I just want to send EmComm email via WinLink using Thunderbird.

Thanks!

-rb-

1488. Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-18 22:14:31 UTC
From: jdami123
Topic: 1486 Message: 1488

...and the author was right! I was not up to date on Win7 security requirements and how they created this incompatibility for programs like PacLink that have yet to be brought up to speed!

--- In agwpe_pro@yahoogroups.com, "jdami123" <jdami123@...> wrote:
>
> When I discussed this with the author he immediately pointed to PacLink as the rogue element here, and showed not the slightest inclination to place all the critical files back where they worked perfectly before. (If something works, why break it?) He even described PacLink programmers as using 'unorthodox' programming techniques and indicated quite strongly it was up to them to fix this bug in *their* software in response to his new design.
>

1489. Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-19 18:30:55 UTC
From: kc5fgk@rocketmail.com
Topic: 1486 Message: 1489

You might try installing in a Programs folder in your user profile. That's where the users in the Softrock group have advised for installing their programs.

--- In agwpe_pro@yahoogroups.com, "jdami123" <jdami123@...> wrote:
>
> ...and the author was right! I was not up to date on Win7 security requirements and how they created this incompatibility for programs like PacLink that have yet to be brought up to speed!
>
> --- In agwpe_pro@yahoogroups.com, "jdami123" <jdami123@> wrote:
> >
> > When I discussed this with the author he immediately pointed to PacLink as the rogue element here, and showed not the slightest inclination to place all the critical files back where they worked perfectly before. (If something works, why break it?) He even described PacLink programmers as using 'unorthodox' programming techniques and indicated quite strongly it was up to them to fix this bug in *their* software in response to his new design.
> >
>

1490. Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-20 19:32:50 UTC
From: jdami123
Topic: 1486 Message: 1490

Thank you,

George had suggested that too, but I had already tried it and, for me, it didn't eliminate the 'failed to register' popup.

I installed it in the same directory where the .ini files are found (.../user/my documents/...).

I even tried copying the .ini files back to the original place PacLink was installed. That worked, but, the .ini files are updated every time PE Pro7 is launched... so you loose that dynamic connection.

Hmmm... wondering what would happen if I stored *shortcuts* to the .ini files in the PacLink directory? (new Win7 user, here... LOL!)

-rb-

--- In agwpe_pro@yahoogroups.com, "kc5fgk@..." <kc5fgk@...> wrote:
>
> You might try installing in a Programs folder in your user profile. That's where the users in the Softrock group have advised for installing their programs.
>
> --- In agwpe_pro@yahoogroups.com, "jdami123" <jdami123@> wrote:
> >
> > ...and the author was right! I was not up to date on Win7 security requirements and how they created this incompatibility for programs like PacLink that have yet to be brought up to speed!
> >
> > --- In agwpe_pro@yahoogroups.com, "jdami123" <jdami123@> wrote:
> > >
> > > When I discussed this with the author he immediately pointed to PacLink as the rogue element here, and showed not the slightest inclination to place all the critical files back where they worked perfectly before. (If something works, why break it?) He even described PacLink programmers as using 'unorthodox' programming techniques and indicated quite strongly it was up to them to fix this bug in *their* software in response to his new design.
> > >
> >
>

1491. RE: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-20 22:29:05 UTC
From: peter belbin
Topic: 1486 Message: 1491

With windows 7, it should be possible by creating a 'link' such that the same file is accessed from two different locations/file names.

Sounds like this might solve the issue until the paclink side gets updated.

http://technet.microsoft.com/en-us/sysinternals/bb896768

It's worth a try.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jdami123
Sent: Saturday, August 20, 2011 2:33 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink

Thank you,

George had suggested that too, but I had already tried it and, for me, it didn't eliminate the 'failed to register' popup.

I installed it in the same directory where the .ini files are found (.../user/my documents/...).

I even tried copying the .ini files back to the original place PacLink was installed. That worked, but, the .ini files are updated every time PE Pro7 is launched... so you loose that dynamic connection.

Hmmm... wondering what would happen if I stored *shortcuts* to the .ini files in the PacLink directory? (new Win7 user, here... LOL!)

-rb-

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , "kc5fgk@..." <kc5fgk@...> wrote:
>
> You might try installing in a Programs folder in your user profile. That's where the users in the Softrock group have advised for installing their programs.
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> >
> > ...and the author was right! I was not up to date on Win7 security requirements and how they created this incompatibility for programs like PacLink that have yet to be brought up to speed!
> >
> > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:

> > >
> > > When I discussed this with the author he immediately pointed to PacLink as the rogue element here, and showed not the slightest inclination to place all the critical files back where they worked perfectly before. (If something works, why break it?) He even described PacLink programmers as using 'unorthodox' programming techniques and indicated quite strongly it was up to them to fix this bug in *their* software in response to his new design.
> > >
> >
>

[Non-text portions of this message have been removed]

1492. RE: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-22 09:56:35 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1486 Message: 1492

Hi rb

What the folks at Paclink said about this problem?

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jdami123
> Sent: Saturday, August 20, 2011 10:33 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink
>
>
>
> Thank you,
>
> George had suggested that too, but I had already tried it and, for me, it
didn't
> eliminate the 'failed to register' popup.
>
> I installed it in the same directory where the .ini files are found
(.../user/my
> documents/...).
>
> I even tried copying the .ini files back to the original place PacLink was
> installed. That worked, but, the .ini files are updated every time PE Pro7
is
> launched... so you loose that dynamic connection.
>
> Hmmm... wondering what would happen if I stored *shortcuts* to the .ini
files
> in the PacLink directory? (new Win7 user, here... LOL!)
>
> -rb-
>
> --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "kc5fgk@..." <kc5fgk@...> wrote:
> >

> > You might try installing in a Programs folder in your user profile.
That's
> where the users in the Softrock group have advised for installing their
> programs.
> >
> > --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> > >
> > > ...and the author was right! I was not up to date on Win7 security
> requirements and how they created this incompatibility for programs like
> PacLink that have yet to be brought up to speed!
> > >
> > > --- In agwpe_pro@yahoogroups.com
> <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> > > >
> > > > When I discussed this with the author he immediately pointed to
PacLink
> as the rogue element here, and showed not the slightest inclination to
place
> all the critical files back where they worked perfectly before. (If
something
> works, why break it?) He even described PacLink programmers as using
> 'unorthodox' programming techniques and indicated quite strongly it was up
> to them to fix this bug in *their* software in response to his new design.
> > > >
> > >
> >
>
>
>
>

1493. New key code needed

Yahoo group: agwpe_pro
Date: 2011-08-23 09:15:21 UTC
From: Carl F4CWH
Topic: 1493 Message: 1493

Hi George,

Please, I need a new key code for my new radio dedicated desktop.

Key to Send is :
HI6VI-QB8II-7GWN3-VG3TY-8M37P-N6VGP-B6PI7-VCQDM-G7VDW-RMHPT-VWAPT-SNNAB

Thank you.

73, Carl

1494. RE: [agwpe_pro] New key code needed

Yahoo group: agwpe_pro
Date: 2011-08-23 23:53:58 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1493 Message: 1494

Hi Carl

The serial is
IA7DI-N38HA-6G6NB-TG7WG-YNTXP-E5VUM-35PE8-DUMVI-G7VVY-RMHPT-VWAPT-SNNAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Carl F4CWH
> Sent: Tuesday, August 23, 2011 12:15 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New key code needed
>
>
>
> Hi George,
>
> Please, I need a new key code for my new radio dedicated desktop.
>
> Key to Send is :
> HI6VI-QB8II-7GWN3-VG3TY-8M37P-N6VGP-B6PI7-VCQDM-G7VDW-RMHPT-VWAPT-SNNAB
>
> Thank you.
>
> 73, Carl
>
>
>

1495. Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-23 20:14:38 UTC
From: jdami123
Topic: 1486 Message: 1495

Ha ha, George... they refuse even to validate it... let alone have any plans address it.... :)

One guy even asked "why are you using AGWPE?"

From what I can gather all these guys must own stock in TNC manufacturing companys (just kidding!).

Seriously, though, I'm certainly not in any position to criticize the 'hardware' approach they seem to be advocating rather strongly as a more reliable approach.

But my beginners rationale for eliminating the hardware TNC is best outlined by a recent post in that group:

We're currently using a Sennheiser audio-to-USB adapter for audio in and audio out, and using VOX for the PTT function. So, these three functions consume only one (USB) port on the laptop and this eliminates the additional piece of hardware (TNC).

The concept seems to work great in the 'lab'. We only need to figure out the audio mixer and radio settings one time (to provide adequate levels to decode the incoming signal while not over driving the outgoing signal).

Once those settings are known for this particular (very small, USB powered) external adapter, we're guessing they should be the same for any of the various Win7 laptops we may end up deploying.

Our assumption here is that while the Radios will be a uniform one time acquisition, the PC's likely will be replaced at random over the short term with the only commonality being a Win7 operating system.

So, this structure is what drives our need for AGWPE / PacLink or something similar...

Again, we are very low down on the learning curve here, so our assumptions clearly will require more validation in the lab and later in the field.

-rb-

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi rb
>
> What the folks at Paclink said about this problem?
>
> 73
>
> (SV2AGW) George Rossopoulos

> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
> > [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jdami123
> > Sent: Saturday, August 20, 2011 10:33 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink
> >
> >
> >
> > Thank you,
> >
> > George had suggested that too, but I had already tried it and, for me, it
> didn't
> > eliminate the 'failed to register' popup.
> >
> > I installed it in the same directory where the .ini files are found
> (.../user/my
> > documents/...).
> >
> > I even tried copying the .ini files back to the original place PacLink was
> > installed. That worked, but, the .ini files are updated every time PE Pro7
> is
> > launched... so you loose that dynamic connection.
> >
> > Hmmm... wondering what would happen if I stored *shortcuts* to the .ini
> files
> > in the PacLink directory? (new Win7 user, here... LOL!)
> >
> > -rb-
> >
> > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "kc5fgk@" <kc5fgk@> wrote:
> > >
> > > You might try installing in a Programs folder in your user profile.
> That's
> > where the users in the Softrock group have advised for installing their
> > programs.
> > >
> > > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> > > >
> > > > ...and the author was right! I was not up to date on Win7 security
> > requirements and how they created this incompatibility for programs like

> > PacLink that have yet to be brought up to speed!
> > > >
> > > > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> > > > >
> > > > > When I discussed this with the author he immediately pointed to
> PacLink
> > as the rogue element here, and showed not the slightest inclination to
> place
> > all the critical files back where they worked perfectly before. (If
> something
> > works, why break it?) He even described PacLink programmers as using
> > 'unorthodox' programming techniques and indicated quite strongly it was up
> > to them to fix this bug in *their* software in response to his new design.
> > > > > >
> > > > >
> > >
> >
> >
> >
> >
>

1496. Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-23 20:21:06 UTC
From: jdami123
Topic: 1486 Message: 1496

Also, since I can't use PEPro7 with PacLink, but since I really like it's UI and great decoding, I run it in parallel with the free version and PacLink, just as a monitor.

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi rb
>
> What the folks at Paclink said about this problem?
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>
>
> > -----Original Message-----
> > From: agwpe_pro@yahoogroups.com
> > [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jdami123
> > Sent: Saturday, August 20, 2011 10:33 PM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink
> >
> >
> >
> > Thank you,
> >
> > George had suggested that too, but I had already tried it and, for me, it
> didn't
> > eliminate the 'failed to register' popup.
> >
> > I installed it in the same directory where the .ini files are found
> (.../user/my
> > documents/...).
> >
> > I even tried copying the .ini files back to the original place PacLink was
> > installed. That worked, but, the .ini files are updated every time PE Pro7
> is
> > launched... so you loose that dynamic connection.
> >
> > Hmmm... wondering what would happen if I stored *shortcuts* to the .ini
> files

> > in the PacLink directory? (new Win7 user, here... LOL!)
> >
> > -rb-
> >
> > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "kc5fgk@" <kc5fgk@> wrote:
> > >
> > > You might try installing in a Programs folder in your user profile.
> That's
> > where the users in the Softrock group have advised for installing their
> > programs.
> > >
> > > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> > > >
> > > > ...and the author was right! I was not up to date on Win7 security
> > requirements and how they created this incompatibility for programs like
> > PacLink that have yet to be brought up to speed!
> > > >
> > > > --- In agwpe_pro@yahoogroups.com
> > <mailto:agwpe_pro%40yahoogroups.com> , "jdami123" <jdami123@> wrote:
> > > > >
> > > > > When I discussed this with the author he immediately pointed to
> PacLink
> > as the rogue element here, and showed not the slightest inclination to
> place
> > all the critical files back where they worked perfectly before. (If
> something
> > works, why break it?) He even described PacLink programmers as using
> > 'unorthodox' programming techniques and indicated quite strongly it was up
> > to them to fix this bug in *their* software in response to his new design.
> > > > >
> > > > >
> > >
> >
> >
> >
> >
>

1497. Re: AGWPE_Pro7 issue with PacLink

Yahoo group: agwpe_pro
Date: 2011-08-23 20:28:50 UTC
From: jdami123
Topic: 1486 Message: 1497

Thank you, Peter!

I will definitely try this!

-rb-

--- In agwpe_pro@yahoogroups.com, "peter belbin" <ke5stl@...> wrote:
>
> With windows 7, it should be possible by creating a 'link' such that the
> same file is accessed from two different locations/file names.
>
>
>
> Sounds like this might solve the issue until the paclink side gets updated.
>
>
>
> http://technet.microsoft.com/en-us/sysinternals/bb896768
>
>
>
> It's worth a try.
>
>
>
>
>
>
>
>
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of jdami123
> Sent: Saturday, August 20, 2011 2:33 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Re: AGWPE_Pro7 issue with PacLink
>
>
>
>
>
> Thank you,
>
> George had suggested that too, but I had already tried it and, for me, it
> didn't eliminate the 'failed to register' popup.
>

> I installed it in the same directory where the .ini files are found
> (.../user/my documents/...).
>
> I even tried copying the .ini files back to the original place PacLink was
> installed. That worked, but, the .ini files are updated every time PE Pro7
> is launched... so you loose that dynamic connection.
>
> Hmmm... wondering what would happen if I stored *shortcuts* to the .ini
> files in the PacLink directory? (new Win7 user, here... LOL!)
>
> -rb-
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "kc5fgk@" <kc5fgk@> wrote:
> >
> > You might try installing in a Programs folder in your user profile. That's
> where the users in the Softrock group have advised for installing their
> programs.
> >
> > --- In agwpe_pro@...m <mailto:agwpe_pro%40yahoogroups.com> ,
> "jdami123" <jdami123@> wrote:
> > >
> > > ...and the author was right! I was not up to date on Win7 security
> requirements and how they created this incompatibility for programs like
> PacLink that have yet to be brought up to speed!
> > >
> > > --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
> "jdami123" <jdami123@> wrote:
> > > >
> > > > When I discussed this with the author he immediately pointed to
> PacLink as the rogue element here, and showed not the slightest inclination
> to place all the critical files back where they worked perfectly before. (If
> something works, why break it?) He even described PacLink programmers as
> using 'unorthodox' programming techniques and indicated quite strongly it
> was up to them to fix this bug in *their* software in response to his new
> design.
> > > >
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1498. backup - laptop

Yahoo group: agwpe_pro
Date: 2011-08-25 02:36:51 UTC
From: Charles
Topic: 1498 Message: 1498

Greetings

I have AGWPE_PRO and it is very much worth it. It works very well for me in allowing me to run packet without a TNC. I do have a question though. I need to know if I can have AGWPE_PRO on my laptop as well as I use the laptop when I am on the road and often as a backup to my main desktop. Do I have to purchase another key to have it on my laptop? They will not be used at the same time and I mainly want it on my laptop in case of an emergency.

Thank you for a great product...

Chuck
WA5ZTD
Hillsboro OR

1499. AGW Throughput

Yahoo group: agwpe_pro
Date: 2011-08-25 00:51:05 UTC
From: nq5l
Topic: 1499 Message: 1499

I recently ran some tests with Paclink using a KISS TNC (TNC-X) on this end and found that the speed difference is between 2 and 4 times slower when running through AGW PE Pro than when running the TNC directly from Paclink. This is to the same node on the other end. The file was an 18KB PDF file that compressed to about 16.5K when sent.

Our emergency responders are moving towards wanting signed ICS 213 forms instead of text messages or unsigned forms with just the name typed in. We work to reduce the size of the files, but 20K is about as small as we can get them.

My question is why does AGW slow down the interaction so much? This is repeatable on different RMS Packet stations and makes a huge difference in the effective bandwidth of a given channel.

The problem seems to be the time between AGW receiving the packet and sending it to Paclink. The packet is received quickly back from the other end but takes a noticeable time before showing up in Paclink.

1500. Re: [agwpe_pro] AGW Throughput

Yahoo group: agwpe_pro
Date: 2011-08-25 16:13:23 UTC
From: Andre v Schaijk
Topic: 1499 Message: 1500

Op 25-8-2011 2:51, nq5l schreef:
> I recently ran some tests with Paclink using a KISS TNC (TNC-X) on this end and found that the speed difference is between 2 and 4 times slower when running through AGW PE Pro than when running the TNC directly from Paclink. This is to the same node on the other end. The file was an 18KB PDF file that compressed to about 16.5K when sent.
>
> Our emergency responders are moving towards wanting signed ICS 213 forms instead of text messages or unsigned forms with just the name typed in. We work to reduce the size of the files, but 20K is about as small as we can get them.
>
> My question is why does AGW slow down the interaction so much? This is repeatable on different RMS Packet stations and makes a huge difference in the effective bandwidth of a given channel.
>
> The problem seems to be the time between AGW receiving the packet and sending it to Paclink. The packet is received quickly back from the other end but takes a noticeable time before showing up in Paclink.
>
>
>
I asume you where using a clear channel, agwpe is normaly configured to
be a good nieghbour, you could try manualy tuning your parameters,
reduce slot time, set ppersistance to 0 set paclen and window as high as
your tnc alows (most modern day tnc's have limited buffers) this will
increase troughput a lot.

73 Andre pe1rdw

1501. New Code

Yahoo group: agwpe_pro
Date: 2011-08-25 17:10:23 UTC
From: nq5l
Topic: 1252 Message: 1501

I've had to replace the hard drive on my laptop and need a new code for AGW PE Pro. Thanks. Serial is

N65YE-434H6-8VUN3-XNW3D-WM37G-3WGNP-B7H28-GIQB4-GW7VQ-4DKHT-VVSNJ-ZGSAB

1502. RE: [agwpe_pro] AGW Throughput

Yahoo group: agwpe_pro
Date: 2011-08-26 05:25:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1499 Message: 1502

Hi

As Andre pointed out, Packet Engine always leaves room for other stations.
If you wish to be the "Master of the channel" then you can use those
settings.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of nq5l
> Sent: Thursday, August 25, 2011 3:51 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] AGW Throughput
>
>
>
> I recently ran some tests with Paclink using a KISS TNC (TNC-X) on this
end and
> found that the speed difference is between 2 and 4 times slower when
> running through AGW PE Pro than when running the TNC directly from
> Paclink. This is to the same node on the other end. The file was an 18KB
PDF
> file that compressed to about 16.5K when sent.
>
> Our emergency responders are moving towards wanting signed ICS 213 forms
> instead of text messages or unsigned forms with just the name typed in. We
> work to reduce the size of the files, but 20K is about as small as we can
get
> them.
>
> My question is why does AGW slow down the interaction so much? This is
> repeatable on different RMS Packet stations and makes a huge difference in
> the effective bandwidth of a given channel.
>
> The problem seems to be the time between AGW receiving the packet and
> sending it to Paclink. The packet is received quickly back from the other
end
> but takes a noticeable time before showing up in Paclink.

>
>
>
>

1503. RE: [agwpe_pro] backup - laptop

Yahoo group: agwpe_pro
Date: 2011-08-26 05:25:50 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1498 Message: 1503

Hi Charles

Registration fee covers all the computers you use.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Charles
> Sent: Thursday, August 25, 2011 5:37 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] backup - laptop
>
>
>
> Greetings
>
> I have AGWPE_PRO and it is very much worth it. It works very well for me
in
> allowing me to run packet without a TNC. I do have a question though. I
need
> to know if I can have AGWPE_PRO on my laptop as well as I use the laptop
> when I am on the road and often as a backup to my main desktop. Do I have
> to purchase another key to have it on my laptop? They will not be used at
the
> same time and I mainly want it on my laptop in case of an emergency.
>
> Thank you for a great product...
>
> Chuck
> WA5ZTD
> Hillsboro OR
>
>
>
>

1504. RE: [agwpe_pro] New Code

Yahoo group: agwpe_pro
Date: 2011-08-26 05:26:18 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1252 Message: 1504

Hi

The serial is
PW6GE-3T4GW-7V4NB-VN25V-NNTXG-TVG2M-36HW8-Y2MTZ-GW8DS-4DKHT-VVSNJ-ZGSAB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of nq5l
> Sent: Thursday, August 25, 2011 8:10 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] New Code
>
>
>
> I've had to replace the hard drive on my laptop and need a new code for
AGW
> PE Pro. Thanks. Serial is
>
> N65YE-434H6-8VUN3-XNW3D-WM37G-3WGNP-B7H28-GIQB4-GW7VQ-4DKHT-VVSNJ-ZGSAB
>
>
>
>

1505. Code Needed

Yahoo group: agwpe_pro
Date: 2011-08-29 00:04:02 UTC
From: ve7gtc
Topic: 1505 Message: 1505

Hello George,

I have updated both my desktop and laptop with Win 7 and have reinstalled Packet Engine pro on both.

The key to send on the desktop is:

G7TYQ-5B2HN-6VNN3-UGE5G-4M37G-3VYNP-B6H67-GGQBZ-HBVDE-3T4IE-8G4NM-FGWAB

The key to send on the laptop is:

NW4DE-R35P3-WDYN3-UNTUV-2M37P-A7VUP-DGHW9-DQQBX-GI5DY-P5GHN-8YYQM-CG6AB

Thanks,

Gus ve7gtc

1506. RE: [agwpe_pro] Code Needed

Yahoo group: agwpe_pro
Date: 2011-08-29 14:27:29 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1505 Message: 1506

Hi

the serials in same order are
HXUGQ-332GE-5VWNB-SGI7Y-UNTXG-TUY2M-35H27-YYMTW-HBVVG-3T4IE-8G4NM-FGWAB

PN4VE-QT5NT-VD8NB-SNXXD-SNTXN-26V8M-5FHS9-V8MTU-GI5V2-P5GHN-8YYQM-CG6AB

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

> -----Original Message-----
> From: agwpe_pro@yahoogroups.com
> [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ve7gtc
> Sent: Monday, August 29, 2011 3:04 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Code Needed
>
>
>
> Hello George,
>
> I have updated both my desktop and laptop with Win 7 and have reinstalled
> Packet Engine pro on both.
>
> The key to send on the desktop is:
>
> G7TYQ-5B2HN-6VNN3-UGE5G-4M37G-3VYNP-B6H67-GGQBZ-HBVDE-3T4IE-8G4NM-FGWAB
>
> The key to send on the laptop is:
>
> NW4DE-R35P3-WDYN3-UNTUV-2M37P-A7VUP-DGHW9-DQQBX-GI5DY-P5GHN-8YYQM-CG6AB
>
> Thanks,
>
> Gus ve7gtc
>
>
>
>

1507. key need

Yahoo group: agwpe_pro
Date: 2011-08-29 17:04:20 UTC
From: carmonarodriguezc
Topic: 1507 Message: 1507

Hi Geoger i need the key for agwpe_pro for reinstall my computer, apears the follo code. Many thanks Candido EA8BKY

GW7YI-438PW-7D2N3-XG64Y-4M37P-BXVWP-DFHPZ-DCQB3-N24DN-QJ6PP-VDS3T-UGWAB

1508. AGWPE and UISS

Yahoo group: agwpe_pro
Date: 2011-08-30 03:11:25 UTC
From: Dave
Topic: 1508 Message: 1508

Any one using UISS with AGWPE? I'm having some difficulty getting it to work. Any assistance appreciated.

Dave Mynatt -KA0SWT

[Non-text portions of this message have been removed]

1509. RE: [agwpe_pro] AGWPE and UISS

Yahoo group: agwpe_pro
Date: 2011-08-30 15:00:54 UTC
From: Ralph Milnes
Topic: 1508 Message: 1509

Tell us what the difficulty is? Have you followed the help instructions in UISS?

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Dave
Sent: Monday, August 29, 2011 11:11 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE and UISS

Any one using UISS with AGWPE? I'm having some difficulty getting it to work. Any assistance appreciated.

Dave Mynatt -KA0SWT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1392 / Virus Database: 1520/3867 - Release Date: 08/30/11

1510. RE: [agwpe_pro] AGWPE and UISS

Yahoo group: agwpe_pro
Date: 2011-08-30 15:47:42 UTC
From: Dave
Topic: 1508 Message: 1510

Hi- I cannot get AGWPE to key the radio. I'm using a registered version of UISS (Pro) and free version of AGWPE on a WINXP/SP3 PC.

I establish a AGWPE port for sound card so that I can receive APRS traffic and I see it fine. All (144.390) APRS traffic comes thru and is displayed on the UISS Monitor screen

I establish a second AGWPE port, using the COM port into which I have plugged my RadioArena cable data cable. This cable runs three leads to the PC (Mic, Spk, Serial) and two to the radio (mic and spkr out)

UISS shows connection to both ports when started.

When I press the Text/Data button I see the contents of the Text/Data field displayed in the UISS monitor screen. The radio does not key.

This cable setup works fine as it keys the radio -an IC-275H- without difficulty when using the DigiPan setup, albeit without AGWPE.

So: UISS and AGWPE, two ports; one for incoming sound and the other to key the radio.

I've asked several people for help and they have been very instructive but one always has the fear of burning someone out when trying to remotely fix a communications issue like this. I apologize in advance for any troubles my requests have caused; I would like very much to get UISS working and I understand it does key a radio if set up properly. However, my main issue is in the AGWPE setup as it requires a selection of a TNC or selection of a sound card. I suspect it is at this point I am having problems.

Your assistance is greatly appreciated. I hope I can follow your instructions as well as your give them.

Dave
KA0SWT

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Tuesday, August 30, 2011 09:01
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] AGWPE and UISS

Tell us what the difficulty is? Have you followed the help instructions in UISS?

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Dave
Sent: Monday, August 29, 2011 11:11 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE and UISS

Any one using UISS with AGWPE? I'm having some difficulty getting it to work. Any assistance appreciated.

Dave Mynatt -KA0SWT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1392 / Virus Database: 1520/3867 - Release Date: 08/30/11

Yahoo! Groups Links

1511. RE: [agwpe_pro] AGWPE and UISS

Yahoo group: agwpe_pro
Date: 2011-08-30 20:14:50 UTC
From: Ralph Milnes
Topic: 1508 Message: 1511

Dave,

First, we're probably discussing this on the wrong yahoo group. This one is for the paid version of AGWPE, called PE Pro. There is another group for AGWPE free version. But let's see if we can fix this quickly.

I think the first problem is that you don't want to use two different AGWPE ports. You need to Use the same AGWPE port for receiving and sending.

If you do that and the radio does not key, then the source of your problem is most likely the wiring configuration of your Radio Arena interface. AGWPE port #1 will try to key your radio by sending a PTT signal to the RTS pin of your serial port. Other programs uses the DTR pin of your serial port. Others send the signal to both pins and still other program, such as Digipan (I think), give you the option to use either. But AGWPE uses just the RTS pin (and the left channel -- or tip -- of your stereo audio plugs) for AGWPE Port 1. AGWPE port #2 does use the DTR pin, but then it expects to use the right channel of your sound card to sending and receiving (the ring on the plug). I'm certain the Radio Arena is wired for the tip/left audio channel and not the right channel/ring; proof is that you are receive data on AGWPE port #1 and that audio must be coming from the left audio channel/tip of the plug.

So I think the problem is the Radio Arena interface. It's wired to receive and send audio on the left audio channel used by AGWPE port #1 but wired to get a PTT signal on the DRT pin used by AGWPE Port #2. If you tell UISS to use AGWPE port #2 for PTT, then you may get the radio to transmit but you won't be getting any audio in or out from the sound card. You need to get the interface wired to match what AGWPE is expecting, either Port #1 using the RTS pin and left audio channels; or Port #2 using the DTR pin and right audio channels.

At least that's my guess. Let's see if anyone else has something else.

To answer your later question, you want AGWPE configured to use a sound card -- and thus the Radio Arena interface.

For more information about configuring AGWPE, see:
http://www.soundcardpacket.org/

Dave, feel free to contact me off-group if you have questions. There's a lot to digest when you first try to get AGWPE working.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf

Of Dave
Sent: Tuesday, August 30, 2011 11:48 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] AGWPE and UISS

Hi- I cannot get AGWPE to key the radio. I'm using a registered version of UISS (Pro) and free version of AGWPE on a WINXP/SP3 PC.

I establish a AGWPE port for sound card so that I can receive APRS traffic and I see it fine. All (144.390) APRS traffic comes thru and is displayed on the UISS Monitor screen

I establish a second AGWPE port, using the COM port into which I have plugged my RadioArena cable data cable. This cable runs three leads to the PC (Mic, Spk, Serial) and two to the radio (mic and spkr out)

UISS shows connection to both ports when started.

When I press the Text/Data button I see the contents of the Text/Data field displayed in the UISS monitor screen. The radio does not key.

This cable setup works fine as it keys the radio -an IC-275H- without difficulty when using the DigiPan setup, albeit without AGWPE.

So: UISS and AGWPE, two ports; one for incoming sound and the other to key the radio.

I've asked several people for help and they have been very instructive but one always has the fear of burning someone out when trying to remotely fix a communications issue like this. I apologize in advance for any troubles my requests have caused; I would like very much to get UISS working and I understand it does key a radio if set up properly. However, my main issue is in the AGWPE setup as it requires a selection of a TNC or selection of a sound card. I suspect it is at this point I am having problems.

Your assistance is greatly appreciated. I hope I can follow your instructions as well as your give them.

Dave
KA0SWT

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Ralph Milnes
Sent: Tuesday, August 30, 2011 09:01
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] AGWPE and UISS

Tell us what the difficulty is? Have you followed the help instructions in UISS?

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Dave
Sent: Monday, August 29, 2011 11:11 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE and UISS

Any one using UISS with AGWPE? I'm having some difficulty getting it to work. Any assistance appreciated.

Dave Mynatt -KA0SWT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1392 / Virus Database: 1520/3867 - Release Date: 08/30/11

Yahoo! Groups Links

Yahoo! Groups Links

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1392 / Virus Database: 1520/3867 - Release Date: 08/30/11

1512. Need key

Yahoo group: agwpe_pro
Date: 2011-08-31 00:29:49 UTC
From: k9kuvasz7
Topic: 1512 Message: 1512

```
Key-to-send:
N24YG-45PPS-8GWN3-XN3UV-2M37H-S9DQP-DFPPA-DQQBX-HPUYG-PJ4PN-7YWPB-XGNAB
Need key for my home machine.
Thanks, Edwin K9KUV
```

1513. Registration Code

Yahoo group: agwpe_pro
Date: 2011-08-31 01:14:43 UTC
From: Karo Robinson
Topic: 738 Message: 1513

Hello again George I thought I got the new drive installed and used the old code but alas to it quit with the message trial period is up. Here is the key to send
HI6VS-Q5MPX-WYQN3-UG24G-2M37G-XVYUP-B7H3Z-DSQDJ-GJWDQ-PMHPW-7WA2M-CGNAB
  I also need the tcpip code.
As always thanks, you have always been super and your program runs 24/7 here and plenty of hams in this area get much service from it both on packet and APRS . W5KRO Dane Robinson

[Non-text portions of this message have been removed]

1514. Re-registration of PEPro

Yahoo group: agwpe_pro
Date: 2011-09-01 01:02:12 UTC
From: w2cdw
Topic: 1514 Message: 1514

Hello George,
We last purchased Packet Engine Professional and received your registration info 2Dec2008. We now need a new key I believe to install on an updated machine. Please advise what other info you would require.

Thank you very much
Doug W2CDW

1515. [agwpe_pro] Code Needed

Yahoo group: agwpe_pro
Date: 2011-09-03 01:19:37 UTC
From: Kevin Smith
Topic: 1505 Message: 1515

Hi George.

I have had a small melt down and have to rebuild the radio computer. Need a new key.

Key to send:

G66GI-R37P2-5DSN5-GN62D-6M37G-68GKP-DFII7-VCQBY-G67YK-4J2HX-VD42V-FGEAB

Thanks

Kevin ZL3JS

[Non-text portions of this message have been removed]

1516. Key Needed

Yahoo group: agwpe_pro
Date: 2011-09-04 06:00:28 UTC
From: davemynatt
Topic: 1516 Message: 1516

Hello: Would you please send a Pro key to dave@.... Thank you,

Dave
KA0SWT

1517. New Computer, New Key

Yahoo group: agwpe_pro
Date: 2011-09-04 19:51:23 UTC
From: pmgg7
Topic: 1517 Message: 1517

Hello George

I need a new key for my new computer, the key to send is:

PA4VI-Q5JIS-9D6N3-ZG22D-YM37G-XWVIP-B6PTX-VQQB2-GW7VG-4B4PJ-VVWP3-TGEAB

Thank you

Paul Green G7VTS

1518. key request

Yahoo group: agwpe_pro
Date: 2011-09-07 02:19:22 UTC
From: e_armigeri
Topic: 1518 Message: 1518

replacement pepro key requested please:

PBUDW-RJ4PW-5YSN3-XG7VG-4M37H-PWDUP-B7PJY-YKQB8-NS4DU-3J7P3-VD8P3-ZNNAB

regards
john, W1JMC

1519. replacement key code needed

Yahoo group: agwpe_pro
Date: 2011-09-07 02:21:44 UTC
From: e_armigeri
Topic: 1519 Message: 1519

updated my laptop, replacement pepro key requested.

PBUDW-RJ4PW-5YSN3-XG7VG-4M37H-PWDUP-B7PJY-YKQB8-NS4DU-3J7P3-VD8P3-ZNNAB

regards
john, W1JMC

1520. New keycode required

Yahoo group: agwpe_pro
Date: 2011-09-14 14:40:20 UTC
From: grcaines
Topic: 1520 Message: 1520

Greetings George,
Finally upgraded my computer need a new code -
HJVGG-QJ9PT-WGYN3-3GN4V-UM37P-E9GUP-DGHW8-GEQDJ-GI4VY-4BYP2-5D63B-2NWAB
Really appreciate this - many THX
Regards
Gerry Caines (VA3GRC)Woodview Ontario Canada

1521. new key

Yahoo group: agwpe_pro
Date: 2011-09-20 18:00:31 UTC
From: carmonarodriguezc
Topic: 1272 Message: 1521

Hi George I Candi EA8BKY . I reinstall may computerm and agwpe_pro need anotherr key

key to send
N7VDQ-5MKH2-8GWN5-DN26V-4M37P-BXDQP-DGHFY-DUQDM-N66YG-QDJIE-4VQ3J-XGAAB

best regrans and 73´s.

1522. AGWTracker Update

Yahoo group: agwpe_pro
Date: 2011-09-23 06:01:42 UTC
From: (SV2AGW)George Rossopoulos
Topic: 484 Message: 1522

Hi

AGWTracker update. Fixed various problems with unexpected crashes. From Stations list you can right-click and select [Locate and show on Map] to find where a station is.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1523. New Key Needed

Yahoo group: agwpe_pro
Date: 2011-09-24 17:32:21 UTC
From: rich3x
Topic: 1523 Message: 1523

Registered & paid user: N2JR

NW3GQ-QT9P7-XVNN3-YN64G-6M37H-A9DKP-DGHI8-DGQDG-GXVDI-RBXPN-7GWPT-SNSAB

New Win7 computer, need new registration code.

Will purchase AGWtracker, but does it automatically link with AGWPE?

Rich/N2JR

1524. new key needed

Yahoo group: agwpe_pro
Date: 2011-09-29 20:50:11 UTC
From: n3hu
Topic: 1524 Message: 1524

Hi George

Key to send

NS5VS-4T6HN-7DQN3-ZGI4Y-2M37G-7WDIP-DGP66-VUQBX-GJTVS-PT5PF-UVU3T-ZHEAB

73
rob

1525. new code needed

Yahoo group: agwpe_pro
Date: 2011-10-01 11:30:14 UTC
From: grcaines
Topic: 1525 Message: 1525

Greetings George,
Finally upgraded my computer need a new code -
HJVGG-QJ9PT-WGYN3-3GN4V-UM37P-E9GUP-DGHW8-GEQDJ-GI4VY-4BYP2-5D63B-2NWAB
Really appreciate this - many THX
Regards
Gerry Caines (VA3GRC)Woodview Ontario Canada
p.s. if you need any additional info plse let me know.

1526. KEY

Yahoo group: agwpe_pro
Date: 2011-10-03 00:50:37 UTC
From: Dedier Dedier
Topic: 1251 Message: 1526

Hi George can you send me a key please

HN4GI-RB7P3-XDSN3-UG24V-2M37P-JVVWP-DGP69-GIQDG-HA4YQ-4J3PT-VGSQM-EG2AB

--
73

Julien

9Z4FZ / Trinidad & Tobago

Amateur Radio Station
http://www.ttarl.org
http://9z4fz.community.officelive.com/

[Non-text portions of this message have been removed]

1527. Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2011-10-05 08:48:38 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1527 Message: 1527

Hi

Finally here it is. Packet Engine Pro for Windows Vista and Win7.
http://www.sv2agw.com/ham/pepro.htm
and for the download
www.sv2agw.com/Downloads

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1528. New key code needed

Yahoo group: agwpe_pro
Date: 2011-10-05 19:28:03 UTC
From: Carl F4CWH
Topic: 1493 Message: 1528

Hi George,

thank you for this fresh new version of PE Pro.
Well, I need a new key to register the new version on the same computer.

The Key to send is :
GW3VK-4DQPT-VDUN5-HN23V-4M37P-I7YQP-B7H7Y-YEQDI-GPUDN-4BXPI-7YY3J-XGSAB

Thanks in advance.

Best 73, Carl.

1529. Need to the Key

Yahoo group: agwpe_pro
Date: 2011-10-05 16:06:01 UTC
From: Donald
Topic: 1529 Message: 1529

Hi George

Need the key for the new version.

PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB

Thanks

Don N9ZGE

1530. Equalisation??

Yahoo group: agwpe_pro
Date: 2011-10-06 22:40:53 UTC
From: jon_g7omn
Topic: 1530 Message: 1530

I'm experimenting with the new release of Packet Engine Pro.
The application is new to me (I've been using hardware TNC's for packet for the last 10 years, since I moved on from Flexnet)
I am experimenting with the Signalink USB I have been using for PSK modes on 300bd HF APRS.
My question relates to the equalisatoni sliders on the Soundcard Tuning Aid - do these adjust the equalisation on the fly, or does the TNC/PEPro application need to be restarted after every change?
It's not documented...

Jon G7OMN/MB7UCW

1531. New Key Needed

Yahoo group: agwpe_pro
Date: 2011-10-08 11:28:30 UTC
From: AF1E
Topic: 1523 Message: 1531

Hi George,

Just updated to new version and need a new key.

GI3GI-4MJP2-7V6N3-3HA4D-YM37H-I6V2P-B7IBZ-GGQDI-GI3YK-RB2HN-8VW2J-SHAAB

Thanks

Joe AF1E

1532. New Key Needed

Yahoo group: agwpe_pro
Date: 2011-10-09 19:27:17 UTC
From: pmgg7
Topic: 1523 Message: 1532

Hi George

New key needed fro AGW Packet Engine Pro

I have a new computer and needed to reinstall the Key to send is:

PA4VI-Q5JIS-9D6N3-ZG22D-YM37G-XWVIP-B6PTX-VQQB2-GW7VG-4B4PJ-VVWP3-TGEAB

Paul Green G7VTS

Thank you

1533. RMS Packet not working with latest PEPRO

Yahoo group: agwpe_pro
Date: 2011-10-10 15:10:40 UTC
From: kc5zrq
Topic: 1533 Message: 1533

I am unable to use RMS Packet with this most recent version of Packet Engine Pro. The default path is wrong, but when corrected to C:\Program Files\SV2AGW\Packet Engine Pro\, the following error is displayed, "No AGWPE.INI file was found. Make sure the path to AGWPE or PE pro is correct and AGWPE has been setup."

Packet Engine Pro Version 1004.2011
Microsoft Windows 7 Ultimate 32-bit, Version 6.1.7601 Service Pack 1 Build 7601

The error log says;
2011/10/10 13:32:42
2011/10/10 13:33:39 *** 1 Direct TNC port(s) enabled...
2011/10/10 13:33:42 *** TNC type not recognized

I have also tried the option to "Use AGW Packet Engine on Remote Computer" but I get the same error message.

Here is the Packet Engine Pro status text. Notice the Ini Files Path.

Packet Engine Profesional Edition
Version 2011.1004
Build of Tuesday 04 October 2011
Ini Files Path
C:\Users\Desktop\Documents\Packet Engine Pro
1 RadioPorts.
TimeStamp Set to LocalTime.
MonitorFormat Standard.
Tcpip Over Radio, Disabled.
Tcpip interface for client Programs, Enabled.
RadioPort Sharing, Disabled.
Unregistered Copy.0 Days Remaining.

Any help is appreciated.

1534. Re: [agwpe_pro] RMS Packet not working with latest PEPRO

Yahoo group: agwpe_pro
Date: 2011-10-11 10:49:32 UTC
From: Andre
Topic: 1533 Message: 1534

Op 10-10-2011 17:10, kc5zrq schreef:
> I am unable to use RMS Packet with this most recent version of Packet Engine Pro. The default path is wrong, but when corrected to C:\Program Files\SV2AGW\Packet Engine Pro\, the following error is displayed, "No AGWPE.INI file was found. Make sure the path to AGWPE or PE pro is correct and AGWPE has been setup."
>
> Packet Engine Pro Version 1004.2011
> Microsoft Windows 7 Ultimate 32-bit, Version 6.1.7601 Service Pack 1 Build 7601
>
> The error log says;
> 2011/10/10 13:32:42
> 2011/10/10 13:33:39 *** 1 Direct TNC port(s) enabled...
> 2011/10/10 13:33:42 *** TNC type not recognized
>
> I have also tried the option to "Use AGW Packet Engine on Remote Computer" but I get the same error message.
>
> Here is the Packet Engine Pro status text. Notice the Ini Files Path.
>
> Packet Engine Profesional Edition
> Version 2011.1004
> Build of Tuesday 04 October 2011
> Ini Files Path
> C:\Users\Desktop\Documents\Packet Engine Pro
> 1 RadioPorts.
> TimeStamp Set to LocalTime.
> MonitorFormat Standard.
> Tcpip Over Radio, Disabled.
> Tcpip interface for client Programs, Enabled.
> RadioPort Sharing, Disabled.
> Unregistered Copy.0 Days Remaining.
>
> Any help is appreciated.
>
>
RMS packet and I think paclink as wel make false asumptions that the ini file and exe file are in the same directory, not sure why they need access to the ini tho.

73 Andre PE1RDW

1535. RE: [agwpe_pro] RMS Packet not working with latest PEPRO

Yahoo group: agwpe_pro
Date: 2011-10-11 14:16:31 UTC
From: Ralph Milnes
Topic: 1533 Message: 1535

I'm not a Win7 user, but I think the recommendation was to put PE Pro in some folder other than Program Files, e.g. C:\Ham, or whatever you prefer. I thought that recommendation was because Win 7 prevents changes to files in the Program files folder, such as the .ini files. Having it in a different folder may solve that problem and your problem.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Andre
Sent: Tuesday, October 11, 2011 4:50 AM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] RMS Packet not working with latest PEPRO

Op 10-10-2011 17:10, kc5zrq schreef:
> I am unable to use RMS Packet with this most recent version of Packet Engine Pro. The default path is wrong, but when corrected to C:\Program Files\SV2AGW\Packet Engine Pro\, the following error is displayed, "No AGWPE.INI file was found. Make sure the path to AGWPE or PE pro is correct and AGWPE has been setup."
>
> Packet Engine Pro Version 1004.2011
> Microsoft Windows 7 Ultimate 32-bit, Version 6.1.7601 Service Pack 1 Build 7601
>
> The error log says;
> 2011/10/10 13:32:42
> 2011/10/10 13:33:39 *** 1 Direct TNC port(s) enabled...
> 2011/10/10 13:33:42 *** TNC type not recognized
>
> I have also tried the option to "Use AGW Packet Engine on Remote Computer" but I get the same error message.
>
> Here is the Packet Engine Pro status text. Notice the Ini Files Path.
>
> Packet Engine Profesional Edition
> Version 2011.1004
> Build of Tuesday 04 October 2011
> Ini Files Path
> C:\Users\Desktop\Documents\Packet Engine Pro
> 1 RadioPorts.
> TimeStamp Set to LocalTime.
> MonitorFormat Standard.
> Tcpip Over Radio, Disabled.
> Tcpip interface for client Programs, Enabled.

> RadioPort Sharing, Disabled.
> Unregistered Copy.0 Days Remaining.
>
> Any help is appreciated.
>
>
RMS packet and I think paclink as wel make false asumptions that the ini file and exe file are in the same directory, not sure why they need access to the ini tho.

73 Andre PE1RDW

Yahoo! Groups Links

1536. Re: [agwpe_pro] RMS Packet not working with latest PEPRO

Yahoo group: agwpe_pro
Date: 2011-10-11 14:30:53 UTC
From: John Habbinga
Topic: 1533 Message: 1536

I've tried that. Same problem.

I have copied the ini files into the Packet Engine folder and RMS Packet will connect without producing the error dialog box, however after connecting it will fail to initialize. So I'm getting closer, but still not there yet. PEPRO shows a connection, and RMS Packet reads all the port settings from PEPRO, but fails after connecting.

On Tue, Oct 11, 2011 at 9:16 AM, Ralph Milnes <ralphmilnes@...> wrote:
>
>
>
> I'm not a Win7 user, but I think the recommendation was to put PE Pro in
> some folder other than Program Files, e.g. C:\Ham, or whatever you prefer. I
> thought that recommendation was because Win 7 prevents changes to files in
> the Program files folder, such as the .ini files. Having it in a different
> folder may solve that problem and your problem.
>
> Ralph NM5RM

1537. need a key

Yahoo group: agwpe_pro
Date: 2011-10-12 15:26:06 UTC
From: n3hu
Topic: 1537 Message: 1537

Hi George

Dorked my windows setup and had to re-install. Need a new key.
Key to send

GTUDN-RUBH6-7D6N5-FHA2D-2M37P-A8GQP-B6PJA-GEQDI-G27VQ-PDMHW-4WANT-2GAAB

73
rob
n3hu

1538. Need Key

Yahoo group: agwpe_pro
Date: 2011-10-15 02:17:35 UTC
From: k9kuvasz7
Topic: 1538 Message: 1538

Key-to-send: GI5DG-4MQII-9DSN3-3NXVD-2M37N-7WD2P-B7HI6-YIQDK-GS7VG-RBYPE-5VUN5-EGAAB -
Need key for my home machine. Thanks, Edwin K9KUV

1539. PE Pro 7 crashes

Yahoo group: agwpe_pro
Date: 2011-10-19 00:22:21 UTC
From: Bob
Topic: 1539 Message: 1539

I just downloaded Packet Engine Pro 7. My computer runs Windows 7.

When I run PEPro and click on Setup/Network TCPIP then select the "Network Security" tab, the program hangs. This is repeatable every single time.

Has anyone else seen this and if so, were you able to fix it/work around it?

Reason I think I need to see that tab is that Outpost Packet Message Manager will not connect to PEPro. It says something about check username and password. No username or password were ever set up for either program.

No packet for me until this gets fixed. :-(

1540. Packlink & Packet Engine Pro7 Setup

Yahoo group: agwpe_pro
Date: 2011-10-20 04:55:52 UTC
From: Emerson
Topic: 1540 Message: 1540

How do I set up Packlink to work with the new Packet Engine Pro7
Using a Signal ink interface I have tried it as a sound card,and External TNC. Packlink looks for the AGWPE files and if you reset the program destination folder it won't find the Packet Engine Pro.exe

1541. Re: [agwpe_pro] Packlink & Packet Engine Pro7 Setup

Yahoo group: agwpe_pro
Date: 2011-10-20 09:36:06 UTC
From: Andre
Topic: 1540 Message: 1541

Op 20-10-2011 6:55, Emerson schreef:
> How do I set up Packlink to work with the new Packet Engine Pro7
> Using a Signal ink interface I have tried it as a sound card,and External TNC. Packlink looks for the AGWPE files and if you reset the program destination folder it won't find the Packet Engine Pro.exe
>
This is a programming error in Paclink, it should not look for the ini files, a posible work around is to manualy copy the ini file to the program folder.
the Winlink Development team is aware but so far has given no sign of wanting to change Paclink, maybe because they don't like the social settings of agwpe and rather hog the channel for themselfs.

73 Andre PE1RDW

1542. RE: [agwpe_pro] PE Pro 7 crashes

Yahoo group: agwpe_pro
Date: 2011-10-20 09:07:39 UTC
From: Jon Eyes
Topic: 1539 Message: 1542

It's a known bug. I have already reported it to George and he's aware of it.
Regards,
Jon G7OMN

-----Original Message-----
From: Bob
Sent: 20/10/2011, 08:20
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PE Pro 7 crashes

I just downloaded Packet Engine Pro 7. My computer runs Windows 7.

When I run PEPro and click on Setup/Network TCPIP then select the "Network Security" tab, the program hangs. This is repeatable every single time.

Has anyone else seen this and if so, were you able to fix it/work around it?

Reason I think I need to see that tab is that Outpost Packet Message Manager will not connect to PEPro. It says something about check username and password. No username or password were ever set up for either program.

No packet for me until this gets fixed. :-(

[Non-text portions of this message have been removed]

1543. Re: [agwpe_pro] PE Pro 7 crashes

Yahoo group: agwpe_pro
Date: 2011-10-20 16:31:26 UTC
From: Bob-TIB88
Topic: 1539 Message: 1543

George contacted me today and I told him I was able to work around it by re-installing PEPro 7 into a different folder. Now I can get into that tab, however when I run Outpost, it will connect to PEPro but it will not register with it. PEPro is aware that the program is connected; it shows up in the connected programs list.

From: Jon Eyes <g7omn@...>
To: "agwpe_pro@yahoogroups.com" <agwpe_pro@yahoogroups.com>
Sent: Thursday, October 20, 2011 3:07 AM
Subject: RE: [agwpe_pro] PE Pro 7 crashes

It's a known bug. I have already reported it to George and he's aware of it.
Regards,
Jon G7OMN

-----Original Message-----
From: Bob
Sent: 20/10/2011, 08:20
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] PE Pro 7 crashes

I just downloaded Packet Engine Pro 7. My computer runs Windows 7.

When I run PEPro and click on Setup/Network TCPIP then select the "Network Security" tab, the program hangs. This is repeatable every single time.

Has anyone else seen this and if so, were you able to fix it/work around it?

Reason I think I need to see that tab is that Outpost Packet Message Manager will not connect to PEPro. It says something about check username and password. No username or password were ever set up for either program.

No packet for me until this gets fixed. :-(

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1544. AGWPE and Hyperterm

Yahoo group: agwpe_pro
Date: 2011-10-21 04:41:03 UTC
From: Bob
Topic: 1544 Message: 1544

Is it possible to use Hyperterm and AGWPE? I can connect to AGWPE (2010.414) with Hyperterm, but I can't get it to key the radio. I'd like to do this for chatting on packet radio.

1545. Registration

Yahoo group: agwpe_pro
Date: 2011-10-23 09:01:17 UTC
From: Kevin Smith
Topic: 245 Message: 1545

Hi George

I had a computer crash, now rebuilt and have upgraded to the new version of packet engine pro.

I now need a new key

Key to send

HN7GE-RMJH6-5D4N3-UGPSW-EM37H-XXGSP-DFPW7-YEQB4-NPTVI-QJ5HI-7EANV-FHEAB

Thanks

Kevin

ZL3JS

[Non-text portions of this message have been removed]

1546. Re: [agwpe_pro] PE Pro 7 crashes

Yahoo group: agwpe_pro
Date: 2011-10-20 11:50:52 UTC
From: John Habbinga
Topic: 1539 Message: 1546

Yes, the same thing happens on my computer with Windows 7 Ultimate Edition 32-bit version.

1547. PE Pro 7 key needed

Yahoo group: agwpe_pro
Date: 2011-10-27 16:55:33 UTC
From: Fred
Topic: 1547 Message: 1547

Hi George,

Just changed to PE PRO 7 - Checking it out. So far it looks great!
Key to send is:
PBUYN-R36IF-WGQN3-WNI2V-WM37H-N5DUP-DFIFX-YEQDM-N3UVQ-PJZHA-7YUNM-EGNAB

73,
Fred, K1ACL

1548. Problem with Paclink/AGWPE Airmail/AGWPE

Yahoo group: agwpe_pro
Date: 2011-10-29 03:59:34 UTC
From: Mike
Topic: 1548 Message: 1548

I posted this on the Winlink group but I've had no
replies. Perhaps someone here can give me a clue
as to what's happening.

AGWPE Version 2007.514

I'm having a strange problem that I haven't been able to resolve.

I just finished restoring my radio room computer (XP) with a
backup from last year (strange things were going on).

I also bought a used XP computer to run the RMS Packet system that's
located here at my house.

Connecting over the air with Airmail or Paclink directly through
a TNC works O.K. However, when using Paclink with AGWPE through
a TNC-X gives an error message.

The following is the Paclink/AGWPE session information:

```
*** Starting Packet Channel: KB0SRJ-10 via AGWPE at 2011/10/23 16:28:45
*** Connecting to Packet Engine
*** Registering K0TER with AGW Engine
K0TER *** REGISTERED to AGWPE
*** Connecting to KB0SRJ-10
*** CONNECTED to KB0SRJ-10
*** CONNECTED With Station KB0SRJ-10 at 2011/10/23 16:28:47 UTC
[WL2K-2.7.0.6-B2FWIHJM$]
;PQ: 84030493
Halifax CMS via KB0SRJ-10 >
;FW: K0TER K0TER-8
[Paclink-4.3.0.4-N00B2FIHM$]
;PR: 91220623
; KB0SRJ-10 DE K0TER (DM78OU) QTC 0...
FF
[WL2K-2.7.0.6-B2FWIHJM$]
[442] - Command: "[WL2K-2.7.0.6-B2FWIHJM$]" not recognized - disconnecting
;PQ: 22064176
Halifax CMS via KB0SRJ-10 >
*** Command not recognized...
Halifax CMS via KB0SRJ-10 >
*** DISCONNECTED from KB0SRJ-10
*** TCP DISCONNECT from PACKET ENGINE
*** Closing KB0SRJ-10 via AGWPE at 2011/10/23 16:29:45
```

==========

Here is the exceptions log from Paclink:

```
2011/10/24 17:01:31 [4.3.0.4] B2Protocol [442]
Command:"[WL2K-2.7.0.6-B2FWIHJM$]" not recognized
2011/10/24 17:01:49 [4.3.0.4] [StartChannel] Mode: Telnet TNC: PTC IIpro State:
Initialized
2011/10/24 17:01:49 [4.3.0.4] [StartChannel] Thread was being aborted.
2011/10/24 17:01:49 [4.3.0.4] [PrimaryThreads.ChannelThread B] Thread was being
aborted.
2011/10/24 17:01:49 [4.3.0.4] PrimaryThreads.ChannelThread C] Thread was being
aborted.
2011/10/24 17:01:49 [4.3.0.4] PrimaryThreads.ChannelThread D] Thread was being
aborted.
2011/10/24 17:02:55 [4.3.0.4] B2Protocol [442]
Command:"[WL2K-2.7.0.6-B2FWIHJM$]" not recognized
2011/10/24 17:11:15 [4.3.0.4] B2Protocol [442]
Command:"[WL2K-2.7.0.6-B2FWIHJM$]" not recognized
2011/10/24 18:13:00 [4.3.0.4] B2Protocol [442]
Command:"[WL2K-2.7.0.6-B2FWIHJM$]" not recognized
2011/10/24 18:14:16 [4.3.0.4] B2Protocol [442]
Command:"[WL2K-2.7.0.6-B2FWIHJM$]" not recognized
```

Paclink/AGWPE DID work O.K. before restoring the system and
putting the different computer on the RMS Packet.

Trying Airmail with AMPE Streams22 and AGWPE results
in this:

```
2011/10/29 03:56:00 Calling KB0SRJ-10, Connected at 03:56:02
[WL2K-2.7.0.6-B2FWIHJM$]
;PQ: 66220280
Halifax CMS via KB0SRJ-10 >
[AirMail-3.3.081-B2FHIM$]
;PR:
; KB0SRJ-10 de K0TER (DM78ou)
FF
[WL2K-2.7.0.6-B2FWIHJM$]
*** Error: Bad proposal code: [WL
; KB0SRJ-10 de K0TER SK
2011/10/29 03:56:42 Disconnected from KB0SRJ-10
```

I'm not sure where to continue looking totry resolve
this issue.

Anyone have ideas?

Thanks and 73,

Mike, K0TER

1549. Re: Problem with Paclink/AGWPE Airmail/AGWPE

Yahoo group: agwpe_pro
Date: 2011-11-04 15:45:53 UTC
From: Mike
Topic: 1548 Message: 1549

--- In agwpe_pro@yahoogroups.com, "Mike" <stansberrymj@...> wrote:
>
>
> I posted this on the Winlink group but I've had no
> replies. Perhaps someone here can give me a clue
> as to what's happening.
>
> AGWPE Version 2007.514
>
> I'm having a strange problem that I haven't been able to resolve.
>
> I just finished restoring my radio room computer (XP) with a
> backup from last year (strange things were going on).
>
> I also bought a used XP computer to run the RMS Packet system that's
> located here at my house.
>
> Connecting over the air with Airmail or Paclink directly through
> a TNC works O.K. However, when using Paclink with AGWPE through
> a TNC-X gives an error message.

I have apparently solved the problem. There may have been
something wrong with the Acronis full backup that I restored
the computer to. I tried again with a more recent full backup
and the problem disappeared. So for now, I guess things are
O.K.

Mike, K0TER

1550. aprs (agwpe and agwtracker)

Yahoo group: agwpe_pro
Date: 2011-11-10 13:39:24 UTC
From: auriga2011
Topic: 1550 Message: 1550

Hi, how i can setup agwpe and agwtraker using my soundcard under win7?
Thanks for your help.
73

1551. Re: PE Pro 7 crashes

Yahoo group: agwpe_pro
Date: 2011-11-11 00:42:56 UTC
From: n4hok
Topic: 1539 Message: 1551

Having the same issue. Hope George is working on a solution.
73, Lee

--- In agwpe_pro@yahoogroups.com, Bob-TIB88 <bob_tib88@...> wrote:
>
> George contacted me today and I told him I was able to work around it by re-installing PEPro 7 into a different folder. Now I can get into that tab, however when I run Outpost, it will connect to PEPro but it will not register with it. PEPro is aware that the program is connected; it shows up in the connected programs list.
>
>
>
> _____
> From: Jon Eyes <g7omn@...>
> To: "agwpe_pro@yahoogroups.com" <agwpe_pro@...m>
> Sent: Thursday, October 20, 2011 3:07 AM
> Subject: RE: [agwpe_pro] PE Pro 7 crashes
>
>
>
> Â
>
> It's a known bug. I have already reported it to George and he's aware of it.
> Regards,
> Jon G7OMN
>
> -----Original Message-----
> From: Bob
> Sent: 20/10/2011, 08:20
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] PE Pro 7 crashes
>
> I just downloaded Packet Engine Pro 7. My computer runs Windows 7.
>
> When I run PEPro and click on Setup/Network TCPIP then select the "Network Security" tab, the program hangs. This is repeatable every single time.
>
> Has anyone else seen this and if so, were you able to fix it/work around it?
>
> Reason I think I need to see that tab is that Outpost Packet Message Manager will not connect to PEPro. It says something about check username and password. No username or password were ever set up for either program.
>
> No packet for me until this gets fixed. :-(
>

> [Non-text portions of this message have been removed]
>
>
>
>
> [Non-text portions of this message have been removed]
>

1552. I need new key for PEpro7

Yahoo group: agwpe_pro
Date: 2011-11-22 12:27:04 UTC
From: hb9mhb
Topic: 1552 Message: 1552

Hi George,

I changed my PC for APRS and now I need new key for PEpro7.

Key to send is:
HI5DS-5J9IA-5VQN5-DGFVG-YM37P-E9DNP-B6HXY-GIQDJ-N25DK-RDJIB-VDS25-FNIAB

Thanks and Best 73!
Rudy HB9MHB

1553. Packet Engine Pro for WIN7 Update

Yahoo group: agwpe_pro
Date: 2011-11-23 07:23:03 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1553 Message: 1553

Hi

Update.Fixed a bug and now works OK with programs like Outpost.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1554. PE Pro 7 Update key needed

Yahoo group: agwpe_pro
Date: 2011-11-26 17:11:22 UTC
From: Fred
Topic: 1554 Message: 1554

Hi George,

Removed original PE Pro 7 & installed update. Key to send is:
PBUYN-R36IF-WGQN3-WNI2V-WM37H-N5DUP-DFIFX-YEQDM-N3UVQ-PJZHA-7YUNM-EGNAB

73,
Fred, K1ACL

1555. new code needed

Yahoo group: agwpe_pro
Date: 2011-11-26 19:53:49 UTC
From: jrospopo
Topic: 1525 Message: 1555

Hi George,

Sadly my old laptop died, so I need a new code to install the software on my new laptop.
The send to key is NTTYQ-RDJHN-7YSN3-ZHFTD-YM37H-E6DUP-B6IFA-DEQDI-N7VDY-PMKHW-6DU3B-TG2AB

Thanks

James KE4CON

1556. I PAID SOCIAL SECURITY, DIDN'T YOU?

Yahoo group: agwpe_pro
Date: 2011-11-30 17:57:59 UTC
From: doyle
Topic: 1556 Message: 1556

KEEP PASSING THIS AROUND UNTIL EVERY ONE HAS READ IT. ....SOMETHING TO THINK ABOUT.

THE ONLY THING WRONG WITH THIS CALCULATION IS THEY FORGOT TO FIGURE IN THE PEOPLE WHO DIED BEFORE THEY COLLECTED THEIR SOCIAL SECURITY! WHERE DID THAT MONEY GO?

Remember, not only did you contribute to Social Security but your employer did too. It totaled 15% of your income before taxes. If you averaged only $30K over your working life, that's close to $220,500.

If you calculate the future value of $4,500 per year (yours & your employer's contribution) at a simple 5% (less than what the govt. pays on the money that it borrows), after 49 years of working you'd have $892,919.98.

If you took out only 3% per year, you'd receive $26,787.60 per year and it would last better than 30 years (until you're 95 if you retire at age 65) and that's with no interest paid on that final amount on deposit! If you
bought an annuity and it paid 4% per year, you'd have a lifetime income of $2,976.40 per month.

The folks in Washington have pulled off a bigger Ponzi scheme than Bernie Madoff ever did.

Entitlement my ass! I paid cash for my social security insurance! Just because they borrowed the money, doesn't make my benefits some kind of charity or handout!!

Congressional benefits ---- free healthcare, outrageous retirement packages, 67 paid holidays, three weeks paid vacation, unlimited paid sick days, now that's welfare, and they have the nerve to call my social security retirement entitlements?

We're "broke" and can't help our own Seniors, Veterans, Orphans, Homeless.

In the last months we have provided aid to Haiti, Chile , and Turkey . And now Pakistan .....home of bin Laden. Literally, BILLIONS of DOLLARS!!!

Our retired seniors living on a 'fixed income' receive no aid nor do they get any breaks while our government and religious organizations pour Hundreds of Billions of $$$$$$'s and Tons of Food to Foreign Countries!

They call Social Security and Medicare an entitlement even though most of us have been paying for it all our working lives and now when it?s time for us to collect, the government is running out of money. Why did the
government borrow from it in the first place? Imagine if the *GOVERNMENT* gave 'US' the same support they give to other countries.

Sad isn't it?

99% of people won't have the guts to forward this.

I'm one of the 1% -- I just did!

[Non-text portions of this message have been removed]

1557. Need updated registration

Yahoo group: agwpe_pro
Date: 2011-12-08 22:06:07 UTC
From: wa4sca
Topic: 1557 Message: 1557

George,

New computer, OS, everything, so I need to get a new registration code for:

GW7VK-P38HS-8DKN3-XGS5Y-8M37P-A7YSP-DFHPX-VGQB6-GN4DG-RJ5PE-4GY23-3NIAB

Also, I noticed a small typo. When setting up a new TNC, it asks for a "Friedly" rather than "Friendly" name. ;)

TNX,

Alan
WA4SCA

1558. New key needed here

Yahoo group: agwpe_pro
Date: 2011-12-09 10:27:28 UTC
From: f4cwh
Topic: 1558 Message: 1558

Hi George,

I need a new key for a radio dedicated server. All seems to be stable now with Packet Engine Pro version 1123.2011 (Win7 x86 - using soundcard).

Key To Send is :

NN7DK-QT7II-7D6N3-WNW3Y-4M37P-I8DUP-DFHW7-GEQDK-N66DQ-RJ4HJ-UVU23-WGSAB

Thank you.

Carl, F4CWH.

1559. New code needed

Yahoo group: agwpe_pro
Date: 2011-12-06 16:53:40 UTC
From: f4cwh
Topic: 1162 Message: 1559

Hello George,

I need a new code for a pending radio PC (PE Pro for Windows 7)...

Key To Send is :
NN7DK-QT7II-7D6N3-WNW3Y-4M37P-I8DUP-DFHW7-GEQDK-N66DQ-RJ4HJ-UVU23-WGSAB

Thank you.

73, Carl

1560. New Key

Yahoo group: agwpe_pro
Date: 2011-12-11 22:23:00 UTC
From: okafa6tg
Topic: 636 Message: 1560

I am setting up the new PE Pro on my new ,win7/64 machine , please send a new key. Key to send is:
NN3DC-5B6P6-9DNN3-UNN6G-2M37G-7XDGP-B6H69-DSQB3-NS4GK-3JYIB-WVWNB-WGEAB

Thank you Gerald Taylor KC5MWZ Oklahoma, USA

1561. new key please!

Yahoo group: agwpe_pro
Date: 2011-12-15 03:18:49 UTC
From: Peter
Topic: 1561 Message: 1561

hey there George, the new UI looks nice.

here is my key challenge:

N23GQ-P5QPW-6GSN5-ENI5D-2M37N-3XV2P-B6II9-VIQB8-NTWDS-PVGHF-WEAP3-TGSAB

please provide the appropriate response.

thank you!

Peter Belbin - KE5STL

1562. New Key Needed

Yahoo group: agwpe_pro
Date: 2011-12-17 13:18:54 UTC
From: AF1E
Topic: 1523 Message: 1562

Key to Send:
GI3GI-4MJP2-7V6N3-3HA4D-YM37H-I6V2P-B7IBZ-GGQDI-GI3YK-RB2HN-8VW2J-SHAAB

Thanks George.

Joe Spears
AF1E

1563. R: [agwpe_pro] New Key Needed

Yahoo group: agwpe_pro
Date: 2011-12-17 14:33:16 UTC
From: Franco Radio
Topic: 1523 Message: 1563

Hallo joe, the key to send that i found in my program is

HN7YN-4J3QE-9GSN5-FHBTY-8M37N-28VKP-B6IBA-VNQDJ-GI6GK-RB8PN-7D22J-VHAAB

That I have forgotten in my registration form.

Here the new key that I have received from you via e-mail:

GI3GI-4MJP2-7V6N3-3HA4D-YM37H-I6V2P-B7IBZ-GGQDI-GI3YK-RB2HN-8VW2J-SHAAB

I am waiting for registration serial to put in program.

Thank a lot for your disponibility

73

IW1PSC Franco

From Italy

Da: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] Per conto
di AF1E
Inviato: sabato 17 dicembre 2011 14.19
A: agwpe_pro@yahoogroups.com
Oggetto: [agwpe_pro] New Key Needed

Key to Send:
GI3GI-4MJP2-7V6N3-3HA4D-YM37H-I6V2P-B7IBZ-GGQDI-GI3YK-RB2HN-8VW2J-SHAAB

Thanks George.

Joe Spears
AF1E

[Non-text portions of this message have been removed]

1564. New key request

Yahoo group: agwpe_pro
Date: 2011-12-18 05:44:52 UTC
From: k4ety
Topic: 1564 Message: 1564

```
My key to send is:

HPVVN-RB5QB-VGWN3-UNI6W-CM37N-65DSP-DGH3Z-DUQB7-GJVDE-RB5HE-8DQ3B-VG2AB

Thanks,
Paul
K4ETY
```

1565. New Key Needed

Yahoo group: agwpe_pro
Date: 2011-12-19 02:19:28 UTC
From: drwoolweaver
Topic: 1523 Message: 1565

I migrated to a Win7 computer. I need a new key. My Key to Send is:

GXTVK-RJ7IA-5VSN5-GNS5V-UM37H-3VV2P-DGPI9-VUQBZ-PBTYQ-RDJPJ-WDS2T-3G2AB

Thank you.

David

1566. New Key Needed

Yahoo group: agwpe_pro
Date: 2011-12-26 19:05:44 UTC
From: pmgg7
Topic: 1523 Message: 1566

Hi George I Need a key for Packet Engine Pro since getting a new computer.

The Key to Send is:

PA4VI-Q5JIS-9D6N3-ZG22D-YM37G-XWVIP-B6PTX-VQQB2-GW7VG-4B4PJ-VVWP3-TGEAB

Thank You

Paul Green

G7VTS

1567. axip and new Registration

Yahoo group: agwpe_pro
Date: 2011-12-28 19:58:06 UTC
From: Andre
Topic: 1567 Message: 1567

I just installed agwpepro7 on a new pc so need a new registration key
for that.
key to send is:
HJUVQ-QDQIN-9DNN3-2NS3G-2M37P-N6VWP-DGHTA-YEQDI-PA5YI-33SPW-8G43T-XN2AB

I'm also trying to setup an axip port on agwpepro7 but it stays in
status idle(error ini), Anyone got an idea how to get axip working?
the local IP# is 44.137.27.22
remote IP# is 44.137.27.19 udp port 93, ip port 94 or tcpip port 8093
(any one will work)

thanks
73 Andre PE1RDW

1568. Re: axip and new Registration

Yahoo group: agwpe_pro
Date: 2011-12-29 12:26:32 UTC
From: Andre
Topic: 1567 Message: 1568

Op 28-12-2011 20:58, Andre schreef:
> I just installed agwpepro7 on a new pc so need a new registration key
> for that.
> key to send is:
> HJUVQ-QDQIN-9DNN3-2NS3G-2M37P-N6VWP-DGHTA-YEQDI-PA5YI-33SPW-8G43T-XN2AB
>
> I'm also trying to setup an axip port on agwpepro7 but it stays in
> status idle(error ini), Anyone got an idea how to get axip working?
> the local IP# is 44.137.27.22
> remote IP# is 44.137.27.19 udp port 93, ip port 94 or tcpip port 8093
> (any one will work)
>
> thanks
> 73 Andre PE1RDW
>
I got axip working, turns out I needed to install an extra driver from
http://www.qsl.net/lu7did/ named axipdrv.
After installing and following instructions it is now working, now I
just need the registration key

73 Andre PE1RDW

1569. need keys for the new version

Yahoo group: agwpe_pro
Date: 2011-12-30 13:51:23 UTC
From: n3hu
Topic: 1569 Message: 1569

Hi George

Upgrading all of my machines to version 7, two with a vmware machine as well.
I bought the win7 version today.

Please send the new keys when you have time.

Keys to send:

vmware
HN5GQ-4VJIP-WGSN3-2GXSY-WM37G-66GUP-B7PTX-DUQBZ-NN7VG-334H2-4WA2M-BGIAB

dell
G65VG-R4BIE-9GSN3-2G66W-AM37G-W7GNP-DGHN6-DKQDJ-NN4VI-P5HPW-5GUQJ-2N2AB

mac
G7VGE-RB2IE-8YYN5-HG24W-EM37H-N9DWP-DGHS9-YIQDK-HFTVI-3VMH2-6GS3V-CNWAB

73
rob
n3hu

1570. New key needed, trial period expired

Yahoo group: agwpe_pro
Date: 2012-01-05 00:29:38 UTC
From: f4cwh
Topic: 1570 Message: 1570

Hello George,

I need a new code for a pending radio server (PE Pro for Windows 7 x86)...

Key To Send is :
NN7DK-QT7II-7D6N3-WNW3Y-4M37P-I8DUP-DFHW7-GEQDK-N66DQ-RJ4HJ-UVU23-WGSAB

73, Carl

1571. PE Pro 7 + 9600 baud

Yahoo group: agwpe_pro
Date: 2012-01-08 19:15:34 UTC
From: Bob
Topic: 1571 Message: 1571

Has anyone made contacts with Packet Engine Pro 7 at 9600 baud? I can connect at 1200 but not 9600. Radio is a Yaesu ft-8100 on 70cm.

Also, can I have two ports running at the same time in PEPro? port 1 for 1200 baud and port 2 for 9600?

I'm using Outpost as the message program and I did have PEPro set up that way, but when I looked at the data going into PEPro, it looked like PEPro was trying to key port 1, when Outpost was telling it to use port 2.

So, I reconfigured Outpost to use port 1 and PEPro to use port 1 at 9600 baud. The radio transmits, but nothing connects.

Yes, there are many other possible problems here. I know that. But I do know that others have been able to connect to this 9600 baud system (the only one in the area as far as I know).

1572. need another key

Yahoo group: agwpe_pro
Date: 2012-01-06 23:20:30 UTC
From: n3hu
Topic: 1572 Message: 1572

```
george

scored another free laptop for ham apps!

Key to send
G7VYQ-Q35IN-4V6N3-4NN2D-4M37G-65YSP-B6HW7-VQQB7-GI3GN-PVGP2-5D6NB-ZG6AB

tia
rob
```

1573. New Key Please

Yahoo group: agwpe_pro
Date: 2012-01-09 07:15:14 UTC
From: Kevin Smith
Topic: 1217 Message: 1573

Hi George.

This is my 3rd attempt at getting a new key.

Key to send

GS4GI-QDNHN-8DYN5-FHE2V-YM37G-25YQP-DFH68-DIQBZ-NXWGI-RB4PP-VVYPV-DHAAB

Thanks

Kevin

ZL3JS

[Non-text portions of this message have been removed]

1574. New key needed.

Yahoo group: agwpe_pro
Date: 2012-01-19 22:55:32 UTC
From: la6ika
Topic: 1574 Message: 1574

```
Hello George.
Old PC dead. New PC need new key.
Key to send:
HI4DC-4B7PX-XVNN3-XHI6G-8M37P-FXGIP-DFP28-YNQDH-HFUYS-P5JP2-7VS2V-EGSAB
73
S.M.
```

1575. New Key Need

Yahoo group: agwpe_pro
Date: 2012-01-19 23:17:29 UTC
From: Donald
Topic: 1575 Message: 1575

PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB

1576. Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Yahoo group: agwpe_pro
Date: 2012-01-21 09:16:46 UTC
From: Patrick
Topic: 1576 Message: 1576

I have been an Amateur Radio Operator for just about as long as I can remember. My first memories were me helping my dad calling CQ and logging calls when I was just learning write. I have severed in the Army, Fought wars, traveled the planet, and meet some very nasty people and some great people. But all the while I always held the Amateur Radio community with very high regards because I knew Hams held themselves to very high standards. Honesty and integrity are things that are second nature to people that pride themselves with self reliance, and to one who volunteers themselves to causes like ARES/RACES, MARS, and to assist the Red Cross and better themselves and the community around them.

But I guess times have changes, or some Hams are just getting heartless and stupid. As I open my email these days to find AGW Packet Engine passkeys from other people, I find the people I put such faith in have discussed me. It doesn't take many S***heads to give a lot of good, honest people a bad name. This is theft, fraud, and everything hams are against. I paid for all of my AGW software, and anything that isn't free/shareware. If you paid for you software like me and everyone else then this message doesn't involve you. You are the ones keeping the Amateur radio world honest, true, and faithful.
If you're the people giving away pass keys to help others steal the software that someone wrote and others paid for then you're no better than a crook yourself. And I hope I never have the misfortune of having to hear your call signs over the airways. You know who you are, and I know who you are too.

To all others,
73 K8OCL,
Patrick

1577. Re: [agwpe_pro] Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Yahoo group: agwpe_pro
Date: 2012-01-21 11:52:11 UTC
From: Loyd Headrick
Topic: 1576 Message: 1577

Patrick
those keys your seeing are send to keys each one is unique to the install and will not work for someone else, George the developer monitors this group and send a new key code back to the person requesting

based on that send to key both keys are required to register that copy of the pro software. I use the pro version and if I install in on a different computer or to a different location on same computer the send to key would be different and require a new key from George

Loyd C. Headrick
K4LCH

K4LCH

Vol State Hosting

From: Patrick <patrick_champa@...>
To: agwpe_pro@yahoogroups.com
Sent: Saturday, January 21, 2012 4:16 AM
Subject: [agwpe_pro] Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

I have been an Amateur Radio Operator for just about as long as I can remember. My first memories were me helping my dad calling CQ and logging calls when I was just learning write. I have severed in the Army, Fought wars, traveled the planet, and meet some very nasty people and some great people. But all the while I always held the Amateur Radio community with very high regards because I knew Hams held themselves to very high standards. Honesty and integrity are things that are second nature to people that pride themselves with self reliance, and to one who volunteers themselves to causes like ARES/RACES, MARS, and to assist the Red Cross and better themselves and the community around them.

But I guess times have changes, or some Hams are just getting heartless and stupid. As I open my email these days to find AGW Packet Engine passkeys from other people, I find the people I put such faith in have discussed me. It doesn't take many S***heads to give a lot of good, honest people a bad name. This is theft, fraud, and everything hams are against. I paid for all of my AGW software, and anything that isn't free/shareware. If you paid for you software like me and everyone else then this message doesn't involve you. You are the ones keeping the Amateur radio world honest, true, and faithful.
If you're the people giving away pass keys to help others steal the software that someone wrote and others paid for then you're no better than a crook yourself. And I hope I never have the misfortune of having to hear your call signs over the airways. You know who you are, and I know who you are too.

To all others,
73 K8OCL,
Patrick

[Non-text portions of this message have been removed]

1578. www.sv2agw.com and emails

Yahoo group: agwpe_pro
Date: 2012-01-21 18:11:34 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1578 Message: 1578

Hi

I am transferring all the sites to a new web hosting company.
So you may encounter problems reach them. Especially you may lose online mapping if you use AGWTracker.
Also my email will not be available for 24 hour.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1579. Re: Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Yahoo group: agwpe_pro
Date: 2012-01-22 01:55:35 UTC
From: Patrick
Topic: 1576 Message: 1579

Why would one send their key at all if it is of no use to anyone. It be like mailing out someones house key to all your friends but not telling anyone the address. Whats the point you ask? You know someone will at least try to find a way to use that key. Which was more then likely the reason for sending the key out at all. Call it want you may, I call it wrong. So you tell me, if one persons key (serial) is really useless to everyone else then why would you send it to everyone unless you want them to try to use it successfully or not . Is it AGWPE bingo or something? Call it what you may, and I'll call it how I see it... Wrong.
So that being said can you find a reason they send their serial keys out. When you got you key did you tell every one. As an honest, logical person I doubt you did.

Bottom line(in my opinion anyway)regaurdless of the out come their intent is less then honorable.

73
Patrick K8OCL

--- In agwpe_pro@yahoogroups.com, Loyd Headrick <k4lch@...> wrote:
>
> Patrick
> those keys your seeing are send to keys each one is unique to the install and will not work for someone else, George the developer monitors this group and send a new key code back to the person requesting
>
> based on that send to key both keys are required to register that copy of the pro software.
> I use the pro version and if I install in on a different computer or to a different location on same computer the send to key would be different and require a new key from George
>
> Â
> Loyd C. Headrick
> K4LCH
> Â
> K4LCH
>
> Vol State Hosting
>
>
> Â
> Â
>
>
> _____

> From: Patrick <patrick_champa@...>
> To: agwpe_pro@yahoogroups.com
> Sent: Saturday, January 21, 2012 4:16 AM
> Subject: [agwpe_pro] Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!
>
>
> Â
> I have been an Amateur Radio Operator for just about as long as I can remember. My first memories were me helping my dad calling CQ and logging calls when I was just learning write. I have severed in the Army, Fought wars, traveled the planet, and meet some very nasty people and some great people. But all the while I always held the Amateur Radio community with very high regards because I knew Hams held themselves to very high standards. Honesty and integrity are things that are second nature to people that pride themselves with self reliance, and to one who volunteers themselves to causes like ARES/RACES, MARS, and to assist the Red Cross and better themselves and the community around them.
>
> But I guess times have changes, or some Hams are just getting heartless and stupid. As I open my email these days to find AGW Packet Engine passkeys from other people, I find the people I put such faith in have discussed me. It doesn't take many S***heads to give a lot of good, honest people a bad name. This is theft, fraud, and everything hams are against. I paid for all of my AGW software, and anything that isn't free/shareware. If you paid for you software like me and everyone else then this message doesn't involve you. You are the ones keeping the Amateur radio world honest, true, and faithful.
> If you're the people giving away pass keys to help others steal the software that someone wrote and others paid for then you're no better than a crook yourself. And I hope I never have the misfortune of having to hear your call signs over the airways. You know who you are, and I know who you are too.
>
> To all others,
> 73 K8OCL,
> Patrick
>
>
>
>
> [Non-text portions of this message have been removed]
>

1580. Re: [agwpe_pro] Re: Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Yahoo group: agwpe_pro
Date: 2012-01-22 10:44:58 UTC
From: Joe
Topic: 1576 Message: 1580

Patrick...The key(s) you see posted are good **ONLY** on the computer they were generated on...The key is generated by software that looks at my computer and all components that are in it..hard drive, chipset, CPU and speed, etc. and then the challenge key responds ONLY to that generated key. Patrick, it is the owner/developer and copyright holder of AGWPRO who is posting 1/2 of the keys you see....(I'm shouting), "THERE IS NO PIRACY INVOLVED". No matter what you think. Enough on the topic already!

Joe Wolfe
WA6RKN
Reno, Nevada

----- Original Message -----
From: "Patrick" <patrick_champa@...>
Subject: [agwpe_pro] Re: Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Why would one send their key at all if it is of no use to anyone. It be like mailing out someones house key to all your friends but not telling anyone the address. Whats the point you ask? You know someone will at least try to find a way to use that key. Which was more then likely the reason for sending the key out at all. Call it want you may, I call it wrong. So you tell me, if one persons key (serial) is really useless to everyone else then why would you send it to everyone unless you want them to try to use it successfully or not . Is it AGWPE bingo or something? Call it what you may, and I'll call it how I see it... Wrong.
So that being said can you find a reason they send their serial keys out. When you got you key did you tell every one. As an honest, logical person I doubt you did.

Bottom line(in my opinion anyway)regaurdless of the out come their intent is less then honorable.

73
Patrick K8OCL

--- In agwpe_pro@yahoogroups.com, Loyd Headrick <k4lch@...> wrote:
>
> Patrick
> those keys your seeing are send to keys each one is unique to the install
> and will not work for someone else, George the developer monitors this
> group and send a new key code back to the person requesting
>
> based on that send to key both keys are required to register that copy of
> the pro software.

> I use the pro version and if I install in on a different computer or to a
> different location on same computer the send to key would be different and
> require a new key from George
>
> ?
> Loyd C. Headrick
> K4LCH
> ?
> K4LCH
>
> Vol State Hosting
>
>
> ?
> ?
>
>
> _____
> From: Patrick <patrick_champa@...>
> To: agwpe_pro@yahoogroups.com
> Sent: Saturday, January 21, 2012 4:16 AM
> Subject: [agwpe_pro] Poor behavior from the Amateur Radio Community, Or at
> least this Yahoo group!
>
>
> ?
> I have been an Amateur Radio Operator for just about as long as I can
> remember. My first memories were me helping my dad calling CQ and logging
> calls when I was just learning write. I have severed in the Army, Fought
> wars, traveled the planet, and meet some very nasty people and some great
> people. But all the while I always held the Amateur Radio community with
> very high regards because I knew Hams held themselves to very high
> standards. Honesty and integrity are things that are second nature to
> people that pride themselves with self reliance, and to one who volunteers
> themselves to causes like ARES/RACES, MARS, and to assist the Red Cross
> and better themselves and the community around them.
>
> But I guess times have changes, or some Hams are just getting heartless
> and stupid. As I open my email these days to find AGW Packet Engine
> passkeys from other people, I find the people I put such faith in have
> discussed me. It doesn't take many S***heads to give a lot of good, honest
> people a bad name. This is theft, fraud, and everything hams are against.
> I paid for all of my AGW software, and anything that isn't free/shareware.
> If you paid for you software like me and everyone else then this message
> doesn't involve you. You are the ones keeping the Amateur radio world
> honest, true, and faithful.
> If you're the people giving away pass keys to help others steal the
> software that someone wrote and others paid for then you're no better than
> a crook yourself. And I hope I never have the misfortune of having to hear
> your call signs over the airways. You know who you are, and I know who you

> are too.
>
> To all others,
> 73 K8OCL,
> Patrick
>
>
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

1581. Re: [agwpe_pro] Re: Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Yahoo group: agwpe_pro
Date: 2012-01-22 16:26:51 UTC
From: Donald Kerns
Topic: 1576 Message: 1581

When the world was created, not enough horse heads were provided...

Don't feed the troll.

73 de Donald
AE6RF

On 1/22/2012 2:44 AM, Joe wrote:
> Patrick...The key(s) you see posted are good **ONLY** on the computer they
> were generated on...The key is generated by software that looks at my
> computer and all components that are in it..hard drive, chipset, CPU and
> speed, etc. and then the challenge key responds ONLY to that generated key.
> Patrick, it is the owner/developer and copyright holder of AGWPRO who is
> posting 1/2 of the keys you see....(I'm shouting), "THERE IS NO PIRACY
> INVOLVED". No matter what you think. Enough on the topic already!
>
> Joe Wolfe
> WA6RKN
> Reno, Nevada
>
> ----- Original Message -----
> From: "Patrick"<patrick_champa@...>
> Subject: [agwpe_pro] Re: Poor behavior from the Amateur Radio Community, Or
> at least this Yahoo group!
>
>
> Why would one send their key at all if it is of no use to anyone. It be like
> mailing out someones house key to all your friends but not telling anyone
> the address. Whats the point you ask? You know someone will at least try to
> find a way to use that key. Which was more then likely the reason for
> sending the key out at all. Call it want you may, I call it wrong. So you
> tell me, if one persons key (serial) is really useless to everyone else then
> why would you send it to everyone unless you want them to try to use it
> successfully or not . Is it AGWPE bingo or something? Call it what you may,
> and I'll call it how I see it... Wrong.
> So that being said can you find a reason they send their serial keys out.
> When you got you key did you tell every one. As an honest, logical person I
> doubt you did.
>
> Bottom line(in my opinion anyway)regaurdless of the out come their intent is
> less then honorable.
>
> 73
> Patrick K8OCL

>
> --- In agwpe_pro@yahoogroups.com, Loyd Headrick<k4lch@...> wrote:
>> Patrick
>> those keys your seeing are send to keys each one is unique to the install
>> and will not work for someone else, George the developer monitors this
>> group and send a new key code back to the person requesting
>>
>> based on that send to key both keys are required to register that copy of
>> the pro software.
>> I use the pro version and if I install in on a different computer or to a
>> different location on same computer the send to key would be different and
>> require a new key from George
>>
>> ?
>> Loyd C. Headrick
>> K4LCH
>> ?
>> K4LCH
>>
>> Vol State Hosting
>>
>>
>> ?
>> ?
>>
>>
>> _____
>> From: Patrick<patrick_champa@...>
>> To: agwpe_pro@yahoogroups.com
>> Sent: Saturday, January 21, 2012 4:16 AM
>> Subject: [agwpe_pro] Poor behavior from the Amateur Radio Community, Or at
>> least this Yahoo group!
>>
>>
>> ?
>> I have been an Amateur Radio Operator for just about as long as I can
>> remember. My first memories were me helping my dad calling CQ and logging
>> calls when I was just learning write. I have severed in the Army, Fought
>> wars, traveled the planet, and meet some very nasty people and some great
>> people. But all the while I always held the Amateur Radio community with
>> very high regards because I knew Hams held themselves to very high
>> standards. Honesty and integrity are things that are second nature to
>> people that pride themselves with self reliance, and to one who volunteers
>> themselves to causes like ARES/RACES, MARS, and to assist the Red Cross
>> and better themselves and the community around them.
>>
>> But I guess times have changes, or some Hams are just getting heartless
>> and stupid. As I open my email these days to find AGW Packet Engine
>> passkeys from other people, I find the people I put such faith in have
>> discussed me. It doesn't take many S***heads to give a lot of good, honest

>> people a bad name. This is theft, fraud, and everything hams are against.
>> I paid for all of my AGW software, and anything that isn't free/shareware.
>> If you paid for you software like me and everyone else then this message
>> doesn't involve you. You are the ones keeping the Amateur radio world
>> honest, true, and faithful.
>> If you're the people giving away pass keys to help others steal the
>> software that someone wrote and others paid for then you're no better than
>> a crook yourself. And I hope I never have the misfortune of having to hear
>> your call signs over the airways. You know who you are, and I know who you
>> are too.
>>

1582. Re: Poor behavior from the Amateur Radio Community, Or at least this Yahoo group!

Yahoo group: agwpe_pro
Date: 2012-01-23 06:20:22 UTC
From: k7kev
Topic: 1576 Message: 1582

Dear Patrick,

You are to be commended on your honor and attempts to protect copyright material. Maybe I can add something to the discussion that may help.

Traditionally, when a spy or someone else wanted to send a secure message they used a "private key" that was used to encode the message. The result of the encoding process, as you know, is something that looks like gibberish. The guy at the other end needs to have the same "private key" in order to decode it. The deal is to keep these "keys" secret, because anyone with this "key" can potentially decode the message. You really have to protect these "keys" which, as James Bond knows, isn't easy. If you leak the "key," you have leaked the message.

A revolution in encryption came with the "public key" encryption method. This allows the "key" to be sent in the clear, often with the encoded message. The spy can send his encoded message with the "public key" out there for anyone to see, because only a person with a special program which can use the "public key" can use it to decode the message. This "public key" wouldn't mean anything to anyone else. I'm pretty sure this is what George is using.

So, when you asked George for a new unlock key, you asked your copy of AGW PE to give you a new "request key" that you sent to George. Your copy of AGW PE used information that only your computer has to prepare a "request key" that you sent to George. George then took your "request key" and ran it through a program at his end that spit out a "public key" that was made for your computer, and ONLY for your computer. Your copy of AGW PE was expecting this "public key" and used it to unlock your program. Here's the neat part, it doesn't matter who else in the whole world sees your "public key" because none of them can use it.

This is why George doesn't care if it's sent in the clear, and why it doesn't matter if anyone else intercepts this key. It won't do anyone else any good-- ever. Lastly, no one can steal from George what he richly deserves.

I look forward to a QSO with you some time.

Keith Nichols
K7KEV
k7kev@...

1583. www.sv2agw.com Availability

Yahoo group: agwpe_pro
Date: 2012-01-23 07:09:37 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1583 Message: 1583

Hi

Unfortunately my old provider 1and1.com does not allow me to switch to the new sites. They claim that they need 48 hours to make the switch. Meanwhile there is no www.sv2agw.com and www.agwtracker.com WEB presence.
I think that this is their way to punish customers who change them!!!

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1584. SV2AGW Websites Back

Yahoo group: agwpe_pro
Date: 2012-01-25 01:43:46 UTC
From: Ralph Milnes
Topic: 1584 Message: 1584

The SV2AGW websites are back on line, including www.soundcardpacket.org

Ralph NM5RM

1585. Don't f*#k with old guys - video

Yahoo group: agwpe_pro
Date: 2012-01-27 02:10:47 UTC
From: Doyle Wilcox
Topic: 1585 Message: 1585

This kid is lucky he didn?t get killed. You don?t mess with an old guy and his golf game, ever!!

I just absolutly love this,I'd do the some thing,only I wouldn't run after him,I'd just kick his numb ass right there on the green...

He should have smacked the kid in the mouth!

[Non-text portions of this message have been removed]

1586. New Key Needed

Yahoo group: agwpe_pro
Date: 2012-01-27 22:26:05 UTC
From: AF1E
Topic: 1523 Message: 1586

George,

I need a key.

GI3GI-4MJP2-7V6N3-3HA4D-YM37H-I6V2P-B7IBZ-GGQDI-GI3YK-RB2HN-8VW2J-SHAAB

Thanks

Joe AF1E

1587. New Key

Yahoo group: agwpe_pro
Date: 2012-01-28 17:05:20 UTC
From: quapawscouter
Topic: 636 Message: 1587

George,

Yet another fried computer. Need a new key please. This is a new e-mail address but I think u can look me up by call sign (N5JBJ)

The key to send is :

HI3GI-4MJHT-XYUN5-HGPTG-4M37H-E8VWP-B6H3W-VGQB8-GJUDE-PJ7HS-8DW3J-UGEAB

Thanks,
Bruce N5JBJ

1588. New Key Needed

Yahoo group: agwpe_pro
Date: 2012-02-03 04:14:03 UTC
From: quapawscouter
Topic: 1523 Message: 1588

George,

Yet another fried computer. Need a new key please. This is a new e-mail address
but I think u can look me up by call sign (N5JBJ)

The key to send is :

HI3GI-4MJHT-XYUN5-HGPTG-4M37H-E8VWP-B6H3W-VGQB8-GJUDE-PJ7HS-8DW3J-UGEAB

Thanks,
Bruce N5JBJ

[Non-text portions of this message have been removed]

1589. New key need for win 7

Yahoo group: agwpe_pro
Date: 2012-02-03 18:12:54 UTC
From: iw1psc
Topic: 1589 Message: 1589

Hallo George, i have now installed agwpe-pro on another pc with windows 7 64 bit.
My key to send is:

GPUGE-4B5H7-WD4N3-UGE4V-6M37H-I6VWP-DFP27-DQQBY-N3VDS-4BYPF-XGWPT-UGNAB

Thanks for the answer.
73
iw1psc
Franco
PS I have had some problems with your normal e-mail, so i write in group.

1590. Need new key

Yahoo group: agwpe_pro
Date: 2012-02-06 06:09:05 UTC
From: Donald
Topic: 1078 Message: 1590

Hi George

I need a new key. My key to send is:

PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB

I updated my Windows XP computer to Windows 7.

This is my 3rd request for a new key.

Is this the correct procedure to obtain a new key?

Any help from anyone in the newsgroup would be much appreciated.

Thanks

Donald D Wilson N9ZGE

n9zge@...

1591. Re: Need new key

Yahoo group: agwpe_pro
Date: 2012-02-06 14:05:12 UTC
From: AF1E
Topic: 1078 Message: 1591

I too have made multiple requests for a key and have heard nothing back so I have the same question regarding procedure. This process worked in the past.

Good Luck.

Joe AF1E

1592. New Key Required

Yahoo group: agwpe_pro
Date: 2012-02-13 20:14:15 UTC
From: pmgg7
Topic: 1592 Message: 1592

Hello George

Due to having a new computer I need a new key for Agwpe-Pro.

The key to send is:

N27YI-RJ3II-8D4N3-5GPTG-4M37P-PXGNP-DFHS8-GIQB4-NS6VI-QJZPX-UVUPB-XHAAB

Thank You

Paul Green
G7VTS

1593. New Key Needed

Yahoo group: agwpe_pro
Date: 2012-02-15 15:26:02 UTC
From: drwoolweaver
Topic: 1523 Message: 1593

George:

New computer. Key to send:

GXTVK-RJ7IA-5VSN5-GNS5V-UM37H-3VV2P-DGPI9-VUQBZ-PBTYQ-RDJPJ-WDS2T-3G2AB

Thanks

David, K5RAV

1594. Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2012-02-16 09:36:41 UTC
From: Kevin Smith
Topic: 1 Message: 1594

Hi George.

I need a new key please. This is my 4th request. Is this software still supported?

Key to send

GS4GI-QDNHN-8DYN5-FHE2V-YM37G-25YQP-DFH68-DIQBZ-NXWGI-RB4PP-VVYPV-DHAAB

Thanks

Kevin ZL3JS

[Non-text portions of this message have been removed]

1595. Re: New key need for win 7

Yahoo group: agwpe_pro
Date: 2012-02-16 16:20:38 UTC
From: iw1psc
Topic: 1589 Message: 1595

```
--- In agwpe_pro@yahoogroups.com, "iw1psc" <iw1psc@...> wrote:
>
> Hallo George, i need new key:
key to send is GPUGE-4B5H7-WD4N3-UGE4V-6M37H-I6VWP-DFP27-DQQBY-N3VDS-4BYPF-XGWPT-UGNAB
>
> Thanks for the answer.
> 73
> iw1psc
> Franco
> PS I have had some problems with your normal e-mail, so i write in group.
>
```

1596. Help for new key. The trial period is expiring

Yahoo group: agwpe_pro
Date: 2012-02-16 16:22:53 UTC
From: iw1psc
Topic: 1596 Message: 1596

Hallo George,
My key to send is:
GPUGE-4B5H7-WD4N3-UGE4V-6M37H-I6VWP-DFP27-DQQBY-N3VDS-4BYPF-XGWPT-UGNAB
Thanks for the answer.
73
iw1psc
Franco
PS I have had some problems with your normal e-mail, so i write in group.

1597. I have a Problem with the list

Yahoo group: agwpe_pro
Date: 2012-02-18 07:39:45 UTC
From: sv2agw
Topic: 1597 Message: 1597

Hi

it seems thta my emails to the list does not pass through!!
It happens for a while but i discovered it today.
This si a test message from the web interface of the list

73

SV2AGW

1598. Re: Help for new key. The trial period is expiring

Yahoo group: agwpe_pro
Date: 2012-02-19 10:05:33 UTC
From: sv2agw
Topic: 1596 Message: 1598

Hi

your serial is

HFUYE-235GX-VECNB-SGI7D-WNTXH-A5WAM-5EPW7-V8MTV-N3VVU-4BYPF-XGWPT-UGNAB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "iw1psc" <iw1psc@...> wrote:
>
> Hallo George,
> My key to send is:
> GPUGE-4B5H7-WD4N3-UGE4V-6M37H-I6VWP-DFP27-DQQBY-N3VDS-4BYPF-XGWPT-UGNAB
> Thanks for the answer.
> 73
> iw1psc
> Franco
> PS I have had some problems with your normal e-mail, so i write in group.
>

1599. Re: Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2012-02-19 10:06:32 UTC
From: sv2agw
Topic: 1 Message: 1599

Hi Kevin

the serial is

HI4YI-N5NGE-7D8ND-DHI5D-QNTXG-S4Y4M-5EH28-V2MTW-NXWYK-RB4PP-VVYPV-DHAAB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "Kevin Smith" <kevinsmith@...> wrote:
>
> Hi George.
>
>
>
> I need a new key please. This is my 4th request. Is this software still
> supported?
>
> Key to send
>
> GS4GI-QDNHN-8DYN5-FHE2V-YM37G-25YQP-DFH68-DIQBZ-NXWGI-RB4PP-VVYPV-DHAAB
>
>
>
> Thanks
>
> Kevin ZL3JS
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1600. Re: New Key Needed

Yahoo group: agwpe_pro
Date: 2012-02-19 10:07:14 UTC
From: sv2agw
Topic: 1523 Message: 1600

Hi David

the serial is
HPUDK-QB7G2-4V2ND-ENW8D-KNTXH-TUWEM-5FPFA-ECMTW-PBUGS-RDJPJ-WDS2T-3G2AB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "drwoolweaver" <drwoolweaver@...> wrote:
>
> George:
>
> New computer. Key to send:
>
> GXTVK-RJ7IA-5VSN5-GNS5V-UM37H-3VV2P-DGPI9-VUQBZ-PBTYQ-RDJPJ-WDS2T-3G2AB
>
> Thanks
>
> David, K5RAV
>

1601. Re: New Key Required

Yahoo group: agwpe_pro
Date: 2012-02-19 10:07:52 UTC
From: sv2agw
Topic: 1592 Message: 1601

Hi Paul

the serial is
PS8GI-QB3HA-7ECNB-3GTVY-UNTXP-FWG2M-5EHN8-Y2MTZ-NS7DK-QJZPX-UVUPB-XHAAB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "pmgg7" <pmg@...> wrote:
>
> Hello George
>
> Due to having a new computer I need a new key for Agwpe-Pro.
>
> The key to send is:
>
> N27YI-RJ3II-8D4N3-5GPTG-4M37P-PXGNP-DFHS8-GIQB4-NS6VI-QJZPX-UVUPB-XHAAB
>
> Thank You
>
> Paul Green
> G7VTS
>

1602. Re: New key need for win 7

Yahoo group: agwpe_pro
Date: 2012-02-19 10:08:33 UTC
From: sv2agw
Topic: 1589 Message: 1602

Hi Franco

the serial is
HFUYE-235GX-VECNB-SGI7D-WNTXH-A5WAM-5EPW7-V8MTV-N3VVU-4BYPF-XGWPT-UGNAB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "iw1psc" <iw1psc@...> wrote:
>
> Hallo George, i have now installed agwpe-pro on another pc with windows 7 64 bit.
> My key to send is:
>
> GPUGE-4B5H7-WD4N3-UGE4V-6M37H-I6VWP-DFP27-DQQBY-N3VDS-4BYPF-XGWPT-UGNAB
>
> Thanks for the answer.
> 73
> iw1psc
> Franco
> PS I have had some problems with your normal e-mail, so i write in group.
>

1603. Re: Need new key

Yahoo group: agwpe_pro
Date: 2012-02-19 10:09:21 UTC
From: sv2agw
Topic: 1078 Message: 1603

Hi Donald

the serial is
P3UDE-QJ8NI-6V6NB-YGS8V-QNTXN-TXD4M-5EHW7-ECMT3-N25YS-3J3IB-UV8PJ-ZGWAB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "Donald" <wilson_newsgroups@...> wrote:
>
> Hi George
>
> I need a new key. My key to send is:
>
> PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB
>
> I updated my Windows XP computer to Windows 7.
>
> This is my 3rd request for a new key.
>
> Is this the correct procedure to obtain a new key?
>
> Any help from anyone in the newsgroup would be much appreciated.
>
> Thanks
>
> Donald D Wilson N9ZGE
>
> n9zge@...
>

1604. Re: New Key Needed

Yahoo group: agwpe_pro
Date: 2012-02-19 10:09:57 UTC
From: sv2agw
Topic: 1523 Message: 1604

Hi Bruce

the serial is
IA3YI-3DJGJ-WY4ND-FGTVY-UNTXG-67WAM-35HXX-DYMT5-GJUVG-PJ7HS-8DW3J-UGEAB

73
SV2AGW

--- In agwpe_pro@yahoogroups.com, "quapawscouter" <jbrucejones@...> wrote:
>
> George,
>
> Yet another fried computer. Need a new key please. This is a new e-mail
> address
> but I think u can look me up by call sign (N5JBJ)
>
> The key to send is :
>
> HI3GI-4MJHT-XYUN5-HGPTG-4M37H-E8VWP-B6H3W-VGQB8-GJUDE-PJ7HS-8DW3J-UGEAB
>
> Thanks,
> Bruce N5JBJ
>
>
>
>
> [Non-text portions of this message have been removed]
>

1605. Re: New Key Needed

Yahoo group: agwpe_pro
Date: 2012-02-19 10:10:33 UTC
From: sv2agw
Topic: 1523 Message: 1605

Hi Joe

the serial is
HA3YI-3DJNS-6WENB-ZHE6V-QNTXH-A5WEM-36H7Z-YYMVF-GI4GN-RB2HN-8VW2J-SHAAB

73

SV2AGW

--- In agwpe_pro@yahoogroups.com, "AF1E" <spearsjg@...> wrote:
>
> George,
>
> I need a key.
>
> GI3GI-4MJP2-7V6N3-3HA4D-YM37H-I6V2P-B7IBZ-GGQDI-GI3YK-RB2HN-8VW2J-SHAAB
>
> Thanks
>
> Joe AF1E
>

1606. Packet Engine Pro Serials

Yahoo group: agwpe_pro
Date: 2012-02-19 10:11:24 UTC
From: sv2agw
Topic: 1606 Message: 1606

Hi

due to problems sending emails to list PSE send me private email for serials

73

SV2AGW

1607. test

Yahoo group: agwpe_pro
Date: 2012-02-22 15:03:03 UTC
From: sv2agw
Topic: 1607 Message: 1607

test

1608. test2

Yahoo group: agwpe_pro
Date: 2012-02-22 15:05:22 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1608 Message: 1608

Test

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece
http://www.sv2agw.com
http://www.agwtracker.com

1609. Wait for Registration Key

Yahoo group: agwpe_pro
Date: 2012-02-25 13:24:00 UTC
From: Phill
Topic: 1609 Message: 1609

Hi,

On average how long should I need to wait for the activation key after paying the fee ?

Phill G7JRV

1610. AGW PE Pro and IC-9100?

Yahoo group: agwpe_pro
Date: 2012-02-25 16:44:50 UTC
From: ve4nsa
Topic: 1610 Message: 1610

Anybody using a new IC 9100 via USB port with AGW Pro? Can receive packets but cannot TX.

Thanks, Stefan

1611. Re: Wait for Registration Key

Yahoo group: agwpe_pro
Date: 2012-02-26 10:59:30 UTC
From: sv2agw
Topic: 1609 Message: 1611

Hi Phill

already send!!
Check your junk emails and/or send me your "Key To Send" to this list

73

--- In agwpe_pro@yahoogroups.com, "Phill" <g7jrv@...> wrote:
>
> Hi,
>
> On average how long should I need to wait for the activation key after paying the fee ?
>
> Phill G7JRV
>

1612. Problems tx with win7 64 bit

Yahoo group: agwpe_pro
Date: 2012-02-26 12:06:42 UTC
From: iw1psc
Topic: 1612 Message: 1612

Hallo George, i have installed Paket Engine Pro on my pc with W/ 64bit
No problems for receiving via sound card, but i am unable to transmit.
When i set a radio port, can not test PTT, because is not hilighted. The settings (audio in and audio ouit) are right.
I monitor all signal incoming, but i am not able to transmit.
Where is my mistake?
Thanks for the answer
Franco
iw1psc

1613. Need Registration Code

Yahoo group: agwpe_pro
Date: 2012-02-26 18:05:57 UTC
From: jrospopo
Topic: 1613 Message: 1613

Hi George,

I downloaded and paid for Packet Engine Pro a few years ago. I've got a new laptop that I wanted to put it on so I downloaded the newest version and installed it on the new laptop. The old laptop has gone to the great laptop heaven in the sky so I will not be using the version I had on it. The call that it was registered to is KE4CON. If you need additional information please contact me off list and I can supply it. The Key to Send is:

NTTYQ-RDJHN-7YSN3-ZHFTD-YM37H-E6DUP-B6IFA-DEQDI-N7VDY-PMKHW-6DU3B-TG2AB

Thanks

Jim Rospopo

KE4CON

1614. Re: Problems tx with win7 64 bit

Yahoo group: agwpe_pro
Date: 2012-02-28 15:18:42 UTC
From: sv2agw
Topic: 1612 Message: 1614

Hi

you must define a valid serial port for ptt.
Check www.soundcardpacket.org

73

--- In agwpe_pro@yahoogroups.com, "iw1psc" <iw1psc@...> wrote:
>
> Hallo George, i have installed Paket Engine Pro on my pc with W/ 64bit
> No problems for receiving via sound card, but i am unable to transmit.
> When i set a radio port, can not test PTT, because is not hilighted. The settings (audio in and audio ouit) are right.
> I monitor all signal incoming, but i am not able to transmit.
> Where is my mistake?
> Thanks for the answer
> Franco
> iw1psc
>

1615. Re: Need Registration Code

Yahoo group: agwpe_pro
Date: 2012-02-28 15:19:21 UTC
From: sv2agw
Topic: 1613 Message: 1615

Hi

your serial is
PJUGQ-P5JGE-6Y2NB-XHJVV-QNTXG-65D8M-35IBA-VWMVF-N7VV2-PMKHW-6DU3B-TG2AB

73

--- In agwpe_pro@yahoogroups.com, "jrospopo" <ke4con@...> wrote:
>
> Hi George,
>
> I downloaded and paid for Packet Engine Pro a few years ago. I've got a new laptop that I wanted to put it on so I downloaded the newest version and installed it on the new laptop. The old laptop has gone to the great laptop heaven in the sky so I will not be using the version I had on it. The call that it was registered to is KE4CON. If you need additional information please contact me off list and I can supply it. The Key to Send is:
>
> NTTYQ-RDJHN-7YSN3-ZHFTD-YM37H-E6DUP-B6IFA-DEQDI-N7VDY-PMKHW-6DU3B-TG2AB
>
> Thanks
>
> Jim Rospopo
>
> KE4CON
>

1616. For Phill G7JRV

Yahoo group: agwpe_pro
Date: 2012-02-28 15:20:47 UTC
From: sv2agw
Topic: 1616 Message: 1616

Hi Phil

where are you?
We are sending you emails...
I replied here...
Still waiting for your response

73
George SV2AGW

1617. Re: For Phill G7JRV

Yahoo group: agwpe_pro
Date: 2012-02-28 22:03:14 UTC
From: Phill
Topic: 1616 Message: 1617

I'm Here, but I haven't received any email from you with the requested key as paid for :(

Phill.

--- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@...> wrote:
>
> Hi Phil
>
> where are you?
> We are sending you emails...
> I replied here...
> Still waiting for your response
>
> 73
> George SV2AGW
>

1618. Re: For Phill G7JRV

Yahoo group: agwpe_pro
Date: 2012-02-29 15:52:23 UTC
From: sv2agw
Topic: 1616 Message: 1618

Hi Phil

PSE send me the "Key To Send" to this email list.
I replied to your email in this list at Sunday 26 Feb.
Also they sent you an email from BMT to your email address.
Anyway these things happen from time to time no problem at all.

73

(SV2AGW) George Rossopoulos
Mysirli 39
54250 Thessaloniki
Greece

http://www.sv2agw.com
http://www.agwtracker.com
on Facebook for everyday news
http://www.facebook.com/#!/pages/Agwpe/123697471048969

--- In agwpe_pro@yahoogroups.com, "Phill" <g7jrv@...> wrote:
>
> I'm Here, but I haven't received any email from you with the requested key as paid for :(
>
> Phill.
>
>
> --- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@> wrote:
> >
> > Hi Phil
> >
> > where are you?
> > We are sending you emails...
> > I replied here...
> > Still waiting for your response
> >
> > 73
> > George SV2AGW
> >
>

1619. Re: For Phill G7JRV

Yahoo group: agwpe_pro
Date: 2012-02-29 17:20:49 UTC
From: sv2agw
Topic: 1616 Message: 1619

Hi Phill

your serial is
HE6DI-3T5HE-5Y4NB-XGS5V-KNTXH-I6G2M-35HN9-DYMTW-GTVV2-PJYPE-6VSND-ENNAB

73

--- In agwpe_pro@yahoogroups.com, "Phill" <g7jrv@...> wrote:
>
> I'm Here, but I haven't received any email from you with the requested key as paid for :(
>
> Phill.
>
>
> --- In agwpe_pro@yahoogroups.com, "sv2agw" <sv2agw@> wrote:
> >
> > Hi Phil
> >
> > where are you?
> > We are sending you emails...
> > I replied here...
> > Still waiting for your response
> >
> > 73
> > George SV2AGW
> >
>

1620. New new key

Yahoo group: agwpe_pro
Date: 2012-03-01 20:22:10 UTC
From: wd0ajg
Topic: 1620 Message: 1620

Geroge,

I am trying to upgrade to the new version and find it does not pick up my old key?
The "key to send" is:
GJVVW-RVKPT-VYNN5-FG3SW-CM37G-67YUP-DFHJX-DWQB3-HN6VK-PBYIB-UV8NB-3GSAB

I also have a question:
Is it necessary to install the new program in the "program files" (default folder) or can it be in the same place as the old one "program files (x86)/System Tools/Amateur/SV2AGW/AGWPEPRO"?

At one time I ran it from MyDocuments to bypass some the problems with Win7?

Rex Ishmael - WD0AJG

1621. downloads

Yahoo group: agwpe_pro
Date: 2012-03-01 21:05:43 UTC
From: wd0ajg
Topic: 1621 Message: 1621

George,

On a different note than needed the new key - I found that the update for the DXnetManager does not work. Would like to try that out.

WD0AJG

1622. Re: downloads

Yahoo group: agwpe_pro
Date: 2012-03-08 07:21:26 UTC
From: sv2agw
Topic: 1621 Message: 1622

Hi

Fixed!!! Thank you for the report

73
SV2AGW

--- In agwpe_pro@yahoogroups.com, "wd0ajg" <wd0ajg@...> wrote:
>
> George,
>
> On a different note than needed the new key - I found that the update for the DXnetManager does not work. Would like to try that out.
>
> WD0AJG
>

1623. New key needed

Yahoo group: agwpe_pro
Date: 2012-03-09 15:13:29 UTC
From: Ronnie
Topic: 1096 Message: 1623

George,

I need a new key for the new Packet Engine Pro 7.

Key sent:

NS6YN-R33H2-8YYN3-UN3TW-CM37G-3XDKP-B6PS8-DCQDG-HE6GQ-35GPJ-XG42V-GGEAB

73 de SM7DKF

Ronnie

1624. Re: New key needed

Yahoo group: agwpe_pro
Date: 2012-03-10 16:40:29 UTC
From: sv2agw
Topic: 1096 Message: 1624

Hi ROnnie

your serial is
PI7GN-QT3GS-7Y8NB-SN7WD-4NTXG-TWDYM-35PN8-VUMVD-HE6YS-35GPJ-XG42V-GGEAB

73
SV2AGW George

--- In agwpe_pro@yahoogroups.com, "Ronnie" <news@...> wrote:
>
> George,
>
> I need a new key for the new Packet Engine Pro 7.
>
> Key sent:
>
> NS6YN-R33H2-8YYN3-UN3TW-CM37G-3XDKP-B6PS8-DCQDG-HE6GQ-35GPJ-XG42V-GGEAB
>
> 73 de SM7DKF
>
> Ronnie
>

1625. Code

Yahoo group: agwpe_pro
Date: 2012-03-16 02:13:56 UTC
From: Dan M
Topic: 1625 Message: 1625

Hi George,

Upgraded to version 7. Need to get the code.

Here's my gen number:

HN6VS-RT5IE-7DWN3-YN23Y-4M37G-27DWP-DFIFA-VKQDM-NS5YG-PTXHW-4D6NB-3NNAB

Thanks

Dan Maixner
N0DJM

1626. RE: [agwpe_pro] Code

Yahoo group: agwpe_pro
Date: 2012-03-16 06:36:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1625 Message: 1626

Hi Dan

Your serial is

IE7DS-QJ5G6-6D6NB-WN66G-UNTXG-S6EAM-5EIBB-D4MVI-NS6GI-PTXHW-4D6NB-3NNAB

73

(SV2AGW) George Rossopoulos

Misirli 39

54250 Thessaloniki

Greece

<httP://www.sv2agw.com> httP://www.sv2agw.com

<http://www.agwtracker.com> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Dan M
Sent: Friday, March 16, 2012 4:14 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Code

Hi George,

Upgraded to version 7. Need to get the code.

Here's my gen number:

HN6VS-RT5IE-7DWN3-YN23Y-4M37G-27DWP-DFIFA-VKQDM-NS5YG-PTXHW-4D6NB-3NNAB

Thanks

Dan Maixner
N0DJM

[Non-text portions of this message have been removed]

1627. Need New Password

Yahoo group: agwpe_pro
Date: 2012-03-20 17:50:25 UTC
From: Donald
Topic: 1395 Message: 1627

Hi George

The key to send is:

NS3DC-RMNH6-5V4N3-XGN4Y-4M37H-XYDGP-B7HJY-DGQB7-N63VQ-RJ5PE-5YWPM-GNIAB

Please send me the password.

Thanks

Donald D Wilson

N9ZGE

1628. RE: [agwpe_pro] Need New Password

Yahoo group: agwpe_pro
Date: 2012-03-21 11:19:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1395 Message: 1628

Ho Donald

Your serial is

PI3VC-QDNGW-4WCNB-VGS7G-UNTXH-PXDUM-36HFY-VYMT4-N64DS-RJ5PE-5YWPM-GNIAB

73

(SV2AGW) George Rossopoulos

Misirli 39

54250 Thessaloniki

Greece

<httP://www.sv2agw.com> httP://www.sv2agw.com

<http://www.agwtracker.com> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Donald
Sent: Tuesday, March 20, 2012 7:50 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Need New Password

Hi George

The key to send is:

NS3DC-RMNH6-5V4N3-XGN4Y-4M37H-XYDGP-B7HJY-DGQB7-N63VQ-RJ5PE-5YWPM-GNIAB

Please send me the password.

Thanks

Donald D Wilson

N9ZGE

[Non-text portions of this message have been removed]

1629. Pass word/code

Yahoo group: agwpe_pro
Date: 2012-03-22 17:21:37 UTC
From: ltdoc
Topic: 1629 Message: 1629

George,
Did the 'Win-7' up-grade so need to register with two registration keys. The information is below;

Name: Paul Lalli
Call sign: W5LZ
Laptop Key: GJVVE-R36IN-4VWN3-WGS2V-4M37P-E8DSP-DGP26-VWQDJ-G67DN-QJ5PW-7VYP5-CNEAB
Desktop Key: NN7DG-R38QB-WGNN3-VHE2G-4M37P-I8VKP-B6HN9-YGQB7-N25VY-3MHHA-4V2QB-UGEAB

Except for when I 'mess' things up, Pepro is working just fine.
Paul

1630. Need new password

Yahoo group: agwpe_pro
Date: 2012-03-22 21:00:56 UTC
From: Robert
Topic: 1630 Message: 1630

Hi George

I have just installed PEPro on my new (Windows 7) laptop, and I need a key. The key to send is:

G66VN-4VPH2-8DKN5-DGXUD-4M37G-XXDIP-B7H29-GQQB8-NW7GS-PDHH3-VD6PT-TG2AB

I like the new interface.

Rob
VA7RMM

1631. RE: [agwpe_pro] Pass word/code

Yahoo group: agwpe_pro
Date: 2012-03-23 06:23:08 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1629 Message: 1631

Hi Paul

The serials are (in the same order)

HBWDE-QT6HE-3V6NB-UGW5D-UNTXN-67D6M-5FPW7-EEMVG-G67VQ-QJ5PW-7VYP5-CNEAB

PE7VG-QT8N3-VGWNB-THI4Y-UNTXP-A7VYM-35HJA-GYMT4-N26D2-3MHHA-4V2QB-UGEAB

73

(SV2AGW) George Rossopoulos

Misirli 39

54250 Thessaloniki

Greece

<httP://www.sv2agw.com> httP://www.sv2agw.com

<http://www.agwtracker.com> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of ltdoc
Sent: Thursday, March 22, 2012 7:22 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Pass word/code

George,
Did the 'Win-7' up-grade so need to register with two registration keys. The
information is below;

Name: Paul Lalli
Call sign: W5LZ
Laptop Key:
GJVVE-R36IN-4VWN3-WGS2V-4M37P-E8DSP-DGP26-VWQDJ-G67DN-QJ5PW-7VYP5-CNEAB
Desktop Key:
NN7DG-R38QB-WGNN3-VHE2G-4M37P-I8VKP-B6HN9-YGQB7-N25VY-3MHHA-4V2QB-UGEAB

Except for when I 'mess' things up, Pepro is working just fine.
Paul

[Non-text portions of this message have been removed]

1632. need new registration code please George

Yahoo group: agwpe_pro
Date: 2012-03-24 07:38:40 UTC
From: Gerald
Topic: 1632 Message: 1632

Hello George it's been a long while.
I had to start all over with my computer due to hard drive failure.
I need to get the registration code for it again.
my number is GPUDN-P39PX-VDNN5-HGTUY-8M37P-N6DNP-B7IA6-VGQDI-HPUVS-33YHP-XEAQJ-2GEAB

my email is kc6cnn@... but they have been having issues here so if not that one then kc6cnn@...

Thanks George

Gerald Manthey - KC6CNN

1633. RE: [agwpe_pro] need new registration code please George

Yahoo group: agwpe_pro
Date: 2012-03-24 16:18:17 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1632 Message: 1633

Hi Gerald

The serial is

HFUVN-NT9NP-UDWND-FGXXG-YNTXP-E5D2M-36H67-DYMVF-HPVDU-33YHP-XEAQJ-2GEAB

73

(SV2AGW) George Rossopoulos

Misirli 39

54250 Thessaloniki

Greece

<httP://www.sv2agw.com> httP://www.sv2agw.com

<http://www.agwtracker.com> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Gerald
Sent: Saturday, March 24, 2012 9:39 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] need new registration code please George

Hello George it's been a long while.
I had to start all over with my computer due to hard drive failure.
I need to get the registration code for it again.
my number is
GPUDN-P39PX-VDNN5-HGTUY-8M37P-N6DNP-B7IA6-VGQDI-HPUVS-33YHP-XEAQJ-2GEAB

my email is kc6cnn@... <mailto:kc6cnn%40yahoo.com> but they have been
having issues here so if not that one then kc6cnn@...
<mailto:kc6cnn%40gmail.com>

Thanks George

Gerald Manthey - KC6CNN

[Non-text portions of this message have been removed]

1634. Re: AGW PE Pro and IC-9100?

Yahoo group: agwpe_pro
Date: 2012-03-25 17:45:20 UTC
From: talleyt@sbcglobal.net
Topic: 1610 Message: 1634

I would also be interested in this option for IC-9100 and IC-7410. Both have USB based Sound Card built in. The PTT can be controlled via ICOM's CI-V Commands (serial interface).

Would like to avoid additional interface (i.e. serial port or printer port) to support PTT, since all ths available via the USB interfaces.

Thanks

Tom K0CFI

--- In agwpe_pro@yahoogroups.com, "ve4nsa" <wageners@...> wrote:
>
> Anybody using a new IC 9100 via USB port with AGW Pro? Can receive packets but cannot TX.
>
> Thanks, Stefan
>

1635. New key code

Yahoo group: agwpe_pro
Date: 2012-03-27 18:11:37 UTC
From: Robert
Topic: 1105 Message: 1635

Hi George,

I am unable to get the new PEPro to interface with PacLink on Windows 7, so I have reverted to the PEPro update version, which appears to work. However that generated a new key to send, so here it is:

HFVDU-4DPH3-WYUN3-YHA5D-6M37H-S9VKP-DFP7Y-DGQDK-GTTYI-3J6HW-6Y2NV-GGIAB

Please send another key.

73

1636. RE: [agwpe_pro] New key code

Yahoo group: agwpe_pro
Date: 2012-03-28 14:18:28 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1105 Message: 1636

Hi Rob

The serial is

H7VVU-25PGT-VY4NB-WHE7V-WNTXH-I8VYM-5EP3Y-VYMVH-GTUGK-3J6HW-6Y2NV-GGIAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Robert
Sent: Tuesday, March 27, 2012 9:12 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New key code

Hi George,

I am unable to get the new PEPro to interface with PacLink on Windows 7, so
I have reverted to the PEPro update version, which appears to work. However
that generated a new key to send, so here it is:

HFVDU-4DPH3-WYUN3-YHA5D-6M37H-S9VKP-DFP7Y-DGQDK-GTTYI-3J6HW-6Y2NV-GGIAB

Please send another key.

73

[Non-text portions of this message have been removed]

1638. SOS VIRUS DO NOT OPEN THE MAIL FROM Michail Oikonomou

Yahoo group: agwpe_pro
Date: 2012-03-29 09:26:21 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1638 Message: 1638

Hi

It points to a virus page DO NOT click

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Michail Oikonomou
Sent: Thursday, March 29, 2012 4:25 AM
To: agwpe_pro@yahoogroups.com; aha4vs@...; alexhemis@...;
pangelidis@...; antony@...; apaggea@...;
meteomanert3@...; ARRL-LOTW-unsubscribe@yahoogroups.com;
careers.log@...
Subject: [agwpe_pro] (unknown)

http://www.jewpiter.com/poll/nav12.php
Michail Oikonomou
sv2bnl@... <mailto:sv2bnl%40yahoo.gr>
careers.log@... <mailto:careers.log%40gmail.com>
3/28/2012 6:25:15 PM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1639. Re: Using AGWPE with Byonics TinyTrak4

Yahoo group: agwpe_pro
Date: 2012-03-29 22:47:18 UTC
From: leemaisel
Topic: 1371 Message: 1639

Good luck. I see it's been a year, and I'm still trying. Was searching and found your post...

--- In agwpe_pro@yahoogroups.com, "Mitch" <mitchmitchell1616@...> wrote:
>
> Has anyone been successful getting Packet Engine Pro working with the Byonics TinyTrak4 in KISS mode?
>
> I have the tracker tranmitting APRS data ok so it is talking to the radio but I have not been successful setting it up as a TNC with Packet Engine Pro.
>
> Any pointers to information on how to do this would be greatly appreciated!
>
> Thanks & Best Regards,
>
> Mitch, AE5HO
>

1640. Re: AGW PE Pro and IC-9100?

Yahoo group: agwpe_pro
Date: 2012-03-30 01:08:19 UTC
From: ve4nsa
Topic: 1610 Message: 1640

Thanks,

I emailed SV2AGW about this. I don't think he will implement it any time soon. Too bad!

Stefan, VE4NSA

--- In agwpe_pro@yahoogroups.com, "talleyt@..." <talleyt@...> wrote:
>
> I would also be interested in this option for IC-9100 and IC-7410. Both have USB based Sound Card built in. The PTT can be controlled via ICOM's CI-V Commands (serial interface).
>
> Would like to avoid additional interface (i.e. serial port or printer port) to support PTT, since all ths available via the USB interfaces.
>
> Thanks
>
> Tom K0CFI
>
> --- In agwpe_pro@yahoogroups.com, "ve4nsa" <wageners@> wrote:
> >
> > Anybody using a new IC 9100 via USB port with AGW Pro? Can receive packets but cannot TX.
> >
> > Thanks, Stefan
> >
>

1641. RE: [agwpe_pro] Re: AGW PE Pro and IC-9100?

Yahoo group: agwpe_pro
Date: 2012-03-30 17:19:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1610 Message: 1641

Hi

You need an external PTT.

CAT control PTT is not for Packet, for other digital modes it may work.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of ve4nsa
Sent: Friday, March 30, 2012 4:08 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: AGW PE Pro and IC-9100?

Thanks,

I emailed SV2AGW about this. I don't think he will implement it any time
soon. Too bad!

Stefan, VE4NSA

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"talleyt@..." <talleyt@...> wrote:
>
> I would also be interested in this option for IC-9100 and IC-7410. Both
have USB based Sound Card built in. The PTT can be controlled via ICOM's
CI-V Commands (serial interface).
>
> Would like to avoid additional interface (i.e. serial port or printer
port) to support PTT, since all ths available via the USB interfaces.
>
> Thanks
>
> Tom K0CFI
>
> --- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"ve4nsa" <wageners@> wrote:
> >
> > Anybody using a new IC 9100 via USB port with AGW Pro? Can receive
packets but cannot TX.

> >
> > Thanks, Stefan
> >
>

[Non-text portions of this message have been removed]

1642. Upgrade

Yahoo group: agwpe_pro
Date: 2012-04-05 01:21:12 UTC
From: chuck_sprick
Topic: 1642 Message: 1642

George,

I purchased AGWPE Pro several years ago and recently upgraded my system to Win 7 so need a new code, please.

Code To Send is G25YG-P39QA-4V6N5-DG63G-4M37P-FXDSP-B7HN8-DIQDI-NW6DW-RJ3H6-7D4PT-XGIAB

Thanks,
Chuck
KE5RAD

1643. RE: [agwpe_pro] Upgrade

Yahoo group: agwpe_pro
Date: 2012-04-06 17:38:53 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1642 Message: 1643

Hi Chuck

Your serial is

HS6GG-NT9N2-3WEND-BHA5Y-UNTXN-7WD6M-36HI8-V2MVF-NW6VY-RJ3H6-7D4PT-XGIAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of chuck_sprick
Sent: Thursday, April 05, 2012 4:21 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Upgrade

George,

I purchased AGWPE Pro several years ago and recently upgraded my system to
Win 7 so need a new code, please.

Code To Send is
G25YG-P39QA-4V6N5-DG63G-4M37P-FXDSP-B7HN8-DIQDI-NW6DW-RJ3H6-7D4PT-XGIAB

Thanks,
Chuck
KE5RAD

[Non-text portions of this message have been removed]

1644. Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-09 16:33:30 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1527 Message: 1644

Hi

A new release with many bug fixes.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

1645. RE: [agwpe_pro] Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-09 19:49:30 UTC
From: Raul Romero
Topic: 1527 Message: 1645

Update to Win 7

Pse Send me my New Code

NS3VW-RJ7IS-7V2N5-EG25V-2M37N-7XYIP-B7PI7-GEQB3-GI3VE-4MGHA-6D2NT-YG6AB

Raul

CE3SOC

De: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] En nombre
de (SV2AGW)George Rossopoulos
Enviado el: lunes, 09 de abril de 2012 13:34
Para: agwpe_pro@yahoogroups.com
Asunto: [agwpe_pro] Packet Engine Pro new Release

Hi

A new release with many bug fixes.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1646. RE: [agwpe_pro] Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-11 06:15:06 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1527 Message: 1646

Hi Raul

The serial is

PI4DW-QB7HI-6WAND-CG68D-SNTXN-XWYWM-36PE7-YWMTY-GI4DG-4MGHA-6D2NT-YG6AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Raul Romero
Sent: Monday, April 09, 2012 10:50 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro new Release

Update to Win 7

Pse Send me my New Code

NS3VW-RJ7IS-7V2N5-EG25V-2M37N-7XYIP-B7PI7-GEQB3-GI3VE-4MGHA-6D2NT-YG6AB

Raul

CE3SOC

De: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
[mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] En
nombre
de (SV2AGW)George Rossopoulos
Enviado el: lunes, 09 de abril de 2012 13:34
Para: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
Asunto: [agwpe_pro] Packet Engine Pro new Release

Hi

A new release with many bug fixes.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1647. Re: [agwpe_pro] Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-12 14:10:54 UTC
From: Andre
Topic: 1527 Message: 1647

Just reinstalled the PC, a new key would be nice :)

key to send:
HJUVQ-QDQIN-9DNN3-2NS3G-2M37P-N6VWP-DGHTA-YEQDI-PA5YI-335PW-8G43T-XN2AB

Thanks George for all the work.
--
73 Andre PE1RDW

1648. Re: Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-16 14:57:57 UTC
From: is0cap
Topic: 1527 Message: 1648

Hi George this is IS0CAP, i've upgraded my pc and intalled the new version of your software, so i need a new serial.
Thank you for Your job.

my key is:
G26GG-5B3II-6YUN3-ZG62D-YM37N-27GSP-DFHN7-VCQBY-HI4YQ-Q3XHJ-UV2P3-UGNAB

73 de Francesco - IS0CAP

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> Finally here it is. Packet Engine Pro for Windows Vista and Win7.
> http://www.sv2agw.com/ham/pepro.htm
> and for the download
> www.sv2agw.com/Downloads
>
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece
> http://www.sv2agw.com
> http://www.agwtracker.com
>

1649. RE: [agwpe_pro] Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-18 06:02:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1527 Message: 1649

Hi

The serial is
IBVDQ-N5QHE-8DWNB-YNW5Y-SNTXP-E5WAM-5FHPB-GWMVF-PA6GK-335PW-8G43T-XN2AB

73

(SV2AGW) George Rossopoulos
httP://www.sv2agw.com
http://www.agwtracker.com
http://www.facebook.com/agwpe

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Andre
Sent: Thursday, April 12, 2012 5:11 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] Packet Engine Pro new Release

Just reinstalled the PC, a new key would be nice :)

key to send:
HJUVQ-QDQIN-9DNN3-2NS3G-2M37P-N6VWP-DGHTA-YEQDI-PA5YI-335PW-8G43T-XN2AB

Thanks George for all the work.
--
73 Andre PE1RDW

Yahoo! Groups Links

1650. RE: [agwpe_pro] Re: Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-04-18 06:03:17 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1527 Message: 1650

Hi Francesco

The serial is

HS6YG-333HA-5Y4NB-XHA4V-QNTXN-S6G6M-5EHI8-DUMTV-HI5GS-Q3XHJ-UV2P3-UGNAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of is0cap
Sent: Monday, April 16, 2012 5:58 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Packet Engine Pro new Release

Hi George this is IS0CAP, i've upgraded my pc and intalled the new version
of your software, so i need a new serial.
Thank you for Your job.

my key is:
G26GG-5B3II-6YUN3-ZG62D-YM37N-27GSP-DFHN7-VCQBY-HI4YQ-Q3XHJ-UV2P3-UGNAB

73 de Francesco - IS0CAP

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> ,
"\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
> Finally here it is. Packet Engine Pro for Windows Vista and Win7.
> http://www.sv2agw.com/ham/pepro.htm
> and for the download
> www.sv2agw.com/Downloads
>
>
> 73
>
> (SV2AGW) George Rossopoulos
> Mysirli 39
> 54250 Thessaloniki
> Greece

> http://www.sv2agw.com
> http://www.agwtracker.com
>

[Non-text portions of this message have been removed]

1651. NetManager

Yahoo group: agwpe_pro
Date: 2012-04-21 17:36:26 UTC
From: craderva
Topic: 1651 Message: 1651

Does anyone know how to clear the history screen in Net Manager?

1652. MSYS Node Disconnect

Yahoo group: agwpe_pro
Date: 2012-04-21 21:08:35 UTC
From: craderva
Topic: 1652 Message: 1652

When I send the "BYE" command to an MSYS node, the node disconnects but then sends <DISC> packets to my station, (TNC-X, KISS Mode). PEP never responds to DISC packets with a <UA> or <DM> and the Node keeps sending <DISC> until it times out. Is that an MSYS peculiarity or a PEP issue? The only way I have found to avoid this is to directly disconnect from the MSYS node without sending BYE. Has anyone experienced this?

1653. RE: [agwpe_pro] NetManager

Yahoo group: agwpe_pro
Date: 2012-04-25 06:34:48 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1651 Message: 1653

Hi

You cannot, the NETS are in the Database.

If you have MS Access you can open the database and edit/delete it. Is in the Documents/DxNetManager directory

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of craderva
Sent: Saturday, April 21, 2012 8:36 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] NetManager

Does anyone know how to clear the history screen in Net Manager?

[Non-text portions of this message have been removed]

1654. USB serial.

Yahoo group: agwpe_pro
Date: 2012-04-26 00:46:23 UTC
From: isgs294
Topic: 1654 Message: 1654

I have the trial agwpe pro edition installed on a win7 box. I can monitor the port so I am hearing signals via the PE, but I am unable to set my serial port.

I have a USB serial port. Its a generic prolific port. It work fine with fldigi and other serial control program but agwpe doesnt even list the port in its port list. I get com1,2,14,15 which are physical serial ports but come 6 isnt seen.

Is there any issue with USB serial ports?

1655. RE: [agwpe_pro] USB serial.

Yahoo group: agwpe_pro
Date: 2012-04-26 15:26:05 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1654 Message: 1655

Hi

If the serial port is listed under control panel/device manager/ports(COM & LPT)

Then Packet Engine can use it.

Anyway, if the port is not listed just typed it.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of isgs294
Sent: Thursday, April 26, 2012 3:46 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] USB serial.

I have the trial agwpe pro edition installed on a win7 box. I can monitor the port so I am hearing signals via the PE, but I am unable to set my serial port.

I have a USB serial port. Its a generic prolific port. It work fine with fldigi and other serial control program but agwpe doesnt even list the port in its port list. I get com1,2,14,15 which are physical serial ports but come 6 isnt seen.

Is there any issue with USB serial ports?

[Non-text portions of this message have been removed]

1656. pepro vista now inop will not reinstall

Yahoo group: agwpe_pro
Date: 2012-05-03 04:01:16 UTC
From: e_armigeri
Topic: 1656 Message: 1656

somehow i have messed up a 2012pepro critical config file in the reinstall process of registered 2012pepro. i've tried the repair, removal and reinstallation a couple of times but the pepro application fails immediately after the splash screen with a windows error to exit the packet application.

are there registry keys i also need to delete after removal?

in the old 2007pepro days i used to be able to go into the port0.ini , port1.ini files to correct fatal config errors and get pepro2007 running again. 2012pepro is not cooperating. if you have some ideas to try let me know to get past the splash screen let me know.

john, w1jmc

1657. RE: [agwpe_pro] pepro vista now inop will not reinstall

Yahoo group: agwpe_pro
Date: 2012-05-03 07:22:10 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1656 Message: 1657

Hi John

Delete agwpe.ini and portxx.ini files.

They are at documents/Packet engine pro

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of e_armigeri
Sent: Thursday, May 03, 2012 7:01 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] pepro vista now inop will not reinstall

somehow i have messed up a 2012pepro critical config file in the reinstall process of registered 2012pepro. i've tried the repair, removal and reinstallation a couple of times but the pepro application fails immediately after the splash screen with a windows error to exit the packet application.

are there registry keys i also need to delete after removal?

in the old 2007pepro days i used to be able to go into the port0.ini , port1.ini files to correct fatal config errors and get pepro2007 running again. 2012pepro is not cooperating. if you have some ideas to try let me know to get past the splash screen let me know.

john, w1jmc

[Non-text portions of this message have been removed]

1658. Re: Radio port manager problem

Yahoo group: agwpe_pro
Date: 2012-05-23 22:47:39 UTC
From: timgungoll@sbcglobal.net
Topic: 998 Message: 1658

I have 7 that do not show up either. Any solutions?

Tim Gungoll

KF5OWX

--- In agwpe_pro@yahoogroups.com, "weissje75" <weissje75@...> wrote:
>
> Hello All
>
>
>
>
>
> Program Status says I have 34 radio ports. When I look under radio port manager it is blank. I am not able to add a radio port. I have uninstalled the program a couple of times, but it shows the same thing when I re-install the program.
>
> Any Ideas?
>
> Thanks, Jim WA7JEW
>

1659. Packet ENgine Pro and Soundcard

Yahoo group: agwpe_pro
Date: 2012-05-27 09:33:15 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1659 Message: 1659

Hi

I am trying to optimize the Soundcard AFSK modems. (1200 VHF and 300b HF).

I will upload a new version during this week.

Meanwhile I found that on WIN7 there is a small problem with soundcards especially if you use a USB soundcard like signallink.

Have a look here to see how you can optimize your receiving, I wrote a small guide with screen shots.

www.sv2agw.com/ham/sc.htm

So far my tests (with the new afsk modems) indicate that on VHF when you cannot hear the packet from distortion PEPRO decodes it .

Wait for a first beta today later.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

1660. RE: [agwpe_pro] Packet ENgine Pro and Soundcard

Yahoo group: agwpe_pro
Date: 2012-05-27 15:57:31 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1659 Message: 1660

Hi

The first beta with the new more sensitive afsk (1200 & 300baud) modems.

www.sv2agw.com/beta/peprobeta.zip

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW)George Rossopoulos
Sent: Sunday, May 27, 2012 12:33 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet ENgine Pro and Soundcard

Hi

I am trying to optimize the Soundcard AFSK modems. (1200 VHF and 300b HF).

I will upload a new version during this week.

Meanwhile I found that on WIN7 there is a small problem with soundcards especially if you use a USB soundcard like signallink.

Have a look here to see how you can optimize your receiving, I wrote a small guide with screen shots.

www.sv2agw.com/ham/sc.htm

So far my tests (with the new afsk modems) indicate that on VHF when you cannot hear the packet from distortion PEPRO decodes it .

Wait for a first beta today later.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1661. New Key

Yahoo group: agwpe_pro
Date: 2012-05-27 18:47:32 UTC
From: Loyd
Topic: 636 Message: 1661

I need a new key my send to:
NPUDN-RB2HW-6YNN3-3G7UD-8M37P-PWVSP-B6PTZ-DWQB5-HBWDU-PMJIA-6VS2J-SGSAB

1662. RE: [agwpe_pro] New Key

Yahoo group: agwpe_pro
Date: 2012-05-28 06:43:42 UTC
From: (SV2AGW)George Rossopoulos
Topic: 636 Message: 1662

Hi

The serial is

PFUVN-P32GN-5YWNB-ZHBWV-YNTXP-FVV6M-35PPZ-WEMT2-HBWVW-PMJIA-6VS2J-SGSAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Loyd
Sent: Sunday, May 27, 2012 9:48 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New Key

I need a new key my send to:
NPUDN-RB2HW-6YNN3-3G7UD-8M37P-PWVSP-B6PTZ-DWQB5-HBWDU-PMJIA-6VS2J-SGSAB

[Non-text portions of this message have been removed]

1663. RE: [agwpe_pro] Packet ENgine Pro and Soundcard

Yahoo group: agwpe_pro
Date: 2012-05-29 02:57:26 UTC
From: Hans-Peter F. Oeste
Topic: 1659 Message: 1663

George,

Thanks for your continued work in this. Quick question, this new version will also run on XP?

Hans Oeste

VE7OES

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of (SV2AGW)George Rossopoulos
Sent: May-27-12 8:58 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet ENgine Pro and Soundcard

Hi

The first beta with the new more sensitive afsk (1200 & 300baud) modems.

www.sv2agw.com/beta/peprobeta.zip

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> [mailto:agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>] On Behalf
Of (SV2AGW)George Rossopoulos
Sent: Sunday, May 27, 2012 12:33 PM
To: agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com>
Subject: [agwpe_pro] Packet ENgine Pro and Soundcard

Hi

I am trying to optimize the Soundcard AFSK modems. (1200 VHF and 300b HF).

I will upload a new version during this week.

Meanwhile I found that on WIN7 there is a small problem with soundcards especially if you use a USB soundcard like signallink.

Have a look here to see how you can optimize your receiving, I wrote a small guide with screen shots.

www.sv2agw.com/ham/sc.htm

So far my tests (with the new afsk modems) indicate that on VHF when you cannot hear the packet from distortion PEPRO decodes it .

Wait for a first beta today later.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1664. PacketEnginePro7 Radio Port Sharing

Yahoo group: agwpe_pro
Date: 2012-05-30 19:38:23 UTC
From: la4gy@hotmail.com
Topic: 1664 Message: 1664

Hello Group!
I have been using the older version of PEPro some years.
When upgrading the computer (Win7 64), I decided to buy PEPro7.
Mostly it is working fine, but I can not manage to share the TNC on the LAN, and via Internet, like with the old version.
The "Radio Port Sharing" is greyed out, and shows as disabled in the Home screen.
Tried to install the old version (as Trial), and it is working fine.
What am I doing wrong?

Regards
Villy / la4gy

1665. Winmor Virtual TNC support

Yahoo group: agwpe_pro
Date: 2012-06-08 10:06:25 UTC
From: Mark Hannah
Topic: 1665 Message: 1665

Good Morning,

Is there a way to interface the virtual tnc winmor in agwpe this would be a great feature that would open some much needed doors for hf communications. You can download the software defined tnc here with all the programmer functions.

ftp://autoupdate.winlink.org/WINMOR%20TNC/

Let me know if this is a possibility, and thanks in advance for your help.

1666. (no subject)

Yahoo group: agwpe_pro
Date: 2012-06-11 00:12:01 UTC
From: Michail Oikonomou
Topic: 1666 Message: 1666

http://carolinacloseouts.com/wp-includes/l7dvcm4h.php
6/10/2012 5:11:58 PM

[Non-text portions of this message have been removed]

1667. RE: [agwpe_pro] Winmor Virtual TNC support

Yahoo group: agwpe_pro
Date: 2012-06-11 09:04:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1665 Message: 1667

Hi

Packet Engine has an interface that allows third part modems to communicate with Packet Engine.

If the author of "winmor" wishes to interface with Packet Engine is quite easy and I can help him.

All the necessary documentation is in the develop.zip. In there is also an example of such a modem.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Mark Hannah
Sent: Friday, June 08, 2012 1:06 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Winmor Virtual TNC support

Good Morning,

Is there a way to interface the virtual tnc winmor in agwpe this would be a great feature that would open some much needed doors for hf communications. You can download the software defined tnc here with all the programmer functions.

ftp://autoupdate.winlink.org/WINMOR%20TNC/

Let me know if this is a possibility, and thanks in advance for your help.

[Non-text portions of this message have been removed]

1668. New Key

Yahoo group: agwpe_pro
Date: 2012-06-11 20:58:19 UTC
From: AF1E
Topic: 636 Message: 1668

George,

Adding Packet Engine Pro to laptop for portable operation.

Key is:

HA7VQ-RJ8PT-XGUN3-XG26V-UM37H-W8VKP-B6IA8-DGQDG-HBWDY-4MKHP-UVUPV-FGAAB

Thanks.

Joe AF1E

1669. RE: [agwpe_pro] New Key

Yahoo group: agwpe_pro
Date: 2012-06-12 06:07:06 UTC
From: (SV2AGW)George Rossopoulos
Topic: 636 Message: 1669

Hi Joe

The serial is

H28DQ-QB8NJ-WG4NB-VG69D-KNTXH-N7VYM-35H68-VYMVD-HBWV2-4MKHP-UVUPV-FGAAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of AF1E
Sent: Monday, June 11, 2012 11:58 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New Key

George,

Adding Packet Engine Pro to laptop for portable operation.

Key is:

HA7VQ-RJ8PT-XGUN3-XG26V-UM37H-W8VKP-B6IA8-DGQDG-HBWDY-4MKHP-UVUPV-FGAAB

Thanks.

Joe AF1E

[Non-text portions of this message have been removed]

1670. AGW packet engine PRO purchase

Yahoo group: agwpe_pro
Date: 2012-06-13 21:30:57 UTC
From: f4goj
Topic: 1670 Message: 1670

Hi,
i purchased AGWPE PRO.
The code to send is
HI7YG-QB2HX-WVWN3-2GW6G-4M37P-N9YNP-B7HFA-DUQB2-HJVVW-3VKHT-XD8PB-YN2AB

Thanks by advance for the key.

73, F4GOJ Christophe Caiveau.

1671. RE: [agwpe_pro] AGW packet engine PRO purchase

Yahoo group: agwpe_pro
Date: 2012-06-14 06:17:33 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1670 Message: 1671

Hi Christophe

Your serial is

IA8GG-N32GP-VV6NB-YG28Y-UNTXP-E8Y2M-36HBA-WCMTX-HJWDY-3VKHT-XD8PB-YN2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of f4goj
Sent: Thursday, June 14, 2012 12:31 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGW packet engine PRO purchase

Hi,
i purchased AGWPE PRO.
The code to send is
HI7YG-QB2HX-WVWN3-2GW6G-4M37P-N9YNP-B7HFA-DUQB2-HJVVW-3VKHT-XD8PB-YN2AB

Thanks by advance for the key.

73, F4GOJ Christophe Caiveau.

[Non-text portions of this message have been removed]

1672. Re: PacketEnginePro7 Radio Port Sharing

Yahoo group: agwpe_pro
Date: 2012-06-14 16:02:05 UTC
From: la4gy@hotmail.com
Topic: 1664 Message: 1672

OK, nothing heard here, and my trial period on the "old" PEPro is about to expire....
Guess I have to buy the old version too :(
Very unhappy about this :(

Regards
Villy / la4gy

1673. RE: [agwpe_pro] Re: PacketEnginePro7 Radio Port Sharing

Yahoo group: agwpe_pro
Date: 2012-06-14 17:59:43 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1664 Message: 1673

Hi Villy

What do you mean?

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of la4gy@...
Sent: Thursday, June 14, 2012 7:02 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: PacketEnginePro7 Radio Port Sharing

OK, nothing heard here, and my trial period on the "old" PEPro is about to expire....
Guess I have to buy the old version too :(
Very unhappy about this :(

Regards
Villy / la4gy

[Non-text portions of this message have been removed]

1674. For G7LJA

Yahoo group: agwpe_pro
Date: 2012-06-26 13:44:38 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1674 Message: 1674

Hi Peter

PSE check your spam filters. I sent your code 100 times(Hi,Hi)

Your serial is

PS7VG-QKBGS-6ECNB-UHJVY-WNTXG-TVV2M-5FPJY-YYMTW-NTWVU-RB6HX-XDYN3-XGIAB

PSE confirm if ok.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

1675. Code

Yahoo group: agwpe_pro
Date: 2012-06-26 10:16:16 UTC
From: peterg7lja2003
Topic: 1625 Message: 1675

HELP
what am I doing wrong.
Paid for engine packet pro several years back and have had no problems getting the activstion code from George when I have had to reinstall software.
For som reason I cannot get a reply from him asking for the code on a new instalation of new ver.
Have sent several emails with out any reply.
any ideas please
Pete

1676. RX audio profile preference

Yahoo group: agwpe_pro
Date: 2012-06-26 15:04:11 UTC
From: Donald Kerns
Topic: 1674 Message: 1676

Hi George,

I'm working to convert a couple of commercial radios for packet use.

Does it matter to the 1200 baud demodulator if it gets emphasized or non-emphasized audio?

73 de Donald
AE6RF

1677. RE: [agwpe_pro] Code

Yahoo group: agwpe_pro
Date: 2012-06-26 15:24:07 UTC
From: Fred Hillhouse
Topic: 1625 Message: 1677

Hi Peter

PSE check your spam filters. I sent your code 100 times(Hi,Hi)

Your serial is

PS7VG-QKBGS-6ECNB-UHJVY-WNTXG-TVV2M-5FPJY-YYMTW-NTWVU-RB6HX-XDYN3-XGIAB

PSE confirm if ok.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/ <blocked::http://www.sv2agw.com/> >
httP://www.sv2agw.com <blocked::http://www.sv2agw.com/>

<http://www.agwtracker.com/ <blocked::http://www.agwtracker.com/> >
http://www.agwtracker.com <blocked::http://www.agwtracker.com/>

<http://www.facebook.com/agwpe <blocked::http://www.facebook.com/agwpe> >
http://www.facebook.com/agwpe <blocked::http://www.facebook.com/agwpe>

[Non-text portions of this message have been removed]

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of peterg7lja2003
Sent: Tuesday, June 26, 2012 06:16
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Code

HELP
what am I doing wrong.
Paid for engine packet pro several years back and have had no problems
getting the activstion code from George when I have had to reinstall
software.
For som reason I cannot get a reply from him asking for the code on a new
instalation of new ver.
Have sent several emails with out any reply.
any ideas please
Pete

[Non-text portions of this message have been removed]

1678. Re: [agwpe_pro] Code

Yahoo group: agwpe_pro
Date: 2012-06-26 16:45:13 UTC
From: Loyd Headrick
Topic: 1625 Message: 1678

might check spam folder as according to message thread he sent you a reply with key

Loyd C. Headrick
K4LCH

K4LCH

Vol State Hosting

From: peterg7lja2003 <petergibson7@...>
To: agwpe_pro@yahoogroups.com
Sent: Tuesday, June 26, 2012 6:16 AM
Subject: [agwpe_pro] Code

HELP
what am I doing wrong.
Paid for engine packet pro several years back and have had no problems getting the activstion code from George when I have had to reinstall software.
For som reason I cannot get a reply from him asking for the code on a new instalation of new ver.
Have sent several emails with out any reply.
any ideas please
Pete

[Non-text portions of this message have been removed]

1679. RE: [agwpe_pro] RX audio profile preference

Yahoo group: agwpe_pro
Date: 2012-06-26 19:24:00 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1674 Message: 1679

Hi Donald

Preempasis required but works even without it.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Donald Kerns
Sent: Tuesday, June 26, 2012 6:04 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] RX audio profile preference

Hi George,

I'm working to convert a couple of commercial radios for packet use.

Does it matter to the 1200 baud demodulator if it gets emphasized or
non-emphasized audio?

73 de Donald
AE6RF

[Non-text portions of this message have been removed]

1680. Code

Yahoo group: agwpe_pro
Date: 2012-06-27 14:56:45 UTC
From: peterg7lja2003
Topic: 1625 Message: 1680

George
thank you for the code all working THANK YOU....I have checked both email accounts in the spam/deleted/new and I have had nothing.
Not sure what is going on there...
thanks again
Pete

1681. Packet Engine Pro New Release

Yahoo group: agwpe_pro
Date: 2012-07-02 09:03:31 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1681 Message: 1681

Hi

New Release. New improved Soundcard AFSK modems.

There is for download a zipped version which needs no installation, just unzip and run.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

1682. RE: [agwpe_pro] Packet Engine Pro New Release

Yahoo group: agwpe_pro
Date: 2012-07-04 15:13:28 UTC
From: Ralph Milnes
Topic: 1681 Message: 1682

George,

Is this just for the Win 7 version? Anything for WinXP version?

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of (SV2AGW)George Rossopoulos
Sent: Monday, July 02, 2012 5:04 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine Pro New Release

Hi

New Release. New improved Soundcard AFSK modems.

There is for download a zipped version which needs no installation, just
unzip and run.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2012.0.2180 / Virus Database: 2437/5105 - Release Date: 07/01/12

1683. (no subject)

Yahoo group: agwpe_pro
Date: 2012-07-07 23:22:48 UTC
From: charles dennis
Topic: 1683 Message: 1683

Greetings

I have had a computer crash and had to restore all my files and programs from backup. I purchased Packet Engine Pro last July and have used it regularly for almost a year. I would like to continue using it but unfortunately when I re load the software and try putting in my code it does not work. Attached are print screens of previous emails from last year...

I do not want to buy it again but I do want to use it. Please help me.

Thank you.

Chuck
WA5ZTD

No Trees were harmed in sending this email (however some electrons were highly irritated)

[Non-text portions of this message have been removed]

1684. New code needed

Yahoo group: agwpe_pro
Date: 2012-07-09 01:49:15 UTC
From: Hans-Peter F. Oeste
Topic: 1162 Message: 1684

My computer HD died so I will need a new code to activate AGW Pro.

Thanks

Code:

GI7GE-QVKPW-7GYN3-5NI4D-UM37G-W6DQP-B6PTZ-DEQDG-GN4VN-PB2IE-4GYQM-CNEAB

Hans-Peter F Oeste

VE7OES

[Non-text portions of this message have been removed]

1685. RE: [agwpe_pro] New code needed

Yahoo group: agwpe_pro
Date: 2012-07-10 08:32:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1162 Message: 1685

Hi Hans-Peter

Your serial is

HA7YE-PMKNN-6G8NB-3NN6V-KNTXG-N5D4M-35PPZ-VWMVD-GN5DQ-PB2IE-4GYQM-CNEAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Hans-Peter F. Oeste
Sent: Monday, July 09, 2012 4:49 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New code needed

My computer HD died so I will need a new code to activate AGW Pro.

Thanks

Code:

GI7GE-QVKPW-7GYN3-5NI4D-UM37G-W6DQP-B6PTZ-DEQDG-GN4VN-PB2IE-4GYQM-CNEAB

Hans-Peter F Oeste

VE7OES

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1686. Key Needed

Yahoo group: agwpe_pro
Date: 2012-07-10 09:52:08 UTC
From: ramin
Topic: 1516 Message: 1686

Dear All,

I am a new user of Packet Engine Pro 2012, Could anyone help me by giving me the registration serial of the following key :

NS7VI-4T9HS-8YYN3-WG25D-4M37H-XYDIP-B7HPA-DUQBZ-GPUGS-4MGPW-6V6QD-CG6AB

Best,
Ramin Soltani

1687. Using PE Pro 2012

Yahoo group: agwpe_pro
Date: 2012-07-10 09:56:14 UTC
From: ramin
Topic: 1687 Message: 1687

Dear All,

I have read the help of the PE Pro 2012, but I couldn't find my desiered information reagrdin using this application. Could anyone help me be giving me a useful help (any links, files, or ...) or the instructions of how to use it to send a text file?

How can I send a text file by this application in addition to the sound card and Radio Transmiter?

Best,
Ramin

1688. New code needed

Yahoo group: agwpe_pro
Date: 2012-07-10 20:39:47 UTC
From: Carl F4CWH
Topic: 1162 Message: 1688

Dear George,

I just installed a new laptop, and I need a new registration code.

Thanks in advance.

Key to send is :

GW4DI-R37H2-8DWN3-ZGI2E-CM37G-29VIP-B6PW6-VEQDG-HA7DI-3VMH6-8V62J-2GIAB

73.

Carl, F4CWH

1689. RE: [agwpe_pro] Using PE Pro 2012

Yahoo group: agwpe_pro
Date: 2012-07-12 08:18:33 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1687 Message: 1689

Hi Ramin

You need AGWTerminal on both sides and us eof YAPP protocol for binary and text files.

For just test just type it.

For more instructions PSE read www.soundcardpacket.org

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ramin
Sent: Tuesday, July 10, 2012 12:56 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Using PE Pro 2012

Dear All,

I have read the help of the PE Pro 2012, but I couldn't find my desiered information reagrdin using this application. Could anyone help me be giving me a useful help (any links, files, or ...) or the instructions of how to use it to send a text file?

How can I send a text file by this application in addition to the sound card and Radio Transmiter?

Best,
Ramin

[Non-text portions of this message have been removed]

1690. RE: [agwpe_pro] New code needed

Yahoo group: agwpe_pro
Date: 2012-07-12 08:19:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1162 Message: 1690

Hi Carl

Your serial is

HN4VI-QT7GS-7D6NB-XGN4V-4NTXG-S8VWM-35PS7-DWMVD-HA7VK-3VMH6-8V62J-2GIAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Carl F4CWH
Sent: Tuesday, July 10, 2012 11:40 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New code needed

Dear George,

I just installed a new laptop, and I need a new registration code.

Thanks in advance.

Key to send is :

GW4DI-R37H2-8DWN3-ZGI2E-CM37G-29VIP-B6PW6-VEQDG-HA7DI-3VMH6-8V62J-2GIAB

73.

Carl, F4CWH

[Non-text portions of this message have been removed]

1691. RE: [agwpe_pro] Key Needed

Yahoo group: agwpe_pro
Date: 2012-07-12 08:21:16 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1516 Message: 1691

Hi Ramin

Are you a registered user?

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ramin
Sent: Tuesday, July 10, 2012 12:52 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Key Needed

Dear All,

I am a new user of Packet Engine Pro 2012, Could anyone help me by giving me the registration serial of the following key :

NS7VI-4T9HS-8YYN3-WG25D-4M37H-XYDIP-B7HPA-DUQBZ-GPUGS-4MGPW-6V6QD-CG6AB

Best,
Ramin Soltani

[Non-text portions of this message have been removed]

1692. Registration Code Needed

Yahoo group: agwpe_pro
Date: 2012-07-16 00:38:26 UTC
From: kc4lzn
Topic: 1692 Message: 1692

N26YQ-SCAIB-VYUN5-GGN3W-EM37H-A7VGP-B7PN7-DEQB3-GJUVQ-RJXPS-4GY2J-SGWAB

Date Purchased Code is ready to supply if you need.

73 John
KC4LZN

1693. Registration code needed

Yahoo group: agwpe_pro
Date: 2012-07-16 17:54:51 UTC
From: la4gy@hotmail.com
Topic: 1693 Message: 1693

HI7VU-RVJHW-8YSN3-WGTTE-AM37H-26YUP-DFPJA-DSQB4-HJWDS-4B6HI-7YUPT-ZG2AB

73 de LA4GY

1694. RE: [agwpe_pro] Registration Code Needed

Yahoo group: agwpe_pro
Date: 2012-07-17 06:05:38 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1692 Message: 1694

Hi John

The serial is

PS7GQ-Q4AG3-UY4ND-EGS6D-6NTXG-26VUM-36PI7-VWMTY-GJVDS-RJXPS-4GY2J-SGWAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of kc4lzn
Sent: Monday, July 16, 2012 3:38 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration Code Needed

N26YQ-SCAIB-VYUN5-GGN3W-EM37H-A7VGP-B7PN7-DEQB3-GJUVQ-RJXPS-4GY2J-SGWAB

Date Purchased Code is ready to supply if you need.

73 John
KC4LZN

[Non-text portions of this message have been removed]

1695. RE: [agwpe_pro] Registration code needed

Yahoo group: agwpe_pro
Date: 2012-07-17 06:06:04 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1693 Message: 1695

Hi

The serial is

IA8DU-QMJGN-7Y2NB-UGXVV-2NTXH-S5Y8M-5EPFA-WAMTZ-HJWVU-4B6HI-7YUPT-ZG2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of la4gy@...
Sent: Monday, July 16, 2012 8:55 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration code needed

HI7VU-RVJHW-8YSN3-WGTTE-AM37H-26YUP-DFPJA-DSQB4-HJWDS-4B6HI-7YUPT-ZG2AB

73 de LA4GY

[Non-text portions of this message have been removed]

1696. Packet Engine Pro crashes on start up on Windows XP

Yahoo group: agwpe_pro
Date: 2012-07-18 19:54:04 UTC
From: kz9drw
Topic: 1696 Message: 1696

My Packet engine pro was running fine. It has started crashing when I start it up. I have tried uninstalling and reinstalling to no avail. Are there registry entries that need cleared. I have a registered endition. Please help.

Andrew
KZ9DRW

1697. RE: [agwpe_pro] Packet Engine Pro crashes on start up on Windows XP

Yahoo group: agwpe_pro
Date: 2012-07-19 06:38:35 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1696 Message: 1697

Hi

Nothing is written to registry.

Delete the ini files from Documents/Packet Engine Pro

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of kz9drw
Sent: Wednesday, July 18, 2012 10:54 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Packet Engine Pro crashes on start up on Windows XP

My Packet engine pro was running fine. It has started crashing when I start
it up. I have tried uninstalling and reinstalling to no avail. Are there
registry entries that need cleared. I have a registered endition. Please
help.

Andrew
KZ9DRW

[Non-text portions of this message have been removed]

1698. No com ports available?

Yahoo group: agwpe_pro
Date: 2012-07-30 00:03:26 UTC
From: raoul_gi
Topic: 1698 Message: 1698

Hello all,

because of a soundcard problem with AGW Packet Engine v2012.414, I have just installed AGW Packet Engine Pro version. Soundcard problem was solved with this program version, but on "Port Setup --> PTT Control" I see one serial port (COM1) only. Why?
Another question: On program status actually I read "Unregistered Copy.0 Days Remaining".
For activate 30 days trial I need a reg keys?
Thanks in advance.
73 de Raoul, ik0rcy

OS: Windows 7
Key to Send: N66DI-Q5QHX-WYSN5-FHJVD-UM37G-W6DWP-B7PS9-DCQB5-GXTVS-4MKIA-5EAPJ-SGEAB

1699. Not a valid win32 application

Yahoo group: agwpe_pro
Date: 2012-07-30 17:21:23 UTC
From: Quentin Falkenbury
Topic: 1699 Message: 1699

Hi
I get this when i try to launch the application under windows 2000 sp4
what gives?
73 Quentin

1700. RE: [agwpe_pro] Not a valid win32 application

Yahoo group: agwpe_pro
Date: 2012-08-01 04:41:28 UTC
From: Hans-Peter F. Oeste
Topic: 1699 Message: 1700

You likely are trying to install to new a version of the software. The latest version will only work under Vista and newer.

Hans

VE7OES

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Quentin Falkenbury
Sent: July-30-12 10:21 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Not a valid win32 application

Hi
I get this when i try to launch the application under windows 2000 sp4
what gives?
73 Quentin

[Non-text portions of this message have been removed]

1701. RE: [agwpe_pro] No com ports available?

Yahoo group: agwpe_pro
Date: 2012-08-07 07:56:54 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1698 Message: 1701

Hi

Type the com port you want to use.Use the same syntax as is displayed

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of raoul_gi
Sent: Monday, July 30, 2012 3:03 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] No com ports available?

Hello all,

because of a soundcard problem with AGW Packet Engine v2012.414, I have just
installed AGW Packet Engine Pro version. Soundcard problem was solved with
this program version, but on "Port Setup --> PTT Control" I see one serial
port (COM1) only. Why?
Another question: On program status actually I read "Unregistered Copy.0
Days Remaining". For activate 30 days trial I need a reg keys?
Thanks in advance.
73 de Raoul, ik0rcy

OS: Windows 7
Key to Send:
N66DI-Q5QHX-WYSN5-FHJVD-UM37G-W6DWP-B7PS9-DCQB5-GXTVS-4MKIA-5EAPJ-SGEAB

[Non-text portions of this message have been removed]

1702. new key

Yahoo group: agwpe_pro
Date: 2012-08-10 21:58:37 UTC
From: our_gang_2
Topic: 1272 Message: 1702

George, just setup a new computer and need a new key for Pro.
G3TVN-4DJH6-7V6N3-WG64Y-WM37G-3YDYP-DFHN8-DEQB6-G66GI-4BZHX-UYUN3-2G2AB

Thanks
Ken
AG2K
kmiddleton@...
ag2k@...

1703. New key

Yahoo group: agwpe_pro
Date: 2012-08-11 09:26:44 UTC
From: Guido Tedeschi
Topic: 1272 Message: 1703

George,
reinstalled OS and need new key, please.

PBVDK-P36PS-7DNN5-HGPTY-8M37G-67YQP-B7PJZ-GNQB3-NXTYI-332HN-6DYN3-SHAAB

Thanks and 73 de ik2bcp, Guido

1704. Re: No com ports available?

Yahoo group: agwpe_pro
Date: 2012-08-14 20:13:14 UTC
From: raoul_gi
Topic: 1698 Message: 1704

Hello George,

all right now.
Thank you for info.

73 de Raoul, ik0rcy

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
>
>
> Type the com port you want to use.Use the same syntax as is displayed
>
>
>
> 73
>
>
>
> (SV2AGW) George Rossopoulos
>
> <http://www.sv2agw.com/> httP://www.sv2agw.com
>
> <http://www.agwtracker.com/> http://www.agwtracker.com
>
> <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe
>
>
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of raoul_gi
> Sent: Monday, July 30, 2012 3:03 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] No com ports available?
>
>
>
>
>
> Hello all,
>
> because of a soundcard problem with AGW Packet Engine v2012.414, I have just
> installed AGW Packet Engine Pro version. Soundcard problem was solved with
> this program version, but on "Port Setup --> PTT Control" I see one serial

> port (COM1) only. Why?
> Another question: On program status actually I read "Unregistered Copy.0
> Days Remaining". For activate 30 days trial I need a reg keys?
> Thanks in advance.
> 73 de Raoul, ik0rcy
>
> OS: Windows 7
> Key to Send:
> N66DI-Q5QHX-WYSN5-FHJVD-UM37G-W6DWP-B7PS9-DCQB5-GXTVS-4MKIA-5EAPJ-SGEAB
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1705. How to disable a radioport?

Yahoo group: agwpe_pro
Date: 2012-08-12 00:24:37 UTC
From: raoul_gi
Topic: 1705 Message: 1705

Hello all,

there is a way to disable a radioport without delete it?
I would like to use the same radio for packet at 1200 and 9600 baud (not at same time) and I have create two virtual TNC, radioport1(1200bd) and radioport2(9600bd). Because each port connect same radio, I don't know how to choose which port to use.
The status window for the RadioPort Manager indicates that the two ports are enabled (green flags). How to set them (just one) disabled?

Thanks in advance.
Raoul, ik0rcy

1707. NEW KEY

Yahoo group: agwpe_pro
Date: 2012-08-26 17:00:42 UTC
From: ke7ego
Topic: 1707 Message: 1707

Hello George
Set up the latest version of AGWPEPro on a new laptop and need a key...
Here is the "key to send"

HPWGQ-RUBIA-5D4N5-FHBUG-6M37H-E8DQP-B6HXZ-DCQB3-HN3YN-P33PX-WD63D-GGNAB

Thanks
Jay
ke7ego@...

1708. Pill, 8/28/2012, 9:00 am

Yahoo group: agwpe_pro
Date: 2012-08-28 15:00:59 UTC
From: agwpe_pro@yahoogroups.com
Topic: 1708 Message: 1708

Reminder from: agwpe_pro Yahoo! Group
http://groups.yahoo.com/group/agwpe_pro/cal

Pill
Tuesday August 28, 2012
9:00 am - 9:30 am

All Rights Reserved
Copyright © 2012
Yahoo! Inc.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/privacy/us

Terms of Service:
http://docs.yahoo.com/info/terms/

1709. need a new key

Yahoo group: agwpe_pro
Date: 2012-09-04 16:56:55 UTC
From: n3hu
Topic: 1409 Message: 1709

Hi George,

Computer went south... had to re-install everything <sigh>

Need a new key please. Key to send:

NW6GE-4J4HW-8VYN5-FGS5V-YM37H-TWV2P-B6II9-YEQDH-GXVVN-4MHP3-XGWND-EGWAB

73
rob
n3hu

1710. HELLO , NEW TO GROUP DE;AC5JV, GEORGE

Yahoo group: agwpe_pro
Date: 2012-09-05 19:11:07 UTC
From: AC5JV,GEORGE
Topic: 1710 Message: 1710

HAVE READ ALOT OF INTERESTING KEYS AND SERIAL CODES HERE ,JUST RECENTLY GOT PACKET PRO TRIAL UP AND RUNNING ON MY WIN7 64 BIT SYSTEM. WAS WONDERING IF ANY ONE COULD HELP ME OUT WITH THE REGISTRATION SERIAL TO THIS KEY :
HJWGG-P38P6-6YWN3-WGE4D-YM37H-E7VQP-B7HXX-DNQDG-GPVGK-QDGPE-6YUPT-VGIAB
IF YOU COULD HELP I'D THANK YOU . YOU CAN REPLY DIRECT TO ME AT MU PERSONAL EMAIL :
AC5JV@...

1711. RE: [agwpe_pro] HELLO , NEW TO GROUP DE;AC5JV, GEORGE

Yahoo group: agwpe_pro
Date: 2012-09-07 13:32:11 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1710 Message: 1711

Hi

The serial is

IBWYG-NT8NW-5Y6NB-UGI6V-QNTXG-66V4M-36HTX-V6MVD-GPVYN-QDGPE-6YUPT-VGIAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of AC5JV,GEORGE
Sent: Wednesday, September 05, 2012 10:11 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] HELLO , NEW TO GROUP DE;AC5JV, GEORGE

HAVE READ ALOT OF INTERESTING KEYS AND SERIAL CODES HERE ,JUST RECENTLY GOT
PACKET PRO TRIAL UP AND RUNNING ON MY WIN7 64 BIT SYSTEM. WAS WONDERING IF
ANY ONE COULD HELP ME OUT WITH THE REGISTRATION SERIAL TO THIS KEY :
HJWGG-P38P6-6YWN3-WGE4D-YM37H-E7VQP-B7HXX-DNQDG-GPVGK-QDGPE-6YUPT-VGIAB
IF YOU COULD HELP I'D THANK YOU . YOU CAN REPLY DIRECT TO ME AT MU PERSONAL
EMAIL :
AC5JV@... <mailto:AC5JV%40YAHOO.COM>

[Non-text portions of this message have been removed]

1712. RE: [agwpe_pro] need a new key

Yahoo group: agwpe_pro
Date: 2012-09-07 13:32:43 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1409 Message: 1712

Hi Rob

The serial is

PN6YE-3B4GN-7V8ND-DGW8D-QNTXH-JVWEM-35IFA-GWMVE-GXWDQ-4MHP3-XGWND-EGWAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of n3hu
Sent: Tuesday, September 04, 2012 7:57 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] need a new key

Hi George,

Computer went south... had to re-install everything <sigh>

Need a new key please. Key to send:

NW6GE-4J4HW-8VYN5-FGS5V-YM37H-TWV2P-B6II9-YEQDH-GXVVN-4MHP3-XGWND-EGWAB

73
rob
n3hu

[Non-text portions of this message have been removed]

1713. RE: [agwpe_pro] NEW KEY

Yahoo group: agwpe_pro
Date: 2012-09-07 13:33:20 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1707 Message: 1713

Hi Jay

The serial is

IFWYQ-QKBG2-4ECND-DHFWY-WNTXG-67D4M-35HTZ-VUMTY-HN4GQ-P33PX-WD63D-GGNAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of ke7ego
Sent: Sunday, August 26, 2012 8:01 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] NEW KEY

Hello George
Set up the latest version of AGWPEPro on a new laptop and need a key...
Here is the "key to send"

HPWGQ-RUBIA-5D4N5-FHBUG-6M37H-E8DQP-B6HXZ-DCQB3-HN3YN-P33PX-WD63D-GGNAB

Thanks
Jay
ke7ego@... <mailto:ke7ego%40arrl.net>

[Non-text portions of this message have been removed]

1714. Re: USB serial.

Yahoo group: agwpe_pro
Date: 2012-09-14 20:41:58 UTC
From: brad_ka3yan
Topic: 1654 Message: 1714

George,
I'm having a similar issue. I have attempted to install my PK-232 which is on COM3. When I use PEPro to search for the device, it is never found. Is there a way I can change the port parameters (e.g. 8,N,1,N)? The only parameters I can see that can be changed are com port and baud rate.
Second, my sound card is located inside of the PK232 (I have the PK-232SC). I can't figure out how to use the PTT settings with this configuration. My radio (FT-897D) is connected to the PK-232SC via the rig control RS-232 port (COM4) and via the Radio 1 data port. The PK-232SC is connected to the computer via a single USB cable. Inside the PK-232SC there is a 4-port USB hub. On the hub, Port 1 is a dual port UART serial port (COM3 for PK-232SC TNC control and COM4 for rig control), USB hub port 2 is for the USB soundcard, and USB hub ports 3 & 4 are free.
I have attempted to setup both the hardware TNC (PK232) and software TNC (soundcard), but every time I do this, the PK232 says that it is idle and wants me to delete it and I have no way of keying the PTT on the soundcard. If I select COM3 or COM4, it just says that those ports are not available or are illegal.
This is all very frustrating.
73,Brad, KA3YAN
--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
>
>
> If the serial port is listed under control panel/device manager/ports(COM &
> LPT)
>
> Then Packet Engine can use it.
>
> Anyway, if the port is not listed just typed it.
>
>
>
> 73
>
>
>
>
>

> (SV2AGW) George Rossopoulos
>
> <http://www.sv2agw.com/> httP://www.sv2agw.com
>
> <http://www.agwtracker.com/> http://www.agwtracker.com
>
> <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe
>
>
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
Behalf
> Of isgs294
> Sent: Thursday, April 26, 2012 3:46 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] USB serial.
>
>
>
>
>
> I have the trial agwpe pro edition installed on a win7 box. I can
monitor
> the port so I am hearing signals via the PE, but I am unable to set my
> serial port.
>
> I have a USB serial port. Its a generic prolific port. It work fine
with
> fldigi and other serial control program but agwpe doesnt even list the
port
> in its port list. I get com1,2,14,15 which are physical serial ports
but
> come 6 isnt seen.
>
> Is there any issue with USB serial ports?
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

1715. Re: Radio port manager problem

Yahoo group: agwpe_pro
Date: 2012-09-14 19:58:57 UTC
From: brad_ka3yan
Topic: 998 Message: 1715

You'll need to go into the Packet Engine Professional .ini file and change it there. I just deleted the whole .ini file and then reinstalled my devices.

73, Brad KA3YAN

--- In agwpe_pro@yahoogroups.com, "weissje75" <weissje75@...> wrote:
>
> Hello All
>
>
>
>
>
> Program Status says I have 34 radio ports. When I look under radio port manager it is blank. I am not able to add a radio port. I have uninstalled the program a couple of times, but it shows the same thing when I re-install the program.
>
> Any Ideas?
>
> Thanks, Jim WA7JEW
>

1716. New Code

Yahoo group: agwpe_pro
Date: 2012-09-16 02:01:05 UTC
From: our_gang_2
Topic: 1252 Message: 1716

George I need to reinstall. Can you send me a new code please.
G3TVN-4DJH6-7V6N3-WG64Y-WM37G-3YDYP-DFHN8-DEQB6-G66GI-4BZHX-UYUN3-2G2AB

Thanks Ken
AG2K

1717. New Serial Number for Car

Yahoo group: agwpe_pro
Date: 2012-09-13 10:49:48 UTC
From: Brian Townley
Topic: 1717 Message: 1717

I was looking to get an updated serial number for my AGW Tracker that we are running in our cars. Can anyone help with that? Thanks in advance.

[Non-text portions of this message have been removed]

1718. RE: [agwpe_pro] Re: Radio port manager problem

Yahoo group: agwpe_pro
Date: 2012-09-18 01:19:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 998 Message: 1718

Hi

Have you finally fixed the pk232 problems?

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of brad_ka3yan
Sent: Friday, September 14, 2012 10:59 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Radio port manager problem

You'll need to go into the Packet Engine Professional .ini file and change it there. I just deleted the whole .ini file and then reinstalled my devices.

73, Brad KA3YAN

--- In agwpe_pro@yahoogroups.com <mailto:agwpe_pro%40yahoogroups.com> , "weissje75" <weissje75@...> wrote:
>
> Hello All
>
>
>
>
>
> Program Status says I have 34 radio ports. When I look under radio port manager it is blank. I am not able to add a radio port. I have uninstalled the program a couple of times, but it shows the same thing when I re-install the program.
>
> Any Ideas?
>
> Thanks, Jim WA7JEW
>

[Non-text portions of this message have been removed]

1719. RE: [agwpe_pro] New Code

Yahoo group: agwpe_pro
Date: 2012-09-18 01:19:34 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1252 Message: 1719

Hi Ken

The serial is

HTUDN-25JGW-6WENB-UHA7G-NNTXG-TXECM-5EHI8-VWMT3-G66YK-4BZHX-UYUN3-2G2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of our_gang_2
Sent: Sunday, September 16, 2012 5:01 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New Code

George I need to reinstall. Can you send me a new code please.
G3TVN-4DJH6-7V6N3-WG64Y-WM37G-3YDYP-DFHN8-DEQB6-G66GI-4BZHX-UYUN3-2G2AB

Thanks Ken
AG2K

[Non-text portions of this message have been removed]

1720. RE: [agwpe_pro] New Serial Number for Car

Yahoo group: agwpe_pro
Date: 2012-09-18 01:21:56 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1717 Message: 1720

Hi

Can you be more specific?

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Brian Townley
Sent: Thursday, September 13, 2012 1:50 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New Serial Number for Car

I was looking to get an updated serial number for my AGW Tracker that we are running in our cars. Can anyone help with that? Thanks in advance.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1721. Emulating xp fixed port problem. Need TCPIP adapter.

Yahoo group: agwpe_pro
Date: 2012-10-08 04:44:17 UTC
From: timgungoll@sbcglobal.net
Topic: 1721 Message: 1721

I have PE Pro finally working with a Pk-232sc. Where do I get the TCPIP adapter for win 7? Thanks. 73

1722. RE: [agwpe_pro] Emulating xp fixed port problem. Need TCPIP adapter.

Yahoo group: agwpe_pro
Date: 2012-10-08 05:59:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1721 Message: 1722

Hi

Does NOT work under Vista and WIN7.

Or you may try the WIN2000 Driver and Procedure

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of timgungoll@...
Sent: Monday, October 08, 2012 7:44 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Emulating xp fixed port problem. Need TCPIP adapter.

I have PE Pro finally working with a Pk-232sc. Where do I get the TCPIP
adapter for win 7? Thanks. 73

[Non-text portions of this message have been removed]

1723. Silly Me or Strange Behaviour

Yahoo group: agwpe_pro
Date: 2012-10-08 14:50:37 UTC
From: la6gh
Topic: 1723 Message: 1723

Hi,

I am new to AGWPEpro....

I installed (repeatedly) AGWPEpro on my Win7 64bit system and connected it to PowerSDR/FlexRadio by means of VAC and virtual comport (COM19<->COM29).

At one point I could read local APRS trafic by means og AGWterminal or UISS. It keyed the TX also, but no audio.

When I tried to edit the radio Posrt to route the audio to the speaker for testing, the Radio Port entry in Setup disappeared. Also AGWPEpro fails to close doen when I clik the "X" (close application), but it does so when I click the "-" (minimize).

Also, when I now reinstall it, the TEST PTT button in Setup is greyed out. At one point it pulsed the PTT 3 times on each channel (one of them then ikeyed the TX).

Can anyone point me in the right direction ??

Brgds,
Nils

1724. Further to: Silly Me or Strange Behaviour

Yahoo group: agwpe_pro
Date: 2012-10-09 07:28:02 UTC
From: la6gh
Topic: 1723 Message: 1724

Further:

I made a clean start: uninstalled AGWPEpro (once again) from my C:\AGWprograms directory and now installed it in c:\Programs(x86) as Superuser.

Configuring a new Radio Port didn´t even show up in the Setup table.

Same old problem: "X" didn´t close the program, but "-" does.

Further, I discoverd that there were a LOT of Packet Engine entries in the list of processes running, may be even one instance for ever start of the AGWPEpro since day one !

Forcing them all to shut down and restarting AGWEpro didn´t help a bit.

More confused than ever .. is it me or the program ??

Brgds,
Nils

1725. RE: [agwpe_pro] Further to: Silly Me or Strange Behaviour

Yahoo group: agwpe_pro
Date: 2012-10-09 09:23:20 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1723 Message: 1725

Hi Nils

Packet Engine Pro does not need ☐super user☐. The Vista/WIN7 version works ok with no problem.

Download the latest beta version from www.sv2agw.com/beta/peprobeta.zip

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of la6gh
Sent: Tuesday, October 09, 2012 10:28 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Further to: Silly Me or Strange Behaviour

Further:

I made a clean start: uninstalled AGWPEpro (once again) from my C:\AGWprograms directory and now installed it in c:\Programs(x86) as Superuser.

Configuring a new Radio Port didn´t even show up in the Setup table.

Same old problem: "X" didn´t close the program, but "-" does.

Further, I discoverd that there were a LOT of Packet Engine entries in the list of processes running, may be even one instance for ever start of the AGWPEpro since day one !

Forcing them all to shut down and restarting AGWEpro didn´t help a bit.

More confused than ever .. is it me or the program ??

Brgds,
Nils

[Non-text portions of this message have been removed]

1726. Re: [agwpe_pro] Further to: Silly Me or Strange Behaviour

Yahoo group: agwpe_pro
Date: 2012-10-09 14:18:33 UTC
From: Liaaen Nils J.
Topic: 1723 Message: 1726

George,
Tnx fer your reply.

I installed the suggested beta-version, registred the Radio Port and everything seemed to work fine, except no TX audio, only TX keying.

After I (once again) edited the Radio Port, the entry completely dissapeared and nothing works anymore ?

One thing changed though; there seems to be no orphaned processes after closing the program.

Any ideas ??

Brgds,
Nils

Den 9. okt. 2012 kl. 11:23 skrev (SV2AGW)George Rossopoulos:

> Hi Nils
>
> Packet Engine Pro does not need ?super user?. The Vista/WIN7 version works
> ok with no problem.
>
> Download the latest beta version from www.sv2agw.com/beta/peprobeta.zip
>
> 73
>
> (SV2AGW) George Rossopoulos
>
> <http://www.sv2agw.com/> httP://www.sv2agw.com
>
> <http://www.agwtracker.com/> http://www.agwtracker.com
>
> <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of la6gh
> Sent: Tuesday, October 09, 2012 10:28 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Further to: Silly Me or Strange Behaviour
>
> Further:
>
> I made a clean start: uninstalled AGWPEpro (once again) from my
> C:\AGWprograms directory and now installed it in c:\Programs(x86) as
> Superuser.

>
> Configuring a new Radio Port didn?t even show up in the Setup table.
>
> Same old problem: "X" didn?t close the program, but "-" does.
>
> Further, I discoverd that there were a LOT of Packet Engine entries in the
> list of processes running, may be even one instance for ever start of the
> AGWPEpro since day one !
>
> Forcing them all to shut down and restarting AGWEpro didn?t help a bit.
>
> More confused than ever .. is it me or the program ??
>
> Brgds,
> Nils
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

1727. Re: Further to: Silly Me or Strange Behaviour

Yahoo group: agwpe_pro
Date: 2012-10-16 07:33:42 UTC
From: la6gh
Topic: 1723 Message: 1727

```
The moral is: read before you write.
It appears that I had missed the point that the AGWPE icons reside in the system tray ...

So, it was Silly Me.

Brgds,
Nils
```

--- In agwpe_pro@yahoogroups.com, "Liaaen Nils J." <njliaaen@...> wrote:
>
> George,
> Tnx fer your reply.
>
> I installed the suggested beta-version, registred the Radio Port and everything
> seemed to work fine, except no TX audio, only TX keying.
>
> After I (once again) edited the Radio Port, the entry completely
> dissapeared and nothing works anymore
>
> One thing changed though; there seems to be no
> orphaned processes after closing the program.
>
> Any ideas ??
>
> Brgds,
> Nils
>
> Den 9. okt. 2012 kl. 11:23 skrev (SV2AGW)George Rossopoulos:
>
> > Hi Nils
> >
> > Packet Engine Pro does not need "super user". The Vista/WIN7 version works
> > ok with no problem.
> >
> > Download the latest beta version from www.sv2agw.com/beta/peprobeta.zip
> >
> > 73
> >
> > (SV2AGW) George Rossopoulos
> >
> > <http://www.sv2agw.com/> httP://www.sv2agw.com
> >
> > <http://www.agwtracker.com/> http://www.agwtracker.com
> >
> > <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

> >
> > From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> > Of la6gh
> > Sent: Tuesday, October 09, 2012 10:28 AM
> > To: agwpe_pro@yahoogroups.com
> > Subject: [agwpe_pro] Further to: Silly Me or Strange Behaviour
> >
> > Further:
> >
> > I made a clean start: uninstalled AGWPEpro (once again) from my
> > C:\AGWprograms directory and now installed it in c:\Programs(x86) as
> > Superuser.
> >
> > Configuring a new Radio Port didn´t even show up in the Setup table.
> >
> > Same old problem: "X" didn´t close the program, but "-" does.
> >
> > Further, I discoverd that there were a LOT of Packet Engine entries in the
> > list of processes running, may be even one instance for ever start of the
> > AGWPEpro since day one !
> >
> > Forcing them all to shut down and restarting AGWEpro didn´t help a bit.
> >
> > More confused than ever .. is it me or the program ??
> >
> > Brgds,
> > Nils
> >
> > [Non-text portions of this message have been removed]
> >
> >
>
>
>
> [Non-text portions of this message have been removed]
>

1728. New Key

Yahoo group: agwpe_pro
Date: 2012-10-25 12:42:10 UTC
From: AF1E
Topic: 636 Message: 1728

George,

I had to rebuild my shack PC so need a new code.

GW4GG-5J6QB-VDUN3-UGN6D-4M37H-I6V2P-DGP3Y-YGQBZ-N7VDY-PT5H2-7YUPJ-UGSAB

Thanks a lot.

Joe AF1E

1729. Setting up Signal Link

Yahoo group: agwpe_pro
Date: 2012-10-25 15:37:07 UTC
From: Lawrence Rulfs
Topic: 1729 Message: 1729

This is Butch K5SFA.I need help setting up Signal Link in PEPRO.
cant get it to work at all in AGWPE.I dont get any response in the
tuning aid window.i am receiving loud packets from local digi but
nothing on myscreen at all.PEPRO recognizes i have the Signal
Link USB.so i need some help please. thanks if you can help me get setup.
s/Butch K5SFA

[Non-text portions of this message have been removed]

1730. Fresh Install--Key Needed

Yahoo group: agwpe_pro
Date: 2012-10-29 17:36:17 UTC
From: AF1E
Topic: 1730 Message: 1730

George,

Had to reinstall after rebuilding my computer so need new key.

GW4GG-5J6QB-VDUN3-UGN6D-4M37H-I6V2P-DGP3Y-YGQBZ-N7VDY-PT5H2-7YUPJ-UGSAB

Thanks,

Joe AF1E

1731. using pepro with signal link

Yahoo group: agwpe_pro
Date: 2012-10-25 17:47:26 UTC
From: Lawrence Rulfs
Topic: 1731 Message: 1731

i cant get the agwpe-pro tuning aid to receive anything.
when i use AGWTerm if i use the QRA? the term program keys my
2m radio thru the Signal Link and the red PTT lights up when
it transmits. why it doesnt receive it what i am needing help with..
My 2m radio is receiving the local digi just fine.any help?
s/Butch K5SFA

[Non-text portions of this message have been removed]

1732. Re: using pepro with signal link

Yahoo group: agwpe_pro
Date: 2012-10-29 22:19:03 UTC
From: Lawrence Rulfs
Topic: 1731 Message: 1732

another thing.why does the pepro tell me it canT find my cables?
yet they are plugged into the right plugs according to the Signal Link
manual. it will transmit PSK32 with Airlink Express. the SL manual says so use
your communications progran and thats what I did.but because the PE PRO
is not recognizing my cables it cant xmit anything. i may reinstall pepro and try it again.
but a new KAM XL with all the new cables for my radio will be on the way tomorrow.it should
be here from KS Thursday.i wish i could work this out. s/Butch K5SFA

[Non-text portions of this message have been removed]

1733. Re: using pepro with signal link

Yahoo group: agwpe_pro
Date: 2012-10-31 00:10:08 UTC
From: Lawrence Rulfs
Topic: 1731 Message: 1733

sorry but my cable problem must have fixed itself.all is working fine. could have been i didnt have my radio volu,e turned up so the agwpe pro tuning aid could hear it.but all is well now.i have a new KAM-XL and the cables made by Associated Radio on the way i was notofied today.i will probly use it for APRS.so glad i got it all working. thanks for all the concern. i had been working on this for 4 months.thanks... God bLESS All of You..s/Butch K5SFA

[Non-text portions of this message have been removed]

1734. RE: [agwpe_pro] Re: using pepro with signal link

Yahoo group: agwpe_pro
Date: 2012-10-31 14:09:11 UTC
From: Fred Hillhouse
Topic: 1731 Message: 1734

The volume control knob is the one reason I always opt for radios with a port. If the volume know is bumped, then it is possible for everything to stop working again. I originally bought a FT1500 just for that purpose. Since then, I have bought older commercial rigs (typically <$20) and tapped into the circuits. They just work! I run several now: vehicle, digipeater, spares.

Good luck with your new incoming hardware!
Fred, N7FMH

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of Lawrence Rulfs

sorry but my cable problem must have fixed itself.all is working fine. could have been
i didnt have my radio volu,e turned up so the agwpe pro tuning aid could hear it.but
all is well now.i have a new KAM-XL and the cables made by Associated Radio on the way i was notofied today.i will probly use it for APRS.so glad i got it all working. thanks for all the concern. i had been working on this for 4 months.thanks... God bLESS All of You..s/Butch K5SFA

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1735. RE: [agwpe_pro] Fresh Install--Key Needed

Yahoo group: agwpe_pro
Date: 2012-11-02 17:53:43 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1730 Message: 1735

Hi Joe

The serial is

HN4YG-4B6N3-UD4NB-SGS8V-UNTXH-A5WEM-5FPXZ-GYMTW-N7VV2-PT5H2-7YUPJ-UGSAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of AF1E
Sent: Monday, October 29, 2012 7:36 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Fresh Install--Key Needed

George,

Had to reinstall after rebuilding my computer so need new key.

GW4GG-5J6QB-VDUN3-UGN6D-4M37H-I6V2P-DGP3Y-YGQBZ-N7VDY-PT5H2-7YUPJ-UGSAB

Thanks,

Joe AF1E

[Non-text portions of this message have been removed]

1736. New Password

Yahoo group: agwpe_pro
Date: 2012-11-04 06:24:48 UTC
From: Donald
Topic: 1736 Message: 1736

Hi George

I need a new password:

PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB

Thanks

Don N9ZGE

1737. Packet Engine Pro new Release

Yahoo group: agwpe_pro
Date: 2012-11-05 07:59:45 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1527 Message: 1737

Hi

New version 2012.1105 with new Improved afsk modems

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

1738. new key needed

Yahoo group: agwpe_pro
Date: 2012-11-08 22:42:27 UTC
From: n3hu
Topic: 1524 Message: 1738

George

Had to replace the disk in my laptop. Need a new key.
Key to send:

N26GK-RT4H2-6YQN3-WN24V-WM37G-W7VYP-B7PN9-YKQBY-NN3DW-QBYPW-5VWNJ-TG2AB

73
rob
n3hu

1739. Packet Engine Pro will not shut down properly

Yahoo group: agwpe_pro
Date: 2012-11-12 03:42:35 UTC
From: zzoomrrr
Topic: 1739 Message: 1739

When I installed the program it worked fine. I worked ISS on one pass using UISS. Now I get this message everytime I try to close the program:

Packet Application has stopped working

A problem cuased the program to stop working correctly.
Please close the program.

```
_______________________
|-> Close the program |
-------------------------
```

I deleted all my ports to try and fix it. Now it won't even save any port when I shut down the program. I just get the error message stated above. Any Help would be great.

KH2FI - Mani

1740. Re: Packet Engine Pro will not shut down properly

Yahoo group: agwpe_pro
Date: 2012-11-12 15:22:15 UTC
From: abertheaume
Topic: 1739 Message: 1740

Good morning Mani,
Delete the AGWPE.ini file also. This will a clean slate on starting the program and might clear your problem.
HTH, 73
Art, N9ZZK

--- In agwpe_pro@yahoogroups.com, "zzoomrrr" <mania99@...> wrote:
>
> When I installed the program it worked fine. I worked ISS on one pass using UISS. Now I get this message everytime I try to close the program:
>
> Packet Application has stopped working
>
> A problem cuased the program to stop working correctly.
> Please close the program.
>
> _____
> |-> Close the program |
> ----------
>
> I deleted all my ports to try and fix it. Now it won't even save any port when I shut down the program. I just get the error message stated above. Any Help would be great.
>
> KH2FI - Mani
>

1741. serial mode loopback interface

Yahoo group: agwpe_pro
Date: 2012-11-15 18:53:40 UTC
From: PE1RDW
Topic: 1741 Message: 1741

It's probably not directly concerning agwpe pro but I'm trying to hook up a kiss programm (rsm express) to agwpe pro and using the AGWPE KISS-Mode Loopback Interface and virtual serial port emulator.

for port 1 this works like it is suposed to work but for port 2 and 3 I can send and agpwpe shows the frames in the monitor but nothing is transmitted back from agwpe to the kiss port.

Does anyone have any idea other then moving the agwpe ports around?

--
73 Andre PE1RDW

1742. RE: [agwpe_pro] serial mode loopback interface

Yahoo group: agwpe_pro
Date: 2012-11-15 19:02:04 UTC
From: Ralph Milnes
Topic: 1741 Message: 1742

Andre,

My friend Ron NR5ON and I explored linking RMS Express to AGWPE as you describe. Our results are here:
http://www.soundcardpacket.org/7RMSexpress.htm

The bottom line is --- we could not get it to work, apparently because of some handshaking issues with RMS Express.

I have heard from another ham who is working on a new utility to link these two programs. I'm doing some alpha testing now and it's very encouraging. When he's ready to release it, I'll be sure the word gets to this list.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of PE1RDW
Sent: Thursday, November 15, 2012 11:54 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] serial mode loopback interface

It's probably not directly concerning agwpe pro but I'm trying to hook up a kiss programm (rsm express) to agwpe pro and using the AGWPE KISS-Mode Loopback Interface and virtual serial port emulator.

for port 1 this works like it is suposed to work but for port 2 and 3 I can send and agpwpe shows the frames in the monitor but nothing is transmitted back from agwpe to the kiss port.

Does anyone have any idea other then moving the agwpe ports around?

--
73 Andre PE1RDW

Yahoo! Groups Links

1743. Re: [agwpe_pro] serial mode loopback interface

Yahoo group: agwpe_pro
Date: 2012-11-15 20:43:02 UTC
From: PE1RDW
Topic: 1741 Message: 1743

Thanks Ralph,
I got it somewhat working on a loopback port of agwpe after setting that
to port 1, I can connect rmsexpress to my BPQ bbs and the handshaking goes
smoothly but as soon as a message is being transfered it looks like the
data frames are not recieved so I am starting to suspect that there is
next to a problem handeling other ports then port 1 also a problem
handeling 255 byte frames.

--
73 Andre PE1RDW

On Thu, 15 Nov 2012 20:02:04 +0100, Ralph Milnes <ralphmilnes@...>
wrote:

> Andre,
>
> My friend Ron NR5ON and I explored linking RMS Express to AGWPE as you
> describe. Our results are here:
> http://www.soundcardpacket.org/7RMSexpress.htm
>
> The bottom line is --- we could not get it to work, apparently because of
> some handshaking issues with RMS Express.
>
> I have heard from another ham who is working on a new utility to link
> these
> two programs. I'm doing some alpha testing now and it's very encouraging.
> When he's ready to release it, I'll be sure the word gets to this list.
>
> Ralph NM5RM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf
> Of PE1RDW
> Sent: Thursday, November 15, 2012 11:54 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] serial mode loopback interface
>
> It's probably not directly concerning agwpe pro but I'm trying to hook
> up a
> kiss programm (rsm express) to agwpe pro and using the AGWPE KISS-Mode
> Loopback Interface and virtual serial port emulator.
>
> for port 1 this works like it is suposed to work but for port 2 and 3 I
> can
> send and agpwpe shows the frames in the monitor but nothing is

> transmitted
> back from agwpe to the kiss port.
>
> Does anyone have any idea other then moving the agwpe ports around?
>
> --
> 73 Andre PE1RDW
>

1744. Re: [agwpe_pro] serial mode loopback interface

Yahoo group: agwpe_pro
Date: 2012-11-16 22:06:37 UTC
From: PE1RDW
Topic: 1741 Message: 1744

On Thu, 15 Nov 2012 21:43:02 +0100, PE1RDW <pe1rdw@...> wrote:

> Thanks Ralph,
> I got it somewhat working on a loopback port of agwpe after setting that
> to port 1, I can connect rmsexpress to my BPQ bbs and the handshaking
> goes
> smoothly but as soon as a message is being transfered it looks like the
> data frames are not recieved so I am starting to suspect that there is
> next to a problem handeling other ports then port 1 also a problem
> handeling 255 byte frames.
>

a quick update, I got it working now after i replaces the kiss mode
loopback interface with BPQ32, before that way would only alow you to
connect to your own system but in the latest test version of rmsexpress
they added scripting so you can connect out as wel.

--
73 Andre PE1RDW

1745. RE: [agwpe_pro] serial mode loopback interface

Yahoo group: agwpe_pro
Date: 2012-11-17 16:45:15 UTC
From: Ralph Milnes
Topic: 1741 Message: 1745

Andre,

Could you tell me more? Here in the US, we would use RMS Express to connect to a WinLink packet node to pass a message to the WinLink system.

What happens at your location? It sounds like you are sending the RMS Express-generated message to your BPQ BBS. Does the adressee receive your message from the BBS or does it get passed to the WinLink system?

73

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of PE1RDW
Sent: Thursday, November 15, 2012 1:43 PM
To: agwpe_pro@yahoogroups.com
Subject: Re: [agwpe_pro] serial mode loopback interface

Thanks Ralph,
I got it somewhat working on a loopback port of agwpe after setting that to port 1, I can connect rmsexpress to my BPQ bbs and the handshaking goes smoothly but as soon as a message is being transfered it looks like the data frames are not recieved so I am starting to suspect that there is next to a problem handeling other ports then port 1 also a problem handeling 255 byte frames.

--
73 Andre PE1RDW

On Thu, 15 Nov 2012 20:02:04 +0100, Ralph Milnes <ralphmilnes@...>
wrote:

> Andre,
>
> My friend Ron NR5ON and I explored linking RMS Express to AGWPE as you
> describe. Our results are here:
> http://www.soundcardpacket.org/7RMSexpress.htm
>
> The bottom line is --- we could not get it to work, apparently because
> of some handshaking issues with RMS Express.
>
> I have heard from another ham who is working on a new utility to link
> these two programs. I'm doing some alpha testing now and it's very
> encouraging.
> When he's ready to release it, I'll be sure the word gets to this list.

>
> Ralph NM5RM
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf Of PE1RDW
> Sent: Thursday, November 15, 2012 11:54 AM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] serial mode loopback interface
>
> It's probably not directly concerning agwpe pro but I'm trying to hook
> up a kiss programm (rsm express) to agwpe pro and using the AGWPE
> KISS-Mode Loopback Interface and virtual serial port emulator.
>
> for port 1 this works like it is suposed to work but for port 2 and 3
> I can send and agpwpe shows the frames in the monitor but nothing is
> transmitted back from agwpe to the kiss port.
>
> Does anyone have any idea other then moving the agwpe ports around?
>
> --
> 73 Andre PE1RDW
>

Yahoo! Groups Links

1746. Re: [agwpe_pro] serial mode loopback interface

Yahoo group: agwpe_pro
Date: 2012-11-17 17:40:30 UTC
From: PE1RDW
Topic: 1741 Message: 1746

In the past it would get passed on to the winlink system but my bbs is banned from accessing it because I am banned from it myself a long time ago, now it uses the normal bbs forwarding for packet adresses and smtp to send it to email adresses.

only drawback is that my users can not get their winlink mail in my bbs but they can still use the rms build into bpq

On Sat, 17 Nov 2012 17:45:15 +0100, Ralph Milnes <ralphmilnes@...>
wrote:

> Andre,
>
> Could you tell me more? Here in the US, we would use RMS Express to
> connect
> to a WinLink packet node to pass a message to the WinLink system.
>
> What happens at your location? It sounds like you are sending the RMS
> Express-generated message to your BPQ BBS. Does the adressee receive your
> message from the BBS or does it get passed to the WinLink system?
>
> 73
>
> Ralph NM5RM
>
>
>
> -----Original Message-----
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
> Behalf
> Of PE1RDW
> Sent: Thursday, November 15, 2012 1:43 PM
> To: agwpe_pro@yahoogroups.com
> Subject: Re: [agwpe_pro] serial mode loopback interface
>
> Thanks Ralph,
> I got it somewhat working on a loopback port of agwpe after setting that
> to
> port 1, I can connect rmsexpress to my BPQ bbs and the handshaking goes
> smoothly but as soon as a message is being transfered it looks like the
> data
> frames are not recieved so I am starting to suspect that there is next
> to a
> problem handeling other ports then port 1 also a problem handeling 255
> byte
> frames.

>
> --
> 73 Andre PE1RDW
>
> On Thu, 15 Nov 2012 20:02:04 +0100, Ralph Milnes <ralphmilnes@...>
> wrote:
>
>> Andre,
>>
>> My friend Ron NR5ON and I explored linking RMS Express to AGWPE as you
>> describe. Our results are here:
>> http://www.soundcardpacket.org/7RMSexpress.htm
>>
>> The bottom line is --- we could not get it to work, apparently because
>> of some handshaking issues with RMS Express.
>>
>> I have heard from another ham who is working on a new utility to link
>> these two programs. I'm doing some alpha testing now and it's very
>> encouraging.
>> When he's ready to release it, I'll be sure the word gets to this list.
>>
>> Ralph NM5RM
>>
>> -----Original Message-----
>> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On
>> Behalf Of PE1RDW
>> Sent: Thursday, November 15, 2012 11:54 AM
>> To: agwpe_pro@yahoogroups.com
>> Subject: [agwpe_pro] serial mode loopback interface
>>
>> It's probably not directly concerning agwpe pro but I'm trying to hook
>> up a kiss programm (rsm express) to agwpe pro and using the AGWPE
>> KISS-Mode Loopback Interface and virtual serial port emulator.
>>
>> for port 1 this works like it is suposed to work but for port 2 and 3
>> I can send and agpwpe shows the frames in the monitor but nothing is
>> transmitted back from agwpe to the kiss port.
>>
>> Does anyone have any idea other then moving the agwpe ports around?
>>
>> --
>> 73 Andre PE1RDW
>>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>

>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

--
73 Andre PE1RDW

1747. Packets not sent to client software

Yahoo group: agwpe_pro
Date: 2012-11-18 19:27:29 UTC
From: jpmiller25@rocketmail.com
Topic: 1747 Message: 1747

I'm having trouble with my PE Pro setup recently. Last night it was working with agwterminal and airmail. Today it won't connect. My radio transmits to the local RMS and I can hear the packets coming back. The tuning aid shows a good signal as far as I can tell, and the PE Pro window shows

" 1:Fm KB5HCD-10 To KF5NPT <I R0 S1 pid=F0 Len=25 >[13:19:18]
[WL2K-2.7.5.7-B2FWIHJM$]"

as responses from the RMS to me.
However, agwterminal times out
"*** Retry Count Exceeded <Sun,18Nov12>"

I can't find what's keeping the packets from getting back to the terminal, or airmail or anything. Any ideas?

Thanks, Joshua KF5NPT

1748. new computer

Yahoo group: agwpe_pro
Date: 2012-11-23 22:10:42 UTC
From: n3hu
Topic: 1748 Message: 1748

Hi George

New win 7 machine

key to send:

NS5GI-P32H3-XD2N5-GGW4G-2M37H-TWVGP-B7PXY-DEQB7-HE5GG-3VIIA-7VYQJ-VGNAB

73
rob

1749. Re: Packet Engine Pro will not shut down properly

Yahoo group: agwpe_pro
Date: 2012-11-24 14:59:45 UTC
From: zzoomrrr
Topic: 1739 Message: 1749

Good Morning Art,
Thanks for taking the tim eto try and help me out. I did what said and still no luck. Even if I just start the program, do nothing, and then try to exit, I get the same error.

Packet Application has stopped working
A problem cuased the program to stop working correctly.
Please close the program.

```
_______________________
|-> Close the program |
-------------------------
```

It doesn't even give me the option to wait for the program to repond. I'm running Windows 7 Professional 64 bit on an i5-3550 CPU @ 3.3 GHz with 8 GB of ram.

Cheers and 73's, Mani

--- In agwpe_pro@yahoogroups.com, "abertheaume" <abertheaume@...> wrote:
>
> Good morning Mani,
> Delete the AGWPE.ini file also. This will a clean slate on starting the program and might clear your problem.
> HTH, 73
> Art, N9ZZK
>
> --- In agwpe_pro@yahoogroups.com, "zzoomrrr" <mania99@> wrote:
> >
> > When I installed the program it worked fine. I worked ISS on one pass using UISS. Now I get this message everytime I try to close the program:
> >
> > Packet Application has stopped working
> >
> > A problem cuased the program to stop working correctly.
> > Please close the program.
> >
> > _______________________
> > |-> Close the program |
> > -------------------------
> >
> > I deleted all my ports to try and fix it. Now it won't even save any port when I shut down the program. I just get the error message stated above. Any Help would be great.
> >
> > KH2FI - Mani
> >
>

1750. RMS Packet AGW Initialization Failure

Yahoo group: agwpe_pro
Date: 2012-11-25 03:26:30 UTC
From: SteveF
Topic: 1750 Message: 1750

I am getting this message when attempting to connect to Packet Engine Pro. I am using the new version of Pro, Win XP (up to date). When booting PRMS Packet I get the message that initialization falied to Pro. The error log says,

2012/11/24 16:23:29 RMS Packet|2.1.6.0 [ServerAGWPacket.Initialize]: 5/System error: No connection could be made because the target machine actively refused it 127.0.0.1:8000

2012/11/24 16:43:08 RMS Packet|2.1.6.0 [ServerAGWPacket.Initialize]: 5/System error: No connection could be made because the target machine actively refused it 127.0.0.1:8000

Any suggestions?

Steve
AI0W

1751. PE PRO + TOR driver?

Yahoo group: agwpe_pro
Date: 2012-11-25 14:10:50 UTC
From: ROBINE Philippe
Topic: 1751 Message: 1751

Hi..... Is it true ? The TOR driver no works with W7???? It closes after 45 minutes ? Where can I find TOR driver if it have no problem with WINDOWS SEVEN???
73 ´s. Philippe

1752. any updates

Yahoo group: agwpe_pro
Date: 2012-11-28 04:00:13 UTC
From: isgs294
Topic: 1752 Message: 1752

Are there any recent version of AGW (pro or otherwise) that is designed for windows 7? Both the pro and free seems to be quite old now.

Any other more modern packet engines available thats supports windows 7.

1753. Re: [agwpe_pro] any updates

Yahoo group: agwpe_pro
Date: 2012-11-28 12:09:01 UTC
From: Guilford Jones
Topic: 1752 Message: 1753

The Pro version of April 2012 works just fine with Windows 7.
If that's old, then I'm pre-historic. :-)
--
73's de KA5GIL
--
- gil -
Musings and Meanderings at captainjustice.net (has a link where you can
subscribe to scintillating updates!)

On Tue, Nov 27, 2012 at 10:00 PM, isgs294 <gws@...> wrote:

> Are there any recent version of AGW (pro or otherwise) that is designed
> for windows 7? Both the pro and free seems to be quite old now.

[Non-text portions of this message have been removed]

1754. Re: [agwpe_pro] any updates

Yahoo group: agwpe_pro
Date: 2012-11-29 11:33:58 UTC
From: PE1RDW
Topic: 1752 Message: 1754

On Wed, 28 Nov 2012 13:09:01 +0100, Guilford Jones
<captainjustice@...> wrote:

> The Pro version of April 2012 works just fine with Windows 7.
> If that's old, then I'm pre-historic. :-)

http://www.sv2agw.com/downloads/default.htm shows a pro7 version date 5
november 2012 so it is even younger and specialy designed for windows 7
data storage.

--
73 Andre PE1RDW

1755. Installation Key

Yahoo group: agwpe_pro
Date: 2012-11-30 00:51:31 UTC
From: Robert
Topic: 1755 Message: 1755

Hi,

Am installing on an old XP computer that I can dedicate to APRS.
Key to send is:

HN5DW-QKBIA-7YYN3-WN26V-WM37G-27GNP-DGPPA-YQQB3-G25GQ-QMKHF-WEAPT-TNWAB

Thanks,

Rob
VA7RMM

1756. License Key Needed

Yahoo group: agwpe_pro
Date: 2012-12-06 06:25:15 UTC
From: Donald
Topic: 708 Message: 1756

Hi George

The key to send is:

PBTVE-RT8PS-7VWN3-2GN6D-YM37N-3YDQP-DFH26-VUQB6-N25GQ-3J3IB-UV8PJ-ZGWAB

This is my second request.

Thanks

Don N9ZGE

1757. http://edxcalendar.sv2agw.com

Yahoo group: agwpe_pro
Date: 2012-12-09 09:31:17 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1757 Message: 1757

Hi

I created a new site http://edxcalendar.sv2agw.com

It has all the DX news and contests from many DX Bulletins in an easy way to read.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com/> httP://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

[Non-text portions of this message have been removed]

1758. AGWTracker Release

Yahoo group: agwpe_pro
Date: 2012-12-10 15:08:35 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1758 Message: 1758

Hi

new Version just uploaded.

Uninstall previous and install new one or do it from inside the program with
"Live Update"

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

[Non-text portions of this message have been removed]

1759. need keys

Yahoo group: agwpe_pro
Date: 2012-12-13 21:57:14 UTC
From: n3hu
Topic: 1759 Message: 1759

Hi George

Sent a couple of these requests before but might have been in the wrong group.
Major computer upgrades. I need three new keys when you get a chance.

73
rob
n3hu

Keys to send:

PA5YK-QKAP6-5YQN5-GN24Y-6M37H-BWGSP-B7PPX-VUQBY-PA7DY-4J8HT-WDQ3D-CNNAB

N26GK-RT4H2-6YQN3-WN24V-WM37G-W7VYP-B7PN9-YKQBY-NN3DW-QBYPW-5VWNJ-TG2AB

NS5GI-P32H3-XD2N5-GGW4G-2M37H-TWVGP-B7PXY-DEQB7-HE5GG-3VIIA-7VYQJ-VGNAB

1760. AGWTracker and WIN Xp Release

Yahoo group: agwpe_pro
Date: 2012-12-14 07:52:26 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1760 Message: 1760

Hi

I uploaded a WinXP version.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

[Non-text portions of this message have been removed]

1761. Working with dual tnc on left and right channel of soundcard

Yahoo group: agwpe_pro
Date: 2012-12-14 20:46:11 UTC
From: daviddes66@ymail.com
Topic: 1761 Message: 1761

Howdy,
I have a few problems with the packet engine pro
- When I defince two tncs using the sound card, the data that is shown as the TNC definition is incorrect. It does not use the correct string name of what was enetered.

- With I cross digipeat from one TNC to the other TNC using the left and right channel of the sound card. The packet engine pro stops working when it gets a packet. I can cross digi if I use two different sound cards.

Cheers /DD VK3TBC

1762. Packet Engine PRO hangs if the serial port is not connected.

Yahoo group: agwpe_pro
Date: 2012-12-14 20:48:33 UTC
From: daviddes66@ymail.com
Topic: 1762 Message: 1762

Howdy,
the packet engine pro hangs and will not start if I have a TNC defined using the serial port and the serial port is not connected.

Cheer Davud D. VK3TBC

1763. New Program...AGWQSLPrint

Yahoo group: agwpe_pro
Date: 2012-12-23 16:08:54 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1763 Message: 1763

Hi

AGWQSLPrint.

www.sv2agw.com/ham/agwqslprint.htm

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

[Non-text portions of this message have been removed]

1764. pepro not receiving packets w/Signal Link

Yahoo group: agwpe_pro
Date: 2013-01-03 02:45:08 UTC
From: lrulfs2@att.net
Topic: 1764 Message: 1764

Hi from Butch K5SFA.My Signal Link is transmitting Airlink Express
modes like psk on vhf.but the PEPRO is not receiving packets from the local 2m 144.39Mhz
digipeater here.my other packet programs work fine..my cables are
hooked up according to manual with SL.I have sound in the
tuning aid meter with PEPRO..but no receive packets.i have the modem
in the computer tray..it shows it is sending so many packets but zero receive..anyone know
what i need to check? i went thru the help
files with PEPRO tono avail.thanks if you can help me.s/Butch K5SFA

1765. pepro not receiving packets w/Signal Link

Yahoo group: agwpe_pro
Date: 2013-01-03 02:34:49 UTC
From: lrulfs2@att.net
Topic: 1764 Message: 1765

Hi from Butch K5SFA.My SIGNAL

1766. New Registration

Yahoo group: agwpe_pro
Date: 2013-01-20 20:59:48 UTC
From: kc5fgk@rocketmail.com
Topic: 1143 Message: 1766

Hi George,

I received a new laptop for the holidays and need to update my software.

Here's the key from the new version:
GPTVK-RJ8PW-8GYN3-3N23E-AM37P-PXGIP-DFII6-VGQDK-N64DE-35JIA-8DSND-FG6AB

Thanks and 73,
Wes Hartman - KC5FGK

1767. Packet Program

Yahoo group: agwpe_pro
Date: 2013-01-24 03:00:33 UTC
From: drwoolweaver
Topic: 1767 Message: 1767

I am using Packet Engine Pro 2007.514 with a XP computer. I would like to add a packet program like WinPack AGW V 6.80. WinPack AGW, apparently, does not like Win 7. Since I eventually will be moving to a Win 7 machine, what packet programs are available that will function with Packet Engine Pro and Win7? Thanks de David

1768. New code request for my new, fast (finally) pc

Yahoo group: agwpe_pro
Date: 2013-02-03 07:30:52 UTC
From: Robert P Bass
Topic: 1768 Message: 1768

Hi George,

Finally upgraded to a mega fast pc. Have been in the slow lane for far too long.

Downloaded & installed PEP version 2012.1105

The Key to Send is :
NW7DQ-QUBHX-VYWN3-3GS2Y-YM37G-25YNP-B7IFX-GQQB7-G64YK-QB4HI-5Y223-UNWAB

Thanks.

Robert Bass

W6AJO

[Non-text portions of this message have been removed]

1769. Packet Engine Registration

Yahoo group: agwpe_pro
Date: 2013-02-08 12:02:12 UTC
From: Brian Townley
Topic: 1769 Message: 1769

Anyone know how I can get an updated Registration Key for Packet Engine Pro. I have been using it for a few years now, but I had to do a reinstall onto a different machine.

Thanks,
Brian Townley
Watchung Police Department

[Non-text portions of this message have been removed]

1770. Fw: Packet Engine Registration

Yahoo group: agwpe_pro
Date: 2013-02-08 12:11:13 UTC
From: Brian Townley
Topic: 1769 Message: 1770

Sorry didn't know if I needed to send the number,

NN4VU-Q4AIF-XDWN5-HNPUD-8M37P-PXGUP-B6HXX-DNQDH-G3TVY-PT2PE-6D225-BHEAB

----- Forwarded Message -----
From: Brian Townley <brack101@...>
To: "agwpe_pro@yahoogroups.com" <agwpe_pro@yahoogroups.com>
Sent: Friday, February 8, 2013 7:02 AM
Subject: Packet Engine Registration

Anyone know how I can get an updated Registration Key for Packet Engine Pro. I have been using it for a few years now, but I had to do a reinstall onto a different machine.

Thanks,
Brian Townley
Watchung Police Department

[Non-text portions of this message have been removed]

1771. Packet Engine Pro Freezing within 24 hours

Yahoo group: agwpe_pro
Date: 2013-03-02 16:32:47 UTC
From: kf7wxz
Topic: 1771 Message: 1771

Hello,
I am running PEP on fresh install of W7-32 using a SignaLink USB as sound card. Internal soundcard of Dell laptop is disabled. I have javAPRSSrvr as the client software. Within about 24 hours PEP stops processing packets. If you bring up the soundcard tuning aid, there is no longer any signal on the various visual graphs. When you try to close PEP, you get the windows "program closed unexpectedly" message.

After force closing and restarting PEP and cycling javAPRSSrvr it all starts working again. The radio is a Kenwood TM-V71a. It is all on a busy APRS frequency. It seems trouble started when I changed the radio setting to open squelch in an attempt to quit transmitting when the channel was busy, but I'm not sure that is related.

PEP is running from the zip/folder standalone install rather than the windows install package.

Just wondering if any others are having similar difficulty and what I might do to troubleshoot further.
Thanks,
73,
Marcus

1772. New Key

Yahoo group: agwpe_pro
Date: 2013-03-05 22:41:35 UTC
From: pmgg7
Topic: 636 Message: 1772

Hi George

I need a new key for packet engine pro:

the key to send is:

HI3VN-437II-8DKN3-VGFTG-6M37P-E7V2P-B7PPY-GGQDG-GI4DS-332HP-XEA3D-CGAAB

Thank you for all the work you have put in developing the software.

Paul Green
G7VTS

1773. Code

Yahoo group: agwpe_pro
Date: 2013-03-22 08:20:12 UTC
From: peterg7lja2003
Topic: 1625 Message: 1773

Hi George
need a new code please big crash on hard drive
G67YN-P5PIB-VYNN3-2HE6E-CM37P-A7VGP-B6P3Z-DQQDK-GS4GI-RB2IA-4YU3M-EG6AB
thank you
Peter G7LJA

1774. Need new Key...

Yahoo group: agwpe_pro
Date: 2013-04-03 02:57:26 UTC
From: ars.ny9x
Topic: 1774 Message: 1774

Hello George...

I had to reinstall PE Pro in a new directory...for Windows 7...

I need a new license key...

Key to Send:

HA7DN-QT8QE-6YYN3-VG22G-4M37G-7WGSP-DGH3W-VNQB2-PBUVQ-QMJH2-6G4QM-EG2AB

Thanks...and 73's...

Chris Brown
NY9X
Gurnee, IL 60031

1775. AGW Packet Engine UPDATE!!!

Yahoo group: agwpe_pro
Date: 2013-04-15 06:28:58 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1775 Message: 1775

Hi

I have just uploaded the update. Previous update was at 2010.

Will follow during the week, AGWTracker and Packet Engine Pro.

73

(SV2AGW) George Rossopoulos

http://www.sv2agw.com

http://www.agwtracker.com

http://www.facebook.com/agwpe

http://edxcalendar.sv2agw.com

[Non-text portions of this message have been removed]

1776. Packet Engine Pro release

Yahoo group: agwpe_pro
Date: 2013-04-19 06:31:32 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1776 Message: 1776

Hi

New Packet Engine Pro.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

[Non-text portions of this message have been removed]

1777. Re: [agwpe_pro] Packet Engine Pro release

Yahoo group: agwpe_pro
Date: 2013-04-22 23:12:29 UTC
From: Hasan Schiers
Topic: 1776 Message: 1777

On 4/19/2013 1:31 AM, (SV2AGW)George Rossopoulos wrote:
>
> Hi
>
> New Packet Engine Pro.
>
> 73
>
> (SV2AGW) George Rossopoulos
>
> <http://www.sv2agw.com> http://www.sv2agw.com
>
> <http://www.agwtracker.com/> http://www.agwtracker.com
>
> <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe
>
> <http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com
>
> [Non-text portions of this message have been removed]
>
I am running Packet Engine Pro version 207.514 copyright 94-2007 on Windows XP.

On the download software page it only shows a "Legacy" version from May 14, 2007 (which looks like what I'm currently running).

Here is my question:

Is WinXP Packet Engine Pro going to be updated?

If not, which is the preferred option:

Run the newly updated AGWPE for XP, or stick with the old 2007 AGWPE PRO legacy verson?

Of course installing a new computer or O/S of Windows 7 would solve the problem, but I would prefer not to have to do that right now.

George: what is the preferred direction for me?

73,

...hasan, N0AN

[Non-text portions of this message have been removed]

1778. SignaLink, RMS Express, and Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2013-04-24 22:05:50 UTC
From: kentlh
Topic: 1778 Message: 1778

My goal is to send and receive email with my Yaesu FT-897. I'm on Windows 7 and this computer is a couple of years old.

I've sent and received email successfully with RMS Express set to telnet. I've also installed and used a couple of psk31 software packages to connect to my FT-897 through the SignaLink box. I saw folks chatting, so assume that's working.

It appears the RMS Express software needs an input from a TNC, and Winmor is supposed to be the way to create a virtual TNC rather than purchase a TNC modem. Winmor won't run on my computer because some dll is broken, and the forums only ask the question - they don't seem to have the answers.

I downloaded and installed Packet Engine Pro because it says it can use my sound card as the TNC, and I think it's set up and pointing to my SignaLink which I recently purchased. I can see noise coming in on the Tuning aid so assume it is communicating with my radio.

Thinking I was set up to do email I went back to RMS Express thinking it would use the Packet Engine Pro connection. No luck. I can't find a setting that will work. I got the furthest by selecting Packet WL2K, and then Kiss, but that didn't work. The other options ask for things I don't know about.

I'm sure my explanation of this demonstrates a high level of cluelessness. Are any of you up to leading this idiot through what needs to be done?

1779. Re: [agwpe_pro] SignaLink, RMS Express, and Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2013-04-25 12:17:25 UTC
From: PE1RDW
Topic: 1778 Message: 1779

On Thu, 25 Apr 2013 00:05:50 +0200, kentlh <therealvirginiawind@...>
wrote:

> My goal is to send and receive email with my Yaesu FT-897. I'm on
> Windows 7 and this computer is a couple of years old.
>
> I've sent and received email successfully with RMS Express set to
> telnet. I've also installed and used a couple of psk31 software packages
> to connect to my FT-897 through the SignaLink box. I saw folks chatting,
> so assume that's working.
>
> It appears the RMS Express software needs an input from a TNC, and
> Winmor is supposed to be the way to create a virtual TNC rather than
> purchase a TNC modem. Winmor won't run on my computer because some dll
> is broken, and the forums only ask the question - they don't seem to
> have the answers.
>
> I downloaded and installed Packet Engine Pro because it says it can use
> my sound card as the TNC, and I think it's set up and pointing to my
> SignaLink which I recently purchased. I can see noise coming in on the
> Tuning aid so assume it is communicating with my radio.
>
> Thinking I was set up to do email I went back to RMS Express thinking it
> would use the Packet Engine Pro connection. No luck. I can't find a
> setting that will work. I got the furthest by selecting Packet WL2K, and
> then Kiss, but that didn't work. The other options ask for things I
> don't know about.
>
> I'm sure my explanation of this demonstrates a high level of
> cluelessness. Are any of you up to leading this idiot through what needs
> to be done?
>
>
The simple answer is that RMS express does not support AGWPE.
There are 2 ways around it, either use packlink instead, it does not
support winmor but does support AGWPE, you will have to use an external
email client for this one.
the other option is to put BPQ32 between AGWPE and RMS express, this is
perhaps the most powerfull option but is more involved.

eitherway you will get the best results by setting up agwpe with
agwterminal first so you know you can not only recieve but transmit and
connect too.

you can find a very good guide on:
http://www.soundcardpacket.org/1signalinkusb.htm

--
73 Andre PE1RDW

1780. Re: [agwpe_pro] SignaLink, RMS Express, and Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2013-04-26 21:42:37 UTC
From: Virginia Wind
Topic: 1778 Message: 1780

Thanks for your help!

On Thu, Apr 25, 2013 at 8:17 AM, PE1RDW <pe1rdw@...> wrote:

> On Thu, 25 Apr 2013 00:05:50 +0200, kentlh <therealvirginiawind@...>
> wrote:
>
> > My goal is to send and receive email with my Yaesu FT-897. I'm on
> > Windows 7 and this computer is a couple of years old.
> >
> > I've sent and received email successfully with RMS Express set to
> > telnet. I've also installed and used a couple of psk31 software packages
> > to connect to my FT-897 through the SignaLink box. I saw folks chatting,
> > so assume that's working.
> >
> > It appears the RMS Express software needs an input from a TNC, and
> > Winmor is supposed to be the way to create a virtual TNC rather than
> > purchase a TNC modem. Winmor won't run on my computer because some dll
> > is broken, and the forums only ask the question - they don't seem to
> > have the answers.
> >
> > I downloaded and installed Packet Engine Pro because it says it can use
> > my sound card as the TNC, and I think it's set up and pointing to my
> > SignaLink which I recently purchased. I can see noise coming in on the
> > Tuning aid so assume it is communicating with my radio.
> >
> > Thinking I was set up to do email I went back to RMS Express thinking it
> > would use the Packet Engine Pro connection. No luck. I can't find a
> > setting that will work. I got the furthest by selecting Packet WL2K, and
> > then Kiss, but that didn't work. The other options ask for things I
> > don't know about.
> >
> > I'm sure my explanation of this demonstrates a high level of
> > cluelessness. Are any of you up to leading this idiot through what needs
> > to be done?
> >
> >
> The simple answer is that RMS express does not support AGWPE.
> There are 2 ways around it, either use packlink instead, it does not
> support winmor but does support AGWPE, you will have to use an external
> email client for this one.
> the other option is to put BPQ32 between AGWPE and RMS express, this is
> perhaps the most powerfull option but is more involved.
>
> eitherway you will get the best results by setting up agwpe with

> agwterminal first so you know you can not only recieve but transmit and
> connect too.
>
> you can find a very good guide on:
> http://www.soundcardpacket.org/1signalinkusb.htm
>
> --
> 73 Andre PE1RDW
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

1781. License Key Needed Please

Yahoo group: agwpe_pro
Date: 2013-05-13 21:57:05 UTC
From: chuck_sprick
Topic: 1781 Message: 1781

George,

Installing Pro on a new Netbook. Key to send is
HI5YQ-QB4P7-XV2N3-4HE2D-YM37P-I8VSP-B6HN9-GQQDJ-G3TVI-PMMPN-6D6N3-UGIAB

Please send Registration Serial.

Thanks,
Chuck
KE5RAD

1782. Packet Engine Pro will not load on my net book.

Yahoo group: agwpe_pro
Date: 2013-05-18 17:17:44 UTC
From: The Mikester
Topic: 1782 Message: 1782

Hello:

I cannot get Packet Engine Pro to run on my Net book.

It did load and run before a recent windows 7 upgrade last week, but it now crashes when it loads.

I also bought the paid version of PE Pro, but since it does not load...

----> :-(

I upgraded the OS from Windows Starter to Windows 7 Home Premium today,but that problem with PE Pro was not solved.

The computer is an HP Mini 110-3700
Ram: 2 Gigs
32 bit operating system
Intel Atom CPU N455 @ 1.66 Ghz

Please tell me what to do in order to get the program to run.

Thank you

Michael Kostiuk
VE3KOY

1783. Can I have a key please

Yahoo group: agwpe_pro
Date: 2013-05-22 18:08:15 UTC
From: JULIEN MERVYN
Topic: 1783 Message: 1783

NN6GN-P5QHS-5VNN3-ZGFVE-CM37H-E6GNP-B6PPA-VUQBY-GPTYI-35MHX-WD225-FNEAB

-------Original Message-------

From: \(SV2AGW\)George Rossopoulos
Date: 1/13/2007 3:19:13 AM
To: '9Z4FZ,M0JDD,M0JDD/J3 JULIEN'
Subject: RE: Packet Engine Pro Registration

Hi Julien

your keycode is
n73d?25A0e:5f25d4o/e:m=.gdg<;=@<9ba1

sorry for this delay

73

(SV2AGW) George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: 9Z4FZ,M0JDD,M0JDD/J3 JULIEN [mailto:jack1@...]
Sent: Thursday, January 11, 2007 4:45 PM
To: julien9z4fz@...; sv2agw@...
Subject: Re: Packet Engine Pro Registration

h63i?<7=3g90j/=f6i4f;l58jdf;;=@<9ba1

-------Original Message-------

From: (SV2AGW)George Rossopoulos <mailto:sv2agw@...>
Date: 1/11/2007 2:44:33 AM
To: julien9z4fz@...m
Cc: jack1@...
Subject: Packet Engine Pro Registration

1784. RE: [agwpe_pro] Can I have a key please

Yahoo group: agwpe_pro
Date: 2013-05-23 12:53:59 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1783 Message: 1784

Hi Julien

I answered by private email

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of JULIEN MERVYN
Sent: Wednesday, May 22, 2013 9:08 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Can I have a key please

NN6GN-P5QHS-5VNN3-ZGFVE-CM37H-E6GNP-B6PPA-VUQBY-GPTYI-35MHX-WD225-FNEAB

-------Original Message-------

From: \(SV2AGW\)George Rossopoulos
Date: 1/13/2007 3:19:13 AM
To: '9Z4FZ,M0JDD,M0JDD/J3 JULIEN'
Subject: RE: Packet Engine Pro Registration

Hi Julien

your keycode is
n73d?25A0e:5f25d4o/e:m=.gdg<;=@<9ba1

sorry for this delay

73

(SV2AGW) George Rossopoulos
sv2agw@... <mailto:sv2agw%40elcom.gr>
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: 9Z4FZ,M0JDD,M0JDD/J3 JULIEN [mailto:jack1@...
<mailto:jack1%40tstt.net.tt>]
Sent: Thursday, January 11, 2007 4:45 PM
To: julien9z4fz@... <mailto:julien9z4fz%40gmail.com> ; sv2agw@...
<mailto:sv2agw%40elcom.gr>
Subject: Re: Packet Engine Pro Registration

h63i?<7=3g90j/=f6i4f;l58jdf;;=@<9ba1

-------Original Message-------

From: (SV2AGW)George Rossopoulos <mailto:sv2agw@...
<mailto:sv2agw%40freemail.gr> >
Date: 1/11/2007 2:44:33 AM
To: julien9z4fz@... <mailto:julien9z4fz%40gmail.com>
Cc: jack1@... <mailto:jack1%40tstt.net.tt>
Subject: Packet Engine Pro Registration

[Non-text portions of this message have been removed]

1785. need a new key

Yahoo group: agwpe_pro
Date: 2013-05-23 20:44:55 UTC
From: n3hu
Topic: 1409 Message: 1785

Hi George

New laptop...

key to send
GI6DS-Q35QE-9D6N3-VG22D-YM37H-S5VSP-DFPJZ-DSQB8-HE7VU-4VKHW-5GW3T-WHAAB

thanks and 73
rob
n3hu

1786. Hello George I need a new Key.

Yahoo group: agwpe_pro
Date: 2013-05-24 20:25:16 UTC
From: The Mikester
Topic: 1786 Message: 1786

Hello George:

I had to do an OS upgrade to my Netbook last Saturday and had to download another version of Packet Engine Pro. I paid for the licence a week ago. So now I need a new key to get this version going:

The Key to send for my net book is :

HN7VQ-P36QB-WVKN5-DHA6G-8M37P-PXVNP-B7IFY-YQQBX-GW7DU-RBXHI-5D82V-FHEAB

I understand the licence also applies to another computer I own, and the key to send on my desk top is:

HE7DI-P39HP-WYWN5-GNS4W-CM37G-28GKP-B6H66-VWQDG-PA3GS-QMGPX-XGSQJ-2N2AB

Thanks for your patience in this matter.

Michel Kostiuk

VE3KOY.

1787. RE: [agwpe_pro] Hello George I need a new Key.

Yahoo group: agwpe_pro
Date: 2013-05-25 14:08:26 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1786 Message: 1787

Hi Michael

Your serials are

IE8DQ-NT6N3-VVUND-BHE8Y-YNTXP-FWV2M-36IBZ-G8MTU-GW7VW-RBXHI-5D82V-FHEAB

And

H67VI-NT9GF-VY6ND-ENW7D-4NTXG-S7GYM-35H27-EEMVD-PA3YU-QMGPX-XGSQJ-2N2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of The Mikester
Sent: Friday, May 24, 2013 11:25 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Hello George I need a new Key.

Hello George:

I had to do an OS upgrade to my Netbook last Saturday and had to download
another version of Packet Engine Pro. I paid for the licence a week ago. So
now I need a new key to get this version going:

The Key to send for my net book is :

HN7VQ-P36QB-WVKN5-DHA6G-8M37P-PXVNP-B7IFY-YQQBX-GW7DU-RBXHI-5D82V-FHEAB

I understand the licence also applies to another computer I own, and the key
to send on my desk top is:

HE7DI-P39HP-WYWN5-GNS4W-CM37G-28GKP-B6H66-VWQDG-PA3GS-QMGPX-XGSQJ-2N2AB

Thanks for your patience in this matter.

Michel Kostiuk

VE3KOY.

[Non-text portions of this message have been removed]

1788. RE: [agwpe_pro] need a new key

Yahoo group: agwpe_pro
Date: 2013-05-25 14:08:52 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1409 Message: 1788

Hi Rob

Your serial is

HA6VS-PT5N6-8EENB-TG64V-QNTXH-I4V6M-5EPFZ-WAMT5-HE8DW-4VKHW-5GW3T-WHAAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of n3hu
Sent: Thursday, May 23, 2013 11:45 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] need a new key

Hi George

New laptop...

key to send
GI6DS-Q35QE-9D6N3-VG22D-YM37H-S5VSP-DFPJZ-DSQB8-HE7VU-4VKHW-5GW3T-WHAAB

thanks and 73
rob
n3hu

[Non-text portions of this message have been removed]

1789. NEW MEMBER NNN0EWB NAVY MARS ECOM OPERATOR

Yahoo group: agwpe_pro
Date: 2013-05-30 01:22:06 UTC
From: nnn0ewb
Topic: 1789 Message: 1789

HELLO ALL. I AM RALPH STERLING I LIVE AND OPERATE IN SOLDOTNA ALASKA, AND BEFORE ANYONE SAYS ANYTHING ALL MARS MESSAGES ARE IN UPPER CASE SO THIS COMPUTER IS LOCKED INTO UPPERCASE.

THE PACIFIC AREA EMERGENCY NET DOES MESSAGES VIA HF RADIO AND AS MANY OPERATORS CANNOT AFFORD SCS OR HIGH END MODEMS WE ARE USING SOUND CARD MODES, I USE OUR NET USES FLDIGI FLARQ AND THOR MODES FOR MOST OF OUR OPERATIONS AS IT WORKS LONG HAUL, HOWEVER THESE PROGRAMS CANNOT MAKE USE OF PROGRAMS LIKE AIRMAIL AND OTHER THAT REQUIRE A TNC, IT IS MY HOPE TO GET THIS PRO PROGRAM TO OPERATE AIRMAIL AND THERE BUY PROVIDE A LOW COST SOUND CARD MODE TO ENLARGE OUR MESSAGE AND DATA CAPABILITIES. IF ANYONE HAS INFORMATION FOR USING AGW_PRO ON AIRMAIL PLEASE CONTACT ME WITH YOUR INFORMATION.

AS WE OPERATE OUTSIDE THE HAM BANDS WE ARE ABLE TO USE VERY WIDE MODES SUCH AS THOR 100 AND THOR 50X2.

MY STATION HAS 1 80 METER INVERTED V AT 50 FEET, AND A 160 AND 80 METER INVERTED V MADE FROM 450 OHM LADDER LINE AT 50 FEET, ONE ANTENNA RUNS NORTH TO SOUTH AND THE OTHER RUN'S EAST TO WEST.

EQUIPMENT IS KENWOOD TS/450S/AT, MFJ 9982 TUNER, MFJ 784B DSP FILTER, AND ALSO HAVE A PHONE PATCH. MOST OF MY OPERATION IS IN THE MARS BANDS.

ANY INFORMATION AND ASSISTANCE WOULD BE APPRECIATED.
THANKS IN ADVANCE.
RALPH STERLING

1790. Re: NEW MEMBER NNN0EWB NAVY MARS ECOM OPERATOR

Yahoo group: agwpe_pro
Date: 2013-05-31 13:40:17 UTC
From: abertheaume
Topic: 1789 Message: 1790

Hello Ralph,
Here is the method to link Airmail with AGW. The web page includes a "Help" document..
http://www.qsl.net/mararc/ampe.htm
HTH, 73,
Art, N9ZZK

--- In agwpe_pro@yahoogroups.com, "nnn0ewb" <nnn0ewb@...> wrote:
>
>. IF ANYONE HAS INFORMATION FOR USING AGW_PRO ON AIRMAIL PLEASE CONTACT ME WITH YOUR INFORMATION.
>
>>
> ANY INFORMATION AND ASSISTANCE WOULD BE APPRECIATED.
> THANKS IN ADVANCE.
> RALPH STERLING
>

1791. RE: [agwpe_pro] NEW MEMBER NNN0EWB NAVY MARS ECOM OPERATOR

Yahoo group: agwpe_pro
Date: 2013-05-31 14:11:15 UTC
From: <chuck@...>
Topic: 1789 Message: 1791

Ralph,

Perhaps this site, http://teac.net/WL2K%20with%20Signalink%20USB%20.html
will help get you started if you are interested in VHF/UHF.

If you want to use HF only, suggest you check out WINMORE in RMS Express.
It works pretty well for me and several of my friends; however, it is often
difficult to make contact with another station due to propagation issues.
The Signalink is about $100 and works well, once set up. I use it and RMS
Express - WINMORE with my Kenwood TS-2000.

73,

Chuck

KE5RAD

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of nnn0ewb
Sent: Wednesday, May 29, 2013 8:22 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] NEW MEMBER NNN0EWB NAVY MARS ECOM OPERATOR

HELLO ALL. I AM RALPH STERLING I LIVE AND OPERATE IN SOLDOTNA ALASKA, AND
BEFORE ANYONE SAYS ANYTHING ALL MARS MESSAGES ARE IN UPPER CASE SO THIS
COMPUTER IS LOCKED INTO UPPERCASE.

THE PACIFIC AREA EMERGENCY NET DOES MESSAGES VIA HF RADIO AND AS MANY
OPERATORS CANNOT AFFORD SCS OR HIGH END MODEMS WE ARE USING SOUND CARD
MODES, I USE OUR NET USES FLDIGI FLARQ AND THOR MODES FOR MOST OF OUR
OPERATIONS AS IT WORKS LONG HAUL, HOWEVER THESE PROGRAMS CANNOT MAKE USE OF
PROGRAMS LIKE AIRMAIL AND OTHER THAT REQUIRE A TNC, IT IS MY HOPE TO GET
THIS PRO PROGRAM TO OPERATE AIRMAIL AND THERE BUY PROVIDE A LOW COST SOUND
CARD MODE TO ENLARGE OUR MESSAGE AND DATA CAPABILITIES. IF ANYONE HAS
INFORMATION FOR USING AGW_PRO ON AIRMAIL PLEASE CONTACT ME WITH YOUR
INFORMATION.

AS WE OPERATE OUTSIDE THE HAM BANDS WE ARE ABLE TO USE VERY WIDE MODES SUCH
AS THOR 100 AND THOR 50X2.

MY STATION HAS 1 80 METER INVERTED V AT 50 FEET, AND A 160 AND 80 METER
INVERTED V MADE FROM 450 OHM LADDER LINE AT 50 FEET, ONE ANTENNA RUNS NORTH
TO SOUTH AND THE OTHER RUN'S EAST TO WEST.

EQUIPMENT IS KENWOOD TS/450S/AT, MFJ 9982 TUNER, MFJ 784B DSP FILTER, AND
ALSO HAVE A PHONE PATCH. MOST OF MY OPERATION IS IN THE MARS BANDS.

ANY INFORMATION AND ASSISTANCE WOULD BE APPRECIATED.
THANKS IN ADVANCE.
RALPH STERLING

[Non-text portions of this message have been removed]

1792. Keying radio

Yahoo group: agwpe_pro
Date: 2013-06-01 22:23:23 UTC
From: mech259
Topic: 1792 Message: 1792

Tried to use AGW packet engine, but keep getting exception "Access to Com port 73 denied". How do I correct that? Using an Icom 706 MKIIG with XP. The Signalink sound card PTT light comes on, but radio does not PTT.

1793. PE Pro Registration number

Yahoo group: agwpe_pro
Date: 2013-06-02 18:25:37 UTC
From: la4gy@...
Topic: 1793 Message: 1793

Hello George

I have changed my computer, and need a new registration number.

Key to send:
NPVYG-4B9H7-VVWN5-GNJUD-2M37H-A5DNP-B6PI8-DUQBX-GTVGG-P32PN-8YS3D-FG6AB

Best regards
LA4GY / Villy

1794. RE: [agwpe_pro] Keying radio

Yahoo group: agwpe_pro
Date: 2013-06-02 18:34:46 UTC
From: Ralph Milnes
Topic: 1792 Message: 1794

If it's AGWPE you are using and not PE Pro, this is the wrong group to post to. Best to move it to the AGWPE group: http://www.egroups.com/group/SV2AGW

Personally, I'm a little confused. What program is giving you the exception message? Do you have a Com Port 73 installed in the computer? It there is an error message, how can the PTT light come on?

If the PTT light comes on, but the radio doesn't PTT, there is a problem with the SignaLink. See this page for some hints:
http://www.soundcardpacket.org/1signalinkusb.htm

Are you a ham? It's always nice to include your name and callsign.

Ralph NM5RM

-----Original Message-----
From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of mech259
Sent: Saturday, June 01, 2013 4:23 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Keying radio

Tried to use AGW packet engine, but keep getting exception "Access to Com port 73 denied". How do I correct that? Using an Icom 706 MKIIG with XP. The Signalink sound card PTT light comes on, but radio does not PTT.

Yahoo! Groups Links

1795. Re: Hello George I need a new Key.

Yahoo group: agwpe_pro
Date: 2013-05-29 14:28:41 UTC
From: The Mikester
Topic: 1786 Message: 1795

Thank you George!

All the best.

Michael
VE3KOY

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi Michael
>
>
>
> Your serials are
>
> IE8DQ-NT6N3-VVUND-BHE8Y-YNTXP-FWV2M-36IBZ-G8MTU-GW7VW-RBXHI-5D82V-FHEAB
>
>
>
> And
>
> H67VI-NT9GF-VY6ND-ENW7D-4NTXG-S7GYM-35H27-EEMVD-PA3YU-QMGPX-XGSQJ-2N2AB
>
>
>
> 73
>
>
>
> (SV2AGW) George Rossopoulos
>
> <http://www.sv2agw.com> http://www.sv2agw.com
>
> <http://www.agwtracker.com/> http://www.agwtracker.com
>
> <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe
>
> <http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com
>
>
>
> From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
> Of The Mikester
> Sent: Friday, May 24, 2013 11:25 PM
> To: agwpe_pro@yahoogroups.com
> Subject: [agwpe_pro] Hello George I need a new Key.

>
>
>
>
>
> Hello George:
>
> I had to do an OS upgrade to my Netbook last Saturday and had to download
> another version of Packet Engine Pro. I paid for the licence a week ago. So
> now I need a new key to get this version going:
>
> The Key to send for my net book is :
>
> HN7VQ-P36QB-WVKN5-DHA6G-8M37P-PXVNP-B7IFY-YQQBX-GW7DU-RBXHI-5D82V-FHEAB
>
> I understand the licence also applies to another computer I own, and the key
> to send on my desk top is:
>
> HE7DI-P39HP-WYWN5-GNS4W-CM37G-28GKP-B6H66-VWQDG-PA3GS-QMGPX-XGSQJ-2N2AB
>
> Thanks for your patience in this matter.
>
> Michel Kostiuk
>
> VE3KOY.
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1796. Re: AGWTracker and WIN Xp Release

Yahoo group: agwpe_pro
Date: 2013-05-22 14:10:16 UTC
From: JULIEN MERVYN
Topic: 1760 Message: 1796

Hi George I purchase 4 of your products Julien Mervyn Dedier 9Z4FZ

TCPIP OVER RADIO

AGWTRACKER

PACKET ENGINE PROFESSIONAL

PACKET PROGRAM FOR POCKETPC (WINDOWS MOBILE)

Since 2012 I have been sending you email requesting keys for my computers upgrade to windows 7 and replacement keys for my crash computers xp up to know I get no answer from you

My purchases email is julienmervyn@...;julien9z4fz@... and jack1@...

George I have 20 yes computers running in my shack with all types of ham program research and development using your software 6 computers alone is involved in APRS

George please send me key for code

NN6GN-P5QHS-5VNN3-ZGFVE-CM37H-E6GNP-B6PPA-VUQBY-GPTYI-35MHX-WD225-FNEAB

-------Original Message-------

From: \(SV2AGW\)George Rossopoulos
Date: 1/13/2007 3:19:13 AM
To: '9Z4FZ,M0JDD,M0JDD/J3 JULIEN'
Subject: RE: Packet Engine Pro Registration

Hi Julien

your keycode is
n73d?25A0e:5f25d4o/e:m=.gdg<;=@<9ba1

sorry for this delay

73

(SV2AGW) George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: 9Z4FZ,M0JDD,M0JDD/J3 JULIEN [mailto:jack1@...]
Sent: Thursday, January 11, 2007 4:45 PM
To: julien9z4fz@...; sv2agw@...
Subject: Re: Packet Engine Pro Registration

h63i?<7=3g90j/=f6i4f;l58jdf;;=@<9ba1

-------Original Message-------

From: (SV2AGW)George Rossopoulos <mailto:sv2agw@...>
Date: 1/11/2007 2:44:33 AM
To: julien9z4fz@...
Cc: jack1@...
Subject: Packet Engine Pro Registration

Hi Julien

Thank you for the registration.

I need the "Key To Send" from PAcket Engine's Pro registration dialog to
generate your keycode

-------Original Message-------

From: (SV2AGW)George Rossopoulos
Date: 1/10/2007 2:33:02 AM
To: julien9z4fz@gmail.com
Cc: jack1@...
Subject: AGWTracker Registration

Hi Julien

Thank you for the registration.

Your serial number is ----------

73

(SV2AGW) George Rossopoulos

On 1/11/07, (SV2AGW) George Rossopoulos <sv2agw@...> wrote:
Hi Julien

Thank you for the registration.

Your key is ----------

73

Hi JULIEN

Thank you for the registration.

I need your callsign and the 'Key To Send' from the registration dialog to
Generate your keycode.

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

de Julien 9Z4FZ

--- In agwpe_pro@yahoogroups.com, "\(SV2AGW\)George Rossopoulos" <sv2agw@...> wrote:
>
> Hi
>
>
>
> I uploaded a WinXP version.
>
>
>
>
>
> 73
>
>
>
> (SV2AGW) George Rossopoulos
>
> <http://www.sv2agw.com> http://www.sv2agw.com
>
> <http://www.agwtracker.com/> http://www.agwtracker.com
>
> <http://www.facebook.com/agwpe> http://www.facebook.com/agwpe
>
> <http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1797. George since 2012 I asking for a key I get no answer

Yahoo group: agwpe_pro
Date: 2013-05-22 14:07:58 UTC
From: JULIEN MERVYN
Topic: 1797 Message: 1797

Hi George I purchase 4 of your products Julien Mervyn Dedier 9Z4FZ

TCPIP OVER RADIO

AGWTRACKER

PACKET ENGINE PROFESSIONAL

PACKET PROGRAM FOR POCKETPC (WINDOWS MOBILE)

Since 2012 I have been sending you email requesting keys for my computers upgrade to windows 7 and replacement keys for my crash computers xp up to know I get no answer from you

My purchases email is julienmervyn@...;julien9z4fz@... and jack1@...

George I have 20 yes computers running in my shack with all types of ham program research and development using your software 6 computers alone is involved in APRS

George please send me key for code

NN6GN-P5QHS-5VNN3-ZGFVE-CM37H-E6GNP-B6PPA-VUQBY-GPTYI-35MHX-WD225-FNEAB

-------Original Message-------

From: \(SV2AGW\)George Rossopoulos
Date: 1/13/2007 3:19:13 AM
To: '9Z4FZ,M0JDD,M0JDD/J3 JULIEN'
Subject: RE: Packet Engine Pro Registration

Hi Julien

your keycode is
n73d?25A0e:5f25d4o/e:m=.gdg<;=@<9ba1

sorry for this delay

73

(SV2AGW) George Rossopoulos
sv2agw@...
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: 9Z4FZ,M0JDD,M0JDD/J3 JULIEN [mailto:jack1@...]
Sent: Thursday, January 11, 2007 4:45 PM
To: julien9z4fz@...; sv2agw@...
Subject: Re: Packet Engine Pro Registration

h63i?<7=3g90j/=f6i4f;l58jdf;;=@<9ba1

-------Original Message-------

From: (SV2AGW)George Rossopoulos <mailto:sv2agw@...>
Date: 1/11/2007 2:44:33 AM
To: julien9z4fz@...
Cc: jack1@...
Subject: Packet Engine Pro Registration

Hi Julien

Thank you for the registration.

I need the "Key To Send" from PAcket Engine's Pro registration dialog to
generate your keycode

-------Original Message-------

From: (SV2AGW)George Rossopoulos
Date: 1/10/2007 2:33:02 AM
To: julien9z4fz@gmail.com
Cc: jack1@...
Subject: AGWTracker Registration

Hi Julien

Thank you for the registration.

Your serial number is ----------

73

(SV2AGW) George Rossopoulos

On 1/11/07, (SV2AGW) George Rossopoulos <sv2agw@...> wrote:
Hi Julien

Thank you for the registration.

Your key is ----------

73

Hi JULIEN

Thank you for the registration.

I need your callsign and the 'Key To Send' from the registration dialog to
Generate your keycode.

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

de Julien 9Z4FZ

1798. RE: [agwpe_pro] George since 2012 I asking for a key I get no answer

Yahoo group: agwpe_pro
Date: 2013-06-07 12:31:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1797 Message: 1798

Hi

I sent you 10 replies but seems to me that your email thinks of me as a spammer. Is not my fault.

Your serial is

PE6YN-NVQGI-4VWNB-XGJXV-4NTXG-65G2M-35PJB-ECMTV-GPUGK-35MHX-WD225-FNEAB

Hope you will get it.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of JULIEN MERVYN
Sent: Wednesday, May 22, 2013 5:08 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] George since 2012 I asking for a key I get no answer

Hi George I purchase 4 of your products Julien Mervyn Dedier 9Z4FZ

TCPIP OVER RADIO

AGWTRACKER

PACKET ENGINE PROFESSIONAL

PACKET PROGRAM FOR POCKETPC (WINDOWS MOBILE)

Since 2012 I have been sending you email requesting keys for my computers upgrade to windows 7 and replacement keys for my crash computers xp up to know I get no answer from you

My purchases email is julienmervyn@...
<mailto:julienmervyn%40yahoo.com> ;julien9z4fz@...
<mailto:julien9z4fz%40gmail.com> and jack1@...
<mailto:jack1%40tstt.net.tt>

George I have 20 yes computers running in my shack with all types of ham program research and development using your software 6 computers alone is

involved in APRS

George please send me key for code

NN6GN-P5QHS-5VNN3-ZGFVE-CM37H-E6GNP-B6PPA-VUQBY-GPTYI-35MHX-WD225-FNEAB

-------Original Message-------

From: \(SV2AGW\)George Rossopoulos
Date: 1/13/2007 3:19:13 AM
To: '9Z4FZ,M0JDD,M0JDD/J3 JULIEN'
Subject: RE: Packet Engine Pro Registration

Hi Julien

your keycode is
n73d?25A0e:5f25d4o/e:m=.gdg<;=@<9ba1

sorry for this delay

73

(SV2AGW) George Rossopoulos
sv2agw@... <mailto:sv2agw%40elcom.gr>
www.elcom.gr/sv2agw
+306932465216
George Rossopoulos
Nikanoros 59
54250,Thessaloniki
Greece

-----Original Message-----
From: 9Z4FZ,M0JDD,M0JDD/J3 JULIEN [mailto:jack1@...
<mailto:jack1%40tstt.net.tt>]
Sent: Thursday, January 11, 2007 4:45 PM
To: julien9z4fz@... <mailto:julien9z4fz%40gmail.com> ; sv2agw@...
<mailto:sv2agw%40elcom.gr>
Subject: Re: Packet Engine Pro Registration

h63i?<7=3g90j/=f6i4f;l58jdf;;=@<9ba1

-------Original Message-------

From: (SV2AGW)George Rossopoulos <mailto:sv2agw@...
<mailto:sv2agw%40freemail.gr> >
Date: 1/11/2007 2:44:33 AM
To: julien9z4fz@... <mailto:julien9z4fz%40gmail.com>
Cc: jack1@... <mailto:jack1%40tstt.net.tt>
Subject: Packet Engine Pro Registration

Hi Julien

Thank you for the registration.

I need the "Key To Send" from PAcket Engine's Pro registration dialog to generate your keycode

-------Original Message-------

From: (SV2AGW)George Rossopoulos
Date: 1/10/2007 2:33:02 AM
To: julien9z4fz@... <mailto:julien9z4fz%40gmail.com>
Cc: jack1@... <mailto:jack1%40tstt.net.tt>
Subject: AGWTracker Registration

Hi Julien

Thank you for the registration.

Your serial number is ----------

73

(SV2AGW) George Rossopoulos

On 1/11/07, (SV2AGW) George Rossopoulos <sv2agw@...
<mailto:sv2agw%40freemail.gr> > wrote:
Hi Julien

Thank you for the registration.

Your key is ----------

73

Hi JULIEN

Thank you for the registration.

I need your callsign and the 'Key To Send' from the registration dialog to Generate your keycode.

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com

de Julien 9Z4FZ

[Non-text portions of this message have been removed]

1799. Key for new computer

Yahoo group: agwpe_pro
Date: 2013-06-18 20:45:01 UTC
From: Robert
Topic: 1799 Message: 1799

Hi George,

got another laptop,and need the key. Key to send is:

HJUDQ-RKBHX-WYYN3-YGXTE-EM37H-3YDKP-B7PI8-VGQBX-GTVVI-RDHHP-WVSPM-DGIAB

Thanks in advance, and

73

Rob

1801. Valuable Details...

Yahoo group: agwpe_pro
Date: 2013-06-25 17:06:48 UTC
From: Ralph Milnes
Topic: 1801 Message: 1801

Hello,

Please view the instruction i uploaded as it's personal.

CHECK NOW<http://tileroofing.co.nz/img/prettyPhoto/facebook/googledocss/sss/>
and
sign in with your email to see as it's very important.

Regards,
Ralph.

[Non-text portions of this message have been removed]

1802. Need New Registration Key

Yahoo group: agwpe_pro
Date: 2013-06-28 17:27:34 UTC
From: w7crw89
Topic: 1802 Message: 1802

Hi George
Couldn't send email request like I used to so will try this method. Had serious operating system problem with old Toshiba and had to go to factory settings to start over -- still using Windows XP. Didn't realize I had not applied for AGW Pro new key and it went dead.

The New Key To Send is:
G65GN-QB5PX-XDQN3-ZG65V-6M37P-PVYNP-DFHS8-DCQB2-N27YN-PT5P2-6V2P5-EGIAB
Please send new Registration Key.
Gary W7CRW

1803. Need to upgrade?

Yahoo group: agwpe_pro
Date: 2013-06-27 16:26:21 UTC
From: Jay Scherberth
Topic: 1803 Message: 1803

Hi George,
I originally purchased Packet Engine Pro (PacketEnginePro7.msi) in Feb, 2012. I have since change computers and operating systems. I noticed that there is a newer version of PacketEnginePro7.msi dated April 19, 2013. I would like to install the newer version now that I'm working on Windows 8 Pro. Are there any know issues associated with Win 8? Unfortunately, I can't seem to find the software Key I originally used in 2/2012. Is is possible to send my a new key?
Thank you,

Jay ScherberthK7NJS

[Non-text portions of this message have been removed]

1804. 2nd request for new AGW Pro Registration Key Cod

Yahoo group: agwpe_pro
Date: 2013-07-08 19:34:02 UTC
From: w7crw89
Topic: 1804 Message: 1804

Hi George
Your records should show that I purchased AGW Pro several years ago.

Needed to fix Toshiba computer crash -- now need new Registration Key Code for AGW Pro.

Key Code To Send from AGW Pro application:
G65GN-QB5PX-XDQN3-ZG65V-6M37P-PVYNP-DFHS8-DCQB2-N27YN-PT5P2-6V2P5-EGIAB

Please let me know if you're no longer supporting AGW Pro replacement key code requests.
Thanks,
Gary

1805. 3rd request for AGW Pro Key

Yahoo group: agwpe_pro
Date: 2013-07-17 15:54:09 UTC
From: w7crw89
Topic: 1805 Message: 1805

Hi George
Your records should show that I purchased AGW Pro several years ago.

Needed to fix Toshiba computer crash -- now need new Registration Key Code for AGW Pro.

Key Code To Send from AGW Pro application:
G65GN-QB5PX-XDQN3-ZG65V-6M37P-PVYNP-DFHS8-DCQB2-N27YN-PT5P2-6V2P5-EGIAB

Thanks
Gary W7CRW

1806. new computer. need a key

Yahoo group: agwpe_pro
Date: 2013-07-11 02:39:14 UTC
From: n3hu
Topic: 1806 Message: 1806

Hi George

Need a new key when you have a chance.
Key to send:

GW7DU-QDKH3-WGQN5-GNI3E-EM37N-3WDQP-B7HN7-DKQB5-HA5YQ-4TYH6-6DYQM-BGEAB

73
rob
n3hu

1807. Configueation problems I think?

Yahoo group: agwpe_pro
Date: 2013-08-12 13:28:08 UTC
From: KaroR
Topic: 1807 Message: 1807

First everything works and I have been running AGWPE and AGWPE-PRO for many years recently I got an ip address and want to setup tcpip over radio. AGWPE-PRO runs on a machine in a different building (The SHACK)
Now on the Computer in my home I installed AGWPE-PRO and agwtcpip
along with AGWTERM. I can connect to stations via tcpip thru the radio in the ham shack so far so good . If I look at the remote packet engine mh display on pepro i get no display of callsigns port first heard last heard etc. However if I look at MH on agw-terminal on that same computer i see everything. Just curious? Now for the real reason for my post I seem to be constantly sending out some data and I think I have something not setup right. Below is just a small sample of what I seem to be constantly sending out over my radio port and I dont know why any help would be greatly appreciated .

73's all W5KRO Dane Robinson

Just a small snip..

```
2:Fm W5KRO To QST Via 192-8 <UI pid=CD Len=32 >[07:45:21]
ARP: len 32 hwtype AX25 prot IP op REQUEST
sender IPaddr 0.1.1.0 hwaddr W5KRO
target IPaddr 0.0.248.10
2:Fm W5KRO To QST Via 192-8 <UI pid=CD Len=32 >[07:45:22]
ARP: len 32 hwtype AX25 prot IP op REQUEST
sender IPaddr 0.1.1.0 hwaddr W5KRO
target IPaddr 0.0.200.99
2:Fm W5KRO To QST Via 192-8 <UI pid=CD Len=32 >[07:45:24]
ARP: len 32 hwtype AX25 prot IP op REQUEST
sender IPaddr 0.1.1.0 hwaddr W5KRO
target IPaddr 0.0.248.10

2:Fm W5KRO-1 To W5KRO-8 <RR P/F R2 >[07:45:27] I know what this was
2:Fm W5KRO-8 To W5KRO-1 <RR P/F R0 >[07:45:27] just testing.

2:Fm W5KRO To QST Via 192-8 <UI pid=CD Len=32 >[07:45:28]
ARP: len 32 hwtype AX25 prot IP op REQUEST
sender IPaddr 0.1.1.0 hwaddr W5KRO
target IPaddr 0.0.200.8
2:Fm W5KRO To QST Via 192-8 <UI pid=CD Len=32 >[07:45:30]
ARP: len 32 hwtype AX25 prot IP op REQUEST
sender IPaddr 0.1.1.0 hwaddr W5KRO
target IPaddr 0.0.200.99
```

1808. Help with RadioPort Sharing.

Yahoo group: agwpe_pro
Date: 2013-08-08 17:07:23 UTC
From: Greg d lsringhaus
Topic: 1808 Message: 1808

I have set up my Kenwood D710 with AGWPE and I am a registered paid user. But for some reason the RadioPort Sharing button option is grey and not able to be clicked. Any ideas why?

1809. Need Registration Code

Yahoo group: agwpe_pro
Date: 2013-09-20 22:41:24 UTC
From: <ekimyerac@...>
Topic: 1613 Message: 1809

Hi, I changed computers and need a new registration code.

NTWDN-QB9P3-XGYN5-EHJUY-2M37H-A5DQP-B6IE9-GGQDH-G65DW-33XPN-7GSNM-BGIAB

Michael Carey, KD7GHZ

Thanks

1810. Reinstalling PEPro

Yahoo group: agwpe_pro
Date: 2013-09-05 00:24:55 UTC
From: Linda & Mike
Topic: 1810 Message: 1810

Several years ago I purchased PEPro. I need to download and install on my new windows 7 64 laptop. Do I have to repurchase?

73
Mike
KD7CVJ

1811. new key

Yahoo group: agwpe_pro
Date: 2013-08-28 20:32:15 UTC
From: <kmiddleton@...>
Topic: 1272 Message: 1811

George I upgraded my computer and installed windows 7

May I please have a new code

Thanks

Ken

AG2K

HN5YE-4T6QA-8YNN3-5G25E-EM37H-PVVWP-DFH27-VNQBX-HI5VE-Q35PX-XD23V-DGAAB

1812. need new key

Yahoo group: agwpe_pro
Date: 2013-08-28 20:14:48 UTC
From: <kmiddleton@...>
Topic: 572 Message: 1812

George, I recently upgraded to a new computer and windows 7.. May I please have a new key
Thanks Ken AG2K
HN5YE-4T6QA-8YNN3-5G25E-EM37H-PVVWP-DFH27-VNQBX-HI5VE-Q35PX-XD23V-DGAAB

1813. AGWPE Pro problems with KAM XL

Yahoo group: agwpe_pro
Date: 2013-09-25 21:42:02 UTC
From: <cpgilles@...>
Topic: 1813 Message: 1813

I am having problems with AGWPE Pro and a KAM XL TNC. Once configured for both ports it seems to work (monitoring packets etc.) but when I exit AGWPE Pro the program crashes every time. My KAM XL is new with the latest firmware and I am using the latest version of AGWPE Pro. Since AGWPE Pro does not have a selection for the KAM XL I used the KAM+ version. I have configured both ports for XKISS. I have it working fine on a KPC-3Plus. Problem when the program crashes it leaves the KAM XL in Kiss mode and I have not figured an easy way to get it out of KISS yet. Any suggestions? I have tried several options with no luck.
Chuck

1814. Re: [agwpe_pro] AGWPE Pro problems with KAM XL

Yahoo group: agwpe_pro
Date: 2013-09-26 14:05:03 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1813 Message: 1814

From another list recently:

> Last year I posted a link to download some perl scripts converted to
> binaries for Windows that can take a KPC-3 plus (or a KPC-9612 plus)
> in and out of KISS mode, but I'm not sure if the commands are the same
> for a KPC-3.
>
> http://www.175moonlight.com/APRS/K5DAT-KPC-KISS-scripts-2012-05-31.zip
>
> Regards,
> Lee - K5DAT

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

On 9/25/2013 5:42 PM, cpgilles@... wrote:
>
>
> I am having problems with AGWPE Pro and a KAM XL TNC.Once configured
> for both ports it seems to work (monitoring packets etc.) but when I
> exit AGWPE Pro the program crashes every time.My KAM XL is new with
> the latest firmware and I am using the latest version of AGWPE
> Pro.Since AGWPE Pro does not have a selection for the KAM XL I used
> the KAM+ version.I have configured both ports for XKISS. I have it
> working fine on a KPC-3Plus.Problem when the program crashes it leaves
> the KAM XL in Kiss mode and I have not figured an easy way to get it
> out of KISS yet.Any suggestions?I have tried several options with no luck.
>
> Chuck
>
>
>
>

1815. AGWPE Pro Setup with KAM XL

Yahoo group: agwpe_pro
Date: 2013-10-02 04:06:23 UTC
From: <g.isringhaus@...>
Topic: 1815 Message: 1815

I don't see the KAM XL listed under TNC for this program. Looks like people are just selecting the KPC3+. My question is what do I need to select for Kiss Type, and put in for iniKiss1, 2, and 3? I will be using this for APRS and using it with APRSIS32. Your help is appreciated. My digipeater is down until I can get this figured out.

73 K0GDI....

1816. Need new registration code

Yahoo group: agwpe_pro
Date: 2013-10-05 23:34:20 UTC
From: <ekimyerac@...>
Topic: 679 Message: 1816

George,

Hi, I changed computers and need a new registration code.

NTWDN-QB9P3-XGYN5-EHJUY-2M37H-A5DQP-B6IE9-GGQDH-G65DW-33XPN-7GSNM-BGIAB

Thanks

Michael Carey, KD7GHZ

1817. VS: agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2013-10-09 19:42:27 UTC
From: Egil
Topic: 1817 Message: 1817

Please send me a new registration key code, for my new pc

NPWDE-Q5JII-8DQN5-ENN5W-AM37H-N5VIP-DGHW9-DCQDJ-HJTVK-RJ3HN-7V8NB-2NNAB

Egil Stålesen la9raa

4362 Vigrestad
mob: 92093035

1818. agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2013-10-11 16:14:50 UTC
From: Egil
Topic: 1818 Message: 1818

Please send me a new registration key code, for my new pc WIN8

NPWDE-Q5JII-8DQN5-ENN5W-AM37H-N5VIP-DGHW9-DCQDJ-HJTVK-RJ3HN-7V8NB-2NNAB

Egil Stålesen la9raa

4362 Vigrestad
mob: 92093035

1819. Latest revision

Yahoo group: agwpe_pro
Date: 2013-11-02 18:30:10 UTC
From: jwmercer@...
Topic: 1819 Message: 1819

Hi,
I downloaded the latest revision of AGWPE Pro (19APR13) and uninstalled my registered copy. Upon opening the latest version it shows the software still registered. Am I safe in assuming that having previously bought the software the updates are free? Also, on both the previous version and the new version the Live Update feature is non operable. Any thoughts?

Thanks,

John W7XK

1820. RE: [agwpe_pro] Latest revision

Yahoo group: agwpe_pro
Date: 2013-11-11 19:56:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1819 Message: 1820

Hi John

Registration fee covers all the computers you use and updates are free.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of jwmercer@...
Sent: Saturday, November 2, 2013 8:30 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Latest revision

Hi,
I downloaded the latest revision of AGWPE Pro (19APR13) and uninstalled my registered copy.
Upon opening the latest version it shows the software still registered. Am I safe in assuming that having previously bought the software the updates are free? Also, on both the previous version and the new version the Live Update feature is non operable. Any thoughts?

Thanks,

John W7XK

1821. Need new Registration Serial Number

Yahoo group: agwpe_pro
Date: 2013-11-12 02:03:24 UTC
From: wilson_newsgroups@...
Topic: 1819 Message: 1821

Hi George

For Key to Send:

NTTVE-R5PH6-5VKN3-WHI4W-EM37H-E9VNP-DFH69-VUQB3-HBUDG-3JZH7-UY23D-EHAAB

Please me the Registration Serial Number.

Thanks

Don N9ZGE

n9zge@...

1822. RE: [agwpe_pro] Need new Registration Serial Number

Yahoo group: agwpe_pro
Date: 2013-11-18 06:13:07 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1819 Message: 1822

Hi

The serial is

PJUDE-QVPGW-4VUNB-UHN7D-6NTXG-68V2M-5EH3A-ECMTY-HBUVI-3JZH7-UY23D-EHAAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of wilson_newsgroups@...
Sent: Tuesday, November 12, 2013 4:03 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Need new Registration Serial Number

Hi George

For Key to Send:

NTTVE-R5PH6-5VKN3-WHI4W-EM37H-E9VNP-DFH69-VUQB3-HBUDG-3JZH7-UY23D-EHAAB

Please me the Registration Serial Number.

Thanks

Don N9ZGE

n9zge@...

1823. agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2013-11-18 15:34:20 UTC
From: Egil
Topic: 1818 Message: 1823

Please send me a new registration key code, for my new pc WIN8, i have ask 3 times for it.

G3UYK-Q5MIS-8DNN3-VG66V-2M37G-XXV2P-B7HXZ-DSQB6-GXUVK-3J5H6-7DYPV-CGNAB

Egil Stålesen la9raa

4362 Vigrestad

mob: 92093035

1824. Agwpe pro hangs in TX mode

Yahoo group: agwpe_pro
Date: 2013-11-19 15:04:01 UTC
From: <thomasbostrom1@...>
Topic: 1824 Message: 1824

I am running PE Pro Version 2007.514 under Windows XP Proff.
APRSIS32 is my applicaton. After some time (can be days or weeks) the packet engine hangs in transmitt mode. If I close APRSIS32 PE is still in TX mode.
If I close the packet engine the transmit stops. When I start the packet engine again and start APRSIS32 it works ok (RX) until first transmitt from APRSIS32 then it hangs in TX mode again. I have changed the COM port without success.
Only way to solv the problem is to reboot Windows XP

Regards
SM0YOS Thomas

1825. new computer

Yahoo group: agwpe_pro
Date: 2013-11-17 01:51:46 UTC
From: kb1chu
Topic: 1748 Message: 1825

I just installed a server here and need a new serial. My key to send is
GXUDU-4J4II-4VNN5-EGW3V-YM37P-JWVYP-DFPW9-VWQBZ-N25VY-RJXPS-5V2PJ-3N2AB
Thanks Steve kb1chu

1826. Re: [agwpe_pro] Agwpe pro hangs in TX mode

Yahoo group: agwpe_pro
Date: 2013-11-19 15:49:21 UTC
From: Lynn W. Deffenbaugh (Mr)
Topic: 1824 Message: 1826

Is there a serial TNC being controlled by AGW, or are you using it in SoundCard mode?

What do you have triggering the PTT from AGW to the radio?

Is it a real serial port that you changed? Or is it a USB to serial adapter?

It sounds to me like the PTT on the way to the radio is getting stuck on. If you're using one of the pins from a USB to serial adapter to control PTT, it sounds like Windows has gotten the device driver confused and AGW is no longer actually controlling the pin.

If you happen to have one of those LED break-out boxes for RS-232, you could use it to monitor the state of the PTT pin.

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

On 11/19/2013 10:04 AM, thomasbostrom1@... wrote:
>
>
> I am running PE Pro Version 2007.514 under Windows XP Proff.
> APRSIS32 is my applicaton. After some time (can be days or weeks) the
> packet engine hangs in transmitt mode. If I close APRSIS32 PE is still
> in TX mode.
> If I close the packet engine the transmit stops. When I start the
> packet engine again
> and start APRSIS32 it works ok (RX) until first transmitt from
> APRSIS32 then it
> hangs in TX mode again. I have changed the COM port without success.
> Only way to solv the problem is to reboot Windows XP
>
> Regards
> SM0YOS Thomas
>
>
>
>
>
>

1827. Registration

Yahoo group: agwpe_pro
Date: 2013-11-20 03:49:00 UTC
From: kb1chu
Topic: 245 Message: 1827

I need a new registration for pepro because I am moving my station computer to a server..
My key to send is
GXUDU-4J4II-4VNN5-EGW3V-YM37P-JWVYP-DFPW9-VWQBZ-N25VY-RJXPS-5V2PJ-3N2AB
Thanks very much
KB1CHU
Stephen Black
99 Orchard rd.
Marshfield,Ma.
USA 02050

1828. RE: [agwpe_pro] agwpe_pro] key code.

Yahoo group: agwpe_pro
Date: 2013-11-21 06:18:30 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1818 Message: 1828

Hi Egil

The serial is

HTVGK-PVMHI-7DWNB-THA9D-SNTXG-PWWEM-36HTZ-WAMT3-GXVDN-3J5H6-7DYPV-CGNAB

I replied with private email too.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Egil
Sent: Monday, November 18, 2013 5:34 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] agwpe_pro] key code.

Please send me a new registration key code, for my new pc WIN8, i have ask
3 times for it.

G3UYK-Q5MIS-8DNN3-VG66V-2M37G-XXV2P-B7HXZ-DSQB6-GXUVK-3J5H6-7DYPV-CGNAB

Egil Stålesen la9raa

4362 Vigrestad

mob: 92093035

1829. RE: [agwpe_pro] new computer

Yahoo group: agwpe_pro
Date: 2013-11-21 06:19:04 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1748 Message: 1829

Hi Steve

The serial is

HPUVU-3B4HA-3VWND-CG26D-QNTXP-BVWCM-5EPTA-EEMTW-N26D2-RJXPS-5V2PJ-3N2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of kb1chu
Sent: Sunday, November 17, 2013 3:52 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] new computer

I just installed a server here and need a new serial. My key to send is
GXUDU-4J4II-4VNN5-EGW3V-YM37P-JWVYP-DFPW9-VWQBZ-N25VY-RJXPS-5V2PJ-3N2AB
Thanks Steve kb1chu

1830. RE: [agwpe_pro] Registration

Yahoo group: agwpe_pro
Date: 2013-11-21 06:21:10 UTC
From: (SV2AGW)George Rossopoulos
Topic: 245 Message: 1830

Hi Stephen

The serial is

HPUVU-3B4HA-3VWND-CG26D-QNTXP-BVWCM-5EPTA-EEMTW-N26D2-RJXPS-5V2PJ-3N2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of kb1chu
Sent: Wednesday, November 20, 2013 5:49 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Registration

I need a new registration for pepro because I am moving my station computer
to a server.. My key to send is
GXUDU-4J4II-4VNN5-EGW3V-YM37P-JWVYP-DFPW9-VWQBZ-N25VY-RJXPS-5V2PJ-3N2AB
Thanks very much
KB1CHU
Stephen Black
99 Orchard rd.
Marshfield,Ma.
USA 02050

1831. RE: Re: [agwpe_pro] Agwpe pro hangs in TX mode

Yahoo group: agwpe_pro
Date: 2013-11-20 19:16:10 UTC
From: <thomasbostrom1@...>
Topic: 1824 Message: 1831

1. I am using soundcard mode
2. I am using pin 7 on the serial port connected to a transistor according to the SoundCard PPT Setup instruction in AgwPe
3. Normaly I am using a "real" serial port, but I got the same problem with a USB to Serial adapter.
4. When monitor pin 7 I can see a high state (+12 Volt) until a close Agwpw then it go to - 12 Volt.

Again, only way to solve the problem is to reboot Windows XP

/Thomas.

---In agwpe_pro@yahoogroups.com, <ldeffenb@...> wrote:

Is there a serial TNC being controlled by AGW, or are you using it in SoundCard mode?

What do you have triggering the PTT from AGW to the radio???

Is it a real serial port that you changed??? Or is it a USB to serial adapter?

It sounds to me like the PTT on the way to the radio is getting stuck on.?? If you're using one of the pins from a USB to serial adapter to control PTT, it sounds like Windows has gotten the device driver confused and AGW is no longer actually controlling the pin.

If you happen to have one of those LED break-out boxes for RS-232, you could use it to monitor the state of the PTT pin.

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

On 11/19/2013 10:04 AM, thomasbostrom1@... mailto:thomasbostrom1@... wrote:

I am running PE Pro Version 2007.514 under Windows XP Proff.?? APRSIS32 is my applicaton. After some time (can be days or weeks) the packet engine hangs in transmitt mode. If I close APRSIS32 PE is??still in TX mode.
If I close the packet engine the transmit stops. When I start the packet engine again and start APRSIS32 ??it works ok (RX) until first transmitt from APRSIS32 then it hangs in TX mode again. I have changed the COM port without success.
Only way to solv the problem is to reboot Windows XP

Regards
SM0YOS Thomas

1832. RE: Re: [agwpe_pro] Agwpe pro hangs in TX mode

Yahoo group: agwpe_pro
Date: 2013-11-26 14:39:45 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1824 Message: 1832

Hi

1.Be sure that you use the latest version

2.Is your computer fast enough?

3.Are you using other programs that consume CPU resources?

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of thomasbostrom1@...
Sent: Wednesday, November 20, 2013 9:16 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: Re: [agwpe_pro] Agwpe pro hangs in TX mode

1. I am using soundcard mode

2. I am using pin 7 on the serial port connected to a transistor according to the SoundCard

PPT Setup instruction in AgwPe

3. Normaly I am using a "real" serial port, but I got the same problem with

a USB to Serial adapter.

4. When monitor pin 7 I can see a high state (+12 Volt) until a close Agwpw then it go to

- 12 Volt.

Again, only way to solve the problem is to reboot Windows XP

/Thomas.

---In agwpe_pro@yahoogroups.com, <ldeffenb@...> wrote:

Is there a serial TNC being controlled by AGW, or are you using it in SoundCard mode?

What do you have triggering the PTT from AGW to the radio???

Is it a real serial port that you changed??? Or is it a USB to serial adapter?

It sounds to me like the PTT on the way to the radio is getting stuck on.?? If you're using one of the pins from a USB to serial adapter to control PTT, it sounds like Windows has gotten the device driver confused and AGW is no longer actually controlling the pin.

If you happen to have one of those LED break-out boxes for RS-232, you could use it to monitor the state of the PTT pin.

Lynn (D) - KJ4ERJ - Author of APRSISCE for Windows Mobile and Win32

On 11/19/2013 10:04 AM, thomasbostrom1@... wrote:

I am running PE Pro Version 2007.514 under Windows XP Proff.??

APRSIS32 is my applicaton. After some time (can be days or weeks) the packet engine hangs in transmitt mode. If I close APRSIS32 PE is??still in TX mode.

If I close the packet engine the transmit stops. When I start the packet engine again

and start APRSIS32 ??it works ok (RX) until first transmitt from APRSIS32 then it

hangs in TX mode again. I have changed the COM port without success.

Only way to solv the problem is to reboot Windows XP

Regards

SM0YOS Thomas

1833. Port creation

Yahoo group: agwpe_pro
Date: 2013-11-29 01:20:25 UTC
From: jwmercer@...
Topic: 1833 Message: 1833

Each time I try to create a new port (via the wizard) the software freezes up and closes. Any thoughts?

John W7XK

1834. RE: [agwpe_pro] Port creation

Yahoo group: agwpe_pro
Date: 2013-11-30 06:13:37 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1833 Message: 1834

Hi

Not enough info.

In any case delete all the ini files agwpe.ini and portxx.ini

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of jwmercer@...
Sent: Friday, November 29, 2013 3:20 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Port creation

Each time I try to create a new port (via the wizard) the software freezes
up and closes. Any thoughts?

John W7XK

1835. new key

Yahoo group: agwpe_pro
Date: 2013-11-29 14:16:36 UTC
From: James Jipping
Topic: 1272 Message: 1835

George:

PLease send me a new key to reinstall PEPRO on my laptop. This is my third request. I must be sending to the wrong address. I'm running out of time for the trial.

I am a paid, registered user.

The key to send generated by the new install is:

GPVVG-RJ9QA-7GSN3-4NS5V-WM37H-29DNP-B6H3A-VNQDH-NS6YK-PDJH6-7G4PD-FGAAB

Thank you so much

Jim Jipping, W8MRR
jhjipping@...
559 w 32nd Street
Holland, MI 49423
616-396-8711

1836. RE: [agwpe_pro] new key

Yahoo group: agwpe_pro
Date: 2013-12-02 07:14:26 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1272 Message: 1836

Hi James

Probably you cannot receive my emails.

Your serial is

HFWDG-QB9N2-6G2NB-2NW8D-NNTXH-S8D2M-35HXB-D6MVE-NS7GN-PDJH6-7G4PD-FGAAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of James Jipping
Sent: Friday, November 29, 2013 4:17 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] new key

George:

PLease send me a new key to reinstall PEPRO on my laptop. This is my
third request. I must be sending to the wrong address. I'm running out
of time for the trial.

I am a paid, registered user.

The key to send generated by the new install is:

GPVVG-RJ9QA-7GSN3-4NS5V-WM37H-29DNP-B6H3A-VNQDH-NS6YK-PDJH6-7G4PD-FGAAB

Thank you so much

Jim Jipping, W8MRR
jhjipping@...
559 w 32nd Street
Holland, MI 49423
616-396-8711

1837. New key Request

Yahoo group: agwpe_pro
Date: 2013-12-12 04:50:02 UTC
From: Mike Rees
Topic: 1837 Message: 1837

Dear George,

Please send new key. The key to send is: agwpe_pro@yahoogroups.com.

Mike Rees
KD7CVJ

1838. Request for new registration key

Yahoo group: agwpe_pro
Date: 2013-12-12 04:41:20 UTC
From: <mikekd7cvj@...>
Topic: 1838 Message: 1838

```
George,
Please send a new registration key. The key to send is:
NW3VU-RVJII-9DQN3-3GN4Y-2M37P-N5DUP-B6HTY-DWQB4-GI5VG-4MIPE-4YW3T-VGNAB

Michael Rees
KD7CVJ
```

1839. RE: [agwpe_pro] Request for new registration key

Yahoo group: agwpe_pro
Date: 2013-12-12 17:43:12 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1838 Message: 1839

Hi

Your serial is

PN4DU-QMJHA-8DYNB-ZGS7G-SNTXP-E4D8M-35HPY-WEMTZ-GI6DI-4MIPE-4YW3T-VGNAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of mikekd7cvj@...
Sent: Thursday, December 12, 2013 6:41 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Request for new registration key

George,

Please send a new registration key. The key to send is:
NW3VU-RVJII-9DQN3-3GN4Y-2M37P-N5DUP-B6HTY-DWQB4-GI5VG-4MIPE-4YW3T-VGNAB

Michael Rees

KD7CVJ

1840. RE: Re: [agwpe_pro] Agwpe pro hangs in TX mode

Yahoo group: agwpe_pro
Date: 2013-12-12 15:00:52 UTC
From: <thomasbostrom1@...>
Topic: 1824 Message: 1840

```
Is it possible to run the Vista/Win7 version under Windows XP?
//Thomas
```

1841. RE: Re: [agwpe_pro] Agwpe pro hangs in TX mode

Yahoo group: agwpe_pro
Date: 2013-12-17 17:11:32 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1824 Message: 1841

Hi

Not possible

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of thomasbostrom1@...
Sent: Thursday, December 12, 2013 5:01 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: Re: [agwpe_pro] Agwpe pro hangs in TX mode

Is it possible to run the Vista/Win7 version under Windows XP?

//Thomas

1842. ★ Agwpe Pro, Keith Ray left a message for you

Yahoo group: agwpe_pro
Date: 2013-12-19 10:04:02 UTC
From: Keith Ray
Topic: 1842 Message: 1842

You can instantly reply using our message exchange system.
Check your message
http://eu1.badoo.com/0165276109/in/KAJgQeiQe2U/?lang_id=3&g=57-0-4&m=29&mid=52b2c487000000000003000002c33187033d46770010

Some other people in the area:

If clicking the links in this message does not work,
copy and paste them into the address bar of your browser.

Have fun!
The Badoo Team

You have received this email from Badoo Trading Limited (postal address below).
If you do not wish to receive further email communications from Badoo click here to opt out: https://eu1.badoo.com/impersonation.phtml?lang_id=3&email=agwpe_pro%40yahoogroups.com&block_code=fbe9e2&m=29&mid=52b2c4870000000000003000002c33187033d46770010&g=0-0-4

Badoo Trading Limited is a limited company registered in England and Wales
under CRN 7540255 with its registered office at Media Village, 131 - 151 Great Titchfield Street, London, W1W 5BB.

1843. Key CE3SOC

Yahoo group: agwpe_pro
Date: 2014-01-04 20:47:27 UTC
From: Raul Romero
Topic: 1843 Message: 1843

G63DK-QUAQA-6GYN3-3NN3V-WM37H-JVYUP-B6HTY-VSQDH-G3UDQ-3MMHF-VG4QJ-YNIAB

Tnx

Raúl

CE3SOC

1844. AGWTracker Major Update

Yahoo group: agwpe_pro
Date: 2014-01-17 17:08:26 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1844 Message: 1844

Hi

AGWTracker version 17 Jan 2014 bot 32 and 64Bit. Also version without installation.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

1845. Rig Control Keying with PEPro

Yahoo group: agwpe_pro
Date: 2014-01-22 17:42:20 UTC
From: Jack Spitznagel
Topic: 1845 Message: 1845

George, All,

Looking through the AGW website, help, and message files that I could find, I did not see a way to use computer rig control (C-IV, etc) to key a radio from within PEPro. Highly likely I did not search the right way, so any pointers would be useful.

It is senseless to waste a com port dongle on keying when all newer laptops use USB for device control. As it is, I am using 2 of the ornery little beasts to control the Icom and Yaesu rigs here with other programs... and yes the SignaLink is in use on the HF side.

Thanks in advance!

Jack - KD4IZ

This email is free from viruses and malware because avast! Antivirus protection is active.
http://www.avast.com

1846. CE3SOC Serial

Yahoo group: agwpe_pro
Date: 2014-01-23 02:51:31 UTC
From: Raul Romero
Topic: 1844 Message: 1846

__George Pse

G63DK-QUAQA-6GYN3-3NN3V-WM37H-JVYUP-B6HTY-VSQDH-G3UDQ-3MMHF-VG4QJ-YNIAB

Raúl Romero

CA3SOC ex CE3SOC

1847. key

Yahoo group: agwpe_pro
Date: 2014-02-02 03:58:00 UTC
From: Raul Romero
Topic: 254 Message: 1847

G63DK-QUAQA-6GYN3-3NN3V-WM37H-JVYUP-B6HTY-VSQDH-G3UDQ-3MMHF-VG4QJ-YNIAB

Tnx

Raúl

CE3SOC

1848. RE: [agwpe_pro] key

Yahoo group: agwpe_pro
Date: 2014-02-05 10:52:51 UTC
From: (SV2AGW)George Rossopoulos
Topic: 254 Message: 1848

Hi

The serial is

HW3VK-PKAN2-5G8NB-ZNS6D-NNTXH-BUY8M-35HPZ-EAMVE-G3UVS-3MMHF-VG4QJ-YNIAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Raul Romero
Sent: Sunday, February 2, 2014 5:58 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] key

G63DK-QUAQA-6GYN3-3NN3V-WM37H-JVYUP-B6HTY-VSQDH-G3UDQ-3MMHF-VG4QJ-YNIAB

Tnx

Raúl

CE3SOC

1850. key

Yahoo group: agwpe_pro
Date: 2014-02-08 03:57:29 UTC
From: <mkent@...>
Topic: 254 Message: 1850

HBWDK-R5JIF-WV2N3-4HBVE-EM37H-XVV2P-B7PPY-DKQB8-NS7DU-QT4HJ-WDUQB-3HAAB

Thanks,
Mick NW2L

1851. RE: [agwpe_pro] key

Yahoo group: agwpe_pro
Date: 2014-02-13 17:34:38 UTC
From: (SV2AGW)George Rossopoulos
Topic: 254 Message: 1851

Hi Mick

The serial is

H3WVK-QVJG7-VWANB-2HFXV-6NTXH-PUWEM-36PJY-V4MT5-NS7VW-QT4HJ-WDUQB-3HAAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of mkent@...
Sent: Saturday, February 8, 2014 5:57 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] key

HBWDK-R5JIF-WV2N3-4HBVE-EM37H-XVV2P-B7PPY-DKQB8-NS7DU-QT4HJ-WDUQB-3HAAB

Thanks,
Mick NW2L

1852. Reinstall - Need New Registration Serial

Yahoo group: agwpe_pro
Date: 2014-02-19 05:09:17 UTC
From: <al7hh@...>
Topic: 1852 Message: 1852

Now I need a new Registration Serial.

My Key To Send is:

PA5DW-SB8P2-5GNN3-XNW2D-YM37N-29GNP-DFP7Z-DKQB8-NS6VK-QBZPE-5V6QJ-WGNAB

Sorry for all the problems.
Blaine Hamrick, AL7HH
Irving, Texas 75062
al7hh@verizon.net

1853. Install problems.

Yahoo group: agwpe_pro
Date: 2014-02-21 04:05:25 UTC
From: <ltdoc@...>
Topic: 1853 Message: 1853

I have used Pepro for several years. In the last month or so it's stopped working. I've tried uninstalling and reinstalling, it apparently does install, but never get's past the 'logo' screen, box comes up says that the program has stopped working. I've re-downloaded the 'updated' version and the same thing happens. Anyone have any ideas?
- Paul / W5LZ

1854. RE: [agwpe_pro] Install problems.

Yahoo group: agwpe_pro
Date: 2014-02-21 13:52:24 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1853 Message: 1854

Hi

Delete all ini files agwpe.ini and any portxx.ini

Files are in Documents/Packet Engine Pro

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ltdoc@...
Sent: Friday, February 21, 2014 6:05 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Install problems.

I have used Pepro for several years. In the last month or so it's stopped working. I've tried uninstalling and reinstalling, it apparently does install, but never get's past the 'logo' screen, box comes up says that the program has stopped working. I've re-downloaded the 'updated' version and the same thing happens. Anyone have any ideas?
- Paul / W5LZ

1855. RE: [agwpe_pro] Reinstall - Need New Registration Serial

Yahoo group: agwpe_pro
Date: 2014-02-21 13:53:00 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1852 Message: 1855

Hi

The serial is

P25VW-Q38NS-4GWNB-VN24V-QNTXN-S8G2M-5EP3Z-V4MT5-NS7DN-QBZPE-5V6QJ-WGNAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of al7hh@...
Sent: Wednesday, February 19, 2014 7:09 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Reinstall - Need New Registration Serial

Now I need a new Registration Serial.

My Key To Send is:

PA5DW-SB8P2-5GNN3-XNW2D-YM37N-29GNP-DFP7Z-DKQB8-NS6VK-QBZPE-5V6QJ-WGNAB

Sorry for all the problems.

Blaine Hamrick, AL7HH

Irving, Texas 75062

al7hh@...

1856. Key to Send

Yahoo group: agwpe_pro
Date: 2014-02-21 16:19:00 UTC
From: <ltdoc@...>
Topic: 1231 Message: 1856

I think I have it working!
The Key to Send is: cefk8q5=3;ffo/=jk<4f;=e8j7d368k:8421

Paul / W5LZ

1857. Need a new key - just re-installed

Yahoo group: agwpe_pro
Date: 2014-02-26 13:01:11 UTC
From: Ron Settle
Topic: 1857 Message: 1857

PBTVQ-433HW-8VQN5-FNS2E-AM37H-PWYSP-B6PS8-GIQB5-G27DU-Q5GPW-5YYNJ-WG2AB

73

Ron

WM9Qagwpe_pro@yahoogroups.com

1858. RE: [agwpe_pro] Key to Send

Yahoo group: agwpe_pro
Date: 2014-02-28 07:43:18 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1231 Message: 1858

Hi Paul

Your serial is

ifff8g3A09gkk25hiB/e:>m.g7e468k:8421

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of ltdoc@...
Sent: Friday, February 21, 2014 6:19 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Key to Send

I think I have it working!
The Key to Send is: cefk8q5=3;ffo/=jk<4f;=e8j7d368k:8421

Paul / W5LZ

1859. RE: [agwpe_pro] Need a new key - just re-installed

Yahoo group: agwpe_pro
Date: 2014-02-28 07:42:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1857 Message: 1859

Hi

The serial is

P3UDQ-3T3GN-7VYND-DNW4V-2NTXH-FVY6M-35PN8-Y2MT2-G27VW-Q5GPW-5YYNJ-WG2AB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of Ron Settle
Sent: Wednesday, February 26, 2014 3:01 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Need a new key - just re-installed

PBTVQ-433HW-8VQN5-FNS2E-AM37H-PWYSP-B6PS8-GIQB5-G27DU-Q5GPW-5YYNJ-WG2AB

73

Ron

WM9Qagwpe_pro@yahoogroups.com

1860. Replaced laptop need to install on new machine

Yahoo group: agwpe_pro
Date: 2014-02-27 22:14:34 UTC
From: <ctd1500a@...>
Topic: 1860 Message: 1860

Greetings

I have just gotten a new laptop and need to install the Packet Engine Pro on my new machine Win 8.1. I tried the version per the website and it will not install properly. Everytime I try to open it I get an error message that the program has had an error and has to close. l have purchased 2 licenses for PEP one for my laptop and one for my desk top at home. I need to replace packet engine pro in both of them.

Can someone please help me with this issue?

1861. FW: BMT Micro Order Receipt (4946898)

Yahoo group: agwpe_pro
Date: 2014-02-28 06:34:25 UTC
From: charles dennis
Topic: 1861 Message: 1861

Greetings

I need a new reg number for my new laptop. Attached is the registration for it and the Key to send is as follows...

GPVVE-5MH7-WDKN5-FHJUD-YM37N-65DYP-B7PI7-VIQBY-GW3YG-Q37PW-6G4P3-XNNAB

I am attaching a print screen of the registration screen.

Thank you very much.

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were highly irritated)

From: ctd1500a@...
To: ctd1500a@...
Subject: FW: BMT Micro Order Receipt (4946898)
Date: Thu, 27 Feb 2014 21:58:06 -0800

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were highly irritated)

> Date: Mon, 4 Jul 2011 20:30:05 -0400
> From: orders@...
> To: ctd1500a@...
> Subject: BMT Micro Order Receipt (4946898)
>
> Charles Dennis
> 2323 NW 188th Ave Apt 2516
> Hillsboro, OR 97124
> United States
>
> Order receipt from BMT Micro, Inc.
> Order ID: 4946898
>
> Qty Product Description Price Discount Subtotal
> 1 3560000 Packet Engine Professional Edition USD 49.00 USD 0.00 USD 49.00
>
> Shipping: USD 0.00
> Sales tax: USD 0.00
> Total bill: USD 49.00
>

> A printable order receipt in PDF format is available here:
> https://secure.bmtmicro.com/Invoice2011-0704-2030-02-664
>
> For billing questions regarding your order please email us at orders@...
>
> For product technical support please contact the developer of the product you've purchased.
>
> BMT Micro provides payment processing. We cannot provide technical support or instructions on product use or installation.
>
>
> THANK YOU FOR YOUR ORDER!
>
> ----------
> BMT Micro, Inc. PO Box 15016, Wilmington, NC 28408, United States
> Web: www.bmtmicro.com Fax: +1-910-792-1889 EU VAT#: EU826001142
>

[Non-text portions of this message have been removed]

1862. RE: Replaced laptop need to install on new machine

Yahoo group: agwpe_pro
Date: 2014-02-28 21:49:50 UTC
From: <ctd1500a@...>
Topic: 1860 Message: 1862

Got the issue resolved. Now I just need a Reg number...
Thank you.

1863. FW: BMT Micro Order Receipt (4946898)

Yahoo group: agwpe_pro
Date: 2014-03-03 16:09:55 UTC
From: charles dennis
Topic: 1861 Message: 1863

2nd Request for Reg Number... Please provide ASAP.

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were highly irritated)

From: ctd1500a@...
To: sv2agw@yahoogroups.com; agwpe_pro@yahoogroups.com
Subject: FW: BMT Micro Order Receipt (4946898)
Date: Thu, 27 Feb 2014 22:34:25 -0800

Greetings

I need a new reg number for my new laptop. Attached is the registration for it and the Key to send is as follows...

GPVVE-5MH7-WDKN5-FHJUD-YM37N-65DYP-B7PI7-VIQBY-GW3YG-Q37PW-6G4P3-XNNAB

I am attaching a print screen of the registration screen.

Thank you very much.

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were highly irritated)

From: ctd1500a@...
To: ctd1500a@...
Subject: FW: BMT Micro Order Receipt (4946898)
Date: Thu, 27 Feb 2014 21:58:06 -0800

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were highly irritated)

> Date: Mon, 4 Jul 2011 20:30:05 -0400
> From: orders@...
> To: ctd1500a@...
> Subject: BMT Micro Order Receipt (4946898)
>
> Charles Dennis
> 2323 NW 188th Ave Apt 2516
> Hillsboro, OR 97124

> United States
>
> Order receipt from BMT Micro, Inc.
> Order ID: 4946898
>
> Qty Product Description Price Discount Subtotal
> 1 3560000 Packet Engine Professional Edition USD 49.00 USD 0.00 USD 49.00
>
> Shipping: USD 0.00
> Sales tax: USD 0.00
> Total bill: USD 49.00
>
> A printable order receipt in PDF format is available here:
> https://secure.bmtmicro.com/Invoice2011-0704-2030-02-664
>
> For billing questions regarding your order please email us at orders@...
>
> For product technical support please contact the developer of the product you've
purchased.
>
> BMT Micro provides payment processing. We cannot provide technical support or
instructions on product use or installation.
>
>
> THANK YOU FOR YOUR ORDER!
>
> ----------
> BMT Micro, Inc. PO Box 15016, Wilmington, NC 28408, United States
> Web: www.bmtmicro.com Fax: +1-910-792-1889 EU VAT#: EU826001142
>

[Non-text portions of this message have been removed]

1864. RE: [agwpe_pro] FW: BMT Micro Order Receipt (4946898)

Yahoo group: agwpe_pro
Date: 2014-04-01 05:58:05 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1861 Message: 1864

Hi

Your serial is

HFWDE-4DH6N-CKW4P-FJYGG-D4XE6-VCY3A-XNI3V-299GD-W3YYS-37PW6-G4P3X-NAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf
Of charles dennis
Sent: Friday, February 28, 2014 8:34 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] FW: BMT Micro Order Receipt (4946898)

Greetings

I need a new reg number for my new laptop. Attached is the registration for
it and the Key to send is as follows...

GPVVE-5MH7-WDKN5-FHJUD-YM37N-65DYP-B7PI7-VIQBY-GW3YG-Q37PW-6G4P3-XNNAB

I am attaching a print screen of the registration screen.

Thank you very much.

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were
highly irritated)

From: ctd1500a@...
To: ctd1500a@...
Subject: FW: BMT Micro Order Receipt (4946898)
Date: Thu, 27 Feb 2014 21:58:06 -0800

Blessings to you this day and always...

Charles Dennis

No Trees were harmed in sending this email (however some electrons were highly irritated)

> Date: Mon, 4 Jul 2011 20:30:05 -0400
> From: orders@...
> To: ctd1500a@...
> Subject: BMT Micro Order Receipt (4946898)
>
> Charles Dennis
> 2323 NW 188th Ave Apt 2516
> Hillsboro, OR 97124
> United States
>
> Order receipt from BMT Micro, Inc.
> Order ID: 4946898
>
> Qty Product Description Price Discount Subtotal
> 1 3560000 Packet Engine Professional Edition USD 49.00 USD 0.00 USD 49.00
>
> Shipping: USD 0.00
> Sales tax: USD 0.00
> Total bill: USD 49.00
>
> A printable order receipt in PDF format is available here:
> https://secure.bmtmicro.com/Invoice2011-0704-2030-02-664
>
> For billing questions regarding your order please email us at orders@...
>
> For product technical support please contact the developer of the product you've purchased.
>
> BMT Micro provides payment processing. We cannot provide technical support or instructions on product use or installation.
>
>
> THANK YOU FOR YOUR ORDER!
>
> ----------
> BMT Micro, Inc. PO Box 15016, Wilmington, NC 28408, United States
> Web: www.bmtmicro.com Fax: +1-910-792-1889 EU VAT#: EU826001142
>

[Non-text portions of this message have been removed]

1865. HEARD STATION LIST

Yahoo group: agwpe_pro
Date: 2014-04-18 16:00:49 UTC
From: <k3xr@...>
Topic: 1865 Message: 1865

Is there a way to clear the Heard Stations LIst . Many Thanks, DAN, K3XR

1866. RE: [agwpe_pro] HEARD STATION LIST

Yahoo group: agwpe_pro
Date: 2014-04-19 17:33:58 UTC
From: Ralph Milnes
Topic: 1865 Message: 1866

I don’t think so. Only starting and restarting PE PRO.

George SV2AGW: This would be a good improvement for the next version.

Ralph NM5RM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of k3xr@...
Sent: Friday, April 18, 2014 10:01 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] HEARD STATION LIST

Is there a way to clear the Heard Stations LIst . Many Thanks, DAN, K3XR

No virus found in this message.
Checked by AVG - www.avg.com <http://www.avg.com>
Version: 2014.0.4569 / Virus Database: 3882/7364 - Release Date: 04/18/14

1867. [agwpe_pro] need to install on new system

Yahoo group: agwpe_pro
Date: 2014-04-19 17:07:56 UTC
From: F5IIK
Topic: 1102 Message: 1867

Hello,

Could you send me a new key code for my new laptop please ?

HJVVN-439HN-5VQN5-DHI5Y-WM37H-S8GUP-B6H68-DSQB5-GS5DS-4JZPT-VDW23-UG2AB

Thank you very much.
Christoph eDORION
F5IIK

1868. update from XP

Yahoo group: agwpe_pro
Date: 2014-05-01 02:22:08 UTC
From: <kb1chu@...>
Topic: 1868 Message: 1868

I updated from XP to win7 and need a new passcode. My key to send is
HN4DU-5B4IE-9DKN5-EGJUG-YM37N-7XDKP-DGIE9-VIQDJ-GN5GQ-335HS-6GY2J-VG6AB
Thanks Steve KB1CHU

1869. RE: [agwpe_pro] Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2014-05-07 13:01:23 UTC
From: <david@...>
Topic: 539 Message: 1869

Hi George - I tried using the TNC-7 with your WIN7 AGWPE pro version, but am having issues a lot like those we debugged in 2006 (see msg below). Does the WIN7 have the same fix in it that you installed in the prior XP level version?

How do I use the older AGWPE pro version on WIN7?

Thanks,

David, WA6PXX
Mercer Island, WA

1870. Key required

Yahoo group: agwpe_pro
Date: 2014-05-11 01:29:50 UTC
From: va7rmm@...
Topic: 1870 Message: 1870

Hi George,

I need a key for my new laptop. My previous requests appear to have got lost. Key to send is:
HJUDQ-RKBHX-WYYN3-YGXTE-EM37H-3YDKP-B7PI8-VGQBX-GTVVI-RDHHP-WVSPM-DGIAB

73

Rob

1871. New Key Required

Yahoo group: agwpe_pro
Date: 2014-05-10 09:18:52 UTC
From: va7rmm@...
Topic: 1592 Message: 1871

Hi George, nudder 'new' laptop for which I need a key.

Key to send is:
HJUDQ-RKBHX-WYYN3-YGXTE-EM37H-3YDKP-B7PI8-VGQBX-GTVVI-RDHHP-WVSPM-DGIAB

73
VA7RMM

1872. RE: [agwpe_pro] Packet Engine Pro Beta Release

Yahoo group: agwpe_pro
Date: 2014-05-13 07:19:38 UTC
From: (SV2AGW)George Rossopoulos
Topic: 539 Message: 1872

Hi David

Can you PSE tell me what is the problem?

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com] On Behalf Of david@...
Sent: Wednesday, May 7, 2014 4:01 PM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] Packet Engine Pro Beta Release

Hi George - I tried using the TNC-7 with your WIN7 AGWPE pro version, but am having issues a lot like those we debugged in 2006 (see msg below). Does the WIN7 have the same fix in it that you installed in the prior XP level version?

How do I use the older AGWPE pro version on WIN7?

Thanks,

David, WA6PXX
Mercer Island, WA

1873. RE: [agwpe_pro] New Key Required

Yahoo group: agwpe_pro
Date: 2014-05-13 07:20:11 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1592 Message: 1873

Hi

The serial is

IBUVQ-QCBGP-VY8NB-WG3VV-6NTXH-TXDYM-36PE9-DYMTU-GTWDK-RDHHP-WVSPM-DGIAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Saturday, May 10, 2014 12:19 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New Key Required

Hi George, nudder 'new' laptop for which I need a key.

Key to send is:
HJUDQ-RKBHX-WYYN3-YGXTE-EM37H-3YDKP-B7PI8-VGQBX-GTVVI-RDHHP-WVSPM-DGIAB

73
VA7RMM

1874. AGWPE PRO with T2-135

Yahoo group: agwpe_pro
Date: 2014-06-09 13:18:01 UTC
From: kb1chu@...
Topic: 1874 Message: 1874

Tracker T2-135 in Alinco radio. When using tera term I get at first gibberish followed by the lat and long coord and readable data from beacon or status text. It will not go through AGWPE to the connected programs. All was set right but I must be missing something! I have the programming software for the tracker. Thanks Steve KB1CHU

1875. need a new key

Yahoo group: agwpe_pro
Date: 2014-06-16 01:50:53 UTC
From: robert_hurd4@...
Topic: 1409 Message: 1875

Hi George

Another computer... need a new key. TIA and 73

key to send

NW5VQ-Q34PS-8VKN3-3NS3D-2M37G-67DIP-DGHFA-YKQB2-NS4YS-QMHIA-8GU23-ZNNAB

rob
n3hu

1876. RE: [agwpe_pro] need a new key

Yahoo group: agwpe_pro
Date: 2014-06-16 06:54:21 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1409 Message: 1876

Hi

The serial is

PN6DQ-PT4NI-7VUNB-ZNW5V-SNTXG-W6DWM-5FHBB-G4MTX-NS5GU-QMHIA-8GU23-ZNNAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Monday, June 16, 2014 4:51 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] need a new key

Hi George

Another computer... need a new key. TIA and 73

key to send

NW5VQ-Q34PS-8VKN3-3NS3D-2M37G-67DIP-DGHFA-YKQB2-NS4YS-QMHIA-8GU23-ZNNAB

rob

n3hu

1877. RE: [agwpe_pro] AGWPE PRO with T2-135

Yahoo group: agwpe_pro
Date: 2014-06-16 06:55:03 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1874 Message: 1877

Hi

Packet Engine needs KISS mode.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Monday, June 9, 2014 4:18 PM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE PRO with T2-135

Tracker T2-135 in Alinco radio. When using tera term I get at first gibberish followed by the lat and long coord and readable data from beacon or status text. It will not go through AGWPE to the connected programs. All was set right but I must be missing something! I have the programming software for the tracker. Thanks Steve KB1CHU

1878. New Key PSE, George

Yahoo group: agwpe_pro
Date: 2014-07-06 22:22:02 UTC
From: chuck@...
Topic: 1878 Message: 1878

Upgraded to Windows 8.1 and reinstalled AGWPE Pro from a prior download and use on Windows 7.

Key to Send is NS7VS-Q36QE-9GWN3-UNPTD-6M37H-E5GQP-DGIJA-GKQDK-GTWDI-PJ5PN-5G2N3-YNWAB

Thanks again and 73
Chuck
KE5RAD

1879. Re: New Key PSE, George

Yahoo group: agwpe_pro
Date: 2014-07-07 01:32:25 UTC
From: chuck@...
Topic: 1878 Message: 1879

George,

Got the current version and just installed it, so Key To Send is now
NS7VS-Q36QE-9GWN3-UNPTD-6M37H-E5GQP-DGIJA-GKQDK-GTWDI-PJ5PN-5G2N3-YNWAB

Thanks again.

Chuck
KE5RAD

1880. RE: [agwpe_pro] Re: New Key PSE, George

Yahoo group: agwpe_pro
Date: 2014-07-07 17:12:14 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1878 Message: 1880

Hi Chuck

The serial is

PI8DS-PT6N6-8G6NB-SNTVV-WNTXG-64G4M-5FIFA-Y4MVH-GTWVK-PJ5PN-5G2N3-YNWAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Monday, July 7, 2014 4:32 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: New Key PSE, George

George,

Got the current version and just installed it, so Key To Send is now
NS7VS-Q36QE-9GWN3-UNPTD-6M37H-E5GQP-DGIJA-GKQDK-GTWDI-PJ5PN-5G2N3-YNWAB

Thanks again.

Chuck

KE5RAD

1881. RE: [agwpe_pro] Re: New Key PSE, George

Yahoo group: agwpe_pro
Date: 2014-07-07 20:05:45 UTC
From: chuck@...
Topic: 1878 Message: 1881

Thank you George, you are #1.

73
Chuck
KE5RAD

1882. New key please

Yahoo group: agwpe_pro
Date: 2014-07-11 05:58:31 UTC
From: vk4xdb@...
Topic: 1882 Message: 1882

Hello George,

I have set up a new computer could I please have a new key?
The key to send is:
HE3DG-Q5QHW-6DNN5-HG66V-UM37N-29D2P-DGIJA-DUQB2-NW5VK-P32HT-XDY3T-VGWAB

Regards.
Denis VK4XDB

1883. RE: [agwpe_pro] New key please

Yahoo group: agwpe_pro
Date: 2014-07-12 08:17:40 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1882 Message: 1883

Hi Denis

Your serial is

H63VG-PVQGN-5DWND-FHA9D-KNTXN-S8EEM-5FIFA-WCMTX-NW6DN-P32HT-XDY3T-VGWAB

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Friday, July 11, 2014 8:59 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] New key please

Hello George,

I have set up a new computer could I please have a new key?
The key to send is:

HE3DG-Q5QHW-6DNN5-HG66V-UM37N-29D2P-DGIJA-DUQB2-NW5VK-P32HT-XDY3T-VGWAB

Regards.

Denis VK4XDB

1884. Packet Engine Pro 64bit under Test

Yahoo group: agwpe_pro
Date: 2014-07-12 08:20:46 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1884 Message: 1884

Hi

For the last 48 hours I am testing Packet Engine Pro 64 bit for Windows 7 and 8.1

Using soundcard as TNC.

I am also testing my Packet Device which has a Soundcard ,two serial ports and a usb out to plug in other USB devices.

Seems everything ok.

More news later.

I will soon upload photos of the “Packet Device” to www.facebok.com/agwpe

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

1885. Packet Engine 20 Years now

Yahoo group: agwpe_pro
Date: 2014-07-16 10:01:09 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1885 Message: 1885

Hi

Yesterday searching a file I found the first version of AGW Packet Engine. And I saw that the timestamp was 30MAR1994. It was the very first version written in Borland BC5 (C++) while I was testing WIN95 Beta.

There was a previous win3.11 version but was just a packet program.

I was young and now “mature”.

Thank you for helping me so many years.

73

(SV2AGW) George Rossopoulos

<http://www.sv2agw.com> http://www.sv2agw.com

<http://www.agwtracker.com/> http://www.agwtracker.com

<http://www.facebook.com/agwpe> http://www.facebook.com/agwpe

<http://edxcalendar.sv2agw.com> http://edxcalendar.sv2agw.com

1886. Re: [agwpe_pro] Packet Engine Pro 64bit under Test

Yahoo group: agwpe_pro
Date: 2014-07-13 06:26:02 UTC
From: David Giuliani
Topic: 1884 Message: 1886

Hi George - are you testing it with the TNC7multi? Thanks,

David WA6PXX, Mercer Island Washington

On Jul 12, 2014, at 1:20 AM, '(SV2AGW)George Rossopoulos' sv2agw@... [agwpe_pro] <agwpe_pro@yahoogroups.com> wrote:

>
> Hi
>
>
>
> For the last 48 hours I am testing Packet Engine Pro 64 bit for Windows 7 and 8.1
>
> Using soundcard as TNC.
>
> I am also testing my Packet Device which has a Soundcard ,two serial ports and a usb out to plug in other USB devices.
>
> Seems everything ok.
>
> More news later.
>
> I will soon upload photos of the “Packet Device” to www.facebok.com/agwpe
>
>
>
> 73
>
>
>
> (SV2AGW) George Rossopoulos
>
> http://www.sv2agw.com
>
> http://www.agwtracker.com
>
> http://www.facebook.com/agwpe
>
> http://edxcalendar.sv2agw.com
>
>
>
>
>

1887. Re: [agwpe_pro] Packet Engine 20 Years now

Yahoo group: agwpe_pro
Date: 2014-07-16 11:52:57 UTC
From: TA1DX Atila
Topic: 1885 Message: 1887

Dear George, Many thanks for nice program..

Best 73!
Atila, TA1DX

2014-07-16 13:01 GMT+03:00 '(SV2AGW)George Rossopoulos' sv2agw@...
[agwpe_pro] <agwpe_pro@yahoogroups.com>:

>
>
> Hi
>
>
>
> Yesterday searching a file I found the first version of AGW Packet Engine.
> And I saw that the timestamp was 30MAR1994. It was the very first version
> written in Borland BC5 (C++) while I was testing WIN95 Beta.
>
> There was a previous win3.11 version but was just a packet program.
>
> I was young and now “mature”.
>
>
>
> Thank you for helping me so many years.
>
>
>
> 73
>
>
>

> (SV2AGW) George Rossopoulos
>
> http://www.sv2agw.com
>
> http://www.agwtracker.com
>
> http://www.facebook.com/agwpe
>
> http://edxcalendar.sv2agw.com
>
>
>
>

>
>
>

--
Selamlar, 73!
Atila, TA1DX
www.ta1dx.com

*SPAM E-POSTAYA HAYIR !!*E-Posta Adreslerimizin İstenmeyen Üçüncü Şahısların Eline Geçmemesi İçin, toplu mesaj yollarken Gönderenin Adresini Siliniz,
Adresleri Bcc (Gizli Alıcı) Kısmına Yazıp Gönderiniz...
Teşekkürler...

1888. AGW PE Pro Problem

Yahoo group: agwpe_pro
Date: 2014-07-24 03:55:31 UTC
From: Thomas Bottegal
Topic: 1888 Message: 1888

I have installed PE Pro and configured a port using my SignaLink sound card.

I have installed Paclink, and filled in "Site Properties..."

Filling in "AGW Engine..." looks easy enough. However, when I click the Update button, it says "AGWPE Path incorrect or AGWPE not yet configured!"

The path is correct - I've checked that dozens of times.

AGWPE seems to be configured - I'configured many ports.

And yet, it Paclink isn't satisfied.

What am I doing wrong?

Thanks,
Thomas Bottegal
KV4UG

1889. AGWPE Pro and Windows 7

Yahoo group: agwpe_pro
Date: 2014-09-25 13:45:25 UTC
From: Vincenzo Mone
Topic: 1889 Message: 1889

Hi folks,
i am trying to use the program with windows 7 64Bit to use it but cannot get it run properly.
I have tried either the setup program and the one that do not need to install.
When I go to create the ports, I do not see them in the port or monitor window.
What I do is:
Click on the Setup tab;
Click on Radio port manager and then on New Tnc;
I get the Welcome to Add New Tnc Wizard;
Click on Next;
At the Tnc/RadioPort Setup window I select SoundCard and click Next;
At the Soundcard Selection I select the right SoundCard and click on Next
At the SoundCard PTT Setup I choose LPT3 and click on Next;
At the Soundcard Setup I choose 9600 (UHF Needs Special TRX) for both Channels;
Uncheck the Single Port Box and click on Next;
At the first SoundCard RX Volume Setup.(Recording) window Just click on Next;
At the second SoundCard RX Volume Setup.(Recording) window Just click on Next;
At the SoundCard TX Volume Setup.(PlayBack) window Just click on Next;
At the RadioPort(s) Friendly Names window Just click on Next;
At the Congratulations you have created with success a New RadioPort, click on Finish.

At this point I should see in the Window the two ports I've created but the window is empty.
Why this?
Where am I missing?
I have also tried starting the program as Administrator but get the same problem.
Please where am I missing?
How to solve?
Any help will be really appreciated.
Thanks in advance

73's de Enzo IK8OZV
EasyLog 5 BetaTester
EasyLog PDA BetaTester
WinBollet BetaTester
D.C.I. CheckPoint Regione Campania
Skype: ik8ozv8520

```
**********************************
******* GSM +39 328 7110193 *******
****** SMS +39 328 7110193 ******
*** 2nd e-mail: vimone@... ***
*********************************
```

1890. Computer replaced, need new Packet Engine Pro key

Yahoo group: agwpe_pro
Date: 2014-10-05 15:11:40 UTC
From: grhyagrp@...
Topic: 1890 Message: 1890

Hello George,

Lightning fried my old computer and I had to replace it. May I have a code for the new computer please?

Thank you.

Name: Gary Ross Hoffman
Call sign: KB0H
Key to send: NPUDW-QJ9P2-5VWN5-GN62G-2M37H-FXYKP-DGPS6-DQQDK-GI4DW-RDMPE-7GY3V-EG6AB

Send to email address: KB0H@arrl.net
Phone #: (USA) 314 837 7176

1891. RE: [agwpe_pro] AGWPE Pro and Windows 7

Yahoo group: agwpe_pro
Date: 2014-10-07 00:57:07 UTC
From: N1RM - Rick
Topic: 1889 Message: 1891

I saw the exact same behavior. I thought it might be a problem with the free version, so I upgraded to the pro version. The same thing happened. Then for some reason, I restarted the program after defining the tnc, and there it was! Unfortunately, I don’t know if it had anything to do with the upgrade to pro.

Anyway, it is now working fine on Windows 7 64bit.

Rick

N1RM

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Thursday, September 25, 2014 9:45 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE Pro and Windows 7

Hi folks,
i am trying to use the program with windows 7 64Bit to use it but cannot get it run properly.
I have tried either the setup program and the one that do not need to install.
When I go to create the ports, I do not see them in the port or monitor window.
What I do is:
Click on the Setup tab;
Click on Radio port manager and then on New Tnc;
I get the Welcome to Add New Tnc Wizard;
Click on Next;
At the Tnc/RadioPort Setup window I select SoundCard and click Next;
At the Soundcard Selection I select the right SoundCard and click on Next
At the SoundCard PTT Setup I choose LPT3 and click on Next;
At the Soundcard Setup I choose 9600 (UHF Needs Special TRX) for both

Channels;
Uncheck the Single Port Box and click on Next;
At the first SoundCard RX Volume Setup.(Recording) window Just click on Next;
At the second SoundCard RX Volume Setup.(Recording) window Just click on Next;
At the SoundCard TX Volume Setup.(PlayBack) window Just click on Next;
At the RadioPort(s) Friendly Names window Just click on Next;
At the Congratulations you have created with success a New RadioPort, click on Finish.

At this point I should see in the Window the two ports I've created but the window is empty.
Why this?

Where am I missing?
I have also tried starting the program as Administrator but get the same problem.
Please where am I missing?
How to solve?
Any help will be really appreciated.
Thanks in advance

73's de Enzo IK8OZV
EasyLog 5 BetaTester
EasyLog PDA BetaTester
WinBollet BetaTester
D.C.I. CheckPoint Regione Campania
Skype: ik8ozv8520

****
******* GSM +39 328 7110193 *******
****** SMS +39 328 7110193 ******
*** 2nd e-mail: vimone@... <mailto:vimone@...> ***
****

1892. RE: [agwpe_pro] AGWPE Pro and Windows 7

Yahoo group: agwpe_pro
Date: 2014-10-10 17:45:25 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1889 Message: 1892

Hi

To see the newly created radioports you MUST RESTART the program.

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com
on Facebook for everyday news
http://www.facebook.com/Agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Tuesday, October 7, 2014 3:57 AM
To: agwpe_pro@yahoogroups.com
Subject: RE: [agwpe_pro] AGWPE Pro and Windows 7

I saw the exact same behavior. I thought it might be a problem with the free version, so I upgraded to the pro version. The same thing happened. Then for some reason, I restarted the program after defining the tnc, and there it was! Unfortunately, I don’t know if it had anything to do with the upgrade to pro.

Anyway, it is now working fine on Windows 7 64bit.

Rick

N1RM

From: <mailto:agwpe_pro@yahoogroups.com> agwpe_pro@yahoogroups.com [
<mailto:agwpe_pro@yahoogroups.com> mailto:agwpe_pro@yahoogroups.com]
Sent: Thursday, September 25, 2014 9:45 AM
To: <mailto:agwpe_pro@yahoogroups.com> agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] AGWPE Pro and Windows 7

Hi folks,
i am trying to use the program with windows 7 64Bit to use it but cannot
get it run properly.
I have tried either the setup program and the one that do not need to
install.
When I go to create the ports, I do not see them in the port or monitor
window.
What I do is:
Click on the Setup tab;

Click on Radio port manager and then on New Tnc;
I get the Welcome to Add New Tnc Wizard;
Click on Next;
At the Tnc/RadioPort Setup window I select SoundCard and click Next;
At the Soundcard Selection I select the right SoundCard and click on Next
At the SoundCard PTT Setup I choose LPT3 and click on Next;
At the Soundcard Setup I choose 9600 (UHF Needs Special TRX) for both Channels;
Uncheck the Single Port Box and click on Next;
At the first SoundCard RX Volume Setup.(Recording) window Just click on Next;
At the second SoundCard RX Volume Setup.(Recording) window Just click on Next;
At the SoundCard TX Volume Setup.(PlayBack) window Just click on Next;
At the RadioPort(s) Friendly Names window Just click on Next;
At the Congratulations you have created with success a New RadioPort, click on Finish.

At this point I should see in the Window the two ports I've created but the window is empty.
Why this?
Where am I missing?
I have also tried starting the program as Administrator but get the same problem.
Please where am I missing?
How to solve?
Any help will be really appreciated.
Thanks in advance

73's de Enzo IK8OZV
EasyLog 5 BetaTester
EasyLog PDA BetaTester
WinBollet BetaTester
D.C.I. CheckPoint Regione Campania
Skype: ik8ozv8520

****
******* GSM +39 328 7110193 *******
****** SMS +39 328 7110193 ******
*** 2nd e-mail: vimone@... <mailto:vimone@...> ***
****

1893. Re-installing AGWPE Pro

Yahoo group: agwpe_pro
Date: 2014-11-06 06:55:00 UTC
From: okafa6tg@...
Topic: 1893 Message: 1893

Hello again, George it has been a while since I last reqiested a updated registration for PE Pro.
Name: Gerald Taylor
Call: KC5MWZ
Email to: rrget@att.net
Key to send: GTUDQ-R5QII-9GWN5-FHJVG-4M37H-FXVQP-B6PI9-VSQDH-HBTVY-QT6IE-7DS2T-WN2AB

I hope that you and your family are doing well these days. Thank you again for your excellent software.

1894. RE: [agwpe_pro] Re-installing AGWPE Pro

Yahoo group: agwpe_pro
Date: 2014-11-18 08:00:36 UTC
From: (SV2AGW)George Rossopoulos
Topic: 1893 Message: 1894

Hi

Your new serial is

HJUVQ-QVQHA-8G6ND-DHPXY-UNTXG-7WV4M-35PFA-EAMVE-HBUD2-QT6IE-7DS2T-WN2AB

73

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com
http://www.agwtracker.com
on Facebook for everyday news
http://www.facebook.com/Agwpe

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Thursday, November 6, 2014 8:55 AM
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re-installing AGWPE Pro

Hello again, George it has been a while since I last reqiested a updated registration for PE Pro.

Name: Gerald Taylor

Call: KC5MWZ

Email to: rrget@... <mailto:rrget@att.net>

Key to send: GTUDQ-R5QII-9GWN5-FHJVG-4M37H-FXVQP-B6PI9-VSQDH-HBTVY-QT6IE-7DS2T-WN2AB

I hope that you and your family are doing well these days. Thank you again for your excellent software.

1895. Windows 7 Install

Yahoo group: agwpe_pro
Date: 2014-11-27 19:58:29 UTC
From: kg4yxp@...
Topic: 1895 Message: 1895

George,

I migrated to a Windows 7 machine and I need a new key.

Name: Anthony Harbour
Call: KG4YXP
Key: HN4YN-R35IB-WVNN3-YNS5V-WM37H-BXGQP-B7PXW-VIQBZ-HJUVU-PBZPE-7DYNJ-SG6AB

Thanks and 73,
Anthony

1896. Installed on new Windows 7 System

Yahoo group: agwpe_pro
Date: 2014-12-07 03:05:36 UTC
From: kg4yxp@...
Topic: 1896 Message: 1896

I've installed AGEPE on a new Windows 7 laptop and would like a new serial number.
Name: Anthony Harbour
Call: KG4YXP
Email: kg4yxp@arrl.net
Key: HN4YN-R35IB-WVNN3-YNS5V-WM37H-BXGQP-B7PXW-VIQBZ-HJUVU-PBZPE-7DYNJ-SG6AB

Thanks and 73,
Anthony

1897. Maps

Yahoo group: agwpe_pro
Date: 2014-12-08 15:21:01 UTC
From: brack101@...
Topic: 1897 Message: 1897

My maps just stopped opening today. Bing, Google, Yahoo, etc, none of them will open. It says page couldn't load, but they all work fine outside of AGWTracker.

Thanks,
Brian Townley

1898. Re: pepro not receiving packets w/Signal Link

Yahoo group: agwpe_pro
Date: 2014-12-08 17:03:26 UTC
From: lavieillesarcelle@...
Topic: 1764 Message: 1898

Since I put my SignaLink USB my PEpro does not open and SEVEN tells me to close it !!! What happens ????

1899. Re: Maps

Yahoo group: agwpe_pro
Date: 2014-12-09 13:00:47 UTC
From: brack101@...
Topic: 1897 Message: 1899

They are back today. Strange. You can disregard thank you.

1900. AGWPEPRO registration

Yahoo group: agwpe_pro
Date: 2015-02-12 19:01:28 UTC
From: k3ryl@...
Topic: 1900 Message: 1900

Just upgraded to a new Win7 pro 64 bit machine. Need new registration number, upgraded from a WinXP version. Key to send is:

GW5GQ-QB5H3-VYWN3-WNI3V-2M37H-S8GKP-B7HE9-VWQBY-N7WDE-QDHHX-VGW3T-SGAAB

Thanks in advance,

Kevin
K3RYL
k3ryl@yahoo.com

1901. Win7 install - new S/N needed

Yahoo group: agwpe_pro
Date: 2015-02-12 19:51:38 UTC
From: Kevin Lesh
Topic: 1901 Message: 1901

Hi George,
Hope all is well. Need a new S/N for my PePro which has been moved to a new machine.
Machine is a Win7 Pro, 64 bit. The "Key to Send" is:
GW5GQ-QB5H3-VYWN3-WNI3V-2M37H-S8GKP-B7HE9-VWQBY-N7WDE-QDHHX-VGW3T-SGAAB
I will also be moving my AGW Tracker, don't remember if I need a new S/N for it. Will install it after I get PePro up and running on new machine.
Thanks for all your hard work.
Kevin, K3RYL
k3ryl@...

1902. New Win7

Yahoo group: agwpe_pro
Date: 2015-02-26 16:01:05 UTC
From: on5av@...
Topic: 1902 Message: 1902

I've installed Packet Engine Pro on a new Windows 7 and would like a new serial number.
Name: Hernaelsteen Patrick
Call: ON5AV
Email: on5av@on.. or phe@rt...
Key: GI5DG-RB4P6-6DNN3-XN65D-8M37H-S8VSP-B7IJX-DGQDI-GPVVY-RB7P2-5GSQD-CGIAB

Thanks and 73,
Patrick

1903. serial number

Yahoo group: agwpe_pro
Date: 2015-03-14 01:39:51 UTC
From: yv5oie@...
Topic: 1903 Message: 1903

Hello George
I am new on Packet Engine Pro on a new Windows 7 and would like a new serial number.
Name: Tony
Call: YV5OIE
Email: yv5oie@yahoo.com mailto:yv5oie@yahoo.com and yv5oie@hotmail.com
mailto:yv5oie@hotmail.com
Key: GJWDI-RMPHN-4VWN3-VN66V-6M37P-I8VYP-B6H3A-DEQDM-N7VDG-PVJHS-4YSND-EGIAB

Thanks and 73,
Tony YV5OIE

1904. Byonics TT4

Yahoo group: agwpe_pro
Date: 2015-03-12 19:39:49 UTC
From: k3ryl@...
Topic: 1904 Message: 1904

I need to set up my TT4 with pepro and AGWTracker. If anyone has done this can you tell my the correct settings for both the TT4 and pepro and Tracker.

Tnx, Kevin, K3RYL

1905. keys

Yahoo group: agwpe_pro
Date: 2015-03-14 01:34:42 UTC
From: ANTONIO GONCALVES
Topic: 1905 Message: 1905

Hello GeorgeI am new on Packet Engine Pro on a new Windows 7 and would like a new serial number.Name: Tony Call: YV5OIEEmail: yv5oie@... and yv5oie@...: GJWDI-RMPHN-4VWN3-VN66V-6M37P-I8VYP-B6H3A-DEQDM-N7VDG-PVJHS-4YSND-EGIAB

Thanks and 73,Tony YV5OIE

1906. F4DBS NEW KEY pse

Yahoo group: agwpe_pro
Date: 2015-03-19 16:33:02 UTC
From: lavieillesarcelle@...
Topic: 1906 Message: 1906

BONJOUR
COULD I HAVE A NEW KEY FOR MY NEW PC please :O)

N66GK-RUAII-5DNN3-4G24D-8M37H-BVYNP-DGHS8-YQQDJ-G26YK-PDKHT-WV4QB-VHEAB
Merci TNX !!

F4DBS Philippe ROBINE
lavieillesarcelle@gmail.com

1907. Re: F4DBS NEW KEY pse

Yahoo group: agwpe_pro
Date: 2015-03-23 16:11:13 UTC
From: lavieillesarcelle@...
Topic: 1906 Message: 1907

MERCI ET 73 !!

F4DBS philippe in IN99FO

1908. NEW KEY

Yahoo group: agwpe_pro
Date: 2015-03-25 06:59:33 UTC
From: on5av@...
Topic: 1707 Message: 1908

I've installed Packet Engine Pro on a new Windows 7 and would like a new serial number.
Name: Hernaelsteen Patrick
Call: ON5AV
Email: on5av@on5av.be
Key: GI5DG-RB4P6-6DNN3-XN65D-8M37H-S8VSP-B7IJX-DGQDI-GPVVY-RB7P2-5GSQD-CGIAB

Thanks and 73,
Patrick

1909. New Serial

Yahoo group: agwpe_pro
Date: 2015-03-27 16:26:59 UTC
From: on5av@...
Topic: 1909 Message: 1909

I've installed Packet Engine Pro on a new Windows 7 (same PC) and would like a new serial number.
TRIAL VERSION EXPIRE.
Name: Hernaelsteen Patrick
Call: ON5AV
Email: on5av@on5av.be
Key: GI5DG-RB4P6-6DNN3-XN65D-8M37H-S8VSP-B7IJX-DGQDI-GPVVY-RB7P2-5GSQD-CGIAB

Thanks and 73,
Patrick

1910. Need help restoring Packet Engine Pro on laptop

Yahoo group: agwpe_pro
Date: 2015-04-08 02:57:43 UTC
From: cftaylor1898@...
Topic: 1910 Message: 1910

am needing the registration number for my PACKET ENGINE PRO. Having to reload my computer. I purchased Packet Engine Pro in July of 2011. Attached is a copy of my email receipt.

My Key to Send is

GPVVE-Q5MH7-WDKN5-FHJUD-YM37N-65DYP-B7PI7-VIQBY-GW3YG-Q37PW-6G4P3-XNNAB

1911. Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-13 03:17:48 UTC
From: Hans-Peter Friedhelm Oeste
Topic: 1911 Message: 1911

I have many years ago paid for a copy of AGWPro.

I had my computer die on my so I've found another. But still running Windows XP though.
I have installed AGWPro, the latest version and found that I am unable to control the USB Sound Card attached to the computer, a Creative Labs XFI. It is unable to find it at all in the dropdown list. What would be your suggestion to get this to work?

Hans-Peter Oeste
VE7OES

1912. Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-21 05:54:45 UTC
From: vk2hl@...
Topic: 1911 Message: 1912

Have you looked at the UZ7HO soundmodem?

I got sick of asking for an activation code every time I made a change and haven't looked back since using the UZ7HO soundmodem.
It seems to be compatible with the PE and has a few features the PE does not have. Have been running it on my iGate for a few years now.
It is free, although the author very much apreciates a donation.

UZ7HO Personal page - Packet-Radio - English version http://uz7.ho.ua/packetradio.htm

http://uz7.ho.ua/packetradio.htm

UZ7HO Personal page - Packet-Radio - English ver... http://uz7.ho.ua/packetradio.htm
Information about packet-radio. Here you find UZ7HO soundcard packet modem and be able to download it.

View on uz7.ho.ua http://uz7.ho.ua/packetradio.htm
Preview by Yahoo

Horst, VK2HL

1913. Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-22 06:38:33 UTC
From: sv2agw@...
Topic: 1911 Message: 1913

Hi

this is my copyright violation Please do not use it. He reversed engineered Packet Engine protocol.
It is a HACK.
You can use pirate products but Please do not advise others to do the same.
If you don't like Packet Engine Pro then use the free version AGWPE or don't use at all.

73
SV2AGW

1914. Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-22 06:58:07 UTC
From: vk2hl@...
Topic: 1911 Message: 1914

Well.. it seems to be a completely different program, all he has done is to emulate the API so other software will talk to it. Anyway, sorry if I offended you, but your registration system is very very cumbersome and it is no surprise that people would consider other options. In addition, he (UZ7HO) does not seem to want to profit from his program, he gives it away free!

73 VK2HL

1915. Re: [agwpe_pro] Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-22 12:46:05 UTC
From: g1gxb
Topic: 1911 Message: 1915

If you don't like the program or object to help develop the programme by paying why bother being on it's yahoo site
G1GXB

Sent from my Samsung device

-------- Original message --------
From: "vk2hl@wia.org.au [agwpe_pro]" <agwpe_pro@yahoogroups.com>
Date: 22/04/2015 07:58 (GMT+00:00)
To: agwpe_pro@yahoogroups.com
Subject: [agwpe_pro] Re: Problem with AGW Pro

Well.. it seems to be a completely different program, all he has done is to emulate the API so other software will talk to it. Anyway, sorry if I offended you, but your registration system is very very cumbersome and it is no surprise that people would consider other options. In addition, he (UZ7HO) does not seem to want to profit from his program, he gives it away free!

73 VK2HL

1916. Re: [agwpe_pro] Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-22 12:20:23 UTC
From: Philippe
Topic: 1911 Message: 1916

BUT U coule donate ..... ;0)
73 from F4DBS Philippe
Courriel envoyé de mon APPLE iPad2! ;0)

> Le 22 avr. 2015 à 08:58, vk2hl@....au [agwpe_pro] <agwpe_pro@yahoogroups.com> a écrit :
>
> Well.. it seems to be a completely different program, all he has done is to emulate the API so other software will talk to it. Anyway, sorry if I offended you, but your registration system is very very cumbersome and it is no surprise that people would consider other options. In addition, he (UZ7HO) does not seem to want to profit from his program, he gives it away free!
>
>
> 73 VK2HL
>

1917. Re: [agwpe_pro] Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-22 17:13:45 UTC
From: on5av@...
Topic: 1911 Message: 1917

Hello,

For now I'm using the UZ7HO program.
That is why I use it, I'll do my third new key request because I went from WIN8 to WIN7 on the Same PC.
How many times I have to reapply for a new key to run the program I paid.
Why not do like other programs HAM RADIO put the name and call sign in the program. This would avoid a lot of discussing and waste of time.
Here's my key for a new key:
GI5DG-RB4P6-6DNN3-XN65D-8M37H-S8VSP-B7IJX-DGQDI-GPVVY-RB7P2-5GSQD-CGIAB

Adress to send on5av@on5av.be

Many thank's and best 73's

1918. RE: [agwpe_pro] Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-22 17:02:19 UTC
From: Rick - N1RM
Topic: 1911 Message: 1918

A few years ago, I asked if it would be okay to emulate the server side API for an appliance, because I saw and respected the copyright notice. George said that it was okay if I did it for my own experimentation, but asked that I not make any implementation generally available. While I would have preferred not to have that restriction, I respected it because the protocol and its code and documentation is under George's copyright. I try to make a living from my own work and so I respect the rights of others to do the same.

I believe it is a bit disingenuous to praise someone for giving away for free that which was created and copyrighted by someone else without their permission. If someone wishes to provide the functionality using a protocol and API definition of their own creation and give it away for free, why not do so? It wouldn't be hard to do. Also, George offers a free implementation of the capability that is quite usable.

All that being said, it is my hope that amateur radio could remain free of intellectual property rights restrictions. Such things go completely against my conception of what amateur radio should be. But that is no excuse for me to pirate others materials. It should rather encourage us to provide open alternatives that don't infringe on others' property. How many hams still use Clover? People actually invented excellent alternatives for HF digital comms. Hopefully someday an unencumbered alternative to the Dstar CODEC will be offered - there is lots of work going on there. Let's engineer our way out of these issues.

Rick

N1RM

1919. Re: [agwpe_pro] Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-23 04:17:00 UTC
From: vk2hl@...
Topic: 1911 Message: 1919

I did actually pay for it years ago.....as well as other programs from George. I appreciate the effort that goes into making these things available and if you look at UZ7HO site you will see I was the first to donate. He never asked for that. I had no idea there was and issue between George and UZ7HO....
I still think George should revise the way he handles registrations as it is a real pain in the ..... having to ask for a new code every time you make a change to your system.....

Horst, Vk2HL

1920. Pro version free 30 day trial start

Yahoo group: agwpe_pro
Date: 2015-04-27 22:59:45 UTC
From: Erik and Pam
Topic: 1920 Message: 1920

I downloaded the pro version but I don’t see how to get the 30 day trial started. I get “Unregistered Copy.0 Days Remaining.” What am I missing?
The key in the registration box is
N63DK-5MQII-7D2N5-EG7VE-EM37G-25V2P-DGHI6-GGQB7-N25GN-3T2HF-WDUNJ-3NSAB
Thanks!
-Erik

1921. Re: [agwpe_pro] Re: Problem with AGW Pro

Yahoo group: agwpe_pro
Date: 2015-04-29 09:18:27 UTC
From: on5av@...
Topic: 1911 Message: 1921

Hello,

Number 4 I wait for my key.

Patrick

1922. Re: Pro version free 30 day trial start

Yahoo group: agwpe_pro
Date: 2015-04-29 09:13:59 UTC
From: on5av@...
Topic: 1920 Message: 1922

Hello,

You have to send the key when you buy the software.
He is not free.
Be carrefull this key is for one PC.
73's Patrick.

1923. Re: Pro version free 30 day trial start

Yahoo group: agwpe_pro
Date: 2015-04-30 05:52:00 UTC
From: sv2agw@...
Topic: 1920 Message: 1923

Hi

Registration fee covers ALL the computers you use.

73

Sv2AGW

1924. AGWPE Pro Key Request for another installation serial

Yahoo group: agwpe_pro
Date: 2015-05-05 23:56:30 UTC
From: k6jeb@...
Topic: 1924 Message: 1924

Hello George
I recently purchased AGWPE Pro and installed it to a desktop I run at home. Thank you for getting me set up with that!

My request: I'd like to also install it on my laptop and would like a new serial number for that installation.:

Name: Jack Burris
Call: K6JEB
Email: k6jeb@yahoo.com
Key to Send: PA6VU-Q5PHS-5GSN5-DN26V-WM37H-JXGSP-DGIA9-VGQB6-G64DU-P35H6-6VSN5-CGSAB

Thanks and 73,
Jack, K6JEB

1925. New computer.... ;0)

Yahoo group: agwpe_pro
Date: 2015-05-29 11:33:15 UTC
From: lavieillesarcelle@...
Topic: 1925 Message: 1925

Hi ....

I havé a new computer and I would have numbers for PEPRO programme...
Son hère si thé Fiesta Numbers:#
GI5GI-44BIT-XYQN3-UHI5D-2M37P-N5GKP-B6PJA-VIQDK-HFVVS-PB2IF-WVYN5-DNEAB

Please dear OM !!!!!

F4DBS Philippe in IN99FO

1926. NEX COMPUTER F4DBS PSE....

Yahoo group: agwpe_pro
Date: 2015-05-29 11:51:06 UTC
From: lavieillesarcelle@...
Topic: 1926 Message: 1926

HELLO I have a new computer for PEPRO Could U send me numbers for PLEASE??

GI5GI-44BIT-XYQN3-UHI5D-2M37P-N5GKP-B6PJA-VIQDK-HFVVS-PB2IF-WVYN5-DNEAB

TNX Dear George!!!!
Best regards
F4DBS Philippe lavieillesarcelle@gmail.com

1927. keys

Yahoo group: agwpe_pro
Date: 2015-07-12 22:57:09 UTC
From: ANTONIO GONCALVES
Topic: 1905 Message: 1927

Hello GeorgeI am new on Packet Engine Pro on a new Windows 7 and would like a new serial number.Name: Tony Call: YV5OIEEmail: yv5oie@... and yv5oie@...: GJWDI-RMPHN-4VWN3-VN66V-6M37P-I8VYP-B6H3A-DEQDM-N7VDG-PVJHS-4YSND-EGIAB

Thanks and 73,Tony YV5OIE

1928. need a new key

Yahoo group: agwpe_pro
Date: 2015-08-08 01:17:51 UTC
From: robert_hurd4@...
Topic: 1409 Message: 1928

HI George

Setting up a new la[top. Need a key please. Key to send

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB

thank you
rob
n3hu

1929. Need a new key

Yahoo group: agwpe_pro
Date: 2015-08-14 17:23:12 UTC
From: wilson_newsgroups@...
Topic: 1041 Message: 1929

Hi George

I need a new key.

The key to send is:

HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB

Thanks

Donald D Wilson
N9ZGE

n9zge@arrl.net

1930. Re:[agwpe_pro] Need a new key

Yahoo group: agwpe_pro
Date: 2015-08-18 08:24:10 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1041 Message: 1930

AGWEmail Hi

the serial is
IFWDW-NVKHI-3V8NB-2GXVY-UNTXN-XVV2M-35PW8-V6MVH-NW5VQ-PDMHP-VDQPT-YGAAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com (http://www.sv2agw.com)
www.frinos.com (http://www.frinos.com)
www.agwtracker.com (http://www.agwtracker.com)

From:wilson_newsgroups@... [agwpe_pro]
Sent:Παρ,14Αυγ2015 10:23
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] Need a new key

?

Hi George

I need a new key.

The key to send is:

HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB

Thanks

Donald D Wilson

N9ZGE

n9zge@...

1931. RE: [agwpe_pro] Need a new key

Yahoo group: agwpe_pro
Date: 2015-08-18 17:58:53 UTC
From: Greg Walls
Topic: 1041 Message: 1931

Perhaps I am going something wrong. It still says Unregistered copy.

Here is a shot of the registration screen.

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Tuesday, August 18, 2015 4:24 AM
To: wilson_newsgroups@... [agwpe_pro] <agwpe_pro@yahoogroups.com>
Subject: Re:[agwpe_pro] Need a new key

Hi

the serial is
IFWDW-NVKHI-3V8NB-2GXVY-UNTXN-XVV2M-35PW8-V6MVH-NW5VQ-PDMHP-VDQPT-YGAAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki

GREECE

www.sv2agw.com <http://www.sv2agw.com>
www.frinos.com <http://www.frinos.com>
www.agwtracker.com <http://www.agwtracker.com>
<http://www.facebook.com/Agwpe>

From: <http://www.facebook.com/Agwpe> wilson_newsgroups@... [agwpe_pro]
Sent:Παρ,14Αυγ2015 10:23
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] Need a new key

<http://www.facebook.com/Agwpe>

Hi George <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

I need a new key. <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

The key to send is: <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB
<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

Thanks <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

Donald D Wilson <http://www.facebook.com/Agwpe>

N9ZGE <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

n9zge@arrl.net <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

[Non-text portions of this message have been removed]

1932. Re: need a new key

Yahoo group: agwpe_pro
Date: 2015-08-18 21:32:13 UTC
From: robert_hurd4@...
Topic: 1409 Message: 1932

Hi George

Nil heard on the key. Did I miss a reply?

73
rob

---In agwpe_pro@yahoogroups.com, <robert_hurd4@...> wrote :

HI George

Setting up a new la[top. Need a key please. Key to send

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB

thank you
rob
n3hu

1933. Re: [agwpe_pro] Need a new key

Yahoo group: agwpe_pro
Date: 2015-08-20 15:45:22 UTC
From: <wilson_newsgroups@...>
Topic: 1041 Message: 1933

Hi George
The new Serial Number does not seem to work.
The key to sent is:
HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB

Thanks
Don N9ZGE
n9zge@...

On Tuesday, August 18, 2015 3:24 AM, "(SV2AGW) George Rossopoulos sv2agw@... [agwpe_pro]" <agwpe_pro@yahoogroups.com> wrote:

  Hi

the serial is
IFWDW-NVKHI-3V8NB-2GXVY-UNTXN-XVV2M-35PW8-V6MVH-NW5VQ-PDMHP-VDQPT-YGAAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com
www.frinos.com
www.agwtracker.com

From:wilson_newsgroups@... [agwpe_pro]
Sent:Παρ,14Αυγ2015 10:23
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] Need a new key

  Hi George
I need a new key.
The key to send is:
HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB
Thanks
Donald D WilsonN9ZGE
n9zge@...

1934. Re:Re: [agwpe_pro] Need a new key

Yahoo group: agwpe_pro
Date: 2015-08-21 20:27:09 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1041 Message: 1934

AGWEmail
Hi

?

the serial is

IFWDW-NVKHI-3V8NB-2GXVY-UNTXN-XVV2M-35PW8-V6MVH-NW5VQ-PDMHP-VDQPT-YGAAB

?

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com (http://www.sv2agw.com)
www.frinos.com (http://www.frinos.com)
www.agwtracker.com (http://www.agwtracker.com)

From:wilson_newsgroups@... [agwpe_pro]
Sent:Πεμ,20Αυγ2015 15:45
To:agwpe_pro@yahoogroups.com;
Subject:Re: [agwpe_pro] Need a new key

?

Hi George

The new Serial Number does not seem to work.

The key to sent is:
HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB

Thanks

Don N9ZGE

n9zge@...

On Tuesday, August 18, 2015 3:24 AM, "(SV2AGW) George Rossopoulos sv2agw@... [agwpe_pro]" wrote:

?

Hi

the serial is
IFWDW-NVKHI-3V8NB-2GXVY-UNTXN-XVV2M-35PW8-V6MVH-NW5VQ-PDMHP-VDQPT-YGAAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com (http://www.sv2agw.com/)
www.frinos.com (http://www.frinos.com/)
www.agwtracker.com (http://www.agwtracker.com/)

(http://www.facebook.com/Agwpe)

From:wilson_newsgroups@... [agwpe_pro]
Sent:Παρ,14Αυγ2015 10:23
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] Need a new key

?

Hi George

I need a new key.

The key to send is:

HPVVW-P5KIS-4VYN3-4GTTG-4M37N-7WVNP-B6P28-DNQDK-NW5DN-PDMHP-VDQPT-YGAAB

Thanks

Donald D Wilson

N9ZGE

n9zge@...

1935. N3HU new computer, new key

Yahoo group: agwpe_pro
Date: 2015-08-22 13:44:46 UTC
From: robert_hurd4@...
Topic: 1935 Message: 1935

Hi George

I think the subject "need a new key" is mashing up multiple posts from multiple posters. Sending this one with a new subject line/thread. I have a new laptop and need a key for it.

Key to send

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB

thanks and 73

rob

1936. Re:[agwpe_pro] N3HU new computer, new key

Yahoo group: agwpe_pro
Date: 2015-08-22 14:48:50 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1935 Message: 1936

AGWEmail
Hi

?

the serial is

HJUYE-PMQGP-UY6ND-FHN9D-YNTXH-FUV6M-5EHXZ-VUMT3-NW3VW-Q33PE-4YSP3-3GEAB

?

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com (http://www.sv2agw.com)
www.frinos.com (http://www.frinos.com)
www.agwtracker.com (http://www.agwtracker.com)

From:robert_hurd4@hotmail.com [agwpe_pro]
Sent:Σαβ,22Αυγ2015 06:44
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] N3HU new computer, new key

?

Hi George

? I think the subject "need a new key" is mashing up multiple posts from multiple posters. Sending this one with a new subject line/thread. I have a new laptop and need a key for it.

Key to send

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB

thanks and 73

rob

1937. RE: [agwpe_pro] N3HU new computer, new key

Yahoo group: agwpe_pro
Date: 2015-08-26 13:31:32 UTC
From: Greg Walls
Topic: 1935 Message: 1937

George,

I am sorry to be a bother but I have tried every key that you have sent me but none of them work. I still get this:

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Saturday, August 22, 2015 10:49 AM
To: robert_hurd4@... [agwpe_pro] <agwpe_pro@yahoogroups.com>
Subject: Re:[agwpe_pro] N3HU new computer, new key

Hi

the serial is

HJUYE-PMQGP-UY6ND-FHN9D-YNTXH-FUV6M-5EHXZ-VUMT3-NW3VW-Q33PE-4YSP3-3GEAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com <http://www.sv2agw.com>
www.frinos.com <http://www.frinos.com>
www.agwtracker.com <http://www.agwtracker.com>
<http://www.facebook.com/Agwpe>

From: <http://www.facebook.com/Agwpe> robert_hurd4@... [agwpe_pro]
Sent:Σαβ,22Αυγ2015 06:44
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] N3HU new computer, new key

<http://www.facebook.com/Agwpe>

Hi George <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe> I think the subject "need a new key" is mashing up multiple posts from multiple posters. Sending this one with a new subject line/thread. I have a new laptop and need a key for it.

<http://www.facebook.com/Agwpe>

Key to send <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB
<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

thanks and 73 <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

rob <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

[Non-text portions of this message have been removed]

1938. Re:RE: [agwpe_pro] N3HU new computer, new key

Yahoo group: agwpe_pro
Date: 2015-08-26 16:08:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1935 Message: 1938

AGWEmail
Hi Greg

Please send me an email to my private email.

?

Thank you and sorry for the trouble

?

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com (http://www.sv2agw.com)
www.frinos.com (http://www.frinos.com)
www.agwtracker.com (http://www.agwtracker.com)

From:Greg Walls gwalls@... [agwpe_pro]
Sent:Τετ,26Αυγ2015 09:31
To:agwpe_pro@yahoogroups.com;
Subject:RE: [agwpe_pro] N3HU new computer, new key

?

George,

I am sorry to be a bother but I have tried every key that you have sent me but none of them work. I still get this:

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Saturday, August 22, 2015 10:49 AM
To: robert_hurd4@... [agwpe_pro]
Subject: Re:[agwpe_pro] N3HU new computer, new key

Hi

the serial is

HJUYE-PMQGP-UY6ND-FHN9D-YNTXH-FUV6M-5EHXZ-VUMT3-NW3VW-Q33PE-4YSP3-3GEAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com
www.frinos.com
www.agwtracker.com

From: robert_hurd4@... [agwpe_pro]
Sent:Σαβ,22Αυγ2015 06:44
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] N3HU new computer, new key

Hi George

I think the subject "need a new key" is mashing up multiple posts from multiple posters. Sending this one with a new subject line/thread. I have a new laptop and need a key for it.

Key to send

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB

thanks and 73

rob

[Non-text portions of this message have been removed]

1939. RE: RE: [agwpe_pro] N3HU new computer, new key

Yahoo group: agwpe_pro
Date: 2015-08-26 17:47:19 UTC
From: Greg Walls
Topic: 1935 Message: 1939

George,

I do not have your personal email address. My address is gwalls@... <mailto:gwalls@...>

Greg

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Wednesday, August 26, 2015 12:09 PM
To: Greg Walls gwalls@... [agwpe_pro] <agwpe_pro@...m>
Subject: Re:RE: [agwpe_pro] N3HU new computer, new key

Hi Greg

Please send me an email to my private email.

Thank you and sorry for the trouble

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com <http://www.sv2agw.com>
www.frinos.com <http://www.frinos.com>
www.agwtracker.com <http://www.agwtracker.com>
<http://www.facebook.com/Agwpe>

From: <http://www.facebook.com/Agwpe> Greg Walls gwalls@... [agwpe_pro]
Sent:Τετ,26Αυγ2015 09:31
To:agwpe_pro@yahoogroups.com;
Subject:RE: [agwpe_pro] N3HU new computer, new key

<http://www.facebook.com/Agwpe>

George, <http://www.facebook.com/Agwpe>

I am sorry to be a bother but I have tried every key that you have sent me but none of them work. I still get this:

From: agwpe_pro@yahoogroups.com [mailto:agwpe_pro@yahoogroups.com]
Sent: Saturday, August 22, 2015 10:49 AM
To: robert_hurd4@... [agwpe_pro] <agwpe_pro@yahoogroups.com>
Subject: Re:[agwpe_pro] N3HU new computer, new key

Hi

the serial is

HJUYE-PMQGP-UY6ND-FHN9D-YNTXH-FUV6M-5EHXZ-VUMT3-NW3VW-Q33PE-4YSP3-3GEAB

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com <http://www.sv2agw.com>
www.frinos.com <http://www.frinos.com>
www.agwtracker.com <http://www.agwtracker.com>
<http://www.facebook.com/Agwpe>

From: <http://www.facebook.com/Agwpe> robert_hurd4@hotmail.com [agwpe_pro]
Sent:Σαβ,22Αυγ2015 06:44
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] N3HU new computer, new key

<http://www.facebook.com/Agwpe>

Hi George <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe> I think the subject "need a new key" is mashing up multiple posts from multiple posters. Sending this one with a new subject line/thread. I have a new laptop and need a key for it.

<http://www.facebook.com/Agwpe>

Key to send <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

GTUGE-QVQHX-VYWN5-HHI6V-8M37H-PVVSP-DFH3Z-DCQB6-NW3DU-Q33PE-4YSP3-3GEAB
<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

thanks and 73 <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

rob <http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

[Non-text portions of this message have been removed]

<http://www.facebook.com/Agwpe>

<http://www.facebook.com/Agwpe>

1940. PEPro Windows 7 Stopped Working Issue

Yahoo group: agwpe_pro
Date: 2015-08-29 02:23:08 UTC
From: kg4yxp@...
Topic: 1940 Message: 1940

I installed PEPro on a fresh install of Windows 7 32-bit and during the configuration of a new port in the software, the application crashed and every time PEPro is executed now the stopped working dialog pops up and the application closes.

I have repaired the install, uninstalled and re-installed, completed a registry scan with CCleaner and the same issue occurs.

Are there any instructions for manually clearing the registry information for the PEPro application or any troubleshooting information for this issue?

Anyone else have this issue?

Thanks and 73,
Anthony

1941. Re:[agwpe_pro] PEPro Windows 7 Stopped Working Issue

Yahoo group: agwpe_pro
Date: 2015-08-29 05:46:20 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1940 Message: 1941

AGWEmail
Hi

?

delete all ini files from documents/Packet Engine Pro

?

?

73

(SV2AGW)George Rossopoulos
Anakreontos14
GR-54250 Thessaloniki
GREECE

www.sv2agw.com (http://www.sv2agw.com)
www.frinos.com (http://www.frinos.com)
www.agwtracker.com (http://www.agwtracker.com)

From:kg4yxp@... [agwpe_pro]
Sent:Παρ,28Αυγ2015 19:23
To:agwpe_pro@yahoogroups.com;
Subject:[agwpe_pro] PEPro Windows 7 Stopped Working Issue

?

I installed PEPro on a fresh install of Windows 7 32-bit and during the configuration of a new port in the software, the application crashed and every time PEPro is executed now the stopped working dialog pops up and the application closes.

I have repaired the install, uninstalled and re-installed, completed a registry scan with CCleaner and the same issue occurs.

Are there any instructions for manually clearing the registry information for the PEPro application or any troubleshooting information for this issue?

Anyone else have this issue?

Thanks and 73,

Anthony

1942. Re:[agwpe_pro] PEPro Windows 7 Stopped Working Issue

Yahoo group: agwpe_pro
Date: 2015-08-29 20:50:51 UTC
From: kg4yxp@...
Topic: 1940 Message: 1942

George,

That did it! Thanks!

73,
Anthony
KG4YXP

1943. Linbpq + linfbb

Yahoo group: agwpe_pro
Date: 2015-08-31 09:18:00 UTC
From: nl3prc@...
Topic: 1943 Message: 1943

Hi al
Curentley i'm linkin linbpq and linfbb (xfbbd) with socat and kissattatch
I was wondering if there is another way of linkin the two together

73 Ascal
CB call nl2prc@nl3prc.nh.nld.eu The Netherlands (Den Helder)

1944. New key please

Yahoo group: agwpe_pro
Date: 2015-09-27 04:31:40 UTC
From: Denis Bill
Topic: 1882 Message: 1944

Hello George,
I have had a hard drive crash and had to reinstall all programs.Could I get a key for AGWPE PRO please?
Key to send :H63VG-PVQGN-5DWND-FHA9D-KNTXN-S8EEM-5FIFA-WCMTX-NW6DN-P32HT-XDY3T-VGWAB
Regards,Denis VK4XDB

1945. PEP isn't receiving or sending any packets

Yahoo group: agwpe_pro
Date: 2015-10-18 18:24:34 UTC
From: albrechtim@...
Topic: 1945 Message: 1945

Good day to the group,
After installing and re-registering PEP, nothing is being received or transmitted. after starting PEP I start AGW Tracker. I try to send a beacon and nothing happens. I tried the same with UISS and AGW Term and nothing. The TNC that I am using is a KPC-9612 ver 8.2 (non plus). My radio is an Icom IC-9100. When I conect to the tnc with putty everything works fine in terminal mode. Ican ID and it sends. I receive averthing on 144.390. I checked the serial port settings and they appear to be correct. PEP gives me this for program status:

Packet Engine Professional Edition
Version 2013.419
Build of Friday 19 April 2013
Ini Files Path
C:\Users\Mani_2\Documents\Packet Engine Pro
2 Radio Ports.
TimeStamp Set to LocalTime.
MonitorFormat Standard.
Tcpip Over Radio, Disabled.
Tcpip interface for client Programs, Enabled.
RadioPort Sharing, Disabled.
Registered Copy.

Looking for help, Thanks.

73, Immanuel - KH2FI

1946. Re:[agwpe_pro] PEP isn't receiving or sending any packets

Yahoo group: agwpe_pro
Date: 2015-10-20 06:58:16 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1945 Message: 1946

AGWEmail

Hi Immanuels

?

your tnc settings are wrong.

First of all send the command

INTFACE TERM

to KPC using putty and save it sending the command

PE

?;

After that start PEPRO and check if ok.

If not then send me in a zip file all the ini files agwpe.ini and portxx.ini from documents/Packet Engine Pro

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:albrechtim@... [agwpe_pro]

Sent:Κυρ,18Οκτ2015 11:24

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] PEP isn't receiving or sending any packets

?

Good day to the group,
After installing and re-registering PEP, nothing is being received or transmitted. after starting PEP I start AGW Tracker. I try to send a beacon and nothing happens. I tried the same with UISS and AGW Term and nothing. The TNC that I am using is a KPC-9612 ver 8.2 (non plus). My radio is an Icom IC-9100. When I conect to the tnc with putty everything works fine in terminal mode. Ican ID and it sends. I receive averthing on 144.390. I checked the serial port settings and they appear to be correct. PEP gives me this for program status:

Packet Engine Professional Edition
Version 2013.419
Build of Friday 19 April 2013
Ini Files Path
C:\Users\Mani_2\Documents\Packet Engine Pro
2 Radio Ports.
TimeStamp Set to LocalTime.
MonitorFormat Standard.
Tcpip Over Radio, Disabled.
Tcpip interface for client Programs, Enabled.
RadioPort Sharing, Disabled.
Registered Copy.

Looking for help, Thank s.

73, Immanuel - KH2FI

1947. activation key

Yahoo group: agwpe_pro
Date: 2015-10-23 19:07:18 UTC
From: hodders@...
Topic: 1947 Message: 1947

Hi, I paid for the activation key via the link in the software the other day and I'm just wondering how long it takes to come through. Cheers, Simon

1948. Re:[agwpe_pro] activation key

Yahoo group: agwpe_pro
Date: 2015-10-26 10:31:36 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1947 Message: 1948

AGWEmail

Hi

?

I am sending email immediately after the registration. Check your spam folders or sent me a private email, or post here the "Key To Send".

?

Thank you and 73

?

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:hodders@yahoo.com [agwpe_pro]

Sent:Παρ,23Οκτ2015 12:07

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] activation key

Hi, I paid for the activation key via the link in the software the other day and I'm just wondering how long it takes to come through. Cheers, Simon?

1949. New Key

Yahoo group: agwpe_pro
Date: 2015-11-17 13:37:39 UTC
From: jgspears@...
Topic: 636 Message: 1949

Hello George,

I am reinstalling and need a key
Could I get a key for AGWPE PRO please?

Key to send :

HFWGI-Q33IS-5V6N5-INJSV-2M37G-XWVNP-DFIA9-DSQB2-HI6GI-QBZHI-4DUNT-2NNAB

73

Joe AF1E

1950. New computer ON3PCB

Yahoo group: agwpe_pro
Date: 2015-12-28 19:46:33 UTC
From: bel3pc@...
Topic: 1950 Message: 1950

Hello George,

I am reinstalling and need a key
Could I get a key for AGWPE PRO please?

My OS is WIN10 64bits

Key to send :

G3UVU-5B9IB-VGYN3-XNS5D-8M37H-I9VGP-B6H28-VUQDG-NN6YK-4MIHB-XG4PT-ZGEAB

73 many tks Happy new jar

ON3PCB Christian

1951. Program crashes, worked fine before

Yahoo group: agwpe_pro
Date: 2016-01-03 22:22:15 UTC
From: wd4elg@...
Topic: 1951 Message: 1951

Windows 10, was working perfectly until today. Now it just says "A problem was encountered, please restart the program"

1952. How to get audio from SDR Play device and HDSDR to AGWPE

Yahoo group: agwpe_pro
Date: 2016-01-03 22:24:20 UTC
From: wd4elg@...
Topic: 1952 Message: 1952

OK, this should be easy. I was able to create a TNC and get the audio from my IC910H and SignaLink to AGWPE and decode APRS.

Now I want to use my SDRPlay device and HDSDR to get audio to AGWPE. So do I use RX Only? How do I select an audio output from my HDSDR software? What input do I choose for AGWPE? Thanks.

Mark WD4ELG

1953. Packet Engine Pro update with new HF Modem

Yahoo group: agwpe_pro
Date: 2016-02-20 10:56:29 UTC
From: sv2agw@...
Topic: 1953 Message: 1953

Hi
new version for Packet Engine Pro with a new HF modem
Watch on you tube how well behaves the new HF modem
Packet Engine Pro HF Modem
https://www.youtube.com/watch?v=0xtJlIRaNBM&feature=youtube_gdata

https://www.youtube.com/watch?v=0xtJlIRaNBM&feature=youtube_gdata

Packet Engine Pro HF Modem
https://www.youtube.com/watch?v=0xtJlIRaNBM&feature=youtube_gdata Demonstration of the new HF 300b Packet Modem

View on www.youtube.com https://www.youtube.com/watch?v=0xtJlIRaNBM&feature=youtube_gdata
Preview by Yahoo

Download from SV2AGW Software & Hardware http://www.sv2agw.com/ downloads section.

http://www.sv2agw.com/

SV2AGW Software & Hardware http://www.sv2agw.com/ SV2AGW HAM Radio Applications and Hardware(Packet Engine, AGWTracker(APRS), DxCenter etc)

View on www.sv2agw.com http://www.sv2agw.com/
Preview by Yahoo

1954. RE: [agwpe_pro] Packet Engine Pro update with new HF Modem

Yahoo group: agwpe_pro
Date: 2016-02-20 12:40:47 UTC
From: Raul Romero
Topic: 1953 Message: 1954

Hi George Please sendme my key

HPUGK-QVPHX-VVSN3-WGTTG-6M37N-28VGP-DGP26-VSQDK-N23DE-PB5HA-6DUPV-BHEAB

Raul

CA3SOC

1955. AGW PACKET PRO/ALINCO DR135T/MKIII

Yahoo group: agwpe_pro
Date: 2016-02-23 22:15:01 UTC
From: 2wr796@...
Topic: 1955 Message: 1955

DOES anyone have experience with that radio and agwpro?, It wont transmit with software I have tried, receives good though...
I have heard agw pro selects tnc and adjusts?
Help appreciated.
POB/K8LEN

1956. AGWPE pro

Yahoo group: agwpe_pro
Date: 2016-03-01 16:26:00 UTC
From: k4lch@...
Topic: 1956 Message: 1956

need key NN6GI-RDNIT-VGNN3-2N3UV-2M37H-FWYNP-B6IA6-VKQDM-GS5DY-P5HPP-WGYNT-VGWAB

my copy keeps dropping the its registration

1957. Re:[agwpe_pro] AGWPE pro

Yahoo group: agwpe_pro
Date: 2016-03-02 13:23:31 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1956 Message: 1957

AGWEmail

Hi

?

the serial is
PE6YI-P5NHJ-UGWNB-YN7XD-SNTXG-7VY2M-35H67-D4MVI-GS5V2-P5HPP-WGYNT-VGWAB

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:k4lch@... [agwpe_pro]

Sent:Τρι,01Μαρ2016 08:26

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] AGWPE pro

?

need key NN6GI-RDNIT-VGNN3-2N3UV-2M37H-FWYNP-B6IA6-VKQDM-GS5DY-P5HPP-WGYNT-VGWAB

my copy keeps dropping the its registration

1958. Computer change need new license

Yahoo group: agwpe_pro
Date: 2016-03-09 21:44:42 UTC
From: n4fga@...
Topic: 1958 Message: 1958

I changed computers and reinstalled and need a new registration serial. My key is
G3WDN-RT6IN-5GYN3-XG3UY-6M37G-29DIP-DFPPY-DKQB7-GS4YQ-PT5HB-UYWN5-GNNAB

Thanks,
David
N4FGA (prev. KG4WUV)

1959. Re:[agwpe_pro] Computer change need new license

Yahoo group: agwpe_pro
Date: 2016-03-18 06:44:03 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1958 Message: 1959

AGWEmail

Hi

?

your serial is
HTWVN-QJ6HE-4G8NB-VG7XG-WNTXG-S8DWM-5EPJY-V4MT4-GS5GS-PT5HB-UYWAB
?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:n4fga@yahoo.com [agwpe_pro]

Sent:Τετ,09Μαρ2016 13:44

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] Computer change need new license

?

I changed computers and reinstalled and need a new registration serial.? My key is
G3WDN-RT6IN-5GYN3-XG3UY-6M37G-29DIP-DFPPY-DKQB7-GS4YQ-PT5HB-UYWN5-GNNAB

Thanks,
David

N4FGA (prev. KG4WUV)

1960. code

Yahoo group: agwpe_pro
Date: 2016-04-06 18:45:48 UTC
From: Egil
Topic: 1960 Message: 1960

Please send me a new registration key code.

Key to send:
G64DW-4J6IJ-WV2N3-ZG23W-AM37H-I7GNP-DFPXX-YIQBX-GI6YI-PT7IA-5VY2J-YN2AB

Egil Stålesen la9raa

4362 Vigrestad

mob: 92093035

1961. Re:[agwpe_pro] code

Yahoo group: agwpe_pro
Date: 2016-04-07 05:30:50 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1960 Message: 1961

AGWEmail

Hi

?

the serial is

HW4VW-3B6HB-VWANB-XG66D-2NTXH-A6G2M-5EPTY-G2MTU-GI7GK-PT7IA-5VY2J-YN2AB

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:'Egil' la9raa@... [agwpe_pro]

Sent:Τετ,06Απρ2016 20:45

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] code

?

Please send me a new registration key code.

Key to send: G64DW-4J6IJ-WV2N3-ZG23W-AM37H-I7GNP-DFPXX-YIQBX-GI6YI-PT7IA-5VY2J-YN2AB

Egil Stålesen? la9raa

4362 Vigrestad

mob: 92093035

1962. Radio Port Sharing

Yahoo group: agwpe_pro
Date: 2016-04-16 03:04:40 UTC
From: w4iia@...
Topic: 1962 Message: 1962

I'm running a 2013 version of PE Pro and can't seem to get Radio Port Sharing enabled. It is greyed out. What do I need to do to use the feature?
73,
Dave W4IIA

1963. Code

Yahoo group: agwpe_pro
Date: 2016-04-18 22:05:20 UTC
From: jgspears@...
Topic: 1625 Message: 1963

Please send me a new code Key to Send:
N7UDC-5DKH3-XD4N3-VNW4G-YM37H-S7D2P-DGHTY-VQQDM-GPUGK-4VIIE-5GY3T-ZHEAB

Thanks

Joe AF1E

1964. code

Yahoo group: agwpe_pro
Date: 2016-04-20 16:08:38 UTC
From: ea8bky@...
Topic: 1960 Message: 1964

Hi, my computer hard disk broken, i changed computer and reinstall software but my old code not running please sendme a new , now apears

Key to send
NW6VN-Q5KII-9GUN3-5G63D-UM37P-A5DIP-DFHFX-VEQB8-NTWDY-PBZPJ-WYSN3-UHEAB

Many thanks in advance EA8BKY (Candido Carmona)

1965. new code

Yahoo group: agwpe_pro
Date: 2016-04-20 16:31:48 UTC
From: <ea8bky@...>
Topic: 1965 Message: 1965

Hello , i changed the computer and hard disk my software now not running and old code sended not is valid please sendme an new code

Key to send

NW6VN-Q5KII-9GUN3-5G63D-UM37P-A5DIP-DFHFX-VEQB8-NTWDY-PBZPJ-WYSN3-UHEAB

EA8BKY Candido Carmona

1966. Re:[agwpe_pro] new code

Yahoo group: agwpe_pro
Date: 2016-04-21 06:34:22 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1965 Message: 1966

AGWEmail

Hi

?

?

the serial is

PN7DN-PVKHA-8G4NB-3HA5V-KNTXN-24DWM-5EHBY-DWMT5-NTWV2-PBZPJ-WYSN3-UHEAB

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:ea8bky@... [agwpe_pro]

Sent:Τετ,20Απρ2016 16:31

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] new code

?

Hello , i changed the computer and hard disk my software now not running and old code sended not is valid please sendme an new code

Key to send?

NW6VN-Q5KII-9GUN3-5G63D-UM37P-A5DIP-DFHFX-VEQB8-NTWDY-PBZPJ-WYSN3-UHEAB

EA8BKY? Candido Carmona

1967. kantronics kam plus problems

Yahoo group: agwpe_pro
Date: 2016-04-30 01:29:23 UTC
From: david.pechon@...
Topic: 1967 Message: 1967

I am using Packet Engine Professional Edition Version 2016.221. The registration is good. But when I try to set up the TNC, which is a Kantronics Kam Plus, All I get is the program to lock up and tell me that there is an error and it will kill the program. Could anyone help me in setting up the TNC.
73's
David KA5TTZ

1968. AGWTracker for Mac

Yahoo group: agwpe_pro
Date: 2016-05-03 17:50:22 UTC
From: sv2agw@...
Topic: 1968 Message: 1968

Hi

If you own a Mac you can test AGWTracker for Mac. CHeck sv2agw.com downloads section and download AGWTracker for Mac.

73
George SV2AGW

1969. n3hu - key for surface

Yahoo group: agwpe_pro
Date: 2016-05-08 18:30:16 UTC
From: robert_hurd4@...
Topic: 1969 Message: 1969

Hi George

Need a key for a new computer.

Key to send

HN6VG-RT3H6-8DUN3-5GS5E-CM37H-26VGP-DFIFX-YNQBZ-G3VGQ-QBZH3-WD22J-XGSAB

73
rob
n3hu

1970. Re:[agwpe_pro] n3hu - key for surface

Yahoo group: agwpe_pro
Date: 2016-05-09 05:44:28 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1969 Message: 1970

AGWEmail

Hi Rob

?

your serial is

IE7DG-QJ3GW-7D4NB-3GW7V-4NTXH-S5VUM-5EIBY-G6MTW-G3VYS-QBZH3-WD22J-XGSAB

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:robert_hurd4@... [agwpe_pro]

Sent:Κυρ,08Μαϊ2016 11:30

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] n3hu - key for surface

?

Hi George

? Need a key for a new computer.

? Key to send

HN6VG-RT3H6-8DUN3-5GS5E-CM37H-26VGP-DFIFX-YNQBZ-G3VGQ-QBZH3-WD22J-XGSAB

73

rob

n3hu

1971. [agwpe_pro] iw1psc - key for surface

Yahoo group: agwpe_pro
Date: 2016-06-12 14:01:02 UTC
From: Franco_Radio
Topic: 1971 Message: 1971

Hi George

Need a key for a new computer.

Key to send

PBUVN-SDJIA-6YWN3-WN62D-YM37H-FWYIP-DFHI7-GQQDM-N25VY-35HHS-8YY23-TNSAB

73

Franco

IW1PSC

1972. Re:[agwpe_pro] iw1psc - key for surface

Yahoo group: agwpe_pro
Date: 2016-06-13 16:38:33 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1971 Message: 1972

AGWEmail

Hi Franco

?

the serial is

P3VDN-Q5JG2-5Y6NB-UPA4V-QNTXG-7VYWM-5EHE7-Y8MVI-N26D2-35HHS-8YY23-TNSAB

?

73

?

?

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:'Franco_Radio' iw1psc@... [agwpe_pro]

Sent:Κυρ,12Ιουν2016 16:01

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] iw1psc - key for surface

?

Hi George

? Need a key for a new computer.

? Key to send

PBUVN-SDJIA-6YWN3-WN62D-YM37H-FWYIP-DFHI7-GQQDM-N25VY-35HHS-8YY23-TNSAB

73

Franco

IW1PSC

1973. Need a new key

Yahoo group: agwpe_pro
Date: 2016-06-21 22:13:53 UTC
From: matts.ekstrom@...
Topic: 1041 Message: 1973

Hi need a new key. New computer.
Key to send: HI7DN-4B6HI-7V4NB-UHJVG-SNTXP-E6Y6M-35P3A-VWMT4-NW4VS-P34PW-4D6NB-VGAAB
SK5UM/SM5TAH

1974. Packet Engine Pro for Mac

Yahoo group: agwpe_pro
Date: 2016-06-27 08:15:11 UTC
From: sv2agw@...
Topic: 1974 Message: 1974

Hi

First screenshots from Packet Engine Pro on Mac osx.
https://www.facebook.com/Agwpe/

73

SV2AGW George

1975. Need a new Key

Yahoo group: agwpe_pro
Date: 2016-06-26 09:35:25 UTC
From: pmg@...
Topic: 1975 Message: 1975

Resetting up a my computer, the key to send is:

G26GQ-P5QIS-7DWN3-2NPUV-WM37H-BWYKP-DGH28-DCQBZ-HI4VY-QBYH7-WG23B-ZHEAB

Paul G7VTS

1976. need new serial code for AGWPE Pro

Yahoo group: agwpe_pro
Date: 2016-07-05 21:12:36 UTC
From: ian@...
Topic: 1976 Message: 1976

Hi George,

Would it be possible to send me a new key for my copy of AGWPE pro. I have changed hardware.
The key to send is:
G23DC-R5JHW-8DNN3-VG22G-6M37P-I9DUP-DGHS7-DQQB3-G65YQ-PBZHE-8YWNB-WNIAB

Many thanks,

Ian G4ZJH.

1977. Re:[agwpe_pro] need new serial code for AGWPE Pro

Yahoo group: agwpe_pro
Date: 2016-07-06 06:56:19 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1976 Message: 1977

AGWEmail

Hi

?

the serial is

HS3VC-QVJGN-7DWNB-TG64Y-WNTXP-A8D8M-5FHN7-V8MTY-G66GS-PBZHE-8YWNB-WNIAB

?;

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:ian@...t [agwpe_pro]

Sent:Τρι,05Ιουλ2016 14:12

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] need new serial code for AGWPE Pro

?

Hi George,

Would it be possible to send me a new key for my copy of AGWPE pro. I have changed hardware.

The key to send is:

G23DC-R5JHW-8DNN3-VG22G-6M37P-I9DUP-DGHS7-DQQB3-G65YQ-PBZHE-8YWNB-WNIAB

Many thanks,

Ian G4ZJH.

1978. New key

Yahoo group: agwpe_pro
Date: 2016-07-03 16:27:05 UTC
From: davidmsgrv@...
Topic: 1404 Message: 1978

```
New computer I need a new key- key send
HI7VC-QVNH7-XVKN3-UNS6E-AM37H-I6YNP-DFIA6-DIQDM-G7UVY-P3XHN-7DS23-WGEAB David VE1HRM
```

1979. Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2016-08-08 15:33:07 UTC
From: g.paul.fleming@...
Topic: 1 Message: 1979

I have been trying to configure AGWPE pro to use the YAESU SCH-17 Usb interface.

I established part of the problem seems to be it uses the right channel to output data. i.e. I use FLGdigi and reverse right and left channels I can get out put into the radio through the data interface.

So with AGWPE I tried to configure the right channel as a second port, however, after doing this every time I try to start AGWPE it says .... Packet Application has stoppped working, A problem caused the program to stop working correctly. please close the program.

Even rebooting does not resolve the problem.

Two questions:

has anyone successfully used the YAESU SCH-17 unit with AGWPE pro

can anyone tell me how to clear the config files so AGWPE will restart or if I reinstall it will the same registration key work ?

Many thanks

Paul

1980. Re:[agwpe_pro] Packet Engine Pro

Yahoo group: agwpe_pro
Date: 2016-08-10 06:43:01 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1 Message: 1980

AGWEmail

Hi Paul

?

your?PTT interface is not Packet Engine compatible.

In any case do the follow

1.Erase all ini files from documents/Packet Engine Pro

2.Restart PEPRO and recreate the soundcard TNC. This time select Dualport TNC

From any program you use you mustRx/Tx from second port.

Try AGWTracker will use both ports for the first time. You can disable second port later from propertiers.

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:g.paul.fleming@... [agwpe_pro]

Sent:Δευ,08Αυγ2016 08:33

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] Packet Engine Pro

?

I have been trying to configure AGWPE pro to use the YAESU SCH-17 Usb interface.

I established part of the problem seems to be it uses the right channel to output data. i.e. I use FLGdigi and reverse right and left channels I can get out put into the radio through the data interface.

So with AGWPE I tried to configure the right channel as a second port, however, after doing this every time I try to start AGWPE it says .... Packet Application has stoppped working, A problem caused the program to stop working correctly. please close the program.

Even rebooting does not resolve the problem.

Two questions:

has anyone successfully used the YAESU SCH-17 unit with AGWPE pro

can anyone tell me how to clear the config files so AGWPE will restart or if I reinstall it will the same registration key work ?

Many thanks

Paul

1981. Unable to create radio port

Yahoo group: agwpe_pro
Date: 2016-08-22 19:20:32 UTC
From: rhclinton@...
Topic: 1981 Message: 1981

I installed AGWPE-PRO on a Windows 10 machine. Attempted to create a radio port. (TNC is KAM-XL, which is not listed but selectedKPC3+) Went through the radio port setup and got the startup message from the KAM-XL but after clicking Finish the radio port does not appear on the radio port list. The program status screen says 0 ports created. The path to the ini file, given by the status screen does not exist - i.e., no ini file appears to have been created.

Originally I installed the program in the Program Files (X86) folder but then I uninstalled it and reinstalled it in a root folder. This made no difference.

Bob G0BUX

1982. Re:[agwpe_pro] Unable to create radio port

Yahoo group: agwpe_pro
Date: 2016-08-25 16:41:00 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1981 Message: 1982

AGWEmail

Hi

?

Do not run it as administrator neither in compatibility mode.

The path of ini files is listed in status screen and is documents/Packet Engine Pro

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:rhclinton@... [agwpe_pro]

Sent:Δευ,22Αυγ2016 12:20

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] Unable to create radio port

?

I installed AGWPE-PRO ? on a Windows 10 machine.? Attempted to create a radio port.? (TNC is KAM-XL, which is not listed but selectedKPC3+) Went through the radio port setup and got the startup message from the KAM-XL but after clicking Finish the radio port does not appear on the radio port list.? The program status screen says 0 ports created.? The path to the ini file, given by the status screen does not exist - i.e., no ini file appears to have been created.

Originally I installed the program in the Program Files (X86) folder but then
I uninstalled it and reinstalled it in a root folder.? This made no difference.

Bob? G0BUX

1983. AGWTracker Update

Yahoo group: agwpe_pro
Date: 2016-10-22 10:54:29 UTC
From: sv2agw@...
Topic: 484 Message: 1983

Hi

new AGWTracker version.
New online Maps. Google, Bing, ESRI, NOKIA, MapBox, OpenStreet
Different color station labels for each radioport
Check the demo
agwtracker https://www.youtube.com/watch?v=LJ0dFLU2rQs

https://www.youtube.com/watch?v=LJ0dFLU2rQs

agwtracker https://www.youtube.com/watch?v=LJ0dFLU2rQs New AGWTracker Version with new Online maps and separate stations label colors for each radioport. http://www.sv2agw.com

View on www.youtube.com https://www.youtube.com/watch?v=LJ0dFLU2rQs
Preview by Yahoo

(SV2AGW) George Rossopoulos
Anakreontos 14
GR-54250, Thessaloniki
Greece
+306932465216
http://www.sv2agw.com http://www.sv2agw.com/
www.agwtracker.com http://www.agwtracker.com/
http://www.facebook.com/Agwpe http://www.facebook.com/Agwpe

1984. Key CE3SOC

Yahoo group: agwpe_pro
Date: 2016-11-15 13:31:18 UTC
From: Raul Romero CA3SOC
Topic: 1984 Message: 1984

G67VW-P4BHW-8VWN5-FNW3G-YM37H-W8V2P-B7HJX-GNQB5-GW3VY-35JH2-6D63J-UN2AB

CE3SOC

1985. New HD - need new serial

Yahoo group: agwpe_pro
Date: 2016-12-07 19:32:37 UTC
From: wd0ajg@...
Topic: 1985 Message: 1985

lost a HD and now need a new serial
Key to send:

GTUGK-4J8IP-XD4N5-IGW4E-CM37N-69VNP-B6HTA-DQQDI-GN5VI-RB5HP-WDQP5-FHEAB

1986. Re:[agwpe_pro] New HD - need new serial

Yahoo group: agwpe_pro
Date: 2016-12-10 16:55:39 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1985 Message: 1986

AGWEmail

Hi

?

your serial is

HJUYK-3B8HF-WECND-GG26V-4NTXN-W8V2M-35HPA-V8MVF-GN6DK-RB5HP-WDQP5-FHEAB

73

SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:wd0ajg@... [agwpe_pro]

Sent:Τετ,07Δεκ2016 11:32

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] New HD - need new serial

?

lost a HD and now need a new serial

Key to send:

GTUGK-4J8IP-XD4N5-IGW4E-CM37N-69VNP-B6HTA-DQQDI-GN5VI-RB5HP-WDQP5-FHEAB

1987. New serial needed

Yahoo group: agwpe_pro
Date: 2017-01-28 11:10:25 UTC
From: iw1psc@...
Topic: 1987 Message: 1987

Hallo George, i need serial registration for my new HD

The key to send is
GW6DQ-4MPQE-6YNN5-IG26D-8M37H-A5YNP-DGP7Y-DQQB4-NN5YI-3MIHT-VYY3B-SNEAB
Many thanks and 73
IW1PSC Franco

1988. Re:[agwpe_pro] New serial needed

Yahoo group: agwpe_pro
Date: 2017-01-28 14:02:22 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1987 Message: 1988

AGWEmail

Hi

?

your serial is

HN6VQ-3DPN6-5YWND-GG68V-YNTXG-24Y2M-5FP3Y-V8MTZ-NN6GK-3MIHT-VYY3B-SNEAB

73

?

SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:iw1psc@... [agwpe_pro]

Sent:Σαβ,28Ιαν2017 11:10

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] New serial needed

?

Hallo George, i need serial registration for my new HD

The key to send is

GW6DQ-4MPQE-6YNN5-IG26D-8M37H-A5YNP-DGP7Y-DQQB4-NN5YI-3MIHT-VYY3B-SNEAB

Many thanks and 73

IW1PSC Franco

1989. n3hu new dell laptop 2017

Yahoo group: agwpe_pro
Date: 2017-01-29 18:41:57 UTC
From: robert_hurd4@...
Topic: 1989 Message: 1989

Hi George

I have a new laptop to install PEPro

Key to send

PBUYE-SB5IP-XVKN3-WHA4D-4M37H-N7DQP-B7H7Z-DNQDG-NS6GS-QT8IA-5D223-SNSAB

tnx and 73
rob
n3hu

1990. Re:[agwpe_pro] n3hu new dell laptop 2017

Yahoo group: agwpe_pro
Date: 2017-01-30 06:51:36 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1989 Message: 1990

AGWEmail

Hi Rob

?

the serial is

P3VGE-Q35HF-WVUNB-UHE6V-UNTXH-E6D4M-36H3Z-V6MVD-NS6YU-QT8IA-5D223-SNSAB

?

73

SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:robert_hurd4@... [agwpe_pro]

Sent:Κυρ,29Ιαν2017 18:41

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] n3hu new dell laptop 2017

?

Hi George

? ?I have a new laptop to install PEPro

? Key to send

PBUYE-SB5IP-XVKN3-WHA4D-4M37H-N7DQP-B7H7Z-DNQDG-NS6GS-QT8IA-5D223-SNSAB

tnx and 73

rob

n3hu

1991. n3hu new dell laptop e6510

Yahoo group: agwpe_pro
Date: 2017-01-29 18:31:19 UTC
From: robert_hurd4@...
Topic: 1991 Message: 1991

Hi

Setting up a new laptop. Need a key

Key to send

PBUYE-SB5IP-XVKN3-WHA4D-4M37H-N7DQP-B7H7Z-DNQDG-NS6GS-QT8IA-5D223-SNSAB

73
rob
n3hu

1992. N3HU - one more new Dell laptop E6540

Yahoo group: agwpe_pro
Date: 2017-02-05 18:56:16 UTC
From: robert_hurd4@...
Topic: 1992 Message: 1992

Hi George

I have one more new laptop to get up and running. Key to send:

NW6YN-SB9IS-4YYN3-ZN3TW-EM37G-65GKP-DGPXY-VCQB7-NS6VE-PJXPP-VY4NJ-THAAB

thanks in advance
73
rob
n3hu

1993. status of new key?

Yahoo group: agwpe_pro
Date: 2017-02-09 02:27:19 UTC
From: robert_hurd4@...
Topic: 1992 Message: 1993

Hi George

I haven't heard back from you on this request. It's a second Dell machine, not the 6510 from a couple days before.

thanks and 73
rob
n3hu

1994. Re: N3HU - one more new Dell laptop E6540

Yahoo group: agwpe_pro
Date: 2017-02-09 06:34:57 UTC
From: sv2agw@...
Topic: 1992 Message: 1994

Hi Rob

this is the serial
PN7GN-Q39HI-3Y8NB-XN7WD-6NTXG-W4GYM-5FPTZ-DUMT4-NS7DG-PJXPP-VY4NJ-THAAB

73
SV2AGW George

1995. Re: N3HU - one more new Dell laptop E6540

Yahoo group: agwpe_pro
Date: 2017-02-10 02:57:15 UTC
From: robert_hurd4@...
Topic: 1992 Message: 1995

thank you george

good to go

73
rob

1996. N3HU, also a new desktop

Yahoo group: agwpe_pro
Date: 2017-02-13 02:32:02 UTC
From: robert_hurd4@...
Topic: 1996 Message: 1996

Hi George

Well, my desktop died this week too. Setting up a new one.

key to send

G3VVI-RMMPS-6GQN5-ENI6D-2M37G-69YUP-B7P27-GIQBX-HJVVI-4T6PP-UV4QB-TGSAB

thanks in advance
73
rob

1997. Re: N3HU, also a new desktop

Yahoo group: agwpe_pro
Date: 2017-02-20 23:27:15 UTC
From: robert_hurd4@...
Topic: 1996 Message: 1997

George

Would you please send a key at your convenience?

thanks in advance

73
rob
n3hu

1998. Re:[agwpe_pro] Re: N3HU, also a new desktop

Yahoo group: agwpe_pro
Date: 2017-02-23 08:44:58 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1996 Message: 1998

AGWEmail

Hi Rob

?

Please send me the "Key TO Send" to my?email

?

73

SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:robert_hurd4@... [agwpe_pro]

Sent:Δευ,20Φεβ2017 23:27

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] Re: N3HU, also a new desktop

?

George

? Would you please send a key at your convenience?

thanks in advance

73

rob

n3hu

1999. AGWpe won't start

Yahoo group: agwpe_pro
Date: 2017-04-18 12:05:55 UTC
From: kb1chu@...
Topic: 1999 Message: 1999

AGWpe won't start. Win 10 wit 8 gigs ram I downloaded a new copy after erasing the old one because I kept getting a message telling me AGWpe failed to start and that I must close the program. Still get the error with the new copy. can't even get past the error message. Any ideas. Steve kb1chu

2000. Re:[agwpe_pro] AGWpe won't start

Yahoo group: agwpe_pro
Date: 2017-04-18 14:54:09 UTC
From: (SV2AGW) George Rossopoulos
Topic: 1999 Message: 2000

AGWEmail

Hi

?

Please delete all ini files from documents/Packet Engine Pro

?

73

(SV2AGW)George Rossopoulos

Anakreontos14

GR-54250 Thessaloniki

GREECE

www.sv2agw.com (http://www.sv2agw.com)

www.frinos.com (http://www.frinos.com)

www.agwtracker.com (http://www.agwtracker.com)

AGWPE on Facebook (http://www.facebook.com/Agwpe)

From:kb1chu@... [agwpe_pro]

Sent:Τρι,18Απρ2017 12:05

To:agwpe_pro@yahoogroups.com;

Subject:[agwpe_pro] AGWpe won't start

?

AGWpe won't start. Win 10 wit 8 gigs ram I downloaded a new copy after erasing the old one? because I kept getting a message telling me AGWpe failed to start and that I must close the program. Still get the error with the new copy. can't even get past the error message. Any ideas. Steve kb1chu